


FCRN: 0017145996  
FCC-ID: VT8-PSENSLP  
IC-ID: 7482A-PSENSLP

December 7, 2016

Page 1 of 10

## Attestation letter

We, Pilz GmbH & Co. KG hereby declare that the test report of the CETECOM laboratory, mentioned below, also covers the following products:

Kind of product:	<b>Operating Mode Selector</b>
Product Series:	<b>PSEN slock</b>
Product Name: (Family Approval)	<b>PSEN sl-1.Xp</b>
CETECOM Testreport No.:	<b>Test report No.: 1-8548/14-01-08</b>
Model Name	Product Label
<b>PSEN sl-1.0p 1.1 (570610)</b>	
	<p>This was the <b>DUT</b> (Device under Test) of Test report No.: <b>Cetecom 1-8548/14-01-08</b></p> <ul style="list-style-type: none"> <li>- coding: coded</li> <li>- connector: 8 pin</li> <li>- magnetic holding force: 1.0 kN</li> <li>- SW Variant: standard</li> </ul> <p><u>For your information:</u></p> <p>There are only three housing variants which differ externally for the PSEN sl 8pin p family, the 0.5 kN, 1.0 kN standard and 1.0 kN stainless steel variants.</p> <p>All other variants are software variations only.</p> <p>The housing images are therefore only exemplary.</p>

the spirit of safety

**PSEN sI-0.5p 1.1**  
(570510)



Difference to DUT:  
- magnetic holding force: 0.5 kN

**PSEN sI-0.5p 2.1**  
(570511)



Difference to DUT:  
- coding: fully coded  
- magnetic holding force: 0.5 kN

**PSEN sl-0.5p 2.2**  
(570512)



Difference to DUT:

- coding: uniquely coded
- magnetic holding force: 0.5 kN

**PSEN sl-0.5p 3.1**  
(570577)



Difference to DUT:

- magnetic holding force: 0.5 kN
- SW Variant: decoupled actuator and magnetic lock

**PSEN sl-0.5p 4.1**  
 (570578)



Difference to DUT:

- coding: fully coded
- magnetic holding force: 0.5 kN
- SW Variant: decoupled actuator and magnetic lock

**PSEN sl-0.5p 4.2**  
 (570579)



Difference to DUT:

- coding: uniquely coded
- magnetic holding force: 0.5 kN
- SW Variant: decoupled actuator and magnetic lock

**PSEN sl-0.5p 5.1**  
(570587)



Difference to DUT:

- magnetic holding force: 0.5 kN
- SW Variant: changed informative output behaviour

**PSEN sl-0.5p 6.1**  
(570588)



Difference to DUT:

- coding: fully coded
- magnetic holding force: 0.5 kN
- SW Variant: changed informative output behavior



**PSEN sl-0.5p 6.2**  
(570589)



Difference to DUT:



- coding: uniquely coded
- magnetic holding force: 0.5 kN
- SW Variant: changed informative output behaviour

**PSEN sl-1.0p 2.1**  
(570611)



Difference to DUT:

- coding: fully coded

<p><b>PSEN sl-1.0p 2.2</b> (570612)</p>	<div data-bbox="467 194 1460 810">  </div> <div data-bbox="467 810 1460 902"> <p><u>Difference to DUT:</u>          - coding: uniquely coded</p> </div>
<p><b>PSEN sl-1.0p 1.1 VA</b> (570640)</p>	<div data-bbox="467 902 1460 1518">  </div> <div data-bbox="467 1518 1460 1646"> <p><u>Difference to DUT:</u>          - stainless steel variant          (old labeling on casing image)</p> </div>

**PSEN sl-1.0p 3.1**  
 (570677)



Difference to DUT:

- SW Variant: decoupled actuator and magnetic lock

**PSEN sl-1.0p 4.1**  
 (570678)



Difference to DUT:

- coding: fully coded
- SW Variant: decoupled actuator and magnetic lock



**PSEN sl-1.0p 4.2**  
(570679)



Difference to DUT:





- coding: uniquely coded
- SW Variant: decoupled actuator and magnetic lock

**PSEN sl-1.0p 5.1**  
(570687)



Difference to DUT:

- SW Variant: changed informative output behaviour

<p><b>PSEN sl-1.0p 6.1</b> (570688)</p>	<div data-bbox="467 194 1460 439">  </div> <div data-bbox="467 439 1460 808">  </div> <p><u>Difference to DUT:</u></p> <ul style="list-style-type: none"> <li>- coding: fully coded</li> <li>- SW Variant: changed informative output behaviour</li> </ul>
<p><b>PSEN sl-1.0p 6.2</b> (570689)</p>	<div data-bbox="467 936 1460 1180">  </div> <div data-bbox="467 1180 1460 1550">  </div> <p><u>Difference to DUT:</u></p> <ul style="list-style-type: none"> <li>- coding: uniquely coded</li> <li>- SW Variant: changed informative output behaviour</li> </ul>

Authorized Signature:  
 Print Name & Title:  
 Date:



Jürgen Kitzing, Approval Manager  
 07. December 2016