

Page 1 of 81

ELECTROMAGNETIC EMISSIONS COMPLIANCE REPORT

INTENTIONAL RADIATOR CERTIFICATION TO FCC PART 15 SUBPART C REQUIREMENT

Applicant: Fuji Film Corporation

7-3, Akasaka 9-Chome, Minato-ku, Tokyo 107-0052, Japan

Product Name: Communication module

Brand Name: FUJIFILM Model No.: TYPE1FJ

Model Difference: N/A

FCC ID: W2Z-02100005 ER/2017/90136 **Report Number:** FCC Rule Part: §15.247, Cat: DTS **Issue Date:** Nov. 14, 2017

Date of Test: Sep. 20, 2017 ~ Nov. 14, 2017

Date of EUT Received: Sep. 20, 2017

We hereby certify that:

The above equipment was tested by SGS Taiwan Ltd. Electronics & Communication Laboratory The test data, data evaluation, test procedures, and equipment configurations shown in this report were made in accordance with the procedures given in ANSI C63.10:2013 and the energy emitted by the sample EUT tested as described in this report is in compliance with conducted and radiated emission limits.

The test results of this report relate only to the tested sample identified in this report.

Prepared By:

Karen Huang / Clerk

Approved By:

Jim Chang / Asst. Manager





Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Market And Andrews A tronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279



Page 2 of 81

Revision History

Report Number	Revision	Description	Issue Date
ER/2017/90136	Rev.00	Initial creation of document	Nov. 14, 2017

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此根告结果僅對測述之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

所非另有說明,此根告结果僅對測述之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面計可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SCST clausen Lie

**INDIA 134 Wild Unique Poral New Tainsidictive Toward Poral Poral 24 New Tainsidictive Toward Poral 24 Ne

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司 t (886-2) 2299-3279



Page 3 of 81

Contents

1	GENERAL INFORMATION	4
2	SYSTEM TEST CONFIGURATION	6
3	SUMMARY OF TEST RESULTS	8
4	DESCRIPTION OF TEST MODES	9
5	MEASUREMENT UNCERTAINTY	11
6	CONDUCTED EMISSION TEST	12
7	DUTY CYCLE OF TEST SIGNAL	16
8	PEAK OUTPUT POWER MEASUREMENT	19
9	6dB BANDWIDTH MEASUREMENT	22
10	CONDUCTED BAND EDGES AND SPURIOUS EMISSION MEASUREMENT	26
11	RADIATED BANDEDGE AND SPURIOUS EMISSION MEASUREMENT	36
12	PEAK POWER SPECTRAL DENSITY	77
13	ANTENNA REQUIREMENT	81

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. INO 134 WitKungRoad NewTaineil@itsirialPark Wukuplistrict.NewTaineiCity.Taiwan24803/新北市五股區新北產業園區五工路 134 號

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.

台灣檢驗科技股份有限公司 t (886-2) 2299-3279



Page 4 of 81

GENERAL INFORMATION

1.1 Product description

General:

Product Name:	Communication module
Brand Name:	FUJIFILM
Model No.:	TYPE1FJ
Model Difference:	N/A
Product HW version:	N/A
Product SW version:	N/A
Power Supply:	3.3Vdc from Test Kit

WLAN 2.4GHz:

Wi-Fi	Frequency Range	Channels	Rated Power	Modulation Technology
11b/g	2412-2462	11	b: 11.21dBm g: 18.57dBm	DSSS, OFDM
11n	HT20 2412-2462	11	HT20: 18.45dBm	OFDM
Modulation type:		CCK, DQPSK, DBPSK for DSSS 64QAM, 16QAM, QPSK, BPSK for OFDM		
Transition Rate: 802.11 g		1/2/5.5/11 Mbps 6/9/12/18/24/36/48/54 Mbps _20MHz: 6.5 – 72.2Mbps		

Antenna Designation

Antenna Type	Part Number	Supplier	Peak Gain (dBi)
Monopole Pattern	N/A	N/A	0.8
Antenna			

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此根告结果僅對測述之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

所非另有說明,此根告结果僅對測述之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面計可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SCST clausen Lie

**INDIA 134 Wild Unique Poral New Tainsidictive Toward Poral Poral 24 New Tainsidictive Toward Poral 24 Ne

SGS Taiwan Ltd.



Page 5 of 81

1.2 Test Methodology of Applied Standards

FCC Part 15, Subpart C §15.247

FCC KDB 558074 D01 DTS Meas. Guidance

FCC KDB 662911 D01 Multiple Transmitter Output

ANSI C63.10:2013

Note:

All test items have been performed and record as per the above standards.

1.3 Test Facility

SGS Taiwan Ltd. Electronics & Communication Laboratory No.134, Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan 24803 (TAF code 0513)

FCC Registration Number and Designation number are: 509634 / TW0001

1.4 Special Accessories

There are no special accessories used while test was conducted.

1.5 Equipment Modifications

There was no modification incorporated into the EUT.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

台灣檢驗科技股份有限公司 t (886-2) 2299-3279

SGS Taiwan Ltd.

f (886-2) 2298-0488



Page 6 of 81

SYSTEM TEST CONFIGURATION

2.1 EUT Configuration

The EUT configuration for testing is installed on RF field strength measurement to meet the Commissions requirement and operating in a manner which intends to maximize its emission characteristics in a continuous normal application.

2.2 EUT Exercise

An engineering test mode (software/firmware) that applicant provided was utilized to manipulate the EUT into transmit, selection of the test channel, and modulation scheme.

2.3 Test Procedure

2.3.1 Conducted Emissions

The EUT is a placed on as turn table which is 0.8 m above ground plane. Conducted emissions from the EUT measured in the frequency range between 0.15 MHz and 30MHz,. The CISPR Quasi-Peak and Average detector mode is employed according to §15.207. The two LISNs provide 50 ohm/ 50uH of coupling impedance for the measuring instrument. Both lines of the power mains connected to the EUT were checked for maximum conducted interference.

2.3.2 Radiated Emissions

The EUT is a placed on as turn table. For emissions testing at or below 1 GHz, the table height shall be 0.8 m above the reference ground plane. For emission measurements above 1 GHz, the table height shall be 1.5 m. The turn table shall rotate 360 degrees to determine the position of maximum emission level. EUT is set 3m away from the receiving antenna which varied from 1m to 4m to find out the highest emission. And also, each emission was to be maximized by changing the polarization of receiving antenna both horizontal and vertical. In order to find out the max. emission, the relative positions of this hand-held transmitter (EUT) was rotated through three orthogonal axes and measurement procedures for electric field radiated emissions above 1 GHz the EUT measurement is to be made "while keeping the antenna in the 'cone of radiation' from that area and pointed at the area both in azimuth and elevation, with polarization oriented for maximum response." is still within the 3dB illumination BW of the measurement antenna.

2.4 Measurement Results Explanation Example

For all conducted test items:

The offset level is set in the spectrum analyzer to compensate the RF cable loss and attenuation factor between EUT conducted port and spectrum analyzer. With the offset compensation, the spectrum analyzer reading level is exactly EUT RF output level.

The spectrum analyzer offset is derived from RF cable loss and attenuator factor. Following shows an offset computation example with cable loss and attenuator.

SISO Offset:

= RF cable loss (dB)+ attenuation factor(dB) dB =11.3dB

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.





Page 7 of 81

2.5 Configuration of Tested System

Fig. 2-1 Conducted (Antenna Port) Emission Configuration




Fig 2-2 Radiated Emission & Conduction




Table 2-1 Equipment Used in Tested System

Item	Equipment	Mfr/Brand	Model/Type No.	Series No.	Data Cable	Power Cord
1.	WLAN Test Software	N/A	N/A	N/A	N/A	N/A
2.	DC Power Supply	Agilent	E3640A	MY52410006	N/A	Unshielded

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report refer only to the sample(s) tested and such sample(s) are retained for so days only. 除非另有說明,此報告结果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions for Electronic Documents at www.sgs.com/terms and conditions for electronic format document, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions for electronic format document. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and the intervention only and the intervention of the state of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

Member of SGS Group



Page 8 of 81

SUMMARY OF TEST RESULTS

FCC Rules / IC Rules	Description Of Test	Result
§15.207(a)	AC Power Line Conducted Emission	Compliant
§15.247(b) (3)	Peak Output Power	Compliant
§15.247(a)(2)	6dB Emission Bandwidth	Compliant
§15.247(d)	Conducted Band Edge and Spurious Emission	Compliant
§15.247(d)	Radiated Band Edge and Spurious Emission	Compliant
§15.247(e)	Power Spectral Density	Compliant
§15.203 §15.247(b)	Antenna Requirement	Compliant

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此根告结果僅對測述之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

所非另有說明,此根告结果僅對測述之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面計可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SCST clausen Lie

**INDIA 134 Wild Unique Poral New Tainsidictive Toward Poral Poral 24 New Tainsidictive Toward Poral 24 Ne

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

SGS Taiwan Ltd.



Page 9 of 81

DESCRIPTION OF TEST MODES

4.1 Operated in 2400 ~ 2483.5MHz Band

11 channels are provided for 802.11b, 802.11g and 802.11n, HT20

'.	are provided for 602.11b, 602.11g and 602.11h_1120					
	CHANNEL	FREQUENCY	CHANNEL	FREQUENCY		
	1	2412 MHz	7	2442 MHz		
	2	2417 MHz	8	2447 MHz		
	3	2422 MHz	9	2452 MHz		
	4	2427 MHz	10	2457 MHz		
	5	2432 MHz	11	2462 MHz		
	6	2437 MHz				

4.2 The Worst Test Modes and Channel Details

- 1. The EUT has been tested under operating condition.
- 2. Test program used to control the EUT for staying in continuous transmitting and receiving mode is programmed.
- 3. Investigation has been done on all the possible configurations for searching the worst case.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for so days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format document, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and the wheat of the transfer of the subject to the company's findings at the time of its intervention only and the wheat of the subject to the company's findings at the time of its intervention only and the wheat of the subject to the company's findings at the time of its intervention only and the subject to the company's findings at the time of its intervention only and the subject to the company's findings at the time of its intervention only and the subject to the company's findings at the time of its intervention only and the subject to the company's findings at the time of its intervention only and the subject to the company's findings at the time of its intervention only and the subject to the company's findings at the time of its intervention only and the subject to the company's findings at the time of its intervention only and the subject to the company's findings at the Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 f (886-2) 2298-0488 www.tw.sqs.com



Page 10 of 81

RADIATED EMISSION TEST:

RADIATED EMILOGION TEOT:					
RADIATED EMISSION TEST (BELOW 1 GHz)					
MODE	AVAILABLE CHANNEL	TESTED CHANNEL	MODULATION	DATA RATE (Mbps)	ANTENNA PORT
802.11g	1 to 11	1,6,11	OFDM	6	Main
RADIATED EMISSION TEST (ABOVE 1 GHz)					
MODE	AVAILABLE CHANNEL	TESTED CHANNEL	MODULATION	DATA RATE (Mbps)	ANTENNA PORT
802.11b	1 to 11	1, 6, 11	DSSS	1	Main
802.11g	1 to 11	1, 6, 11	OFDM	6	Main
802.11n (HT20)	1 to 11	1, 6, 11	OFDM	MCS0	SISO

Note:

The field strength of radiation emission was measured as EUT stand-up position (H mode) and lie down position (E1, E2 mode) for 802.11b/g/n WLAN Transmitter for channel Low, Mid and High, the worst case E2 position was reported.

ANTENNA PORT CONDUCTED MEASUREMENT:

CONDUCTED TEST					
MODE	AVAILABLE CHANNEL	TESTED CHANNEL	MODULATION	DATA RATE (Mbps)	ANTENNA PORT
802.11b	1 to 11	1, 6, 11	DSSS	1	Main
802.11g	1 to 11	1, 6, 11	OFDM	6	Main
802.11n (HT20)	1 to 11	1, 6, 11	OFDM	MCS0	SISO

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report refer only to the sample(s) tested and such sample(s) are retained for so days only. 除非另有說明,此報告结果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions for Electronic Documents at www.sgs.com/terms and conditions for electronic format document, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions for electronic format document. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and the intervention only and the intervention of the state of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號





Page 11 of 81

MEASUREMENT UNCERTAINTY

Test Items	Uncertainty
AC Power Line Conducted Emission	+/- 2.586 dB
Peak Output Power	+/- 0.84 dB
6dB Bandwidth	+/- 51.33 Hz
100 KHz Bandwidth Of Frequency Band Edges	+/- 0.84 dB
Peak Power Density	+/- 1.3 dB
Temperature	+/- 0.65 °C
Humidity	+/- 4.6 %
DC / AC Power Source	DC= +/- 0.13%, AC= +/- 0.2%

Radiated Spurious Emission:


Measurement uncertainty	9kHz-30MHz: +/-2.87dB
	30MHz - 180MHz: +/- 3.37dB
	180MHz -417MHz: +/- 3.19dB
(Polarization : Vertical)	0.417GHz-1GHz: +/- 3.19dB
	1GHz - 18GHz: +/- 4.04dB
	18GHz - 40GHz: +/- 4.04dB

	9kHz-30MHz: +/-2.87dB
	30MHz - 167MHz: +/- 4.22dB
Measurement uncertainty	167MHz -500MHz: +/- 3.44dB
(Polarization : Horizontal)	0.5GHz-1GHz: +/- 3.39dB
	1GHz - 18GHz: +/- 4.08dB
	18GHz - 40GHz: +/- 4.08dB

This uncertainty represents an expanded uncertainty expressed at approximately the 95% confidence level using a coverage factor of k=2.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approaches of this document is unlaufful and offenders may be prescribed to the fullylest extent of the law pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.





CONDUCTED EMISSION TEST

6.1 Standard Applicable

Frequency range within 150kHz to 30MHz shall not exceed the Limit table as below.

Frequency range	Limits dB(uV)				
MHz	Quasi-peak	Average			
0.15 to 0.50	66 to 56	56 to 46			
0.50 to 5	56	46			
5 to 30	60	50			

Note

- 1. The lower limit shall apply at the transition frequencies
- 2. The limit decreases linearly with the logarithm of the frequency in the range 0.15 MHz to 0.50 MHz.

6.2 Measurement Equipment Used

Conducted Emission Test Site								
EQUIPMENT	MFR	MFR MODEL		LAST	CAL DUE.			
TYPE		NUMBER	NUMBER	CAL.				
EMI Test Receiver	R&S	ESCI7	100760	05/11/2017	05/10/2018			
LISN	SCHWARZ-	NSLK 8127	8127-649	05/22/2017	05/21/2018			
	BECK							
LISN	MESS TEC	FCC-LISN-50/250-2	4034	03/19/2017	03/18/2018			
		5-2-01						
Coaxial Cables	N/A	WK CE Cable	N/A	11/26/2016	11/25/2017			

6.3 EUT Setup


- 1. The conducted emission tests were performed in the test site, using the setup in accordance with the ANSI 63.10:2013.
- 2. The AC/DC Power adaptor of EUT was plug-in LISN. The EUT was placed flushed with the rear of the table.
- The LISN was connected with 120Vac/60Hz power source.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號





6.4 Test SET-UP (Block Diagram of Configuration)




6.5 Measurement Procedure

- 1. The EUT was placed on a table which is 0.8m above ground plane.
- 2. Maximum procedure was performed on the six highest emissions to ensure EUT compliance.
- 3. Repeat above procedures until all phases of power being supplied by given UE are completed

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for so days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format document, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and the wheat of the transfer of the subject to the company's findings at the time of its intervention only and the wheat of the subject to the company's findings at the time of its intervention only and the wheat of the subject to the company's findings at the time of its intervention only and the subject to the company's findings at the time of its intervention only and the subject to the company's findings at the time of its intervention only and the subject to the company's findings at the time of its intervention only and the subject to the company's findings at the time of its intervention only and the subject to the company's findings at the time of its intervention only and the subject to the company's findings at the time of its intervention only and the subject to the company's findings at the time of its intervention only and the subject to the company's findings at the Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. SGS Taiwan Ltd.






6.6 Measurement Result

Temperature: 20 (Site Conduction Room Phase: L1

AC 120V/60Hz Humidity: 58 % Limit: FCC Class B Conduction(QP) Power:


Mode. Operation mode

Note:



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



30.000



Site Conduction Room

Limit: FCC Class B Conduction(QP)


Mode. Operation mode

0.150

Note:

Temperature: Phase: 20 V AC 120V/60Hz Humidity: 58 % Power:

Conducted Emission



No.	Mk	Freq.	Reading Level	Correct Factor	Measure- ment	Limit	Over		
		MHz	dBuV	dB	dBuV	dBuV	dB	Detector	Comment
1		2,8260	21,01	0.15	21.16	56,00	-34.84	peak	
2		4.1540	19.20	0.21	19.41	56,00	-36.59	peak	
3		6.0060	17.80	0.28	18.08	60.00	-41.92	peak	
4		12.0300	20.64	0.38	21.02	60.00	-38.98	peak	
5		20.8340	27.97	0.51	28.48	60.00	-31.52	peak	
6	*	24.0140	31.03	0.56	31.59	60.00	-28.41	peak	

(MHz)

5

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

t (886-2) 2299-3279

0.5

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,比報告结果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unlawful and offenders may be prosecuted to the fullest extent of the law pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page 16 of 81

DUTY CYCLE OF TEST SIGNAL

Pre-analysis Check: While conducting average power measurement, duty cycle of each mode shall be checked to ensure its duty cycle in order to compensate for the loss due to insufficient ratio of duty cycle.

All duty cycle is pre-scanned, and result as obtained below shows only the most representative ones where duty cycle is conducted as the given transmission with given virtual operation that expresses the percentage.

Formula:

Duty Cycle = Ton / (Ton+Toff)

Measurement Procedure:

- 1. Set span = Zero
- 2. RBW = 8MHz
- 3. VBW = 8MHz,
- 4. Detector = Peak

Duty Cycle:

	Duty Cycle (%)	Duty Factor (dB)	1/T (kHz)	VBW setting (kHz)
802.11b	99.04	0.04	ı	-
802.11g	93.42	0.30	1.22	2.00
802.11n_20	92.95	0.32	1.72	2.00

b = 99.04%, q = 93.42%, n ht 20 = 92.95%

Duty Cycle Factor: $10 * \log(1/0.9904) = 0.04$ Duty Cycle Factor: $10 * \log(1/0.9342) = 0.3$ Duty Cycle Factor: $10 * \log(1/0.9295) = 0.32$

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



7.1 Duty Cycle Test Signal Measurement Result 802.11 b



802.11 g



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號


台灣檢驗科技股份有限公司

f (886-2) 2298-0488

www.tw.sqs.com



802.11 n_20 MHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Refs 丹有说明,此根告结果僅對測試之樣品負責,同時此樣品僅保留的天。本根专未绝本公司書面新可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unawful and offenders may be prosequed to the full less extent of this document. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page 19 of 81

PEAK OUTPUT POWER MEASUREMENT

8.1 Standard Applicable

For systems using digital modulation in the 2400-2483.5 MHz bands, the limit for peak output power is 1Watt.

If the transmitting antenna of directional gain greater than 6dBi are used the peak output power form the intentional radiator shall be reduced below the above stated value by the amount in dB that the directional gain of the Antenna exceeds 6dBi.


In case of point-to-point operation, the limit has to be reduced by 1dB for every 3dB that the directional gain of Antenna exceeds 6dBi.

8.2 Measurement Equipment Used

	Conducted Emission Test Site								
EQUIPMENT	MFR	MODEL	SERIAL	LAST	CAL DUE.				
TYPE		NUMBER	NUMBER	CAL.					
Power Meter	Anritsu	ML2495A	1005007	12/15/2016	12/14/2017				
Power Sensor	Anritsu	MA2411B	917032	12/15/2016	12/14/2017				
EXA Spectrum Analyzer	Agilent	N9030A	MY53120760	03/21/2017	03/20/2018				
DC Block	Mini-Circuits	BLK-18-S+	1	01/05/2017	01/04/2018				
Coaxial Cable	HUBER+SUHNER	SUCOFLEX 102	23670/2	01/05/2017	01/04/2018				
Attenuator	Mini-Circuit	BW-S10W2+	2	01/05/2017	01/04/2018				
Splitter	Agilent	11636B	N/A	01/05/2017	01/04/2018				
DC Power Supply	Agilent	E3640A	MY52410006	11/21/2016	11/20/2017				
Temperature Chamber	TERCHY	MHG-120LF	911009	05/19/2017	05/18/2018				

8.3 Test Set-up

Power Meter:



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Page 20 of 81

8.4 Measurement Procedure

- 1. Place the EUT on the table and set it in transmitting mode.
- 2. The testing follows the Measurement Procedure of FCC KDB 558074 D01 DTS Meas. Guidance.
- 3. Remove the antenna from the EUT and then connect a low loss RF cable from the antenna port to the power meter.

Power Meter:

It is used as the auxiliary test equipment to conduct the output power measurement.

4. Record the max. Reading as observed from Spectrum or Power Meter.

8.5 Measurement Result


802.1	802.11b Main							
СН	Freq. (MHz)	Data Rate	Peak Output Power (dBm)	Limit RESUL ¹			RESULT	
1	2412	1	11.13	1 Watt =	30.00	dBm	PASS	
6	2437	1	11.18	1 Watt =	30.00	dBm	PASS	
11	2462	1	11.21	1 Watt =	30.00	dBm	PASS	
802.1	802.11b Main							
СН	Freq. (MHz)	Data Rate	Max. Avg. Output include tune up tolerance Power (dBm)	Limit RESUL			RESULT	
1	2412	1	8.31	1 Watt =	30.00	dBm	PASS	
6	2437	1	8.39	1 Watt =	30.00	dBm	PASS	
11	2462	1	8.28	1 Watt =	30.00	dBm	PASS	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for so days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format document, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and the wheat of the transfer of the subject to the company's findings at the time of its intervention only and the wheat of the subject to the company's findings at the time of its intervention only and the wheat of the subject to the company's findings at the time of its intervention only and the subject to the company's findings at the time of its intervention only and the subject to the company's findings at the time of its intervention only and the subject to the company's findings at the time of its intervention only and the subject to the company's findings at the time of its intervention only and the subject to the company's findings at the time of its intervention only and the subject to the company's findings at the time of its intervention only and the subject to the company's findings at the time of its intervention only and the subject to the company's findings at the Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 www.tw.sqs.com

台灣檢驗科技股份有限公司 t (886-2) 2299-3279





802.11g Main **Peak Output** Freq. Data CH Power Limit **RESULT** (MHz) Rate (dBm) 18.57 1 Watt = 30.00 dBm **PASS** 1 2412 6 6 2437 6 18.45 1 Watt = 30.00 dBm**PASS** 11 2462 18.41 1 Watt = 30.00 dBm **PASS** 6 802.11g Main Max. Avg. Output include tune up Freq. Data CH Limit **RESULT** tolerance Power Rate (MHz) (dBm) 2412 8.44 1 Watt = 30.00 dBm **PASS** 6 1 Watt = 6 2437 6 8.49 30.00 dBm **PASS** 11 2462 6 8.48 1 Watt = 30.00 dBm **PASS** 802.11n_HT20M Main **Peak Output** Freq. Data CH **Power** Limit **RESULT** (MHz) Rate (dBm) MCS₀ 1 Watt = 2412 18.32 30.00 dBm **PASS** 1 Watt = 6 2437 MCS0 18.45 30.00 dBm **PASS** 11 2462 MCS0 18.26 30.00 dBm **PASS** 1 Watt = 802.11n_HT20M Main Max. Avg. Output Freq. Data include tune up CH Limit **RESULT** tolerance Power (MHz) Rate (dBm) 1 Watt = **PASS** 1 2412 MCS0 8.49 30.00 dBm 1 Watt = **PASS** 6 2437 MCS0 8.48 30.00 dBm 11 2462 MCS₀ 8.47 1 Watt = 30.00 dBm **PASS**

Note:

offset 11.30 dB for SISO mode

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

www.tw.sqs.com

^{*} Note: The duty cycle factor is compensated to obtain the maximum value of measurement in average.



Page 22 of 81

6DB BANDWIDTH MEASUREMENT


9.1 Standard Applicable

The minimum 6 dB bandwidth shall be at least 500 kHz.

9.2 Measurement Equipment Used

Conducted Emission Test Site								
EQUIPMENT	MFR	MODEL	SERIAL	LAST	CAL DUE.			
TYPE		NUMBER	NUMBER	CAL.				
EXA Spectrum Analyzer	Agilent	N9030A	MY53120760	03/21/2017	03/20/2018			
DC Block	Mini-Circuits	BLK-18-S+	1	01/05/2017	01/04/2018			
Coaxial Cable	HUBER+SUHNER	SUCOFLEX 102	23670/2	01/05/2017	01/04/2018			
Attenuator	Mini-Circuit	BW-S10W2+	2	01/05/2017	01/04/2018			
DC Power Supply	Agilent	E3640A	MY52410006	11/21/2016	11/20/2017			

9.3 Test Set-up



9.4 Measurement Procedure

- 1. Place the EUT on the table and set it in transmitting mode.
- 2. The testing follows the Measurement Procedure of FCC KDB 558074 D01 DTS Meas. Guid-
- 3. Remove the antenna from the EUT and then connect a low loss RF cable from the antenna port to the spectrum analyzer.
- 4. For 6dB Bandwidth:
 - Set the spectrum analyzer as RBW = 100 kHz, VBW = 3*RBW, Span = 30M/50MHz, Detector=peak, Sweep=auto.
- 5. Mark the peak frequency and –6dB (upper and lower) frequency.
- 6. Repeat above procedures until all frequency of interest measured was complete.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page 23 of 81

9.5 Measurement Result

802.11b Main

Freq.	6dB BW	Limit	Result
(MHz)	(kHz)	(kHz)	Nesuit
2412	7113	> 500	PASS
2437	8069	> 500	PASS
2462	8051	> 500	PASS

802.11g Main

802.11_n_HT20 Main

Freq.	6dB BW (kHz)	Limit (kHz)	Result	Freq.	6dB BW (kHz)	Limit (kHz)	Result
2412	15090		PASS		15100		PASS
2437	15090	> 500	PASS	2437	15100	> 500	PASS
2462	15100	> 500	PASS	2462	15100	> 500	PASS


*Refer to next page for plots

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. INO 134 WitKungRoad NewTaineil@itsirialPark Wukuplistrict.NewTaineiCity.Taiwan24803/新北市五股區新北產業園區五工路 134 號






802.11b 6dB Band Width Test Data CH-Low




6dB Band Width Test Data CH-Mid



6dB Band Width Test Data CH-High




802.11g 6dB Band Width Test Data CH-Low



6dB Band Width Test Data CH-Mid




6dB Band Width Test Data CH-High



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.





802.11n_20M


6dB Band Width Test Data CH-Low



6dB Band Width Test Data CH-Mid



6dB Band Width Test Data CH-High



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

t (886-2) 2299-3279

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approaches of this document is unlaufful and offenders may be prescribed to the fullylest extent of the law pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page 26 of 81

CONDUCTED BAND EDGES AND SPURIOUS EMISSION MEASUREMENT

10.1 Standard Applicable


In any 100 kHz bandwidth outside the frequency band in which the spread spectrum or digitally modulated intentional radiator is operating, the radio frequency power that is produced by the intentional radiator shall be at least 20 dB below that in the 100 kHz bandwidth within the band that contains the highest level of the desired power, based on either an RF conducted or a radiated measurement, provided the transmitter demonstrates compliance with the peak conducted power limits.

In addition, radiated emissions which fall in the restricted bands, as defined in §15.205(a), must also comply with the radiated emission limits specified in §15.209(a).

10.2 Measurement Equipment Used

Conducted Emission Test Site								
EQUIPMENT TYPE	MFR	MODEL NUMBER	SERIAL NUMBER	LAST CAL.	CAL DUE.			
1116		IAOMIDEIX	HOMBEK	OAL.				
EXA Spectrum	A gilant	N9030A	MY53120760	03/21/2017	03/20/2018			
Analyzer	Agilent	N9030A	WIT55120760	03/21/2017	03/20/2016			
DC Block	Mini-Circuits	BLK-18-S+	1	01/05/2017	01/04/2018			
Attenuator	Mini-Circuit	BW-S10W2+	2	01/05/2017	01/04/2018			

10.3 Test SET-UP



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sqs.com/terms and conditions.htm and, for elec-

tronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

SGS Taiwan Ltd.



Page 27 of 81

10.4 Measurement Procedure

Band Edge Limit Calculation:

- Set analyzer center frequency to DTS channel center frequency.
- 2. The testing follows the Measurement Procedure of FCC KDB 558074 D01 DTS Meas. Guidance.
- Set the span to 1.5 times the DTS channel bandwidth.
- 4. Set the RBW = 100kHz & VBW = 300 kHz.
- 5. Detector = peak.
- 6. Sweep time = auto couple.
- 7. Trace mode = max hold.
- 8. Allow trace to fully stabilize.
- 9. Use the peak marker function to determine the maximum amplitude level.

Conducted Band Edge:

- To connect Antenna Port of EUT to Spectrum.
- 11. The testing follows the Measurement Procedure of FCC KDB 558074 D01 DTS Meas. Guidance.
- 12. Remove the antenna from the EUT and then connect a low loss RF cable from the antenna port to the spectrum analyzer.
- 13. Set start to edge frequency, and stop frequency of spectrum analyzer so as to encompass the spectrum to be examined.
- 14. Set the spectrum analyzer as RBW=100 kHz, VBW=300 kHz, Detector = Peak, Sweep = auto
- 15. Mark the highest reading of the emission as the reference level measurement.
- 16. Set DL as the limit = reading on marker 1 20dBm
- 17. Marker on frequency, 2.3999GHz and 2.4836GHz, and examine shall 100 kHz immediately outside the authorized (2400~2483.5) be attenuated by 20dB at least relative to the maximum emission of power.
- Repeat above procedures until all default test channel (low, middle, and high) was complete.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

f (886-2) 2298-0488 www.tw.sqs.com



Page 28 of 81

Conducted Spurious Emission:

- To connect Antenna Port of EUT to Spectrum
- 2. The testing follows the Measurement Procedure of FCC KDB 558074 D01 DTS Meas. Guid-
- 3. Set RBW = 100 kHz & VBW= 300 kHz, Detector = Peak, Sweep = Auto.
- 4. Allow trace to fully stabilize.
- 5. Use the peak marker function to determine the maximum power level in any 100 kHz band segment within the fundamental EBW.
- 6. Repeat above procedures until all default test channel measured were complete.

10.5 Measurement Result

Bandedge Limit 802.11b MODE			Bandedge Limit 802.11g MODE		
Freq.		Bandedge Limit	Freq.	PSD	Bandedge Limit
(MHz)	(dBm)	(dBm)	(MHz)	(dBm)	(dBm)
2412	1.35	-18.65	2412	-0.97	-20.97
2462	0.84	-19.16	2462	-1.26	-21.26

Bandedge Limit 802.11n20 MODE			
Freq.	PSD	Bandedge Limit	
Freq. (MHz)	(dBm)	(dBm)	
2412	-0.97	-20.97	
2462	-1.06	-21.06	

Note:


11.30 dB for SISO mode offset

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 f (886-2) 2298-0488 www.tw.sqs.com

SGS Taiwan Ltd.





802.11b PSD for Band edge Limit (CH-Low)



802.11b PSD for Bandedge Limit(CH-High)



802.11g PSD for Bandedge Limit(CH-Low)



802.11g PSD for Bandedge Limit(CH-High)



802.11n_HT20 PSD for Bandedge Limit(CH-Low)




802.11n_HT20 PSD for Bandedge Limit(CH-High)



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.





802.11b

Band Edges Test Data CH-Low





Band Edges Test Data CH-High



802.11b


Spurious Emission Test Data CH-Low






Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


Unless otherwise stated the results snown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only.
Phys. P pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.







Spurious Emission Test Data CH-Mid





Spurious Emission Test Data CH-High






Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Refs 丹有说明,此根告结果僅對測試之樣品負責,同時此樣品僅保留的天。本根专未绝本公司書面新可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unawful and offenders may be prosequed to the full less extent of this document. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.






802.11g **Band Edges Test Data CH-Low**



Band Edges Test Data CH-High



802.11g Spurious Emission Test Data CH-Low






Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only.
Phys. P pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號


台灣檢驗科技股份有限公司


t (886-2) 2299-3279







Spurious Emission Test Data CH-Mid






Spurious Emission Test Data CH-High





Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only.
Phys. P pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.






802.11n_HT20 **Band Edges Test Data CH-Low**




Band Edges Test Data CH-High




802.11n_HT20 Spurious Emission Test Data CH-Low






Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


Unless otherwise stated the results snown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only.
Phys. P pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.







Spurious Emission Test Data CH-Mid





Spurious Emission Test Data CH-High





Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only.
Phys. P pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page 36 of 81

11 RADIATED BANDEDGE AND SPURIOUS EMISSION MEASUREMENT

11.1 Standard Applicable

In any 100 kHz bandwidth outside the frequency band in which the spread spectrum or digitally modulated intentional radiator is operating, the radio frequency power that is produced by the intentional radiator shall be at least 20 dB below that in the 100 kHz bandwidth within the band that contains the highest level of the desired power, based on either an RF conducted or a radiated measurement, provided the transmitter demonstrates compliance with the peak conducted power limits. In addition, radiated emissions which fall in the restricted bands must also comply with the §15.209 limit as below.

And according to §15.33(a) (1), for an intentional radiator operates below 10GHz, the frequency range of measurements: to the tenth harmonic of the highest fundamental frequency or to 40GHz, whichever is lower.

Frequency (MHz)	Field strength (microvolts/meter)	Distance (meters)
0.009-0.490	2400/F(kHz)	300
0.490-1.705	24000/F(kHz)	30
1.705-30	30	30
30-88	100	3
88-216	150	3
216-960	200	3
Above 960	500	3

Note:

- 1. The lower limit shall apply at the transition frequencies.
- 2. Emission level $(dB\mu V/m) = 20 \log Emission level (dB\mu V/m)$

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

原井刀 気切 「地板で増充性料の場合体の可見!「同中地体の性は休留の人・本板官木を全なり音画です」・イコのけ後表。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sqs.com/terms_and_conditions.htm</u> and, for elec-

tronic format documents, subject to Terms and Conditions for Electronic Documents at www.sqs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page 37 of 81

11.2 Measurement Equipment Used:

	966 Chamber										
EQUIPMENT	MFR	MODEL	SERIAL	LAST	CAL DUE.						
TYPE		NUMBER	NUMBER	CAL.							
EMI Test Receiver	R&S	ESCI7	100760	05/11/2017	05/10/2018						
Spectrum Analyzer	Agilent	E4446A	MY51100003	04/25/2017	04/24/2018						
Loop Antenna	ETS-Lindgren	6502	148045	09/20/2017	09/19/2018						
Bilog Antenna	SCHWAZBECK	VULB9168	378	12/19/2016	12/18/2017						
Horn Antenna	Schwarzbeck	BBHA9120D	1441	08/04/2017	08/03/2018						
Pre-Amplifier	Agilent	8447D	2944A07676	01/03/2017	01/02/2018						
Pre-Amplifier	EMC Instruments Corp.	EMC0126530	980038	01/03/2017	01/02/2018						
Turn Table	HD	DT420	N/A	N.C.R	N.C.R						
Antenna Tower	ChamPro	AM-BS-4500-B	060776-ABS	N.C.R	N.C.R						
Controller	ChamPro	EM1000	60776	N.C.R	N.C.R						
Low Loss Cable	Huber Suhner	966_RX	9	01/05/2017	01/04/2018						
3m Site NSA	SGS	966 chamber	N/A	07/01/2017	06/30/2018						
Low Loss Cable	Huber Suhner	966 TX	1	01/05/2017	01/04/2018						
Horn Antenna	Schwarzbeck	BBHA9170	184	12/12/2016	12/11/2017						
Pre-Amplifier	EMC Instruments Corp.	EMC184045	980135	01/05/2017	01/04/2018						

NOTE: N.C.R refers to Not Calibrated Required.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此根告结果僅對測述之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

所非另有說明,此根告结果僅對測述之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面計可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SCST clausen Lie

**INDIA 134 Wild Uniformation and such samples and such


No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

SGS Taiwan Ltd.




11.3 Test SET-UP


(A) Radiated Emission Test Set-UP Frequency Below 30MHz.



(B) Radiated Emission Test Set-Up, Frequency form 30MHz to 1000MHz



(C) Radiated Emission Test Set-UP Frequency Over 1 GHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report refer only to the sample(s) tested and such sample(s) are retained for so days only. 除非另有說明,此報告结果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions for Electronic Documents at www.sgs.com/terms and conditions for electronic format document, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions for electronic format document. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and the intervention only and the intervention of the state of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

f (886-2) 2298-0488 www.tw.sqs.com



Page 39 of 81

11.4 Measurement Procedure

- The testing follows the Measurement Procedure of FCC KDB 558074 D01 DTS Meas. Guid-
- 2. The EUT was placed on a turn table with 0.8m for frequency< 1GHz and 1.5m for frequency> 1GHz above ground plane.
- 3. The turn table shall rotate 360 degrees to determine the position of maximum emission level.
- 4. EUT is set 3m away from the receiving antenna which varied from 1m to 4m to find out the highest emissions.
- 5. When measurement procedures for electric field radiated emissions above 1 GHz the EUT measurement is to be made "while keeping the antenna in the 'cone of radiation' from that area and pointed at the area both in azimuth and elevation, with polarization oriented for maximum response." is still within the 3dB illumination BW of the measurement antenna.
- 6. Set the spectrum analyzer as RBW=120 kHz and VBW=300 kHz for Peak Detector (PK) and Quasi-peak (QP) at frequency below 1 GHz.
- 7. Set the spectrum analyzer as RBW=1 MHz, VBW=3 MHz for Peak Detector at frequency above 1 GHz.
- 8. Set the spectrum analyzer as RBW=1 MHz, VBW=10 Hz (Duty cycle > 98%) or VBW ≥ 1/T (Duty cycle < 98%) for Average Detector at frequency above 1 GHz.
- 9. The test-receiver system was set to quasi-peak detect function and specified bandwidth with maximum hold mode when the test frequency is below 1 GHz.
- 10. Maximum procedure was performed on the six highest emissions to ensure EUT compliance.
- 11. And also, each emission was to be maximized by changing the polarization of receiving antenna both horizontal and vertical. On spectrum, change spectrum mode in linear display mode, and reduce VBW = 10Hz if average reading is measured.
- 12. Repeat above procedures until all default test channel measured were complete.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

台灣檢驗科技股份有限公司 t (886-2) 2299-3279

SGS Taiwan Ltd.



Page 40 of 81

11.5 Field Strength Calculation

The field strength is calculated by adding the Antenna Factor and Cable Factor and subtracting the Amplifier Gain and Duty Cycle Correction Factor (if any) from the measured reading. The basic equation with a sample calculation is as follows:

FS = RA + AF + CL - AG

Where	<u> </u>	CL = Cable Attenuation Factor (Cable Loss)
	RA = Reading Amplitude	AG = Amplifier Gain
	AF = Antenna Factor	

Actual FS(dB μ V/m) = SPA. Reading level(dB μ V) + Factor(dB)

Factor(dB) = Antenna Factor(dB μ V/m) + Cable Loss(dB) – Pre_Amplifier Gain(dB)

Note:

"F": denotes Fundamental Frequency.; "H": denotes Harmonic Frequency.

"E": denotes Band Edge Frequency.; "S": denotes Spurious Frequency.

11.6 Test Results of Radiated Spurious Emissions form 9 kHz to 30 MHz

The low frequency, which started from 9 kHz to 30MHz, was pre-scanned and the result which was 20dB lower than the limit per 15.31(o) was not reported.

11.7 Measurement Result

Note: Refer to next page spectrum analyzer data chart and tabular data sheets.

Note: There is a comparison data of both open-field test site and semi-Anechoic, and test result came out very similar

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 f (886-2) 2298-0488 www.tw.sqs.com

SGS Taiwan Ltd.




Page 41 of 81

Radiated Band Edge Measurement Result (802.11b)

Operation Band :802.11b **Test Date** :2017-09-28

Fundamental Frequency :2412 MHz Temp./Humi. :21 deg_C / 62 RH **Operation Mode** :Bandedge CH LOW Engineer :Kane

EUT Pol. :E2 Plane :VERTICAL Measurement Antenna Pol.



Freq.	Note	Detector	Spectrum	Factor	Actual	Limit	Margin	
		Mode	Reading Level		FS	@3m		
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBμV/m	dBµV/m	dB	_
2390.00	E	Average	31.70	-1.74	29.96	54.00	-24.04	
2390.00	Е	Peak	42.12	-1.74	40.38	74.00	-33.62	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279

台灣檢驗科技股份有限公司



Page 42 of 81

Operation Band Fundamental Frequency **Operation Mode**


:802.11b :2412 MHz

:Bandedge CH LOW

EUT Pol. :E2 Plane **Test Date** :2017-09-28 :21 deg_C / 62 RH

Temp./Humi. Engineer :Kane

:HORIZONTAL Measurement Antenna Pol.



	Freq.	Note	Detector	Spectrum	Factor	Actual	Limit	Margin
			Mode	Reading Level		FS	@3m	
_	MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBμV/m	dBµV/m	dB
	2390.00	Е	Average	29.67	-1.74	27.93	54.00	-26.07
	2390.00	Е	Peak	41.44	-1.74	39.70	74.00	-34.30

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page 43 of 81

Operation Band Fundamental Frequency **Operation Mode**


:802.11b :2462 MHz

:Bandedge CH HIGH

EUT Pol. :E2 Plane **Test Date** :2017-09-28

Temp./Humi. :21 deg_C / 62 RH Engineer :Kane

:VERTICAL Measurement Antenna Pol.



Freq.	Note	Detector	Spectrum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBμV/m	dBµV/m	dB
2483.50	Е	Average	28.85	-1.62	27.23	54.00	-26.77
2483.50	Е	Peak	41.33	-1.62	39.71	74.00	-34.29

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only.
Phys. P pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page 44 of 81

Operation Band Fundamental Frequency **Operation Mode**


:802.11b :2462 MHz

:Bandedge CH HIGH

EUT Pol. :E2 Plane **Test Date** :2017-09-28 Temp./Humi. :21 deg_C / 62 RH

Engineer :Kane

:HORIZONTAL Measurement Antenna Pol.



Freq.	Note	Detector	Spectrum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBμV/m	dBµV/m	dB
2483.50	Е	Average	28.64	-1.62	27.02	54.00	-26.98
2483.50	Е	Peak	40.73	-1.62	39.11	74.00	-34.89

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only.
Phys. P

pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279 f (886-2) 2298-0488 www.tw.sqs.com



Page 45 of 81


Radiated Band Edge Measurement Result (802.11g)

Operation Band :802.11g **Test Date** :2017-09-28

Fundamental Frequency :2412 MHz Temp./Humi. :21 deg_C / 62 RH

Operation Mode :Bandedge CH LOW Engineer :Kane

EUT Pol. :E2 Plane :VERTICAL Measurement Antenna Pol.



	Freq.	Note	Detector	Spectrum	Factor	Actual	Limit	Margin	
			Mode	Reading Level		FS	@3m		
_	MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBμV/m	dBµV/m	dB	
	2390.00	E	Average	37.45	-1.74	35.71	54.00	-18.29	
	2390.00	Е	Peak	56.97	-1.74	55.23	74.00	-18.77	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Orniess otherwise stated the results shown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only.

Phys A Results (1997) A R Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279

台灣檢驗科技股份有限公司



Page 46 of 81

Operation Band Fundamental Frequency :802.11g :2412 MHz :Bandedge CH LOW

Operation Mode EUT Pol.

:E2 Plane


Test Date Temp./Humi. Engineer

Measurement Antenna Pol.

:2017-09-28

:21 deg_C / 62 RH

:Kane :HORIZONTAL



	Freq.	Note	Detector	Spectrum	Factor	Actual	Limit	Margin
			Mode	Reading Level		FS	@3m	
_	MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBμV/m	dBµV/m	dB
	2390.00	E	Average	34.98	-1.74	33.24	54.00	-20.76
	2390.00	Е	Peak	55.30	-1.74	53.56	74.00	-20.44

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only.
Phys. P pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279 www.tw.sqs.com



Page 47 of 81

Operation Band Fundamental Frequency **Operation Mode**

:802.11g :2462 MHz


:Bandedge CH HIGH

EUT Pol. :E2 Plane **Test Date** :2017-09-28

Temp./Humi. :21 deg_C / 62 RH

Engineer :Kane

:VERTICAL Measurement Antenna Pol.



Freq.	Note	Detector	Spectrum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
2483.50	E	Average	38.52	-1.62	36.90	54.00	-17.10
2483.50	Е	Peak	58.65	-1.62	57.03	74.00	-16.97

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only.
Phys. P pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Operation Band Fundamental Frequency **Operation Mode**


:802.11g :2462 MHz

:Bandedge CH HIGH

EUT Pol. :E2 Plane **Test Date** :2017-09-28 Temp./Humi. :21 deg_C / 62 RH

Engineer :Kane

:HORIZONTAL Measurement Antenna Pol.



Freq.	Note	Detector	Spectrum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBμV/m	dBµV/m	dB
2483.50	Е	Average	37.14	-1.62	35.52	54.00	-18.48
2483.50	Е	Peak	57.53	-1.62	55.91	74.00	-18.09

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only.
Phys. P pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279



Page 49 of 81


Radiated Band Edge Measurement Result (802.11_HT20)

Operation Band :802.11n20 **Test Date** :2017-09-28

Fundamental Frequency :2412 MHz Temp./Humi. :21 deg_C / 62 RH

Operation Mode :Bandedge CH LOW Engineer :Kane

EUT Pol. :E2 Plane :VERTICAL Measurement Antenna Pol.



Freq.	Note	Detector	Spectrum	Factor	Actual	Limit	Margin	
		Mode	Reading Level		FS	@3m		
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBμV/m	dBµV/m	dB	_
2390.00	E	Average	36.76	-1.74	35.02	54.00	-18.98	
2390.00	Е	Peak	58.64	-1.74	56.90	74.00	-17.10	


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Orniess otherwise stated the results shown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only.

Phys A Results (1997) A R Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 f (886-2) 2298-0488

台灣檢驗科技股份有限公司





:802.11n20 :2412 MHz :Bandedge CH LOW

EUT Pol.


:E2 Plane

Test Date :2017-09-28

Temp./Humi. :21 deg_C / 62 RH

Engineer :Kane

:HORIZONTAL Measurement Antenna Pol.



Freq.	Note	Detector	Spectrum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBμV/m	dBµV/m	dB
2390.00	Е	Average	33.75	-1.74	32.01	54.00	-21.99
2390.00	Е	Peak	54.83	-1.74	53.09	74.00	-20.91

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Orniess otherwise stated the results shown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only.

Phys A Results (1997) A R Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page 51 of 81

Operation Band Fundamental Frequency **Operation Mode**

:802.11n20 :2462 MHz


:Bandedge CH HIGH

EUT Pol. :E2 Plane **Test Date** :2017-09-28

Temp./Humi. :21 deg_C / 62 RH

Engineer :Kane

:VERTICAL Measurement Antenna Pol.



Freq.	Note	Detector	Spectrum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBμV/m	dBµV/m	dB
2483.50	Е	Average	38.95	-1.62	37.33	54.00	-16.67
2483.50	Е	Peak	60.53	-1.62	58.91	74.00	-15.09

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only.
Phys. P pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page 52 of 81

Operation Band Fundamental Frequency **Operation Mode**


:802.11n20 :2462 MHz

:Bandedge CH HIGH

EUT Pol. :E2 Plane **Test Date** :2017-09-28 Temp./Humi. :21 deg_C / 62 RH

Engineer :Kane

:HORIZONTAL Measurement Antenna Pol.



	Freq.	Note	Detector	Spectrum	Factor	Actual	Limit	Margin	
			Mode	Reading Level		FS	@3m		
_	MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBμV/m	dBµV/m	dB	
	2483.50	E	Average	37.69	-1.62	36.07	54.00	-17.93	
	2483.50	Е	Peak	56.17	-1.62	54.55	74.00	-19.45	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only.
Phys. P pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



:2017-09-28

Page 53 of 81

Below 1GHz Worst-Case Data:


Radiated Spurious Emission Measurement Result (802.11 g)

Operation Band Test Date :802.11g

Fundamental Frequency :2412 MHz Temp./Humi. :21 deg_C / 62 RH

Operation Mode :Tx CH LOW Engineer :Kane

EUT Pol. :E2 Plane :VERTICAL Measurement Antenna Pol.



Freq.	Note	Detector	Spectrum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBμV/m	dBµV/m	dB
52.31	S	Peak	42.40	-7.76	34.64	40.00	-5.36
81.41	S	Peak	38.52	-12.53	25.99	40.00	-14.01
125.06	S	Peak	38.28	-9.98	28.30	43.50	-15.20
323.91	S	Peak	27.16	-5.48	21.68	46.00	-24.32
478.14	S	Peak	27.80	-2.43	25.37	46.00	-20.63
663.41	S	Peak	28.96	0.25	29.21	46.00	-16.79


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Orniess otherwise stated the results shown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only.

Phys A Results (1997) A R Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279 台灣檢驗科技股份有限公司





EUT Pol.


:2412 MHz :Tx CH LOW :E2 Plane

Test Date :2017-09-28

Temp./Humi. :21 deg_C / 62 RH

Engineer :Kane


:HORIZONTAL Measurement Antenna Pol.



Freq.	Note	Detector	Spectrum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBμV/m	dBµV/m	dB
56.19	S	Peak	31.09	-7.91	23.18	40.00	-16.82
110.51	S	Peak	37.72	-11.14	26.58	43.50	-16.92
149.31	S	Peak	34.55	-7.81	26.74	43.50	-16.76
204.60	S	Peak	32.09	-9.70	22.39	43.50	-21.11
352.04	S	Peak	29.26	-4.94	24.32	46.00	-21.68
516.94	S	Peak	27.96	-1.94	26.02	46.00	-19.98

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approaches of this document is unlaufful and offenders may be prescribed to the fullylest extent of the law pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.





Operation Band :802.11g **Fundamental Frequency** :2437 MHz **Operation Mode** :Tx CH MID


EUT Pol. :E2 Plane

:2017-09-28 **Test Date**

:21 deg_C / 62 RH Temp./Humi.

Engineer :Kane

:VERTICAL Measurement Antenna Pol.




Freq.	Note	Detector	Spectrum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBμV/m	dBµV/m	dB
52.31	S	Peak	41.28	-7.76	33.52	40.00	-6.48
81.41	S	Peak	38.27	-12.53	25.74	40.00	-14.26
125.06	S	Peak	38.37	-9.98	28.39	43.50	-15.11
207.51	S	Peak	31.64	-9.73	21.91	43.50	-21.59
405.39	S	Peak	28.05	-3.70	24.35	46.00	-21.65
593.57	S	Peak	27.83	0.06	27.89	46.00	-18.11

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approaches of this document is unlaufful and offenders may be prescribed to the fullylest extent of the law pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279





EUT Pol.


:802.11g :2437 MHz :Tx CH MID :E2 Plane

Test Date :2017-09-28

Temp./Humi. :21 deg_C / 62 RH

Engineer :Kane

:HORIZONTAL Measurement Antenna Pol.




Freq.	Note	Detector	Spectrum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBμV/m	dBµV/m	dB
52.31	S	Peak	29.65	-7.76	21.89	40.00	-18.11
125.06	S	Peak	36.33	-9.98	26.35	43.50	-17.15
148.34	S	Peak	35.18	-7.89	27.29	43.50	-16.21
364.65	S	Peak	27.97	-4.69	23.28	46.00	-22.72
487.84	S	Peak	28.43	-2.35	26.08	46.00	-19.92
647.89	S	Peak	28.56	0.42	28.98	46.00	-17.02

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only.
Phys. P pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279






:802.11g :2462 MHz :Tx CH HIGH EUT Pol. :E2 Plane

:2017-09-28 **Test Date**

:21 deg_C / 62 RH Temp./Humi.

Engineer :Kane

:VERTICAL Measurement Antenna Pol.




Freq.	Note	Detector	Spectrum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBμV/m	dBµV/m	dB
39.70	S	Peak	41.66	-8.56	33.10	40.00	-6.90
80.44	S	Peak	33.86	-12.37	21.49	40.00	-18.51
133.79	S	Peak	35.22	-8.99	26.23	43.50	-17.27
314.21	S	Peak	26.59	-5.49	21.10	46.00	-24.90
495.60	S	Peak	27.57	-2.41	25.16	46.00	-20.84
636.25	S	Peak	27.51	0.53	28.04	46.00	-17.96

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only.
Phys. P pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 www.tw.sqs.com

t (886-2) 2299-3279





EUT Pol.


:802.11g :2462 MHz :Tx CH HIGH :E2 Plane

Test Date :2017-09-28

Temp./Humi. :21 deg_C / 62 RH

Engineer :Kane

:HORIZONTAL Measurement Antenna Pol.



Freq.	Note	Detector	Spectrum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBμV/m	dBµV/m	dB
56.19	S	Peak	28.96	-7.91	21.05	40.00	-18.95
125.06	S	Peak	34.17	-9.98	24.19	43.50	-19.31
141.55	S	Peak	31.87	-8.26	23.61	43.50	-19.89
338.46	S	Peak	26.98	-5.21	21.77	46.00	-24.23
528.58	S	Peak	27.27	-1.23	26.04	46.00	-19.96
697.36	S	Peak	27.54	1.36	28.90	46.00	-17.10

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only.
Phys. P pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page 59 of 81

Above 1GHz Data:


Radiated Spurious Emission Measurement Result (802.11 b)

Operation Band :802.11b **Test Date** :2017-09-28

:2412 MHz Fundamental Frequency Temp./Humi. :21 deg_C / 62 RH

Engineer **Operation Mode** :Tx CH LOW :Kane

EUT Pol. :E2 Plane :VERTICAL Measurement Antenna Pol.




Freq.	Note	Detector	Spectrum	Factor	Actual	Limit	Safe
		Mode	Reading Level		FS	@3m	Margin
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
4824.00	Н	Average	26.88	4.93	31.81	54.00	-22.19
4824.00	Н	Peak	37.54	4.93	42.47	74.00	-31.53

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Orniess otherwise stated the results shown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only.

Phys A Results (1997) A R Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279 f (886-2) 2298-0488 www.tw.sqs.com






:2412 MHz :Tx CH LOW EUT Pol. :E2 Plane

:2017-09-28 **Test Date**

Temp./Humi. :21 deg_C / 62 RH

Engineer :Kane

:HORIZONTAL Measurement Antenna Pol.



Freq.	Note	Detector	Spectrum	Factor	Actual	Limit	Safe
		Mode	Reading Level		FS	@3m	Margin
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
4824.00	Н	Average	26.72	4.93	31.65	54.00	-22.35
4824.00	Н	Peak	37.30	4.93	42.23	74.00	-31.77

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only.
Phys. P pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Operation Band Fundamental Frequency **Operation Mode**

EUT Pol.


:802.11b :2437 MHz :Tx CH MID :E2 Plane

:2017-09-28 **Test Date**

:21 deg_C / 62 RH Temp./Humi.

Engineer :Kane

:VERTICAL Measurement Antenna Pol.



Freq.	Note	Detector	Spectrum	Factor	Actual	Limit	Safe
		Mode	Reading Level		FS	@3m	Margin
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
4874.00	Н	Average	24.74	5.13	29.87	54.00	-24.13
4874.00	Н	Peak	36.60	5.13	41.73	74.00	-32.27


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only.
Phys. P pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279





EUT Pol.


:802.11b :2437 MHz :Tx CH MID :E2 Plane

:2017-09-28 **Test Date**

Temp./Humi. :21 deg_C / 62 RH

Engineer :Kane

:HORIZONTAL Measurement Antenna Pol.



Freq.	Note	Detector	Spectrum	Factor	Actual	Limit	Safe
		Mode	Reading Level		FS	@3m	Margin
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
4874.00	Н	Average	24.72	5.13	29.85	54.00	-24.15
4874.00	Н	Peak	36.30	5.13	41.43	74.00	-32.57


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only.
Phys. P pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279






EUT Pol.

:802.11b :2462 MHz :Tx CH HIGH :E2 Plane

Test Date Temp./Humi. :2017-09-28

:21 deg_C / 62 RH Engineer :Kane

:VERTICAL Measurement Antenna Pol.



Freq.	Note	Detector	Spectrum	Factor	Actual	Limit	Safe
		Mode	Reading Level		FS	@3m	Margin
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
4924.00	Н	Average	24.66	5.25	29.91	54.00	-24.09
4924.00	Н	Peak	36.51	5.25	41.76	74.00	-32.24


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only.
Phys. P pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279





EUT Pol.


:802.11b :2462 MHz :Tx CH HIGH :E2 Plane

Test Date Temp./Humi. :2017-09-28

:21 deg_C / 62 RH

Engineer :Kane

:HORIZONTAL Measurement Antenna Pol.



Freq.	Note	Detector	Spectrum	Factor	Actual	Limit	Safe
		Mode	Reading Level		FS	@3m	Margin
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
4924.00	Н	Average	24.67	5.25	29.92	54.00	-24.08
4924.00	Н	Peak	37.74	5.25	42.99	74.00	-31.01

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only.
Phys. P pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279 f (886-2) 2298-0488




Page 65 of 81

Radiated Spurious Emission Measurement Result (802.11 g)

Test Date **Operation Band** :2017-09-28 :802.11g

Fundamental Frequency :2412 MHz Temp./Humi. :21 deg_C / 62 RH **Operation Mode** :Tx CH LOW Engineer :Kane

EUT Pol. :E2 Plane :VERTICAL Measurement Antenna Pol.



Freq.	Note	Detector	Spectrum	Factor	Actual	Limit	Safe	
		Mode	Reading Level		FS	@3m	Margin	
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB	_
4824.00	Н	Average	25.09	4.93	30.02	54.00	-23.98	
4824.00	Н	Peak	37.47	4.93	42.40	74.00	-31.60	


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Orniess otherwise stated the results shown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only.

Phys A Results (1997) A R Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279

台灣檢驗科技股份有限公司






EUT Pol.

:802.11g :2412 MHz :Tx CH LOW :E2 Plane

Test Date :2017-09-28 Temp./Humi. :21 deg_C / 62 RH

Engineer :Kane

:HORIZONTAL Measurement Antenna Pol.



Freq.	Note	Detector	Spectrum	Factor	Actual	Limit	Safe
		Mode	Reading Level		FS	@3m	Margin
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
4824.00	Н	Average	25.03	4.93	29.96	54.00	-24.04
4824.00	Н	Peak	36.69	4.93	41.62	74.00	-32.38


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only.
Phys. P pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279





EUT Pol.


:802.11g :2437 MHz :Tx CH MID :E2 Plane

:2017-09-28 **Test Date**

:21 deg_C / 62 RH Temp./Humi.

Engineer :Kane

:VERTICAL Measurement Antenna Pol.



Freq.	Note	Detector	Spectrum	Factor	Actual	Limit	Safe
		Mode	Reading Level		FS	@3m	Margin
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
4874.00	Н	Average	25.07	5.13	30.20	54.00	-23.80
4874.00	Н	Peak	36.41	5.13	41.54	74.00	-32.46


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only.
Phys. P pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279






EUT Pol.

:802.11g :2437 MHz :Tx CH MID :E2 Plane

Test Date :2017-09-28 Temp./Humi. :21 deg_C / 62 RH

Engineer :Kane

:HORIZONTAL Measurement Antenna Pol.



Freq.	Note	Detector	Spectrum	Factor	Actual	Limit	Safe
		Mode	Reading Level		FS	@3m	Margin
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
4874.00	Н	Average	25.03	5.13	30.16	54.00	-23.84
4874.00	Н	Peak	36.75	5.13	41.88	74.00	-32.12


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only.
Phys. P pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279





EUT Pol.

:802.11g :2462 MHz :Tx CH HIGH :E2 Plane

6100.


Test Date Temp./Humi. :2017-09-28

26500

:21 deg_C / 62 RH Engineer :Kane

:VERTICAL Measurement Antenna Pol.

21400.



11200.

Freq.	Note	Detector	Spectrum	Factor	Actual	Limit	Safe
		Mode	Reading Level		FS	@3m	Margin
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
4924.00	Н	Average	25.05	5.25	30.30	54.00	-23.70
4924.00	Н	Peak	36.74	5.25	41.99	74.00	-32.01


Frequency (MHz)

16300.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only.
Phys. P pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279 www.tw.sqs.com





:802.11g :2462 MHz :Tx CH HIGH


EUT Pol. :E2 Plane

:2017-09-28 **Test Date**

Temp./Humi. :21 deg_C / 62 RH

Engineer :Kane

:HORIZONTAL Measurement Antenna Pol.



Freq.	Note	Detector	Spectrum	Factor	Actual	Limit	Safe	
		Mode	Reading Level		FS	@3m	Margin	
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB	
4924.00	Н	Average	25.03	5.25	30.28	54.00	-23.72	
4924.00	Н	Peak	36.51	5.25	41.76	74.00	-32.24	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only.
Phys. P pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Page 71 of 81

Radiated Spurious Emission Measurement Result (802.11_HT20)

Operation Band Test Date :802.11n20 :2017-09-28 :2412 MHz :21 deg_C / 62 RH

Fundamental Frequency Temp./Humi. **Operation Mode** :Tx CH LOW Engineer :Kane

EUT Pol. :E2 Plane :VERTICAL Measurement Antenna Pol.



Freq.	Note	Detector	Spectrum	Factor	Actual	Limit	Safe
		Mode	Reading Level		FS	@3m	Margin
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
4824.00	Н	Average	25.04	4.93	29.97	54.00	-24.03
4824.00	Н	Peak	37.40	4.93	42.33	74.00	-31.67

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Orniess otherwise stated the results shown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only.

Phys A Results (1997) A R Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279 www.tw.sqs.com




Page 72 of 81

Operation Band :802.11n20 Fundamental Frequency :2412 MHz **Operation Mode** :Tx CH LOW EUT Pol. :E2 Plane

:2017-09-28 **Test Date** Temp./Humi. :21 deg_C / 62 RH

Engineer :Kane

:HORIZONTAL Measurement Antenna Pol.



Freq.	Note	Detector	Spectrum	Factor	Actual	Limit	Safe
		Mode	Reading Level		FS	@3m	Margin
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
4824.00	Н	Average	25.07	4.93	30.00	54.00	-24.00
4824.00	Н	Peak	37.14	4.93	42.07	74.00	-31.93

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only.
Phys. P pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page 73 of 81

Operation Band :802.11n20 Fundamental Frequency :2437 MHz :Tx CH MID

Operation Mode

EUT Pol.


:E2 Plane

:2017-09-28 **Test Date**

:21 deg_C / 62 RH Temp./Humi.

Engineer :Kane

:VERTICAL Measurement Antenna Pol.



Freq.	Note	Detector	Spectrum	Factor	Actual	Limit	Safe	
		Mode	Reading Level		FS	@3m	Margin	
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB	
4874.00	Н	Average	24.65	5.13	29.78	54.00	-24.22	
4874.00	Н	Peak	36.44	5.13	41.57	74.00	-32.43	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only.
Phys. P pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司



Page 74 of 81

Operation Band Fundamental Frequency **Operation Mode**

EUT Pol.


:802.11n20 :2437 MHz :Tx CH MID :E2 Plane

:2017-09-28 **Test Date**

Temp./Humi. :21 deg_C / 62 RH

Engineer :Kane


:HORIZONTAL Measurement Antenna Pol.



Freq.	Note	Detector	Spectrum	Factor	Actual	Limit	Safe
		Mode	Reading Level		FS	@3m	Margin
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
4874.00	Н	Average	24.63	5.13	29.76	54.00	-24.24
4874.00	Н	Peak	36.13	5.13	41.26	74.00	-32.74

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only.
Phys. P pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.





EUT Pol.


:802.11n20 :2462 MHz :Tx CH HIGH :E2 Plane

:2017-09-28 **Test Date**

:21 deg_C / 62 RH Temp./Humi.

Engineer :Kane

:VERTICAL Measurement Antenna Pol.



Freq.	Note	Detector	Spectrum	Factor	Actual	Limit	Safe
		Mode	Reading Level		FS	@3m	Margin
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
4924.00	Н	Average	25.12	5.25	30.37	54.00	-23.63
4924.00	Н	Peak	36.48	5.25	41.73	74.00	-32.27


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only.
Phys. P pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279






EUT Pol.

:802.11n20 :2462 MHz :Tx CH HIGH :E2 Plane

:2017-09-28 **Test Date** Temp./Humi. :21 deg_C / 62 RH

Engineer :Kane

:HORIZONTAL Measurement Antenna Pol.



Freq.	Note	Detector	Spectrum	Factor	Actual	Limit	Safe
		Mode	Reading Level		FS	@3m	Margin
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
4924.00	Н	Average	25.06	5.25	30.31	54.00	-23.69
4924.00	Н	Peak	37.09	5.25	42.34	74.00	-31.66

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only.
Phys. P pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279 www.tw.sqs.com



Page 77 of 81

12 PEAK POWER SPECTRAL DENSITY


12.1 Standard Applicable

The power spectral density conducted from the intentional radiator to the antenna shall not be greater than 8dBm in any 3 kHz band during any time interval of continuous transmission.

12.2 Measurement Equipment Used

Conducted Emission Test Site									
EQUIPMENT MFR TYPE		MODEL NUMBER	SERIAL NUMBER	SERIAL LAST NUMBER CAL.					
EXA Spectrum									
Analyzer	Agilent	N9030A	MY53120760	03/21/2017	03/20/2018				
DC Block	Mini-Circuits	BLK-18-S+	1	01/05/2017	01/04/2018				
Attenuator	Mini-Circuit	BW-S10W2+	2	01/05/2017	01/04/2018				

12.3 Test Set-up



12.4 Measurement Procedure

- 1. Set analyzer center frequency to DTS channel center frequency.
- 2. The testing follows the Measurement Procedure of FCC KDB 558074 D01 DTS Meas. Guidance.
- 3. Set the span to 1.5 times the DTS channel bandwidth.
- 4. Set the RBW = 3 kHz.
- 5. Set the VBW = 10 kHz.
- 6. Detector = peak.
- 7. Sweep time = auto couple.
- 8. Trace mode = max hold.
- 9. Allow trace to fully stabilize.
- 10. Use the peak marker function to determine the maximum amplitude level.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Page 78 of 81

Note:

Antenna Gain: 0.80 dBi Aux1 Antenna Gain: 0.00 dBi Aux2 Antenna Gain: 0.00 dBi 0.00 dBi Aux3 Antenna Gain: Number Antenna: 1 pcs 8 dBm I imit:

The antenna gain is grater than 6dBi in MIMO mode the limit reduce as below: Directional gain = gain of antenna element + 10 log (# of TX antenna elements)

Effective Legacy Gain (dBi) = 0.8+0=0.8dBi Limit: 8dBm - (0.8- 6dBi)=8

12.5 Measurement Result

	POWER DENSITY 802.11b								
Freq. (MHz)	PPSD W/O Duty Factor (dBm)	Offset	Duty Factor	PPSD With Duty Factor (dBm)	Limit (dBm)	Result			
2412	-11.71	11.30	0.04	-11.67	8.00	PASS			
2437	-12.67	11.30	0.04	-12.63	8.00	PASS			
2462	-13.53	11.30	0.04	-13.49	8.00	PASS			

	POWER DENSITY 802.11g								
Freq. (MHz)	PPSD W/O Duty Factor (dBm)	Offset	Duty Factor	PPSD With Duty Factor (dBm)	Limit (dBm)	Result			
2412	-16.01	11.30	0.30	-15.71	8.00	PASS			
2437	-15.52	11.30	0.30	-15.22	8.00	PASS			
2462	-15.96	11.30	0.30	-15.66	8.00	PASS			

	POWER DENSITY 802.11n HT20								
Freq. (MHz)	PPSD W/O Duty Factor (dBm)	Offset	Duty Factor	PPSD With Duty Factor (dBm)	Limit (dBm)	Result			
2412	-14.58	11.30	0.32	-14.26	8.00	PASS			
2437	-15.50	11.30	0.32	-15.18	8.00	PASS			
2462	-16.03	11.30	0.32	-15.71	8.00	PASS			


Note:

dB for SISO mode offset 11.30

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approaches of this document is unlaufful and offenders may be prescribed to the fullylest extent of the law pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

^{*}Refer to next page for plots



802.11b Power Spectral Density Test Plot (CH-Low)



Power Spectral Density Test Plot (CH-Mid)




Power Spectral Density Test Plot (CH-High)




802.11g Power Spectral Density Test Plot (CH-Low)



Power Spectral Density Test Plot (CH-Mid)



Power Spectral Density Test Plot (CH-High)



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Orniess otherwise stated the results shown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only.


Phys A Results (1997) A R Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




802.11n_HT20 Power Spectral Density Test Plot (CH-Low)



Power Spectral Density Test Plot (CH-Mid)



Power Spectral Density Test Plot (CH-High)



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

t (886-2) 2299-3279

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approaches of this document is unlaufful and offenders may be prescribed to the fullylest extent of the law pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page 81 of 81

13 ANTENNA REQUIREMENT

13.1 Standard Applicable

For intentional device, according to §15.203, an intentional radiator shall be designed to ensure that no antenna other than furnished by the responsible party shall be used with the device.

If the transmitting antenna is greater than 6dBi, the power shall be reduced by the same level in dB comparing to gain minus 6dBi.

13.2 Antenna Connected Construction

An embedded-in antenna design is used.

The antenna connector is designed with unique type RF connector and no consideration of replacement. Please see EUT photo and antenna spec. for details.

The antenna gain is less than 6dBi. Therefore, it is not necessary to reduce maximum output power limit.

~ End of Report ~

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司 t (886-2) 2299-3279

f (886-2) 2298-0488