Label Location Information

Refer to the below red arrow: (For example)



FCC ID: W9HLCDF0021 This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation. CONFORMS TO ANSIJUL STD. 60065 CONFORMS TO CO

3100846

Inte**r**tek

CAUTION
RISK OF ELECTRIC SHOCK

CAN/CSA STD. C22.2 NO. 60065



RISQUE DE CHOC ELECTRIQUE - NE PAS OUVRIR

Manufactured Date:

MADE IN CHINA

Hisense LED LCD TV / TÉLÉ DEL ACL

Model No.(Modèle): 50K366GW $120V \sim 60$ Hz, 125W

HISENSE ELECTRIC CO..LTD.

218 QIANWANGANG RD ECONOMIC& DEVELOPMENT ZONE QINGDAO CHINA



This Class B digital apparatus complies with Canadian ICES-003. Cet appareil numérique de la classe B est conforme à la norme NMB-003 du Canada. Standard Television Receiving Apparatus — Appareil de réception télévision ordinaire, Canada BETS-7/NTMR-7



NE PAS OUVRIR





nte**r**tek 3100846

CONFORMS TO (CONFORME A) CERTIFIED TO C22.2 NO. 60065

Serial No. (Numéro de série):

Manufactured date (Date de manufacture) :

FCC ID: W9HLCDF0021

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Cet appareil est conforme à la partie 15 de la réglementation FCC. Son fonctionnement est soumis ANSIVUL STD. 60065 aux deux conditions suivantes:

(1) cet appareil ne doit pas causer d'interférences nuisibles, et (2) cet appareil doit accepter toute interférence reçue, incluant toute interférence pouvant causer un fonctionnement indésirable.

MADE IN CHINA (FABRIQUÉ EN CHINE)

Contains FCC ID: WWMMN42756IV2

The enclosed device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1)this device may not cause harmful interference, and (2)this device must accept any interference received, including interference that may cause undesired operation.