



Profile: 1842039R	Page No.: 5
Engineer: Eric	
Site: AC5	Time: 2018/07/27 - 14:00
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT:Wireless Access point	Power: AC 120V/60Hz
Note: Mode1:Transmit at 2462MHz by 802.11B	



No	Mark	Frequency	Measure Level	Reading Level	Over Limit	Limit	Factor	Туре
		(MHz)	(dBuV/m)	(dBuV)	(dB)	(dBuV/m)	(dB)	
1		4924.000	32.853	41.652	-41.147	74.000	-8.799	PK
2		7386.000	35.685	40.651	-38.315	74.000	-4.966	PK
3	*	9848.000	39.905	42.020	-34.095	74.000	-2.115	PK




Profile: 1842039R	Page No.: 6			
Engineer: Eric				
Site: AC5	Time: 2018/07/27 - 14:01			
Limit: FCC_Part15.209_RE(3m)	Margin: 0			
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical			
EUT:Wireless Access point	Power: AC 120V/60Hz			
Note: Mode1:Transmit at 2462MHz by 802.11B				



No	Mark	Frequency	Measure Level	Reading Level	Over Limit	Limit	Factor	Туре
		(MHz)	(dBuV/m)	(dBuV)	(dB)	(dBuV/m)	(dB)	
1		4924.000	33.150	41.949	-40.850	74.000	-8.799	PK
2		7386.000	34.194	39.160	-39.806	74.000	-4.966	PK
3	*	9848.000	38.536	40.651	-35.464	74.000	-2.115	PK




Profile: 1842039R	Page No.: 7
Engineer: Eric	
Site: AC5	Time: 2018/07/27 - 14:02
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT:Wireless Access point	Power: AC 120V/60Hz
Note: Mode2:Transmit at 2412MHz by 802.11G	·



No	Mark	Frequency	Measure Level	Reading Level	Over Limit	Limit	Factor	Туре
		(MHz)	(dBuV/m)	(dBuV)	(dB)	(dBuV/m)	(dB)	
1		4824.000	31.865	40.652	-42.135	74.000	-8.787	PK
2		7236.000	36.292	41.849	-37.708	74.000	-5.557	PK
3	*	9648.000	38.938	40.895	-35.062	74.000	-1.957	PK




Profile: 1842039R	Page No.: 8
Engineer: Eric	
Site: AC5	Time: 2018/07/27 - 14:02
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT:Wireless Access point	Power: AC 120V/60Hz
Note: Mode2:Transmit at 2412MHz by 802.11G	



No	Mark	Frequency	Measure Level	Reading Level	Over Limit	Limit	Factor	Туре
		(MHz)	(dBuV/m)	(dBuV)	(dB)	(dBuV/m)	(dB)	
1		4824.000	32.864	41.651	-41.136	74.000	-8.787	PK
2		7236.000	35.094	40.651	-38.906	74.000	-5.557	PK
3	*	9648.000	37.958	39.915	-36.042	74.000	-1.957	PK




Profile: 1842039R	Page No.: 9
Engineer: Eric	
Site: AC5	Time: 2018/07/27 - 14:03
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT:Wireless Access point	Power: AC 120V/60Hz
Note: Mode2:Transmit at 2437MHz by 802.11G	



Mark	Frequency	Measure Level	Reading Level	Over Limit	Limit	Factor	Type
	(MHz)	(dBuV/m)	(dBuV)	(dB)	(dBuV/m)	(dB)	
	4874.000	31.938	40.651	-42.062	74.000	-8.713	PK
	7311.000	34.660	40.005	-39.340	74.000	-5.345	PK
*	9748.000	38.325	40.661	-35.675	74.000	-2.336	PK
		(MHz) 4874.000 7311.000	(MHz) (dBuV/m) 4874.000 31.938 7311.000 34.660	(MHz) (dBuV/m) (dBuV) 4874.000 31.938 40.651 7311.000 34.660 40.005	(MHz) (dBuV/m) (dBuV) (dB) 4874.000 31.938 40.651 -42.062 7311.000 34.660 40.005 -39.340	(MHz) (dBuV/m) (dBuV) (dB) (dBuV/m) 4874.000 31.938 40.651 -42.062 74.000 7311.000 34.660 40.005 -39.340 74.000	(MHz) (dBuV/m) (dBuV) (dB) (dBuV/m) (dB) 4874.000 31.938 40.651 -42.062 74.000 -8.713 7311.000 34.660 40.005 -39.340 74.000 -5.345



Profile: 1842039R	Page No.: 10
Engineer: Eric	
Site: AC5	Time: 2018/07/27 - 14:03
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT:Wireless Access point	Power: AC 120V/60Hz
Note: Mode2:Transmit at 2437MHz by 802.11G	



No	Mark	Frequency	Measure Level	Reading Level	Over Limit	Limit	Factor	Туре
		(MHz)	(dBuV/m)	(dBuV)	(dB)	(dBuV/m)	(dB)	
1		4874.000	32.402	41.115	-41.598	74.000	-8.713	PK
2		7311.000	34.880	40.225	-39.120	74.000	-5.345	PK
3	*	9748.000	39.016	41.352	-34.984	74.000	-2.336	PK



Profile: 1842039R	Page No.: 11
Engineer: Eric	
Site: AC5	Time: 2018/07/27 - 14:04
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT:Wireless Access point	Power: AC 120V/60Hz
Note: Mode2:Transmit at 2462MHz by 802.11G	

No	Mark	Frequency	Measure Level	Reading Level	Over Limit	Limit	Factor	Туре
		(MHz)	(dBuV/m)	(dBuV)	(dB)	(dBuV/m)	(dB)	
1		4924.000	31.466	40.265	-42.534	74.000	-8.799	PK
2		7386.000	35.285	40.251	-38.715	74.000	-4.966	PK
3	*	9848.000	41.700	43.815	-32.300	74.000	-2.115	PK



Profile: 1842039R	Page No.: 12
Engineer: Eric	
Site: AC5	Time: 2018/07/27 - 14:05
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT:Wireless Access point	Power: AC 120V/60Hz
Note: Mode2:Transmit at 2462MHz by 802.11G	

No	Mark	Frequency	Measure Level	Reading Level	Over Limit	Limit	Factor	Туре
		(MHz)	(dBuV/m)	(dBuV)	(dB)	(dBuV/m)	(dB)	
1		4924.000	32.452	41.251	-41.548	74.000	-8.799	PK
2		7386.000	37.249	42.215	-36.751	74.000	-4.966	PK
3	*	9848.000	41.247	43.362	-32.753	74.000	-2.115	PK

-20 1000



10000

18000

Profile: 1842039R	Page No.: 13
Engineer: Eric	
Site: AC5	Time: 2018/07/27 - 14:06
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT:Wireless Access point	Power: AC 120V/60Hz
Note: Mode3:Transmit at 2412MHz by 802.11N20	

80
70
60
50
1
1
*
1
1
0
10
0
10

No	Mark	Frequency	Measure Level	Reading Level	Over Limit	Limit	Factor	Туре
		(MHz)	(dBuV/m)	(dBuV)	(dB)	(dBuV/m)	(dB)	
1		4824.000	31.773	40.560	-42.227	74.000	-8.787	PK
2		7236.000	37.428	42.985	-36.572	74.000	-5.557	PK
3	*	9648.000	41.199	43.156	-32.801	74.000	-1.957	PK




Profile: 1842039R	Page No.: 14
Engineer: Eric	
Site: AC5	Time: 2018/07/27 - 14:07
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT:Wireless Access point	Power: AC 120V/60Hz
Note: Mode3:Transmit at 2412MHz by 802.11N20	

No	Mark	Frequency	Measure Level	Reading Level	Over Limit	Limit	Factor	Туре
		(MHz)	(dBuV/m)	(dBuV)	(dB)	(dBuV/m)	(dB)	
1		4824.000	31.864	40.651	-42.136	74.000	-8.787	PK
2		7236.000	35.558	41.115	-38.442	74.000	-5.557	PK
3	*	9648.000	38.658	40.615	-35.342	74.000	-1.957	PK



Profile: 1842039R	Page No.: 15			
Engineer: Eric				
Site: AC5	Time: 2018/07/27 - 14:07			
Limit: FCC_Part15.209_RE(3m)	Margin: 0			
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal			
EUT:Wireless Access point	Power: AC 120V/60Hz			
Note: Mode3:Transmit at 2437MHz by 802.11N20				


Note: Mode3: Fransmit at 2437MHz by 802.11N20



No	Mark	Frequency	Measure Level	Reading Level	Over Limit	Limit	Factor	Туре
		(MHz)	(dBuV/m)	(dBuV)	(dB)	(dBuV/m)	(dB)	
1		4874.000	32.702	41.415	-41.298	74.000	-8.713	PK
2		7311.000	37.270	42.615	-36.730	74.000	-5.345	PK
3	*	9748.000	39.890	42.226	-34.110	74.000	-2.336	PK




Profile: 1842039R	Page No.: 16			
1 10me. 104200910	rage No To			
Engineer: Eric				
Site: AC5	Time: 2018/07/27 - 14:08			
Limit: FCC_Part15.209_RE(3m)	Margin: 0			
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical			
EUT:Wireless Access point	Power: AC 120V/60Hz			
Note: Mode3:Transmit at 2437MHz by 802.11N20				



No	Mark	Frequency	Measure Level	Reading Level	Over Limit	Limit	Factor	Туре
		(MHz)	(dBuV/m)	(dBuV)	(dB)	(dBuV/m)	(dB)	
1		4874.000	33.443	42.156	-40.557	74.000	-8.713	PK
2		7311.000	34.660	40.005	-39.340	74.000	-5.345	PK
3	*	9748.000	40.999	43.335	-33.001	74.000	-2.336	PK



D. C. 404000D	D N 47			
Profile: 1842039R	Page No.: 17			
Engineer: Eric				
Site: AC5	Time: 2018/07/27 - 14:08			
Limit: FCC_Part15.209_RE(3m)	Margin: 0			
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal			
EUT:Wireless Access point	Power: AC 120V/60Hz			
Note: Mode3:Transmit at 2462MHz by 802.11N20				



No	Mark	Frequency	Measure Level	Reading Level	Over Limit	Limit	Factor	Туре
		(MHz)	(dBuV/m)	(dBuV)	(dB)	(dBuV/m)	(dB)	
1		4924.000	32.313	41.112	-41.687	74.000	-8.799	PK
2		7386.000	37.249	42.215	-36.751	74.000	-4.966	PK
3	*	9848.000	40.136	42.251	-33.864	74.000	-2.115	PK




Profile: 1842039R	Page No.: 18
Engineer: Eric	
Site: AC5	Time: 2018/07/27 - 14:10
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT:Wireless Access point	Power: AC 120V/60Hz
Note: Mode3:Transmit at 2462MHz by 802.11N20	

No	Mark	Frequency	Measure Level	Reading Level	Over Limit	Limit	Factor	Туре
		(MHz)	(dBuV/m)	(dBuV)	(dB)	(dBuV/m)	(dB)	
1		4924.000	32.315	41.114	-41.685	74.000	-8.799	PK
2		7386.000	37.261	42.227	-36.739	74.000	-4.966	PK
3	*	9848.000	41.136	43.251	-32.864	74.000	-2.115	PK




Profile: 1842039R	Page No.: 19
Engineer: Eric	
Site: AC5	Time: 2018/07/27 - 14:10
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT:Wireless Access point	Power: AC 120V/60Hz
Note: Mode4:Transmit at 2422MHz by 802.11N40	·



No	Mark	Frequency	Measure Level	Reading Level	Over Limit	Limit	Factor	Туре
		(MHz)	(dBuV/m)	(dBuV)	(dB)	(dBuV/m)	(dB)	
1		4844.000	33.799	42.654	-40.201	74.000	-8.856	PK
2		7266.000	35.881	41.156	-38.119	74.000	-5.274	PK
3	*	9688.000	40.390	42.227	-33.610	74.000	-1.838	PK




Profile: 1842039R	Page No.: 20			
Engineer: Eric				
Site: AC5	Time: 2018/07/27 - 14:12			
Limit: FCC_Part15.209_RE(3m)	Margin: 0			
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical			
EUT:Wireless Access point	Power: AC 120V/60Hz			
Note: Mode4:Transmit at 2422MHz by 802.11N40				



No	Mark	Frequency	Measure Level	Reading Level	Over Limit	Limit	Factor	Туре
		(MHz)	(dBuV/m)	(dBuV)	(dB)	(dBuV/m)	(dB)	
1		4844.000	32.760	41.615	-41.240	74.000	-8.856	PK
2		7266.000	35.370	40.645	-38.630	74.000	-5.274	PK
3	*	9688.000	41.112	42.949	-32.888	74.000	-1.838	PK




Profile: 1842039R	Page No.: 21			
Engineer: Eric				
Site: AC5	Time: 2018/07/27 - 14:12			
Limit: FCC_Part15.209_RE(3m)	Margin: 0			
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal			
EUT:Wireless Access point	Power: AC 120V/60Hz			
Note: Mode4:Transmit at 2437MHz by 802.11N40				



No	Mark	Frequency	Measure Level	Reading Level	Over Limit	Limit	Factor	Туре
		(MHz)	(dBuV/m)	(dBuV)	(dB)	(dBuV/m)	(dB)	
1		4874.000	32.402	41.115	-41.598	74.000	-8.713	PK
2		7311.000	36.880	42.225	-37.120	74.000	-5.345	PK
3	*	9748.000	38.824	41.160	-35.176	74.000	-2.336	PK



Profile: 1842039R	Page No.: 22
Engineer: Eric	
Site: AC5	Time: 2018/07/27 - 14:13
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT:Wireless Access point	Power: AC 120V/60Hz
Note: Mode4:Transmit at 2437MHz by 802.11N40	



No	Mark	Frequency	Measure Level	Reading Level	Over Limit	Limit	Factor	Туре
		(MHz)	(dBuV/m)	(dBuV)	(dB)	(dBuV/m)	(dB)	
1		4874.000	31.343	40.056	-42.657	74.000	-8.713	PK
2		7311.000	35.771	41.116	-38.229	74.000	-5.345	PK
3	*	9748.000	39.929	42.265	-34.071	74.000	-2.336	PK

1000



10000

18000


Profile: 1842039R	Page No.: 23
Engineer: Eric	
Site: AC5	Time: 2018/07/27 - 14:14
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT:Wireless Access point	Power: AC 120V/60Hz
Note: Mode4:Transmit at 2452MHz by 802.11N40	

80
70
60
50
(W/M)
1
1
1
10
0
-10
-20

No	Mark	Frequency	Measure Level	Reading Level	Over Limit	Limit	Factor	Туре
		(MHz)	(dBuV/m)	(dBuV)	(dB)	(dBuV/m)	(dB)	
1		4904.000	31.243	40.005	-42.757	74.000	-8.761	PK
2		7356.000	37.363	42.566	-36.637	74.000	-5.203	PK
3	*	9808.000	41.346	43.165	-32.654	74.000	-1.819	PK



Profile: 1842039R	Page No.: 24
Engineer: Eric	
Site: AC5	Time: 2018/07/27 - 14:23
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT:Wireless Access point	Power: AC 120V/60Hz
Note: Mode4:Transmit at 2452MHz by 802.11N40	



No	Mark	Frequency	Measure Level	Reading Level	Over Limit	Limit	Factor	Туре
		(MHz)	(dBuV/m)	(dBuV)	(dB)	(dBuV/m)	(dB)	
1		4904.000	33.764	42.526	-40.236	74.000	-8.761	PK
2		7356.000	38.122	43.325	-35.878	74.000	-5.203	PK
3	*	9808.000	40.432	42.251	-33.568	74.000	-1.819	PK




Profile: 1842039R	Page No.: 25
Engineer: Eric	
Site: AC5	Time: 2018/07/27 - 14:24
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT:Wireless Access point	Power: AC 120V/60Hz
Note: Mode5:Transmit at 2412MHz by 802.11AC20	

No	Mark	Frequency	Measure Level	Reading Level	Over Limit	Limit	Factor	Туре
		(MHz)	(dBuV/m)	(dBuV)	(dB)	(dBuV/m)	(dB)	
1		4824.000	34.198	42.985	-39.802	74.000	-8.787	PK
2		7236.000	37.953	43.510	-36.047	74.000	-5.557	PK
3	*	9648.000	41.404	43.361	-32.596	74.000	-1.957	PK




Profile: 1842039R	Page No.: 26
Engineer: Eric	,
Site: AC5	Time: 2018/07/27 - 14:25
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT:Wireless Access point	Power: AC 120V/60Hz
Note: Mode5:Transmit at 2412MHz by 802.11AC20	



No	Mark	Frequency	Measure Level	Reading Level	Over Limit	Limit	Factor	Туре
		(MHz)	(dBuV/m)	(dBuV)	(dB)	(dBuV/m)	(dB)	
1		4824.000	34.549	43.336	-39.451	74.000	-8.787	PK
2		7236.000	36.697	42.254	-37.303	74.000	-5.557	PK
3	*	9648.000	41.917	43.874	-32.083	74.000	-1.957	PK



Profile: 1842039R	Page No.: 27
Engineer: Eric	,
Site: AC5	Time: 2018/07/27 - 14:25
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT:Wireless Access point	Power: AC 120V/60Hz
Note: Mode5:Transmit at 2437MHz by 802.11AC20	



No	Mark	Frequency	Measure Level	Reading Level	Over Limit	Limit	Factor	Туре
		(MHz)	(dBuV/m)	(dBuV)	(dB)	(dBuV/m)	(dB)	
1		4874.000	33.797	42.510	-40.203	74.000	-8.713	PK
2		7311.000	38.850	44.195	-35.150	74.000	-5.345	PK
3	*	9748.000	41.606	43.942	-32.394	74.000	-2.336	PK




Profile: 1842039R	Page No.: 28
Engineer: Eric	
Site: AC5	Time: 2018/07/27 - 14:25
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT:Wireless Access point	Power: AC 120V/60Hz
Note: Mode5:Transmit at 2437MHz by 802.11AC20	

No	Mark	Frequency	Measure Level	Reading Level	Over Limit	Limit	Factor	Туре
		(MHz)	(dBuV/m)	(dBuV)	(dB)	(dBuV/m)	(dB)	
1		4874.000	34.249	42.962	-39.751	74.000	-8.713	PK
2		7311.000	37.820	43.165	-36.180	74.000	-5.345	PK
3	*	9748.000	40.279	42.615	-33.721	74.000	-2.336	PK



Profile: 1842039R	Page No.: 29			
F10iile. 1042039N	rage No 29			
Engineer: Eric				
Site: AC5	Time: 2018/07/27 - 14:26			
Limit: FCC_Part15.209_RE(3m)	Margin: 0			
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal			
EUT:Wireless Access point	Power: AC 120V/60Hz			
Note: Mode5:Transmit at 2462MHz by 802.11AC20				



No	Mark	Frequency	Measure Level	Reading Level	Over Limit	Limit	Factor	Туре
		(MHz)	(dBuV/m)	(dBuV)	(dB)	(dBuV/m)	(dB)	
1		4924.000	33.748	42.547	-40.252	74.000	-8.799	PK
2		7386.000	37.301	42.267	-36.699	74.000	-4.966	PK
3	*	9848.000	40.139	42.254	-33.861	74.000	-2.115	PK




Profile: 1842039R	Page No.: 30			
Engineer: Eric				
Site: AC5	Time: 2018/07/27 - 14:27			
Limit: FCC_Part15.209_RE(3m)	Margin: 0			
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical			
EUT:Wireless Access point	Power: AC 120V/60Hz			
Note: Mode5:Transmit at 2462MHz by 802.11AC20				

No	Mark	Frequency	Measure Level	Reading Level	Over Limit	Limit	Factor	Туре
		(MHz)	(dBuV/m)	(dBuV)	(dB)	(dBuV/m)	(dB)	
1		4924.000	34.766	43.565	-39.234	74.000	-8.799	PK
2		7386.000	37.285	42.251	-36.715	74.000	-4.966	PK
3	*	9848.000	41.210	43.325	-32.790	74.000	-2.115	PK



Profile: 1842039R	Page No.: 37		
Engineer: Eric			
Site: AC5	Time: 2018/07/27 - 14:34		
Limit: FCC_Part15.209_RE(3m)	Margin: 0		
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal		
EUT:Wireless Access point	Power: AC 120V/60Hz		

Note: Mode6:Transmit at 2422MHz by 802.11AC40




No	Mark	Frequency	Measure Level	Reading Level	Over Limit	Limit	Factor	Туре
		(MHz)	(dBuV/m)	(dBuV)	(dB)	(dBuV/m)	(dB)	
1		4844.000	32.294	41.149	-41.706	74.000	-8.856	PK
2		7266.000	37.091	42.366	-36.909	74.000	-5.274	PK
3	*	9688.000	41.488	43.325	-32.512	74.000	-1.838	PK



Profile: 1842039R	Page No.: 38		
Engineer: Eric			
Site: AC5	Time: 2018/07/27 - 14:35		
Limit: FCC_Part15.209_RE(3m)	Margin: 0		
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical		
EUT:Wireless Access point	Power: AC 120V/60Hz		

Note: Mode6:Transmit at 2422MHz by 802.11AC40




No	Mark	Frequency	Measure Level	Reading Level	Over Limit	Limit	Factor	Туре
		(MHz)	(dBuV/m)	(dBuV)	(dB)	(dBuV/m)	(dB)	
1		4844.000	34.470	43.325	-39.530	74.000	-8.856	PK
2		7266.000	38.314	43.589	-35.686	74.000	-5.274	PK
3	*	9688.000	40.417	42.254	-33.583	74.000	-1.838	PK



Profile: 1842039R	Page No.: 39		
Engineer: Eric			
Site: AC5	Time: 2018/07/27 - 14:35		
Limit: FCC_Part15.209_RE(3m)	Margin: 0		
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal		
EUT:Wireless Access point	Power: AC 120V/60Hz		

Note: Mode6:Transmit at 2437MHz by 802.11AC40




No	Mark	Frequency	Measure Level	Reading Level	Over Limit	Limit	Factor	Туре
		(MHz)	(dBuV/m)	(dBuV)	(dB)	(dBuV/m)	(dB)	
1		4874.000	32.439	41.152	-41.561	74.000	-8.713	PK
2		7311.000	36.906	42.251	-37.094	74.000	-5.345	PK
3	*	9748.000	41.225	43.561	-32.775	74.000	-2.336	PK



Profile: 1842039R	Page No.: 40		
Engineer: Eric			
Site: AC5	Time: 2018/07/27 - 14:36		
Limit: FCC_Part15.209_RE(3m)	Margin: 0		
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical		
EUT:Wireless Access point	Power: AC 120V/60Hz		

Note: Mode6:Transmit at 2437MHz by 802.11AC40




No	Mark	Frequency	Measure Level	Reading Level	Over Limit	Limit	Factor	Туре
		(MHz)	(dBuV/m)	(dBuV)	(dB)	(dBuV/m)	(dB)	
1		4874.000	33.697	42.410	-40.303	74.000	-8.713	PK
2		7311.000	37.316	42.661	-36.684	74.000	-5.345	PK
3	*	9748.000	40.913	43.249	-33.087	74.000	-2.336	PK



Profile: 1842039R	Page No.: 41		
Engineer: Eric			
Site: AC5	Time: 2018/07/27 - 14:36		
Limit: FCC_Part15.209_RE(3m)	Margin: 0		
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal		
EUT:Wireless Access point	Power: AC 120V/60Hz		

Note: Mode6:Transmit at 2452MHz by 802.11AC40




No	Mark	Frequency	Measure Level	Reading Level	Over Limit	Limit	Factor	Туре
		(MHz)	(dBuV/m)	(dBuV)	(dB)	(dBuV/m)	(dB)	
1		4904.000	33.494	42.256	-40.506	74.000	-8.761	PK
2		7356.000	38.122	43.325	-35.878	74.000	-5.203	PK
3	*	9808.000	40.432	42.251	-33.568	74.000	-1.819	PK



Profile: 1842039R	Page No.: 42		
Engineer: Eric			
Site: AC5	Time: 2018/07/27 - 14:37		
Limit: FCC_Part15.209_RE(3m)	Margin: 0		
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical		
EUT:Wireless Access point	Power: AC 120V/60Hz		

Note: Mode6:Transmit at 2452MHz by 802.11AC40




No	Mark	Frequency	Measure Level	Reading Level	Over Limit	Limit	Factor	Туре
		(MHz)	(dBuV/m)	(dBuV)	(dB)	(dBuV/m)	(dB)	
1		4904.000	34.899	43.661	-39.101	74.000	-8.761	PK
2		7356.000	37.051	42.254	-36.949	74.000	-5.203	PK
3	*	9808.000	41.692	43.511	-32.308	74.000	-1.819	PK



Profile: 1842039R	Page No.: 43		
Engineer: Eric			
Site: AC5	Time: 2018/07/27 - 14:37		
Limit: FCC_Part15.209_RE(3m)	Margin: 0		
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal		
EUT:Wireless Access point	Power: AC 120V/60Hz		

Note: Mode7:Transmit at 2412MHz by 802.11AX20




No	Mark	Frequency	Measure Level	Reading Level	Over Limit	Limit	Factor	Туре
		(MHz)	(dBuV/m)	(dBuV)	(dB)	(dBuV/m)	(dB)	
1		4824.000	34.373	43.160	-39.627	74.000	-8.787	PK
2		7236.000	37.353	42.910	-36.647	74.000	-5.557	PK
3	*	9648.000	41.210	43.167	-32.790	74.000	-1.957	PK



Profile: 1842039R	Page No.: 44		
Engineer: Eric			
Site: AC5	Time: 2018/07/27 - 14:38		
Limit: FCC_Part15.209_RE(3m)	Margin: 0		
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical		
EUT:Wireless Access point	Power: AC 120V/60Hz		

Note: Mode7:Transmit at 2412MHz by 802.11AX20




No	Mark	Frequency	Measure Level	Reading Level	Over Limit	Limit	Factor	Туре
		(MHz)	(dBuV/m)	(dBuV)	(dB)	(dBuV/m)	(dB)	
1		4824.000	34.828	43.615	-39.172	74.000	-8.787	PK
2		7236.000	36.612	42.169	-37.388	74.000	-5.557	PK
3	*	9648.000	40.562	42.519	-33.438	74.000	-1.957	PK



Profile: 1842039R	Page No.: 45		
Engineer: Eric			
Site: AC5	Time: 2018/07/27 - 14:38		
Limit: FCC_Part15.209_RE(3m)	Margin: 0		
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal		
EUT:Wireless Access point	Power: AC 120V/60Hz		

Note: Mode7:Transmit at 2437MHz by 802.11AX20




No	Mark	Frequency	Measure Level	Reading Level	Over Limit	Limit	Factor	Туре
		(MHz)	(dBuV/m)	(dBuV)	(dB)	(dBuV/m)	(dB)	
1		4874.000	33.702	42.415	-40.298	74.000	-8.713	PK
2		7311.000	38.265	43.610	-35.735	74.000	-5.345	PK
3	*	9748.000	40.823	43.159	-33.177	74.000	-2.336	PK



Profile: 1842039R	Page No.: 46		
Engineer: Eric			
Site: AC5	Time: 2018/07/27 - 14:39		
Limit: FCC_Part15.209_RE(3m)	Margin: 0		
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical		
EUT:Wireless Access point	Power: AC 120V/60Hz		

Note: Mode7:Transmit at 2437MHz by 802.11AX20




No	Mark	Frequency	Measure Level	Reading Level	Over Limit	Limit	Factor	Туре
		(MHz)	(dBuV/m)	(dBuV)	(dB)	(dBuV/m)	(dB)	
1		4874.000	33.902	42.615	-40.098	74.000	-8.713	PK
2		7311.000	37.306	42.651	-36.694	74.000	-5.345	PK
3	*	9748.000	41.016	43.352	-32.984	74.000	-2.336	PK



Profile: 1842039R	Page No.: 47		
Engineer: Eric			
Site: AC5	Time: 2018/07/27 - 14:39		
Limit: FCC_Part15.209_RE(3m)	Margin: 0		
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal		
EUT:Wireless Access point	Power: AC 120V/60Hz		

Note: Mode7:Transmit at 2462MHz by 802.11AX20




No	Mark	Frequency	Measure Level	Reading Level	Over Limit	Limit	Factor	Туре
		(MHz)	(dBuV/m)	(dBuV)	(dB)	(dBuV/m)	(dB)	
1		4924.000	34.142	42.941	-39.858	74.000	-8.799	PK
2		7386.000	38.695	43.661	-35.305	74.000	-4.966	PK
3	*	9848.000	39.040	41.155	-34.960	74.000	-2.115	PK



Profile: 1842039R	Page No.: 48		
Engineer: Eric			
Site: AC5	Time: 2018/07/27 - 14:41		
Limit: FCC_Part15.209_RE(3m)	Margin: 0		
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical		
EUT:Wireless Access point	Power: AC 120V/60Hz		

Note: Mode7:Transmit at 2462MHz by 802.11AX20




No	Mark	Frequency	Measure Level	Reading Level	Over Limit	Limit	Factor	Туре
		(MHz)	(dBuV/m)	(dBuV)	(dB)	(dBuV/m)	(dB)	
1		4924.000	32.353	41.152	-41.647	74.000	-8.799	PK
2		7386.000	37.284	42.250	-36.716	74.000	-4.966	PK
3	*	9848.000	41.495	43.610	-32.505	74.000	-2.115	PK



Profile: 1842039R	Page No.: 49		
Engineer: Eric			
Site: AC5	Time: 2018/07/27 - 14:42		
Limit: FCC_Part15.209_RE(3m)	Margin: 0		
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal		
EUT:Wireless Access point	Power: AC 120V/60Hz		

Note: Mode8:Transmit at 2422MHz by 802.11AX40




No	Mark	Frequency	Measure Level	Reading Level	Over Limit	Limit	Factor	Туре
		(MHz)	(dBuV/m)	(dBuV)	(dB)	(dBuV/m)	(dB)	
1		4844.000	33.406	42.261	-40.594	74.000	-8.856	PK
2		7266.000	36.376	41.651	-37.624	74.000	-5.274	PK
3	*	9688.000	40.494	42.331	-33.506	74.000	-1.838	PK



Profile: 1842039R	Page No.: 50		
Engineer: Eric			
Site: AC5	Time: 2018/07/27 - 14:42		
Limit: FCC_Part15.209_RE(3m)	Margin: 0		
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical		
EUT:Wireless Access point	Power: AC 120V/60Hz		

Note: Mode8:Transmit at 2422MHz by 802.11AX40




No	Mark	Frequency	Measure Level	Reading Level	Over Limit	Limit	Factor	Туре
		(MHz)	(dBuV/m)	(dBuV)	(dB)	(dBuV/m)	(dB)	
1		4844.000	34.055	42.910	-39.945	74.000	-8.856	PK
2		7266.000	38.340	43.615	-35.660	74.000	-5.274	PK
3	*	9688.000	40.674	42.511	-33.326	74.000	-1.838	PK



Profile: 1842039R	Page No.: 51		
Engineer: Eric			
Site: AC5	Time: 2018/07/27 - 14:43		
Limit: FCC_Part15.209_RE(3m)	Margin: 0		
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal		
EUT:Wireless Access point	Power: AC 120V/60Hz		

Note: Mode8:Transmit at 2437MHz by 802.11AX40




No	Mark	Frequency	Measure Level	Reading Level	Over Limit	Limit	Factor	Туре
		(MHz)	(dBuV/m)	(dBuV)	(dB)	(dBuV/m)	(dB)	
1		4874.000	34.148	42.861	-39.852	74.000	-8.713	PK
2		7311.000	37.270	42.615	-36.730	74.000	-5.345	PK
3	*	9748.000	41.274	43.610	-32.726	74.000	-2.336	PK



Profile: 1842039R	Page No.: 52		
Engineer: Eric			
Site: AC5	Time: 2018/07/27 - 14:44		
Limit: FCC_Part15.209_RE(3m)	Margin: 0		
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical		
EUT:Wireless Access point	Power: AC 120V/60Hz		

Note: Mode8:Transmit at 2437MHz by 802.11AX40




No	Mark	Frequency	Measure Level	Reading Level	Over Limit	Limit	Factor	Туре
		(MHz)	(dBuV/m)	(dBuV)	(dB)	(dBuV/m)	(dB)	
1		4874.000	33.897	42.610	-40.103	74.000	-8.713	PK
2		7311.000	37.270	42.615	-36.730	74.000	-5.345	PK
3	*	9748.000	40.315	42.651	-33.685	74.000	-2.336	PK



Profile: 1842039R	Page No.: 53		
Engineer: Eric			
Site: AC5	Time: 2018/07/27 - 14:44		
Limit: FCC_Part15.209_RE(3m)	Margin: 0		
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal		
EUT:Wireless Access point	Power: AC 120V/60Hz		

Note: Mode8:Transmit at 2452MHz by 802.11AX40




No	Mark	Frequency	Measure Level	Reading Level	Over Limit	Limit	Factor	Туре
		(MHz)	(dBuV/m)	(dBuV)	(dB)	(dBuV/m)	(dB)	
1		4904.000	33.848	42.610	-40.152	74.000	-8.761	PK
2		7356.000	37.965	43.168	-36.035	74.000	-5.203	PK
3	*	9808.000	40.408	42.227	-33.592	74.000	-1.819	PK



Profile: 1842039R	Page No.: 54		
Engineer: Eric			
Site: AC5	Time: 2018/07/27 - 14:45		
Limit: FCC_Part15.209_RE(3m)	Margin: 0		
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical		
EUT:Wireless Access point	Power: AC 120V/60Hz		

Note: Mode8:Transmit at 2452MHz by 802.11AX40




No	Mark	Frequency	Measure Level	Reading Level	Over Limit	Limit	Factor	Туре
		(MHz)	(dBuV/m)	(dBuV)	(dB)	(dBuV/m)	(dB)	
1		4904.000	32.353	41.115	-41.647	74.000	-8.761	PK
2		7356.000	34.803	40.006	-39.197	74.000	-5.203	PK
3	*	9808.000	40.438	42.257	-33.562	74.000	-1.819	PK



Ant: 4TX+4RX-Beam-forming mode

Profile: 1842039	Page No.: 55		
Engineer: Pawn			
Site: AC5	Time: 2018/07/27 - 14:48		
Limit: FCC_Part15.209_RE(3m)	Margin: 0		
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal		
EUT: Wireless Access point	Power: AC 120V/60Hz		

Note: Mode1:Transmit at 2412MHz by 802.11B




No	Mark	Frequency	Measure Level	Reading Level	Over Limit	Limit	Factor	Туре
		(MHz)	(dBuV/m)	(dBuV)	(dB)	(dBuV/m)	(dB)	
1		4824.000	33.427	42.214	-40.573	74.000	-8.787	PK
2		7236.000	37.608	43.165	-36.392	74.000	-5.557	PK
3	*	9648.000	40.299	42.256	-33.701	74.000	-1.957	PK



Profile: 1842039	Page No.: 56		
Engineer: Pawn			
Site: AC5	Time: 2018/07/27 - 14:49		
Limit: FCC_Part15.209_RE(3m)	Margin: 0		
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical		
EUT: Wireless Access point	Power: AC 120V/60Hz		

Note: Mode1:Transmit at 2412MHz by 802.11B




No	Mark	Frequency	Measure Level	Reading Level	Over Limit	Limit	Factor	Туре
		(MHz)	(dBuV/m)	(dBuV)	(dB)	(dBuV/m)	(dB)	
1		4824.000	33.464	42.251	-40.536	74.000	-8.787	PK
2		7236.000	37.004	42.561	-36.996	74.000	-5.557	PK
3	*	9648.000	40.199	42.156	-33.801	74.000	-1.957	PK



Profile: 1842039	Page No.: 57		
Engineer: Pawn			
Site: AC5	Time: 2018/07/27 - 14:49		
Limit: FCC_Part15.209_RE(3m)	Margin: 0		
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal		
EUT: Wireless Access point	Power: AC 120V/60Hz		

Note: Mode1:Transmit at 2437MHz by 802.11B




No	Mark	Frequency	Measure Level	Reading Level	Over Limit	Limit	Factor	Туре
		(MHz)	(dBuV/m)	(dBuV)	(dB)	(dBuV/m)	(dB)	
1		4874.000	33.743	42.456	-40.257	74.000	-8.713	PK
2		7311.000	37.215	42.560	-36.785	74.000	-5.345	PK
3	*	9748.000	41.274	43.610	-32.726	74.000	-2.336	PK



Profile: 1842039	Page No.: 58		
Engineer: Pawn			
Site: AC5	Time: 2018/07/27 - 14:50		
Limit: FCC_Part15.209_RE(3m)	Margin: 0		
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical		
EUT: Wireless Access point	Power: AC 120V/60Hz		

Note: Mode1:Transmit at 2437MHz by 802.11B




No	Mark	Frequency	Measure Level	Reading Level	Over Limit	Limit	Factor	Туре
		(MHz)	(dBuV/m)	(dBuV)	(dB)	(dBuV/m)	(dB)	
1		4874.000	33.905	42.618	-40.095	74.000	-8.713	PK
2		7311.000	37.276	42.621	-36.724	74.000	-5.345	PK
3	*	9748.000	41.029	43.365	-32.971	74.000	-2.336	PK



Profile: 1842039	Page No.: 59		
Engineer: Pawn			
Site: AC5	Time: 2018/07/27 - 14:50		
Limit: FCC_Part15.209_RE(3m)	Margin: 0		
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal		
EUT: Wireless Access point	Power: AC 120V/60Hz		

Note: Mode1:Transmit at 2462MHz by 802.11B




No	Mark	Frequency	Measure Level	Reading Level	Over Limit	Limit	Factor	Туре
		(MHz)	(dBuV/m)	(dBuV)	(dB)	(dBuV/m)	(dB)	
1		4924.000	33.762	42.561	-40.238	74.000	-8.799	PK
2		7386.000	36.136	41.102	-37.864	74.000	-4.966	PK
3	*	9848.000	40.497	42.612	-33.503	74.000	-2.115	PK



Profile: 1842039	Page No.: 60		
Engineer: Pawn			
Site: AC5	Time: 2018/07/27 - 14:51		
Limit: FCC_Part15.209_RE(3m)	Margin: 0		
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical		
EUT: Wireless Access point	Power: AC 120V/60Hz		

Note: Mode1:Transmit at 2462MHz by 802.11B




No	Mark	Frequency	Measure Level	Reading Level	Over Limit	Limit	Factor	Туре
		(MHz)	(dBuV/m)	(dBuV)	(dB)	(dBuV/m)	(dB)	
1		4924.000	33.842	42.641	-40.158	74.000	-8.799	PK
2		7386.000	36.190	41.156	-37.810	74.000	-4.966	PK
3	*	9848.000	41.045	43.160	-32.955	74.000	-2.115	PK



Profile: 1842039	Page No.: 61		
Engineer: Pawn			
Site: AC5	Time: 2018/07/27 - 14:52		
Limit: FCC_Part15.209_RE(3m)	Margin: 0		
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal		
EUT: Wireless Access point	Power: AC 120V/60Hz		

Note: Mode2:Transmit at 2412MHz by 802.11G




No	Mark	Frequency	Measure Level	Reading Level	Over Limit	Limit	Factor	Туре
		(MHz)	(dBuV/m)	(dBuV)	(dB)	(dBuV/m)	(dB)	
1		4824.000	32.364	41.151	-41.636	74.000	-8.787	PK
2		7236.000	36.697	42.254	-37.303	74.000	-5.557	PK
3	*	9648.000	41.658	43.615	-32.342	74.000	-1.957	PK



Profile: 1842039	Page No.: 62		
Engineer: Pawn			
Site: AC5	Time: 2018/07/27 - 14:52		
Limit: FCC_Part15.209_RE(3m)	Margin: 0		
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical		
EUT: Wireless Access point	Power: AC 120V/60Hz		

Note: Mode2:Transmit at 2412MHz by 802.11G




No	Mark	Frequency	Measure Level	Reading Level	Over Limit	Limit	Factor	Туре
		(MHz)	(dBuV/m)	(dBuV)	(dB)	(dBuV/m)	(dB)	
1		4824.000	34.861	43.648	-39.139	74.000	-8.787	PK
2		7236.000	36.675	42.232	-37.325	74.000	-5.557	PK
3	*	9648.000	41.553	43.510	-32.447	74.000	-1.957	PK



Profile: 1842039	Page No.: 63		
Engineer: Pawn			
Site: AC5	Time: 2018/07/27 - 14:53		
Limit: FCC_Part15.209_RE(3m)	Margin: 0		
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal		
EUT: Wireless Access point	Power: AC 120V/60Hz		

Note: Mode2:Transmit at 2437MHz by 802.11G




No	Mark	Frequency	Measure Level	Reading Level	Over Limit	Limit	Factor	Туре
		(MHz)	(dBuV/m)	(dBuV)	(dB)	(dBuV/m)	(dB)	
1		4874.000	33.541	42.254	-40.459	74.000	-8.713	PK
2		7311.000	37.306	42.651	-36.694	74.000	-5.345	PK
3	*	9748.000	40.315	42.651	-33.685	74.000	-2.336	PK



Profile: 1842039	Page No.: 64		
Engineer: Pawn			
Site: AC5	Time: 2018/07/27 - 14:53		
Limit: FCC_Part15.209_RE(3m)	Margin: 0		
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical		
EUT: Wireless Access point	Power: AC 120V/60Hz		

Note: Mode2:Transmit at 2437MHz by 802.11G




No	Mark	Frequency	Measure Level	Reading Level	Over Limit	Limit	Factor	Туре
		(MHz)	(dBuV/m)	(dBuV)	(dB)	(dBuV/m)	(dB)	
1		4874.000	33.538	42.251	-40.462	74.000	-8.713	PK
2		7311.000	38.216	43.561	-35.784	74.000	-5.345	PK
3	*	9748.000	41.205	43.541	-32.795	74.000	-2.336	PK



Profile: 1842039	Page No.: 65		
Engineer: Pawn			
Site: AC5	Time: 2018/07/27 - 14:54		
Limit: FCC_Part15.209_RE(3m)	Margin: 0		
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal		
EUT: Wireless Access point	Power: AC 120V/60Hz		

Note: Mode2:Transmit at 2462MHz by 802.11G




No	Mark	Frequency	Measure Level	Reading Level	Over Limit	Limit	Factor	Туре
		(MHz)	(dBuV/m)	(dBuV)	(dB)	(dBuV/m)	(dB)	
1		4924.000	32.316	41.115	-41.684	74.000	-8.799	PK
2		7386.000	38.399	43.365	-35.601	74.000	-4.966	PK
3	*	9848.000	39.030	41.145	-34.970	74.000	-2.115	PK



Profile: 1842039	Page No.: 66		
Engineer: Pawn			
Site: AC5	Time: 2018/07/27 - 14:54		
Limit: FCC_Part15.209_RE(3m)	Margin: 0		
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical		
EUT: Wireless Access point	Power: AC 120V/60Hz		

Note: Mode2:Transmit at 2462MHz by 802.11G




No	Mark	Frequency	Measure Level	Reading Level	Over Limit	Limit	Factor	Туре
		(MHz)	(dBuV/m)	(dBuV)	(dB)	(dBuV/m)	(dB)	
1		4924.000	33.465	42.264	-40.535	74.000	-8.799	PK
2		7386.000	38.595	43.561	-35.405	74.000	-4.966	PK
3	*	9848.000	39.045	41.160	-34.955	74.000	-2.115	PK



Profile: 1842039	Page No.: 67		
Engineer: Pawn			
Site: AC5	Time: 2018/07/27 - 14:56		
Limit: FCC_Part15.209_RE(3m)	Margin: 0		
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal		
EUT: Wireless Access point	Power: AC 120V/60Hz		

Note: Mode3:Transmit at 2412MHz by 802.11N20




No	Mark	Frequency	Measure Level	Reading Level	Over Limit	Limit	Factor	Туре
		(MHz)	(dBuV/m)	(dBuV)	(dB)	(dBuV/m)	(dB)	
1		4824.000	32.823	41.610	-41.177	74.000	-8.787	PK
2		7236.000	36.695	42.252	-37.305	74.000	-5.557	PK
3	*	9648.000	41.408	43.365	-32.592	74.000	-1.957	PK



Profile: 1842039	Page No.: 68		
Engineer: Pawn			
Site: AC5	Time: 2018/07/27 - 14:56		
Limit: FCC_Part15.209_RE(3m)	Margin: 0		
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical		
EUT: Wireless Access point	Power: AC 120V/60Hz		

Note: Mode3:Transmit at 2412MHz by 802.11N20




No	Mark	Frequency	Measure Level	Reading Level	Over Limit	Limit	Factor	Туре
		(MHz)	(dBuV/m)	(dBuV)	(dB)	(dBuV/m)	(dB)	
1		4824.000	33.864	42.651	-40.136	74.000	-8.787	PK
2		7236.000	38.059	43.616	-35.941	74.000	-5.557	PK
3	*	9648.000	41.202	43.159	-32.798	74.000	-1.957	PK



Profile: 1842039	Page No.: 69		
Engineer: Pawn			
Site: AC5	Time: 2018/07/27 - 14:57		
Limit: FCC_Part15.209_RE(3m)	Margin: 0		
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal		
EUT: Wireless Access point	Power: AC 120V/60Hz		

Note: Mode3:Transmit at 2437MHz by 802.11N20




No	Mark	Frequency	Measure Level	Reading Level	Over Limit	Limit	Factor	Туре
		(MHz)	(dBuV/m)	(dBuV)	(dB)	(dBuV/m)	(dB)	
1		4874.000	33.897	42.610	-40.103	74.000	-8.713	PK
2		7311.000	38.306	43.651	-35.694	74.000	-5.345	PK
3	*	9748.000	41.645	43.981	-32.355	74.000	-2.336	PK



Profile: 1842039	Page No.: 70		
Engineer: Pawn			
Site: AC5	Time: 2018/07/27 - 14:58		
Limit: FCC_Part15.209_RE(3m)	Margin: 0		
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical		
EUT: Wireless Access point	Power: AC 120V/60Hz		

Note: Mode3:Transmit at 2437MHz by 802.11N20




No	Mark	Frequency	Measure Level	Reading Level	Over Limit	Limit	Factor	Туре
		(MHz)	(dBuV/m)	(dBuV)	(dB)	(dBuV/m)	(dB)	
1		4874.000	33.902	42.615	-40.098	74.000	-8.713	PK
2		7311.000	37.295	42.640	-36.705	74.000	-5.345	PK
3	*	9748.000	41.311	43.647	-32.689	74.000	-2.336	PK



Profile: 1842039	Page No.: 71		
Engineer: Pawn			
Site: AC5	Time: 2018/07/27 - 14:59		
Limit: FCC_Part15.209_RE(3m)	Margin: 0		
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal		
EUT: Wireless Access point	Power: AC 120V/60Hz		

Note: Mode3:Transmit at 2462MHz by 802.11N20




No	Mark	Frequency	Measure Level	Reading Level	Over Limit	Limit	Factor	Туре
		(MHz)	(dBuV/m)	(dBuV)	(dB)	(dBuV/m)	(dB)	
1		4924.000	33.811	42.610	-40.189	74.000	-8.799	PK
2		7386.000	38.650	43.616	-35.350	74.000	-4.966	PK
3	*	9848.000	41.536	43.651	-32.464	74.000	-2.115	PK



Profile: 1842039	Page No.: 72		
Engineer: Pawn			
Site: AC5	Time: 2018/07/27 - 14:59		
Limit: FCC_Part15.209_RE(3m)	Margin: 0		
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical		
EUT: Wireless Access point	Power: AC 120V/60Hz		

Note: Mode3:Transmit at 2462MHz by 802.11N20




No	Mark	Frequency	Measure Level	Reading Level	Over Limit	Limit	Factor	Туре
		(MHz)	(dBuV/m)	(dBuV)	(dB)	(dBuV/m)	(dB)	
1		4924.000	34.455	43.254	-39.545	74.000	-8.799	PK
2		7386.000	37.649	42.615	-36.351	74.000	-4.966	PK
3	*	9848.000	41.447	43.562	-32.553	74.000	-2.115	PK



Profile: 1842039	Page No.: 73		
Engineer: Pawn			
Site: AC5	Time: 2018/07/27 - 15:00		
Limit: FCC_Part15.209_RE(3m)	Margin: 0		
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal		
EUT: Wireless Access point	Power: AC 120V/60Hz		

Note: Mode4:Transmit at 2422MHz by 802.11N40




No	Mark	Frequency	Measure Level	Reading Level	Over Limit	Limit	Factor	Туре
		(MHz)	(dBuV/m)	(dBuV)	(dB)	(dBuV/m)	(dB)	
1		4844.000	33.760	42.615	-40.240	74.000	-8.856	PK
2		7266.000	36.340	41.615	-37.660	74.000	-5.274	PK
3	*	9688.000	41.773	43.610	-32.227	74.000	-1.838	PK



Profile: 1842039	Page No.: 74		
Engineer: Pawn			
Site: AC5	Time: 2018/07/27 - 15:01		
Limit: FCC_Part15.209_RE(3m)	Margin: 0		
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical		
EUT: Wireless Access point	Power: AC 120V/60Hz		

Note: Mode4:Transmit at 2422MHz by 802.11N40




No	Mark	Frequency	Measure Level	Reading Level	Over Limit	Limit	Factor	Туре
		(MHz)	(dBuV/m)	(dBuV)	(dB)	(dBuV/m)	(dB)	
1		4844.000	32.687	41.542	-41.313	74.000	-8.856	PK
2		7266.000	36.841	42.116	-37.159	74.000	-5.274	PK
3	*	9688.000	41.328	43.165	-32.672	74.000	-1.838	PK



Profile: 1842039	Page No.: 75		
Engineer: Pawn			
Site: AC5	Time: 2018/07/27 - 15:01		
Limit: FCC_Part15.209_RE(3m)	Margin: 0		
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal		
EUT: Wireless Access point	Power: AC 120V/60Hz		

Note: Mode4:Transmit at 2437MHz by 802.11N40




No	Mark	Frequency	Measure Level	Reading Level	Over Limit	Limit	Factor	Туре
		(MHz)	(dBuV/m)	(dBuV)	(dB)	(dBuV/m)	(dB)	
1		4874.000	33.848	42.561	-40.152	74.000	-8.713	PK
2		7311.000	37.215	42.560	-36.785	74.000	-5.345	PK
3	*	9748.000	41.274	43.610	-32.726	74.000	-2.336	PK



Profile: 1842039	Page No.: 76		
Engineer: Pawn			
Site: AC5	Time: 2018/07/27 - 15:02		
Limit: FCC_Part15.209_RE(3m)	Margin: 0		
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical		
EUT: Wireless Access point	Power: AC 120V/60Hz		

Note: Mode4:Transmit at 2437MHz by 802.11N40




No	Mark	Frequency	Measure Level	Reading Level	Over Limit	Limit	Factor	Туре
		(MHz)	(dBuV/m)	(dBuV)	(dB)	(dBuV/m)	(dB)	
1		4874.000	32.402	41.115	-41.598	74.000	-8.713	PK
2		7311.000	37.265	42.610	-36.735	74.000	-5.345	PK
3	*	9748.000	40.025	42.361	-33.975	74.000	-2.336	PK



Profile: 1842039	Page No.: 77		
Engineer: Pawn			
Site: AC5	Time: 2018/07/27 - 15:02		
Limit: FCC_Part15.209_RE(3m)	Margin: 0		
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal		
EUT: Wireless Access point	Power: AC 120V/60Hz		

Note: Mode4:Transmit at 2452MHz by 802.11N40




No	Mark	Frequency	Measure Level	Reading Level	Over Limit	Limit	Factor	Туре
		(MHz)	(dBuV/m)	(dBuV)	(dB)	(dBuV/m)	(dB)	
1		4904.000	32.395	41.157	-41.605	74.000	-8.761	PK
2		7356.000	37.453	42.656	-36.547	74.000	-5.203	PK
3	*	9808.000	41.796	43.615	-32.204	74.000	-1.819	PK



Profile: 1842039	Page No.: 78		
Engineer: Pawn			
Site: AC5	Time: 2018/07/27 - 15:03		
Limit: FCC_Part15.209_RE(3m)	Margin: 0		
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical		
EUT: Wireless Access point	Power: AC 120V/60Hz		

Note: Mode4:Transmit at 2452MHz by 802.11N40




No	Mark	Frequency	Measure Level	Reading Level	Over Limit	Limit	Factor	Туре
		(MHz)	(dBuV/m)	(dBuV)	(dB)	(dBuV/m)	(dB)	
1		4904.000	33.493	42.255	-40.507	74.000	-8.761	PK
2		7356.000	38.412	43.615	-35.588	74.000	-5.203	PK
3	*	9808.000	41.744	43.563	-32.256	74.000	-1.819	PK



Profile: 1842039	Page No.: 79		
Engineer: Pawn			
Site: AC5	Time: 2018/07/27 - 15:04		
Limit: FCC_Part15.209_RE(3m)	Margin: 0		
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal		
EUT: Wireless Access point	Power: AC 120V/60Hz		

Note: Mode5:Transmit at 2412MHz by 802.11AC20




No	Mark	Frequency	Measure Level	Reading Level	Over Limit	Limit	Factor	Туре
		(MHz)	(dBuV/m)	(dBuV)	(dB)	(dBuV/m)	(dB)	
1		4824.000	33.864	42.651	-40.136	74.000	-8.787	PK
2		7236.000	37.608	43.165	-36.392	74.000	-5.557	PK
3	*	9648.000	39.048	41.005	-34.952	74.000	-1.957	PK



Profile: 1842039	Page No.: 80		
Engineer: Pawn			
Site: AC5	Time: 2018/07/27 - 15:04		
Limit: FCC_Part15.209_RE(3m)	Margin: 0		
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical		
EUT: Wireless Access point	Power: AC 120V/60Hz		

Note: Mode5:Transmit at 2412MHz by 802.11AC20




No	Mark	Frequency	Measure Level	Reading Level	Over Limit	Limit	Factor	Туре
		(MHz)	(dBuV/m)	(dBuV)	(dB)	(dBuV/m)	(dB)	
1		4824.000	32.328	41.115	-41.672	74.000	-8.787	PK
2		7236.000	37.808	43.365	-36.192	74.000	-5.557	PK
3	*	9648.000	40.049	42.006	-33.951	74.000	-1.957	PK



Profile: 1842039	Page No.: 81		
Engineer: Pawn			
Site: AC5	Time: 2018/07/27 - 15:05		
Limit: FCC_Part15.209_RE(3m)	Margin: 0		
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal		
EUT: Wireless Access point	Power: AC 120V/60Hz		

Note: Mode5:Transmit at 2437MHz by 802.11AC20




No	Mark	Frequency	Measure Level	Reading Level	Over Limit	Limit	Factor	Туре
		(MHz)	(dBuV/m)	(dBuV)	(dB)	(dBuV/m)	(dB)	
1		4874.000	33.897	42.610	-40.103	74.000	-8.713	PK
2		7311.000	36.661	42.006	-37.339	74.000	-5.345	PK
3	*	9748.000	41.275	43.611	-32.725	74.000	-2.336	PK



Profile: 1842039	Page No.: 82		
Engineer: Pawn			
Site: AC5	Time: 2018/07/27 - 15:05		
Limit: FCC_Part15.209_RE(3m)	Margin: 0		
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical		
EUT: Wireless Access point	Power: AC 120V/60Hz		

Note: Mode5:Transmit at 2437MHz by 802.11AC20




No	Mark	Frequency	Measure Level	Reading Level	Over Limit	Limit	Factor	Туре
		(MHz)	(dBuV/m)	(dBuV)	(dB)	(dBuV/m)	(dB)	
1		4874.000	32.402	41.115	-41.598	74.000	-8.713	PK
2		7311.000	36.660	42.005	-37.340	74.000	-5.345	PK
3	*	9748.000	39.670	42.006	-34.330	74.000	-2.336	PK



Profile: 1842039	Page No.: 83		
Engineer: Pawn			
Site: AC5	Time: 2018/07/27 - 15:06		
Limit: FCC_Part15.209_RE(3m)	Margin: 0		
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal		
EUT: Wireless Access point	Power: AC 120V/60Hz		

Note: Mode5:Transmit at 2462MHz by 802.11AC20




No	Mark	Frequency	Measure Level	Reading Level	Over Limit	Limit	Factor	Туре
		(MHz)	(dBuV/m)	(dBuV)	(dB)	(dBuV/m)	(dB)	
1		4924.000	33.427	42.226	-40.573	74.000	-8.799	PK
2		7386.000	36.039	41.005	-37.961	74.000	-4.966	PK
3	*	9848.000	40.661	42.776	-33.339	74.000	-2.115	PK



Profile: 1842039	Page No.: 84		
Engineer: Pawn			
Site: AC5	Time: 2018/07/27 - 15:06		
Limit: FCC_Part15.209_RE(3m)	Margin: 0		
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical		
EUT: Wireless Access point	Power: AC 120V/60Hz		

Note: Mode5:Transmit at 2462MHz by 802.11AC20




No	Mark	Frequency	Measure Level	Reading Level	Over Limit	Limit	Factor	Туре
		(MHz)	(dBuV/m)	(dBuV)	(dB)	(dBuV/m)	(dB)	
1		4924.000	33.257	42.056	-40.743	74.000	-8.799	PK
2		7386.000	37.685	42.651	-36.315	74.000	-4.966	PK
3	*	9848.000	41.026	43.141	-32.974	74.000	-2.115	PK



Profile: 1842039	Page No.: 85		
Engineer: Pawn			
Site: AC5	Time: 2018/07/27 - 15:07		
Limit: FCC_Part15.209_RE(3m)	Margin: 0		
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal		
EUT: Wireless Access point	Power: AC 120V/60Hz		

Note: Mode6:Transmit at 2422MHz by 802.11AC40




No	Mark	Frequency	Measure Level	Reading Level	Over Limit	Limit	Factor	Туре
		(MHz)	(dBuV/m)	(dBuV)	(dB)	(dBuV/m)	(dB)	
1		4844.000	33.760	42.615	-40.240	74.000	-8.856	PK
2		7266.000	35.869	41.144	-38.131	74.000	-5.274	PK
3	*	9688.000	40.419	42.256	-33.581	74.000	-1.838	PK



Profile: 1842039	Page No.: 86		
Engineer: Pawn			
Site: AC5	Time: 2018/07/27 - 15:07		
Limit: FCC_Part15.209_RE(3m)	Margin: 0		
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical		
EUT: Wireless Access point	Power: AC 120V/60Hz		

Note: Mode6:Transmit at 2422MHz by 802.11AC40




No	Mark	Frequency	Measure Level	Reading Level	Over Limit	Limit	Factor	Туре
		(MHz)	(dBuV/m)	(dBuV)	(dB)	(dBuV/m)	(dB)	
1		4844.000	33.760	42.615	-40.240	74.000	-8.856	PK
2		7266.000	35.731	41.006	-38.269	74.000	-5.274	PK
3	*	9688.000	40.704	42.541	-33.296	74.000	-1.838	PK



Profile: 1842039	Page No.: 87		
Engineer: Pawn			
Site: AC5	Time: 2018/07/27 - 15:08		
Limit: FCC_Part15.209_RE(3m)	Margin: 0		
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal		
EUT: Wireless Access point	Power: AC 120V/60Hz		

Note: Mode6:Transmit at 2437MHz by 802.11AC40




No	Mark	Frequency	Measure Level	Reading Level	Over Limit	Limit	Factor	Туре
		(MHz)	(dBuV/m)	(dBuV)	(dB)	(dBuV/m)	(dB)	
1		4874.000	33.946	42.659	-40.054	74.000	-8.713	PK
2		7311.000	36.965	42.310	-37.035	74.000	-5.345	PK
3	*	9748.000	39.980	42.316	-34.020	74.000	-2.336	PK



Profile: 1842039	Page No.: 88		
Engineer: Pawn			
Site: AC5	Time: 2018/07/27 - 15:08		
Limit: FCC_Part15.209_RE(3m)	Margin: 0		
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical		
EUT: Wireless Access point	Power: AC 120V/60Hz		

Note: Mode6:Transmit at 2437MHz by 802.11AC40




No	Mark	Frequency	Measure Level	Reading Level	Over Limit	Limit	Factor	Туре
		(MHz)	(dBuV/m)	(dBuV)	(dB)	(dBuV/m)	(dB)	
1		4874.000	32.450	41.163	-41.550	74.000	-8.713	PK
2		7311.000	36.815	42.160	-37.185	74.000	-5.345	PK
3	*	9748.000	41.274	43.610	-32.726	74.000	-2.336	PK



Profile: 1842039	Page No.: 89		
Engineer: Pawn			
Site: AC5	Time: 2018/07/27 - 15:09		
Limit: FCC_Part15.209_RE(3m)	Margin: 0		
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal		
EUT: Wireless Access point	Power: AC 120V/60Hz		

Note: Mode6:Transmit at 2452MHz by 802.11AC40




No	Mark	Frequency	Measure Level	Reading Level	Over Limit	Limit	Factor	Туре
		(MHz)	(dBuV/m)	(dBuV)	(dB)	(dBuV/m)	(dB)	
1		4904.000	32.354	41.116	-41.646	74.000	-8.761	PK
2		7356.000	37.049	42.252	-36.951	74.000	-5.203	PK
3	*	9808.000	41.535	43.354	-32.465	74.000	-1.819	PK



Profile: 1842039	Page No.: 90		
Engineer: Pawn			
Site: AC5	Time: 2018/07/27 - 15:09		
Limit: FCC_Part15.209_RE(3m)	Margin: 0		
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical		
EUT: Wireless Access point	Power: AC 120V/60Hz		

Note: Mode6:Transmit at 2452MHz by 802.11AC40




No	Mark	Frequency	Measure Level	Reading Level	Over Limit	Limit	Factor	Туре
		(MHz)	(dBuV/m)	(dBuV)	(dB)	(dBuV/m)	(dB)	
1		4904.000	32.263	41.025	-41.737	74.000	-8.761	PK
2		7356.000	37.060	42.263	-36.940	74.000	-5.203	PK
3	*	9808.000	41.532	43.351	-32.468	74.000	-1.819	PK



Profile: 1842039	Page No.: 91		
Engineer: Pawn			
Site: AC5	Time: 2018/07/27 - 15:10		
Limit: FCC_Part15.209_RE(3m)	Margin: 0		
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal		
EUT: Wireless Access point	Power: AC 120V/60Hz		

Note: Mode7:Transmit at 2412MHz by 802.11AX20




No	Mark	Frequency	Measure Level	Reading Level	Over Limit	Limit	Factor	Туре
		(MHz)	(dBuV/m)	(dBuV)	(dB)	(dBuV/m)	(dB)	
1		4824.000	32.474	41.261	-41.526	74.000	-8.787	PK
2		7236.000	38.053	43.610	-35.947	74.000	-5.557	PK
3	*	9648.000	40.695	42.652	-33.305	74.000	-1.957	PK



Profile: 1842039	Page No.: 92		
Engineer: Pawn			
Site: AC5	Time: 2018/07/27 - 15:10		
Limit: FCC_Part15.209_RE(3m)	Margin: 0		
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical		
EUT: Wireless Access point	Power: AC 120V/60Hz		

Note: Mode7:Transmit at 2412MHz by 802.11AX20




No	Mark	Frequency	Measure Level	Reading Level	Over Limit	Limit	Factor	Туре
		(MHz)	(dBuV/m)	(dBuV)	(dB)	(dBuV/m)	(dB)	
1		4824.000	33.602	42.389	-40.398	74.000	-8.787	PK
2		7236.000	38.060	43.617	-35.940	74.000	-5.557	PK
3	*	9648.000	41.025	42.982	-32.975	74.000	-1.957	PK



Profile: 1842039	Page No.: 93		
Engineer: Pawn			
Site: AC5	Time: 2018/07/27 - 15:10		
Limit: FCC_Part15.209_RE(3m)	Margin: 0		
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal		
EUT: Wireless Access point	Power: AC 120V/60Hz		

Note: Mode7:Transmit at 2437MHz by 802.11AX20




No	Mark	Frequency	Measure Level	Reading Level	Over Limit	Limit	Factor	Туре
		(MHz)	(dBuV/m)	(dBuV)	(dB)	(dBuV/m)	(dB)	
1		4874.000	32.443	41.156	-41.557	74.000	-8.713	PK
2		7311.000	37.265	42.610	-36.735	74.000	-5.345	PK
3	*	9748.000	41.177	43.513	-32.823	74.000	-2.336	PK



Profile: 1842039	Page No.: 94		
Engineer: Pawn			
Site: AC5	Time: 2018/07/27 - 15:11		
Limit: FCC_Part15.209_RE(3m)	Margin: 0		
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical		
EUT: Wireless Access point	Power: AC 120V/60Hz		

Note: Mode7:Transmit at 2437MHz by 802.11AX20




No	Mark	Frequency	Measure Level	Reading Level	Over Limit	Limit	Factor	Туре
		(MHz)	(dBuV/m)	(dBuV)	(dB)	(dBuV/m)	(dB)	
1		4874.000	32.927	41.640	-41.073	74.000	-8.713	PK
2		7311.000	36.716	42.061	-37.284	74.000	-5.345	PK
3	*	9748.000	40.559	42.895	-33.441	74.000	-2.336	PK



Profile: 1842039	Page No.: 95		
Engineer: Pawn			
Site: AC5	Time: 2018/07/27 - 15:11		
Limit: FCC_Part15.209_RE(3m)	Margin: 0		
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal		
EUT: Wireless Access point	Power: AC 120V/60Hz		

Note: Mode7:Transmit at 2462MHz by 802.11AX20




No	Mark	Frequency	Measure Level	Reading Level	Over Limit	Limit	Factor	Туре
		(MHz)	(dBuV/m)	(dBuV)	(dB)	(dBuV/m)	(dB)	
1		4924.000	33.464	42.263	-40.536	74.000	-8.799	PK
2		7386.000	37.056	42.022	-36.944	74.000	-4.966	PK
3	*	9848.000	39.001	41.116	-34.999	74.000	-2.115	PK



Profile: 1842039	Page No.: 96		
Engineer: Pawn			
Site: AC5	Time: 2018/07/27 - 15:12		
Limit: FCC_Part15.209_RE(3m)	Margin: 0		
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical		
EUT: Wireless Access point	Power: AC 120V/60Hz		

Note: Mode7:Transmit at 2462MHz by 802.11AX20




No	Mark	Frequency	Measure Level	Reading Level	Over Limit	Limit	Factor	Туре
		(MHz)	(dBuV/m)	(dBuV)	(dB)	(dBuV/m)	(dB)	
1		4924.000	32.811	41.610	-41.189	74.000	-8.799	PK
2		7386.000	37.101	42.067	-36.899	74.000	-4.966	PK
3	*	9848.000	41.252	43.367	-32.748	74.000	-2.115	PK



Profile: 1842039	Page No.: 97		
Engineer: Pawn			
Site: AC5	Time: 2018/07/27 - 15:12		
Limit: FCC_Part15.209_RE(3m)	Margin: 0		
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal		
EUT: Wireless Access point	Power: AC 120V/60Hz		

Note: Mode8:Transmit at 2422MHz by 802.11AX40




No	Mark	Frequency	Measure Level	Reading Level	Over Limit	Limit	Factor	Туре
		(MHz)	(dBuV/m)	(dBuV)	(dB)	(dBuV/m)	(dB)	
1		4844.000	32.260	41.115	-41.740	74.000	-8.856	PK
2		7266.000	36.731	42.006	-37.269	74.000	-5.274	PK
3	*	9688.000	41.497	43.334	-32.503	74.000	-1.838	PK



Profile: 1842039	Page No.: 98		
Engineer: Pawn			
Site: AC5	Time: 2018/07/27 - 15:13		
Limit: FCC_Part15.209_RE(3m)	Margin: 0		
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical		
EUT: Wireless Access point	Power: AC 120V/60Hz		

Note: Mode8:Transmit at 2422MHz by 802.11AX40




No	Mark	Frequency	Measure Level	Reading Level	Over Limit	Limit	Factor	Туре
		(MHz)	(dBuV/m)	(dBuV)	(dB)	(dBuV/m)	(dB)	
1		4844.000	33.760	42.615	-40.240	74.000	-8.856	PK
2		7266.000	35.866	41.141	-38.134	74.000	-5.274	PK
3	*	9688.000	40.215	42.052	-33.785	74.000	-1.838	PK



Profile: 1842039	Page No.: 99		
Engineer: Pawn			
Site: AC5	Time: 2018/07/27 - 15:13		
Limit: FCC_Part15.209_RE(3m)	Margin: 0		
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal		
EUT: Wireless Access point	Power: AC 120V/60Hz		

Note: Mode8:Transmit at 2437MHz by 802.11AX40




No	Mark	Frequency	Measure Level	Reading Level	Over Limit	Limit	Factor	Туре
		(MHz)	(dBuV/m)	(dBuV)	(dB)	(dBuV/m)	(dB)	
1		4874.000	33.339	42.052	-40.661	74.000	-8.713	PK
2		7311.000	35.769	41.114	-38.231	74.000	-5.345	PK
3	*	9748.000	40.921	43.257	-33.079	74.000	-2.336	PK



Profile: 1842039	Page No.: 100		
Engineer: Pawn			
Site: AC5	Time: 2018/07/27 - 15:15		
Limit: FCC_Part15.209_RE(3m)	Margin: 0		
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical		
EUT: Wireless Access point	Power: AC 120V/60Hz		

Note: Mode8:Transmit at 2437MHz by 802.11AX40




No	Mark	Frequency	Measure Level	Reading Level	Over Limit	Limit	Factor	Туре
		(MHz)	(dBuV/m)	(dBuV)	(dB)	(dBuV/m)	(dB)	
1		4874.000	33.292	42.005	-40.708	74.000	-8.713	PK
2		7311.000	37.719	43.064	-36.281	74.000	-5.345	PK
3	*	9748.000	39.279	41.615	-34.721	74.000	-2.336	PK



Profile: 1842039	Page No.: 101			
Engineer: Pawn				
Site: AC5	Time: 2018/07/27 - 15:15			
Limit: FCC_Part15.209_RE(3m)	Margin: 0			
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal			
EUT: Wireless Access point	Power: AC 120V/60Hz			

Note: Mode8:Transmit at 2452MHz by 802.11AX40




No	Mark	Frequency	Measure Level	Reading Level	Over Limit	Limit	Factor	Туре
		(MHz)	(dBuV/m)	(dBuV)	(dB)	(dBuV/m)	(dB)	
1		4904.000	33.862	42.624	-40.138	74.000	-8.761	PK
2		7356.000	38.238	43.441	-35.762	74.000	-5.203	PK
3	*	9808.000	40.328	42.147	-33.672	74.000	-1.819	PK



Profile: 1842039	Page No.: 102
Engineer: Pawn	
Site: AC5	Time: 2018/07/27 - 15:16
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access point	Power: AC 120V/60Hz
Note: Mode C: Transmit at 2450MHz by 002 44 AV 40	<u> </u>

Note: Mode8:Transmit at 2452MHz by 802.11AX40




No	Mark	Frequency	Measure Level	Reading Level	Over Limit	Limit	Factor	Туре
		(MHz)	(dBuV/m)	(dBuV)	(dB)	(dBuV/m)	(dB)	
1		4904.000	33.403	42.165	-40.597	74.000	-8.761	PK
2		7356.000	35.853	41.056	-38.147	74.000	-5.203	PK
3	*	9808.000	40.791	42.610	-33.209	74.000	-1.819	PK

- 1. Measured Level = Reading Level + Factor.
- 2. The test frequency range, 9kHz~30MHz, 18GHz~40GHz, both of the worst case are at least 20dB below the limits, therefore no data appear in the report.
- 3. This limit applies for using average detector, if the test result on peak is lower than average limit, then average measurement needn't be performed.
- 4. As the radiated emission was performed, so conducted emission was not tested.
- 5. The data was too large so was showed in below attached files.



The worst case of Radiated Emission below 1GHz:

Engineer: Eric					
Site: AC3	Time: 2018/05/14				
Limit: FCC_Part15.109_RE(3m)_ClassC	Margin: 0				
Probe: AC3_3m (30-1000MHz)	Polarity: Horizontal				
EUT: Wireless Access point	Power: AC 120V/60Hz				
Note: Mode 1:Transmit at 2412MHz by 802.11b					




No	Mark	Frequency	Measure	Reading	Over	Limit	Probe	Cable	Amp	Ant	Table	Туре
		(MHz)	Level	Level	Limit	(dBuV/m)	(dB/m)	(dB)	(dB)	Pos	Pos	
			(dBuV/m)	(dBuV)	(dB)					(cm)	(deg)	
1		31.819	28.092	1.200	-11.908	40.000	20.429	6.464	0.000	100	66	QP
2		36.062	26.960	1.400	-13.040	40.000	19.062	6.498	0.000	100	152	QP
3		132.456	22.646	5.200	-20.854	43.500	10.443	7.002	0.000	100	199	QP
4		175.985	25.343	7.900	-18.157	43.500	10.257	7.186	0.000	200	360	QP
5		659.287	32.669	3.200	-13.331	46.000	20.901	8.569	0.000	100	154	QP
6	*	906.274	36.733	4.700	-9.267	46.000	22.923	9.109	0.000	100	264	QP

- 1. " * ", means this data is the worst emission level.
- 2. Measurement Level = Reading Level + Factor(Probe+Cable-Amp).



Engineer: Eric						
Site: AC3	Time: 2018/05/14					
Limit: FCC_Part15.109_RE(3m)_ClassC	Margin: 0					
Probe: AC3_3m (30-1000MHz)	Polarity: Vertical					
EUT: Wireless Access point	Power: AC 120V/60Hz					
Note: Mode 1:Transmit at 2/12MHz by 802 11b						

Note: Mode 1:Transmit at 2412MHz by 802.11b




No	Mark	Frequency	Measure	Reading	Over	Limit	Probe	Cable	Amp	Ant	Table	Туре
		(MHz)	Level	Level	Limit	(dBuV/m)	(dB/m)	(dB)	(dB)	Pos	Pos	
			(dBuV/m)	(dBuV)	(dB)					(cm)	(deg)	
1		30.485	25.349	1.400	-14.651	40.000	17.492	6.457	0.000	100	87	QP
2		54.250	24.824	7.700	-15.176	40.000	10.504	6.620	0.000	100	331	QP
3		131.729	26.395	5.500	-17.105	43.500	13.895	7.000	0.000	100	214	QP
4		207.995	25.965	2.700	-17.535	43.500	15.954	7.311	0.000	200	196	QP
5		313.361	25.811	1.000	-20.189	46.000	17.151	7.660	0.000	100	177	QP
6	*	939.739	36.620	2.400	-9.380	46.000	25.039	9.182	0.000	100	54	QP

- 1. " * ", means this data is the worst emission level.
- 2. Measurement Level = Reading Level + Factor(Probe+Cable-Amp).



The worst case of Simultaneous Radiated Emission:


Engineer: Damon					
Site: AC5	Time: 2018/06/29				
Limit: FCC_Part15.209_RE(3m)	Margin: 0				
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal				
EUT: Wireless Access Point	Power: AC 120V/60Hz				
Note: WIFI+BT simultaneous transmit					



No	Mark	Frequency	Measure Level	Reading Level	Over Limit	Limit	Factor	Туре
		(MHz)	(dBuV/m)	(dBuV)	(dB)	(dBuV/m)	(dB)	
1		4804.000	31.708	40.006	-42.292	74.000	-8.298	PK
2		7206.000	36.145	41.115	-37.855	74.000	-4.970	PK
3		9608.000	39.135	40.065	-34.865	74.000	-0.930	PK
4		10360.000	42.952	42.981	-31.048	74.000	-0.029	PK
5	*	15540.000	50.014	44.157	-23.986	74.000	5.857	PK



Engineer: Damon					
Site: AC5	Time: 2018/06/29				
Limit: FCC_Part15.209_RE(3m)	Margin: 0				
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical				
EUT: Wireless Access Point	Power: AC 120V/60Hz				
Note: WIFI+BT simultaneous transmit					



No	Mark	Frequency	Measure Level	Reading Level	Over Limit	Limit	Factor	Туре
		(MHz)	(dBuV/m)	(dBuV)	(dB)	(dBuV/m)	(dB)	
1		4804.000	31.759	40.057	-42.241	74.000	-8.298	PK
2		7206.000	36.146	41.116	-37.854	74.000	-4.970	PK
3		9608.000	39.148	40.078	-34.852	74.000	-0.930	PK
4		10360.000	42.123	42.152	-31.877	74.000	-0.029	PK
5	*	15540.000	50.452	44.595	-23.548	74.000	5.857	PK

- 1. " * ", means this data is the worst emission level.
- 2. Measurement Level = Reading Level + Factor(Probe+Cable-Amp).

 The End	