


Profile: 1832134R	Page No.: 1
Engineer: Tommie	
Site: AC5	Time: 2018/05/18 - 09:41
Limit: FCC_Part15.209_RE(3m)	Margin:
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1: Transmit at 5180MHz by 802.11a	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	47.067	40.655	-26.933	74.000	6.412	PK
2	*	15540.000	48.152	38.267	-25.848	74.000	9.885	PK

Profile: 1832134R	Page No.: 2
Engineer: Tommie	
Site: AC5	Time: 2018/05/18 - 09:49
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1: Transmit at 5180MHz by 802.11a	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	46.278	39.866	-27.722	74.000	6.412	PK
2	*	15540.000	48.366	38.481	-25.634	74.000	9.885	PK

Profile: 1832134R	Page No.: 3
Engineer: Tommie	
Site:AC5	Time: 2018/05/18 - 09:51
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5220MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	45.742	39.319	-28.258	74.000	6.423	PK
2	*	15660.000	47.743	38.016	-26.257	74.000	9.727	PK

Profile: 1832134R	Page No.: 4
Engineer: Tommie	
Site: AC5	Time: 2018/05/18 - 09:52
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1: Transmit at 5220MHz by 802.11a	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	45.819	39.396	-28.181	74.000	6.423	PK
2	*	15660.000	47.614	37.887	-26.386	74.000	9.727	PK

Profile: 1832134R	Page No.: 5
Engineer: Tommie	
Site: AC5	Time: 2018/05/18 - 09:53
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1: Transmit at 5240MHz by 802.11a	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	45.983	39.172	-28.017	74.000	6.811	PK
2	*	15720.000	47.008	37.689	-26.992	74.000	9.319	PK

Profile: 1832134R	Page No.: 6
Engineer: Tommie	
Site: AC5	Time: 2018/05/18 - 09:54
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1: Transmit at 5240MHz by 802.11a	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	46.074	39.263	-27.926	74.000	6.811	PK
2	*	15720.000	47.846	38.527	-26.154	74.000	9.319	PK

Profile: 1832134R	Page No.: 21
Engineer: Tommie	
Site: AC5	Time: 2018/05/18 - 10:09
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1: Transmit at 5745MHz by 802.11a	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	45.510	38.969	-28.490	74.000	6.541	PK
2	*	17235.000	50.190	37.052	-23.810	74.000	13.138	PK

Profile: 1832134R	Page No.: 22
Engineer: Tommie	
Site: AC5	Time: 2018/05/18 - 10:10
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1: Transmit at 5745MHz by 802.11a	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	45.341	38.800	-28.659	74.000	6.541	PK
2	*	17235.000	49.886	36.748	-24.114	74.000	13.138	PK



Profile: 1832134R	Page No.: 23
Engineer: Tommie	
Site: AC5	Time: 2018/05/18 - 10:11
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1: Transmit at 5785MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	45.954	37.501	-28.046	74.000	8.453	PK
2	*	17355.000	50.671	37.360	-23.329	74.000	13.311	PK

Profile: 1832134R	Page No.: 24
Engineer: Tommie	
Site: AC5	Time: 2018/05/18 - 10:12
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1: Transmit at 5785MHz by 802.11a	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	46.494	38.041	-27.506	74.000	8.453	PK
2	*	17355.000	51.374	38.063	-22.626	74.000	13.311	PK

Profile: 1832134R	Page No.: 25
Engineer: Tommie	
Site: AC5	Time: 2018/05/18 - 10:13
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1: Transmit at 5825MHz by 802.11a	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	45.095	38.091	-28.905	74.000	7.004	PK
2	*	17475.000	51.338	37.862	-22.662	74.000	13.476	PK

Profile: 1832134R	Page No.: 26
Engineer: Tommie	
Site: AC5	Time: 2018/05/18 - 10:14
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1: Transmit at 5825MHz by 802.11a	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	45.779	38.775	-28.221	74.000	7.004	PK
2	*	17475.000	52.014	38.538	-21.986	74.000	13.476	PK

Profile: 1832134R	Page No.: 27
Engineer: Tommie	
Site: AC5	Time: 2018/05/18 - 10:15
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5180MHz by 802.11n20	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	45.757	39.345	-28.243	74.000	6.412	PK
2	*	15540.000	47.920	38.035	-26.080	74.000	9.885	PK

Profile: 1832134R	Page No.: 28
Engineer: Tommie	
Site: AC5	Time: 2018/05/18 - 10:17
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5180MHz by 802.11n20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	47.148	40.736	-26.852	74.000	6.412	PK
2	*	15540.000	48.158	38.273	-25.842	74.000	9.885	PK

Profile: 1832134R	Page No.: 29
Engineer: Tommie	
Site: AC5	Time: 2018/05/18 - 10:26
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5220MHz by 802.11n20	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	45.382	38.959	-28.618	74.000	6.423	PK
2	*	15660.000	47.340	37.613	-26.660	74.000	9.727	PK

Profile: 1832134R	Page No.: 30
Engineer: Tommie	
Site: AC5	Time: 2018/05/18 - 10:27
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5220MHz by 802.11n20	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	15660.000	47.425	37.698	-26.575	74.000	9.727	PK
2		10440.000	52.207	35.917	NaN	NaN	16.290	PK



Profile: 1832134R	Page No.: 31
Engineer: Tommie	
Site:AC5	Time: 2018/05/18 - 10:28
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5240MHz by 802.11n20	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	46.048	39.237	-27.952	74.000	6.811	PK
2	*	15720.000	47.915	38.596	-26.085	74.000	9.319	PK

Profile: 1832134R	Page No.: 32
Engineer: Tommie	
Site:AC5	Time: 2018/05/18 - 10:29
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5240MHz by 802.11n20	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	45.881	39.070	-28.119	74.000	6.811	PK
2	*	15720.000	47.019	37.700	-26.981	74.000	9.319	PK

Profile: 1832134R	Page No.: 47
Engineer: Tommie	
Site: AC5	Time: 2018/05/18 - 10:44
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5745MHz by 802.11n20	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	45.483	38.942	-28.517	74.000	6.541	PK
2	*	17235.000	49.917	36.779	-24.083	74.000	13.138	PK

Profile: 1832134R	Page No.: 48
Engineer: Tommie	
Site: AC5	Time: 2018/05/18 - 10:45
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5745MHz by 802.11n20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	45.344	38.803	-28.656	74.000	6.541	PK
2	*	17235.000	50.430	37.292	-23.570	74.000	13.138	PK

Profile: 1832134R	Page No.: 49
Engineer: Tommie	
Site: AC5	Time: 2018/05/18 - 10:47
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5785MHz by 802.11n20	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	46.227	37.774	-27.773	74.000	8.453	PK
2	*	17355.000	50.691	37.380	-23.309	74.000	13.311	PK

Profile: 1832134R	Page No.: 50
Engineer: Tommie	
Site:AC5	Time: 2018/05/18 - 10:48
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5785MHz by 802.11n20	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	46.502	38.049	-27.498	74.000	8.453	PK
2	*	17355.000	51.952	38.641	-22.048	74.000	13.311	PK

Profile: 1832134R	Page No.: 51
Engineer: Tommie	
Site: AC5	Time: 2018/05/18 - 10:49
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5825MHz by 802.11n20	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	45.584	38.580	-28.416	74.000	7.004	PK
2	*	17475.000	51.611	38.135	-22.389	74.000	13.476	PK

Profile: 1832134R	Page No.: 52
Engineer: Tommie	
Site: AC5	Time: 2018/05/18 - 10:50
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 5825MHz by 802.11n20	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	47.965	40.961	-26.035	74.000	7.004	PK
2	*	17475.000	51.804	38.328	-22.196	74.000	13.476	PK



Profile: 1832134R	Page No.: 53
Engineer: Tommie	
Site: AC5	Time: 2018/05/18 - 16:28
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3: Transmit at 5190MHz by 802.11n40	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10380.000	46.302	40.075	-27.698	74.000	6.227	PK
2	*	15570.000	47.939	39.067	-26.061	74.000	8.872	PK

Profile: 1832134R	Page No.: 54
Engineer: Tommie	
Site:AC5	Time: 2018/05/18 - 16:32
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5190MHz by 802.11n40	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10380.000	46.169	39.942	-27.831	74.000	6.227	PK
2	*	15570.000	48.172	39.300	-25.828	74.000	8.872	PK

Profile: 1832134R	Page No.: 55
Engineer: Tommie	
Site: AC5	Time: 2018/05/18 - 16:35
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3: Transmit at 5230MHz by 802.11n40	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10460.000	45.635	39.011	-28.365	74.000	6.624	PK
2	*	15690.000	46.658	37.025	-27.342	74.000	9.633	PK

Profile: 1832134R	Page No.: 56
Engineer: Tommie	
Site: AC5	Time: 2018/05/18 - 16:35
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3: Transmit at 5230MHz by 802.11n40	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10460.000	46.412	39.788	-27.588	74.000	6.624	PK
2	*	15690.000	47.084	37.451	-26.916	74.000	9.633	PK

Profile: 1832134R	Page No.: 67
Engineer: Tommie	
Site: AC5	Time: 2018/05/18 - 16:46
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3: Transmit at 5755MHz by 802.11n40	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11510.000	45.956	38.030	-28.044	74.000	7.926	PK
2	*	17265.000	51.536	38.078	-22.464	74.000	13.458	PK

Profile: 1832134R	Page No.: 68
Engineer: Tommie	
Site: AC5	Time: 2018/05/18 - 16:46
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3: Transmit at 5755MHz by 802.11n40	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11510.000	46.755	38.829	-27.245	74.000	7.926	PK
2	*	17265.000	51.427	37.969	-22.573	74.000	13.458	PK

Profile: 1832134R	Page No.: 69
Engineer: Tommie	
Site: AC5	Time: 2018/05/18 - 16:48
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3: Transmit at 5795MHz by 802.11n40	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11590.000	45.495	38.357	-28.505	74.000	7.138	PK
2	*	17385.000	50.311	36.171	-23.689	74.000	14.140	PK

Profile: 1832134R	Page No.: 70
Engineer: Tommie	
Site:AC5	Time: 2018/05/18 - 16:48
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5795MHz by 802.11n40	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11590.000	45.726	38.588	-28.274	74.000	7.138	PK
2	*	17385.000	50.144	36.004	-23.856	74.000	14.140	PK



Profile: 1832134R	Page No.: 71
Engineer: Tommie	
Site: AC5	Time: 2018/05/18 - 16:50
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4: Transmit at 5180MHz by 802.11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	46.368	39.956	-27.632	74.000	6.412	PK
2	*	15540.000	46.894	37.009	-27.106	74.000	9.885	PK

Profile: 1832134R	Page No.: 72
Engineer: Tommie	
Site: AC5	Time: 2018/05/21 - 09:57
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4: Transmit at 5180MHz by 802.11ac20	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	47.091	40.679	-26.909	74.000	6.412	PK
2	*	15540.000	48.034	38.149	-25.966	74.000	9.885	PK

Profile: 1832134R	Page No.: 73
Engineer: Tommie	
Site: AC5	Time: 2018/05/21 - 10:05
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4: Transmit at 5220MHz by 802.11ac20	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	46.535	40.112	-27.465	74.000	6.423	PK
2	*	15660.000	48.554	38.827	-25.446	74.000	9.727	PK

Profile: 1832134R	Page No.: 74
Engineer: Tommie	
Site: AC5	Time: 2018/05/21 - 10:06
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4: Transmit at 5220MHz by 802.11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	46.570	40.147	-27.430	74.000	6.423	PK
2	*	15660.000	48.042	38.315	-25.958	74.000	9.727	PK

Profile: 1832134R	Page No.: 75
Engineer: Tommie	
Site: AC5	Time: 2018/05/21 - 10:07
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4: Transmit at 5240MHz by 802.11ac20	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	10480.000	47.664	40.853	-26.336	74.000	6.811	PK
2		15720.000	47.640	38.321	-26.360	74.000	9.319	PK

Profile: 1832134R	Page No.: 76
Engineer: Tommie	
Site: AC5	Time: 2018/05/21 - 10:09
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4: Transmit at 5240MHz by 802.11ac20	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	47.548	40.737	-26.452	74.000	6.811	PK
2	*	15720.000	48.686	39.367	-25.314	74.000	9.319	PK

Profile: 1832134R	Page No.: 91
Engineer: Tommie	
Site: AC5	Time: 2018/05/21 - 10:33
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4: Transmit at 5745MHz by 802.11ac20	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	45.488	38.947	-28.512	74.000	6.541	PK
2	*	17235.000	50.438	37.300	-23.562	74.000	13.138	PK

Profile: 1832134R	Page No.: 92
Engineer: Tommie	
Site: AC5	Time: 2018/05/21 - 10:34
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4: Transmit at 5745MHz by 802.11ac20	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	45.916	39.375	-28.084	74.000	6.541	PK
2	*	17235.000	50.418	37.280	-23.582	74.000	13.138	PK



Profile: 1832134R	Page No.: 93
Engineer: Tommie	
Site: AC5	Time: 2018/05/21 - 10:35
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4: Transmit at 5785MHz by 802.11ac20	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	46.018	37.565	-27.982	74.000	8.453	PK
2	*	17355.000	51.764	38.453	-22.236	74.000	13.311	PK

Profile: 1832134R	Page No.: 94
Engineer: Tommie	
Site:AC5	Time: 2018/05/21 - 10:36
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5785MHz by 802.11ac20	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	46.529	38.076	-27.471	74.000	8.453	PK
2	*	17355.000	50.756	37.445	-23.244	74.000	13.311	PK

Profile: 1832134R	Page No.: 95
Engineer: Tommie	
Site: AC5	Time: 2018/05/21 - 10:49
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4: Transmit at 5825MHz by 802.11ac20	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	45.117	38.113	-28.883	74.000	7.004	PK
2	*	17475.000	51.205	37.729	-22.795	74.000	13.476	PK

Profile: 1832134R	Page No.: 96
Engineer: Tommie	
Site: AC5	Time: 2018/05/21 - 10:49
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4: Transmit at 5825MHz by 802.11ac20	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	45.945	38.941	-28.055	74.000	7.004	PK
2	*	17475.000	52.780	39.304	-21.220	74.000	13.476	PK

Profile: 1832134R	Page No.: 97
Engineer: Tommie	
Site: AC5	Time: 2018/05/21 - 10:51
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5: Transmit at 5190MHz by 802.11ac40	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10380.000	45.718	39.491	-28.282	74.000	6.227	PK
2	*	15570.000	47.123	38.251	-26.877	74.000	8.872	PK

Profile: 1832134R	Page No.: 98
Engineer: Tommie	
Site: AC5	Time: 2018/05/21 - 10:52
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5: Transmit at 5190MHz by 802.11ac40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10380.000	45.690	39.463	-28.310	74.000	6.227	PK
2	*	15570.000	47.344	38.472	-26.656	74.000	8.872	PK

Profile: 1832134R	Page No.: 99
Engineer: Tommie	
Site: AC5	Time: 2018/05/21 - 10:53
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5: Transmit at 5230MHz by 802.11ac40	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10460.000	46.507	39.883	-27.493	74.000	6.624	PK
2	*	15690.000	47.062	37.429	-26.938	74.000	9.633	PK

Profile: 1832134R	Page No.: 100
Engineer: Tommie	
Site: AC5	Time: 2018/05/21 - 10:54
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5: Transmit at 5230MHz by 802.11ac40	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10460.000	46.306	39.682	-27.694	74.000	6.624	PK
2	*	15690.000	46.815	37.182	-27.185	74.000	9.633	PK




Profile: 1832134R	Page No.: 111
Engineer: Tommie	
Site: AC5	Time: 2018/05/21 - 11:07
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5: Transmit at 5755MHz by 802.11ac40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11510.000	46.410	38.484	-27.590	74.000	7.926	PK
2	*	17265.000	51.382	37.924	-22.618	74.000	13.458	PK

Profile: 1832134R	Page No.: 112
Engineer: Tommie	
Site: AC5	Time: 2018/05/21 - 11:08
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5: Transmit at 5755MHz by 802.11ac40	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11510.000	46.083	38.157	-27.917	74.000	7.926	PK
2	*	17265.000	51.055	37.597	-22.945	74.000	13.458	PK

Profile: 1832134R	Page No.: 113
Engineer: Tommie	
Site: AC5	Time: 2018/05/21 - 11:08
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5: Transmit at 5795MHz by 802.11ac40	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11590.000	45.180	38.042	-28.820	74.000	7.138	PK
2	*	17385.000	50.530	36.390	-23.470	74.000	14.140	PK

Profile: 1832134R	Page No.: 114
Engineer: Tommie	
Site: AC5	Time: 2018/05/21 - 11:10
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5: Transmit at 5795MHz by 802.11ac40	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11590.000	45.257	38.119	-28.743	74.000	7.138	PK
2	*	17385.000	50.807	36.667	-23.193	74.000	14.140	PK

Profile: 1832134R	Page No.: 115
Engineer: Tommie	
Site: AC5	Time: 2018/05/21 - 11:11
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 6: Transmit at 5210MHz by 802.11ac80	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	10420.000	46.900	39.773	-27.100	74.000	7.127	PK
2		15630.000	46.547	37.012	-27.453	74.000	9.535	PK

Profile: 1832134R	Page No.: 116
Engineer: Tommie	
Site: AC5	Time: 2018/05/21 - 11:13
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 6: Transmit at 5210MHz by 802.11ac80	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	10420.000	47.056	39.929	-26.944	74.000	7.127	PK
2		15630.000	45.827	36.292	-28.173	74.000	9.535	PK

Profile: 1832134R	Page No.: 123
Engineer: Tommie	
Site: AC5	Time: 2018/05/21 - 11:22
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 6: Transmit at 5775MHz by 802.11ac80	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11550.000	45.159	38.200	-28.841	74.000	6.959	PK
2	*	17325.000	51.842	38.129	-22.158	74.000	13.713	PK

Profile: 1832134R	Page No.: 124
Engineer: Tommie	
Site: AC5	Time: 2018/05/21 - 11:23
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 6: Transmit at 5775MHz by 802.11ac80	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11590.000	45.734	38.596	-28.266	74.000	7.138	PK
2	*	17325.000	51.847	38.134	-22.153	74.000	13.713	PK



Profile: 1832134R	Page No.: 125
Engineer: Tommie	
Site: AC5	Time: 2018/05/21 - 15:47
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7: Transmit at 5180MHz by 802.11ax20	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	10360.000	47.046	40.634	-26.954	74.000	6.412	PK
2		15540.000	46.816	36.931	-27.184	74.000	9.885	PK

Profile: 1832134R	Page No.: 126
Engineer: Tommie	
Site: AC5	Time: 2018/05/21 - 15:50
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7: Transmit at 5180MHz by 802.11ax20	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	46.029	39.617	-27.971	74.000	6.412	PK
2	*	15540.000	46.652	36.767	-27.348	74.000	9.885	PK

Profile: 1832134R	Page No.: 127
Engineer: Tommie	
Site: AC5	Time: 2018/05/21 - 15:51
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7: Transmit at 5220MHz by 802.11ax20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	46.810	40.387	-27.190	74.000	6.423	PK
2	*	15660.000	47.861	38.134	-26.139	74.000	9.727	PK

Profile: 1832134R	Page No.: 128
Engineer: Tommie	
Site: AC5	Time: 2018/05/21 - 15:52
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7: Transmit at 5220MHz by 802.11ax20	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	46.547	40.124	-27.453	74.000	6.423	PK
2	*	15660.000	48.033	38.306	-25.967	74.000	9.727	PK

Profile: 1832134R	Page No.: 129
Engineer: Tommie	
Site: AC5	Time: 2018/05/21 - 15:53
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7: Transmit at 5240MHz by 802.11ax20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	47.249	40.438	-26.751	74.000	6.811	PK
2	*	15720.000	47.927	38.608	-26.073	74.000	9.319	PK

Profile: 1832134R	Page No.: 130
Engineer: Tommie	
Site: AC5	Time: 2018/05/21 - 15:54
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7: Transmit at 5240MHz by 802.11ax20	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	46.640	39.829	-27.360	74.000	6.811	PK
2	*	15720.000	47.548	38.229	-26.452	74.000	9.319	PK

Profile: 1832134R	Page No.: 145
Engineer: Tommie	
Site: AC5	Time: 2018/05/21 - 16:12
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7: Transmit at 5745MHz by 802.11ax20	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	46.349	39.808	-27.651	74.000	6.541	PK
2	*	17235.000	51.199	38.061	-22.801	74.000	13.138	PK

Profile: 1832134R	Page No.: 146
Engineer: Tommie	
Site: AC5	Time: 2018/05/21 - 16:14
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7: Transmit at 5745MHz by 802.11ax20	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	45.839	39.298	-28.161	74.000	6.541	PK
2	*	17235.000	50.885	37.747	-23.115	74.000	13.138	PK



Profile: 1832134R	Page No.: 147
Engineer: Tommie	
Site: AC5	Time: 2018/05/21 - 16:15
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7: Transmit at 5785MHz by 802.11ax20	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	46.125	37.672	-27.875	74.000	8.453	PK
2	*	17355.000	51.684	38.373	-22.316	74.000	13.311	PK

Profile: 1832134R	Page No.: 148
Engineer: Tommie	
Site: AC5	Time: 2018/05/21 - 16:16
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7: Transmit at 5785MHz by 802.11ax20	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	46.585	38.132	-27.415	74.000	8.453	PK
2	*	17355.000	50.803	37.492	-23.197	74.000	13.311	PK

Profile: 1832134R	Page No.: 149
Engineer: Tommie	
Site: AC5	Time: 2018/05/21 - 16:19
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7: Transmit at 5825MHz by 802.11ax20	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	45.658	38.654	-28.342	74.000	7.004	PK
2	*	17475.000	52.276	38.800	-21.724	74.000	13.476	PK

Profile: 1832134R	Page No.: 150
Engineer: Tommie	
Site: AC5	Time: 2018/05/21 - 16:20
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7: Transmit at 5825MHz by 802.11ax20	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	46.243	39.239	-27.757	74.000	7.004	PK
2	*	17475.000	52.333	38.857	-21.667	74.000	13.476	PK

Profile: 1832134R	Page No.: 151
Engineer: Tommie	
Site: AC5	Time: 2018/05/21 - 16:21
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8: Transmit at 5190MHz by 802.11ax40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10380.000	45.709	39.482	-28.291	74.000	6.227	PK
2	*	15570.000	47.577	38.705	-26.423	74.000	8.872	PK

Profile: 1832134R	Page No.: 152
Engineer: Tommie	
Site: AC5	Time: 2018/05/21 - 16:24
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8: Transmit at 5190MHz by 802.11ax40	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10380.000	45.970	39.743	-28.030	74.000	6.227	PK
2	*	15570.000	46.480	37.608	-27.520	74.000	8.872	PK

Profile: 1832134R	Page No.: 153
Engineer: Tommie	
Site: AC5	Time: 2018/05/21 - 16:25
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8: Transmit at 5230MHz by 802.11ax40	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10460.000	47.009	40.385	-26.991	74.000	6.624	PK
2	*	15690.000	47.247	37.614	-26.753	74.000	9.633	PK

Profile: 1832134R	Page No.: 154
Engineer: Tommie	
Site: AC5	Time: 2018/05/21 - 16:27
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8: Transmit at 5230MHz by 802.11ax40	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10460.000	46.985	40.361	-27.015	74.000	6.624	PK
2	*	15690.000	47.321	37.688	-26.679	74.000	9.633	PK




Profile: 1832134R	Page No.: 167
Engineer: Tommie	
Site: AC5	Time: 2018/05/21 - 16:41
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8: Transmit at 5755MHz by 802.11ax40	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11510.000	46.292	38.366	-27.708	74.000	7.926	PK
2	*	17265.000	51.078	37.620	-22.922	74.000	13.458	PK

Profile: 1832134R	Page No.: 168
Engineer: Tommie	
Site: AC5	Time: 2018/05/21 - 16:41
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8: Transmit at 5755MHz by 802.11ax40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11510.000	45.907	37.981	-28.093	74.000	7.926	PK
2	*	17265.000	51.562	38.104	-22.438	74.000	13.458	PK

Profile: 1832134R	Page No.: 169
Engineer: Tommie	
Site: AC5	Time: 2018/05/21 - 16:43
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8: Transmit at 5795MHz by 802.11ax40	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11590.000	45.317	38.179	-28.683	74.000	7.138	PK
2	*	17385.000	50.725	36.585	-23.275	74.000	14.140	PK

Profile: 1832134R	Page No.: 170
Engineer: Tommie	
Site: AC5	Time: 2018/05/21 - 16:44
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8: Transmit at 5795MHz by 802.11ax40	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11590.000	45.664	38.526	-28.336	74.000	7.138	PK
2	*	17385.000	50.757	36.617	-23.243	74.000	14.140	PK

Profile: 1832134R	Page No.: 171
Engineer: Tommie	
Site: AC5	Time: 2018/05/21 - 16:45
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 9: Transmit at 5210MHz by 802.11ax80	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	10420.000	46.363	39.236	-27.637	74.000	7.127	PK
2		15630.000	46.112	36.577	-27.888	74.000	9.535	PK

Profile: 1832134R	Page No.: 172
Engineer: Tommie	
Site: AC5	Time: 2018/05/21 - 16:46
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 9: Transmit at 5210MHz by 802.11ax80	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	10420.000	47.154	40.027	-26.846	74.000	7.127	PK
2		15630.000	45.750	36.215	-28.250	74.000	9.535	PK

Profile: 1832134R	Page No.: 179
Engineer: Tommie	
Site: AC5	Time: 2018/05/21 - 16:55
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 9: Transmit at 5775MHz by 802.11ax80	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11550.000	45.184	38.225	-28.816	74.000	6.959	PK
2	*	17325.000	51.373	37.660	-22.627	74.000	13.713	PK

Profile: 1832134R	Page No.: 180
Engineer: Tommie	
Site: AC5	Time: 2018/05/21 - 16:56
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 9: Transmit at 5775MHz by 802.11ax80	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11550.000	45.718	38.759	-28.282	74.000	6.959	PK
2	*	17325.000	52.509	38.796	-21.491	74.000	13.713	PK