

RF Exposure Statement

1. LIMITS

According to §1.1310 and §2.1091 RF exposure is calculated.

(B) Limits for General Population/Uncontrolled Exposures

Frequency range	Electric field	Magnetic field	Power density	Averaging time
(MHz)	Strength (V/m)	Strength (A/m)	(mW/cm²)	(minutes)
0.3 - 1.34	614 824/f 27.5	1.63 2.19/f 0.073	*(100) *(180/ f²) 0.2 f/1500 1.0	30 30 30 30 30

F = frequency in MHz

2. MAXIMUM PERMISSIBLE EXPOSURE Prediction

Prediction of MPE limit at a given distance Equation from page 18 of OET Bulletin 65, Edition 97-01

$S = PG/4\pi R^2$

S = Power density

P = power input to antenna

G = power gain of the antenna in the direction of interest relative to an isotropic radiator

R = distance to the center of radiation of the antenna

^{* =} Plane-wave equivalent power density



2-1. CDMA BAND

Max Peak output Power at antenna input terminal (dBm)	24.300
Max Peak output Power at antenna input terminal (mW)	269.153
Prediction distance (cm)	20.000
Prediction frequency (MHz)	836.000
Antenna Gain(typical) (dBi)	1.700
Antenna Gain(numeric)	1.479
Power density at prediction frequency (mW/cm²)	0.07920
MPE limit for uncontrolled exposure at prediction frequency (mW/cm²)	0.557

2-2.PCS BAND

Max Peak output Power at antenna input terminal (dBm)	24.06000
Max Peak output Power at antenna input terminal (mW)	254.68303
Prediction distance (cm)	20.0000
Prediction frequency (MHz)	1880.00
Antenna Gain(typical) (dBi)	3.500
Antenna Gain(numeric)	2.23872
Power density at prediction frequency (mW/cm²)	0.11343
MPE limit for uncontrolled exposure at prediction frequency (mW/cm²)	1.00000





3. RESULTS

The power density level at 20 cm is 0.07920 mW/cm², which is below the uncontrolled exposure limit of 0.557 mW/cm² at 836.00 MHz for CDMA band. The power density level at 20 cm is 0.11343 mW/cm², which is below the uncontrolled exposure limit of 1.0 mW/cm² at 1880.00 MHz for PCS band.