Appendix C

RF Test Data for 2.4G WIFI (Conducted Measurement)


Product Name: Tablet PC Trade Mark: HENA, ollee **Test Model: EGQ378**


Environmental Conditions


Temperature:	25.2° C
Relative Humidity:	53.4%
ATM Pressure:	100.0 kPa
Test Engineer:	WANGCHUANG
Supervised by:	Tom.Liu

C.1 Duty Cycle


Test Mode	Test Channel	Ant	Duty Cycle[%]	Verdict
11B	2437	Ant1	100	PASS
11G	2437	Ant1	100	PASS
11N20SISO	2437	Ant1	100	PASS
11N40SISO	2437	Ant1	100	PASS








Duty Cycle_11N20SISO_2437_Ant1



Duty Cycle_11N40SISO_2437_Ant1




C.2 Maximum Conducted Output Power

Mode	Channel	Meas.Level [dBm]	Limit [dBm]	Verdict
	LCH	9.19	30	PASS
11B	MCH	9.18	30	PASS
	HCH	9.23	30	PASS
	LCH	9.48	30	PASS
11G	MCH	9.44	30	PASS
	HCH	9.43	30	PASS
	LCH	9.25	30	PASS
11N20SISO	MCH	9.42	30	PASS
	HCH	9.33	30	PASS
	LCH	9.42	30	PASS
11N40SISO	MCH	9.35	30	PASS
	HCH	9.09	30	PASS

C.3 Maximum Power Spectral Density

Mode	Channel	Meas.Level [dBm/30KHz]	Limit [dBm/3KHz]	Verdict
	LCH	-6.427	8	PASS
11B	MCH	-3.099	8	PASS
	HCH	-7.488	8	PASS
	LCH	-14.773	8	PASS
11G	MCH	-15.286	8	PASS
	HCH	-14.616	8	PASS
	LCH	-13.596	8	PASS
11N20SISO	MCH	-15.639	8	PASS
	HCH	-14.260	8	PASS
	LCH	-16.654	8	PASS
11N40SISO	MCH	-16.887	8	PASS
	HCH	-16.258	8	PASS



#VBW 100 kHz

-50.0

-60.0

-70.0

Center 2.45200 GHz #Res BW 30 kHz

<u>Auto</u>

Freq Offse


0 H


Tomorrowskille


Span 60.00 MHz Sweep 63.27 ms (1001 pts)

C.4 6dB Bandwidth

Mode	Channel	6dB Bandwidth [MHz]	Limit [MHz]	Verdict
	LCH	8.111	≥0.5	PASS
11B	MCH	9.141	≥0.5	PASS
	HCH	8.576	≥0.5	PASS
	LCH	15.16	≥0.5	PASS
11G	MCH	16.41	≥0.5	PASS
	HCH	15.75	≥0.5	PASS
	LCH	15.10	≥0.5	PASS
11N20SISO	MCH	17.64	≥0.5	PASS
	HCH	16.11	≥0.5	PASS
	LCH	35.14	≥0.5	PASS
11N40SISO	MCH	36.12	≥0.5	PASS
	HCH	26.39	≥0.5	PASS










C.5 RF Conducted Spurious Emissions


	Mode	Channel	Pref [dBm]	Max. Level [dBm]	Limit [dBm]	Verdic
--	------	---------	------------	------------------	-------------	--------


<u>SHENZHEN</u>	Report No.: LCS190)505079AEC			
					t
	LCH	-2.931	-44.396	-22.931	PASS
11B	MCH	-3.125	-44.142	-23.125	PASS
	HCH	-2.43	-43.992	-22.430	PASS
	LCH	-9.443	-43.581	-29.443	PASS
11G	MCH	-10.118	-44.156	-30.118	PASS
	HCH	-9.838	-44.337	-29.838	PASS
	LCH	-9.388	-43.512	-29.388	PASS
11N20	MCH	-10.171	-44.286	-30.171	PASS
SISO	HCH	-9.748	-43.895	-29.748	PASS
	LCH	-10.991	-44.225	-30.991	PASS
11N40	MCH	-10.946	-43.745	-30.946	PASS
SISO	НСН	-11.012	-42.735	-31.012	PASS

































C.6 Band-edge for RF Conducted Emissions


Mode	Channel	Carrier Power[dBm]	Max.Spurious Level [dBm]	Limit [dBm]	Verdict
4.45	LCH	-2.665	-50.449	-22.67	PASS
11B	HCH	-2.553	-50.140	-22.55	PASS
	LCH	-9.856	-50.761	-29.86	PASS
11G	HCH	-9.692	-50.671	-29.69	PASS
	LCH	-9.251	-50.669	-29.25	PASS
11N20SISO	HCH	-9.733	-49.729	-29.73	PASS
	LCH	-11.854	-50.305	-31.85	PASS
11N40SISO	HCH	-11.137	-50.310	-31.14	PASS





C.7 Restrict-band band-edge measurements

Test Mode	Test Channel	Ant	Freq.	Power [dBm]	Gain	Ground Factor	E [dBuV/m]	Detector	Limit [dBu V/m]	Verdict
	2412	Ant1	2310.0	-44.65	2.0	0	52.60	PEAK	74	PASS
	2412	Ant1	2310.0	-54.15	2.0	0	43.11	AV	54	PASS
	2412	Ant1	2390.0	-42.60	2.0	0	54.66	PEAK	74	PASS
445	2412	Ant1	2390.0	-53.82	2.0	0	43.44	AV	54	PASS
11B	2462	Ant1	2483.5	-43.82	2.0	0	53.43	PEAK	74	PASS
	2462	Ant1	2483.5	-53.71	2.0	0	43.55	AV	54	PASS
	2462	Ant1	2500.0	-44.44	2.0	0	52.82	PEAK	74	PASS
	2462	Ant1	2500.0	-53.57	2.0	0	43.69	AV	54	PASS
	2412	Ant1	2310.0	-43.43	2.0	0	53.82	PEAK	74	PASS
	2412	Ant1	2310.0	-54.18	2.0	0	43.07	AV	54	PASS
	2412	Ant1	2390.0	-44.03	2.0	0	53.23	PEAK	74	PASS
	2412	Ant1	2390.0	-53.73	2.0	0	43.53	AV	54	PASS
11G	2462	Ant1	2483.5	-44.27	2.0	0	52.99	PEAK	74	PASS
	2462	Ant1	2483.5	-53.59	2.0	0	43.67	AV	54	PASS
	2462	Ant1	2500.0	-41.35	2.0	0	55.91	PEAK	74	PASS
	2462	Ant1	2500.0	-53.57	2.0	0	43.69	AV	54	PASS
	2412	Ant1	2310.0	-43.32	2.0	0	53.94	PEAK	74	PASS
	2412	Ant1	2310.0	-54.15	2.0	0	43.10	AV	54	PASS
	2412	Ant1	2390.0	-44.17	2.0	0	53.08	PEAK	74	PASS
11N20	2412	Ant1	2390.0	-53.74	2.0	0	43.52	AV	54	PASS
SISO	2462	Ant1	2483.5	-42.51	2.0	0	54.75	PEAK	74	PASS
	2462	Ant1	2483.5	-53.62	2.0	0	43.64	AV	54	PASS
	2462	Ant1	2500.0	-43.25	2.0	0	54.01	PEAK	74	PASS
	2462	Ant1	2500.0	-53.57	2.0	0	43.69	AV	54	PASS
11N40	2422	Ant1	2310.0	-44.43	2.0	0	52.83	PEAK	74	PASS
SISO	2422	Ant1	2310.0	-54.16	2.0	0	43.09	AV	54	PASS

<u>S</u>	SHENZHEN LCS COMPLIANCE TESTING LABORATORY LTD.						FCC ID:XHWE	GO378	Report No.: L	.CS1905	505079AEC
		2422	Ant1	2390.0	-37.20	2.0	0	60.06	PEAK	74	PASS
		2422	Ant1	2390.0	-53.28	2.0	0	43.97	AV	54	PASS
		2452	Ant1	2483.5	-40.41	2.0	0	56.85	PEAK	74	PASS
		2452	Ant1	2483.5	-53.33	2.0	0	43.93	AV	54	PASS
		2452	Ant1	2500.0	-42.67	2.0	0	54.59	PEAK	74	PASS
		2452	Ant1	2500.0	-53.59	2.0	0	43.67	AV	54	PASS









Page 39 of 46


Restrict-band band-edge measurements_11B_2462_Ant1_PEAK




Restrict-band band-edge measurements_11B_2462_Ant1_AV





Restrict-band band-edge measurements_11G_2412_Ant1_PEAK




Restrict-band band-edge measurements_11G_2412_Ant1_AV










Restrict-band band-edge measurements_11G_2462_Ant1_AV










Restrict-band band-edge measurements_11N20SISO_2412_Ant1_AV










Restrict-band band-edge measurements_11N20SISO_2462_Ant1_AV








Restrict-band band-edge measurements_11N40SISO_2422_Ant1_AV



Restrict-band band-edge measurements_11N40SISO_2452_Ant1_PEAK



Restrict-band band-edge measurements_11N40SISO_2452_Ant1_AV

