



Page Number : A22 of A28
Report Issued Date : Jan. 30, 2019
Report Version : Rev. 01




Page Number : A23 of A28
Report Issued Date : Jan. 30, 2019
Report Version : Rev. 01



Page Number : A24 of A28
Report Issued Date : Jan. 30, 2019
Report Version : Rev. 01

## **Conducted Spurious Emission**




Sporton International (Kunshan) Inc.

TEL: 86-512-57900158 FAX: 86-512-57900958 FCC ID: XMR201901EM12G Page Number : A25 of A28
Report Issued Date : Jan. 30, 2019
Report Version : Rev. 01



Sporton International (Kunshan) Inc.

TEL: 86-512-57900158 FAX: 86-512-57900958 FCC ID: XMR201901EM12G Page Number : A26 of A28
Report Issued Date : Jan. 30, 2019
Report Version : Rev. 01



Sporton International (Kunshan) Inc.

TEL: 86-512-57900158 FAX: 86-512-57900958 FCC ID: XMR201901EM12G Page Number : A27 of A28
Report Issued Date : Jan. 30, 2019
Report Version : Rev. 01

## Frequency Stability

Test Conditions		LTE Band 14 (QPSK) / Middle Channel		
Temperature (°C)		BW 10MHz		
	Voltage (Volt)	Deviation (ppm)	Result	
50	Normal Voltage	0.0044		
40	Normal Voltage	0.0035		
30	Normal Voltage	0.0005		
20(Ref.)	Normal Voltage	0.0000		
10	Normal Voltage	0.0026		
0	Normal Voltage	0.0040		
-10	Normal Voltage	0.0011	PASS	
-20	Normal Voltage	0.0044		
-30	Normal Voltage	0.0006		
20	Maximum Voltage	0.0037		
20	Normal Voltage	0.0000		
20	Battery End Point	0.0026		

Note: Normal Voltage =3.7V.; Battery End Point (BEP) =3.1 V.; Maximum Voltage =4.4 V.

TEL: 86-512-57900158 FAX: 86-512-57900958 FCC ID: XMR201901EM12G Page Number : A28 of A28 Report Issued Date : Jan. 30, 2019 Report Version : Rev. 01

## **Appendix B. Test Results of Radiated Test**

## Field Strength of Spurious Radiated

LTE Band 14 / 5MHz / QPSK / RB Size 1 Offset 0								
Channel	Frequency ( MHz )	ERP (dBm)	Limit ( dBm )	Over Limit ( dB )	S.G. Power ( dBm )	TX Cable loss ( dB )	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	1576	-67.18	-40	-27.18	-71.04	2.23	6.09	Н
	2366	-67.98	-13	-54.98	-68.51	2.83	5.51	Н
	3153	-66.59	-13	-53.59	-68.53	3.21	7.30	Н
	1576	-67.35	-40	-27.35	-71.21	2.23	6.09	V
	2366	-68.10	-13	-55.10	-68.63	2.83	5.51	V
	3153	-66.27	-13	-53.27	-68.21	3.21	7.30	V
Middle	1582	-67.85	-40	-27.85	-71.71	2.23	6.09	Н
	2372	-67.99	-13	-54.99	-68.52	2.83	5.51	Н
	3162	-66.91	-13	-53.91	-68.85	3.21	7.30	Н
	1582	-67.59	-40	-27.59	-71.45	2.23	6.09	V
	2372	-67.95	-13	-54.95	-68.48	2.83	5.51	V
	3162	-66.45	-13	-53.45	-68.39	3.21	7.30	V
Highest	1586	-66.34	-40	-26.34	-70.20	2.23	6.09	Н
	2380	-68.06	-13	-55.06	-68.59	2.83	5.51	Н
	3174	-66.67	-13	-53.67	-68.61	3.21	7.30	Н
	1586	-67.21	-40	-27.21	-71.07	2.23	6.09	V
	2380	-68.00	-13	-55.00	-68.53	2.83	5.51	V
	3174	-66.19	-13	-53.19	-68.13	3.21	7.30	V
Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.								
	Test Result				PASS			

Sporton International (Kunshan) Inc.

TEL: 86-512-57900158 FAX: 86-512-57900958 FCC ID: XMR201901EM12G Page Number : B1 of B2
Report Issued Date : Jan. 30, 2019
Report Version : Rev. 01

LTE Band 14 / 10MHz / QPSK / RB Size 1 Offset 0								
Channel	Frequency (MHz)	ERP (dBm)	Limit ( dBm )	Over Limit ( dB )	S.G. Power ( dBm )	TX Cable loss ( dB )	TX Antenna Gain (dBi)	Polarization (H/V)
Middle	1578	-66.39	-40	-26.39	-70.25	2.23	6.09	Н
	2366	-66.64	-13	-53.64	-67.17	2.83	5.51	Н
	3153	-66.51	-13	-53.51	-68.45	3.21	7.30	Н
	1578	-66.95	-40	-26.95	-70.81	2.23	6.09	V
	2366	-67.36	-13	-54.36	-67.89	2.83	5.51	V
	3153	-66.27	-13	-53.27	-68.21	3.21	7.30	V
Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.								
Test Result				PASS				

Page Number : B2 of B2
Report Issued Date : Jan. 30, 2019
Report Version : Rev. 01