

Page: 1 of 44

# ELECTROMAGNETIC EMISSIONS COMPLIANCE REPORT

# INTENTIONAL RADIATOR CERTIFICATION TO FCC PART 15 SUBPART C REQUIREMENT

OF

Traxxas, L.P. **Applicant:** 

6250 Traxxas Way, McKinney, TX 75070, USA

**Product Name:** TQ Receiver

TRAXXAS, LaTrax **Brand Name:** Model No.: 6519B, 3046B

6519B shares the same antenna with the 3046B.

**Model Difference:** the only difference are the length of the antenna cable and

brand name

FCC ID: XVE-TRX1026 E2/2018/30052 **Report Number:** 

**FCC Rule Part:** §15.249

**Issue Date:** May 11, 2018

Mar. 20, 2018 ~ Apr. 25, 2018 Date of Test:

Date of EUT Received: Mar. 20, 2018

We hereby certify that:

The above equipment was tested by SGS Taiwan Ltd. Electronics & Communication Laboratory The test data, data evaluation, test procedures, and equipment configurations shown in this report were made in accordance with the procedures given in ANSI C63.10:2013 and the energy emitted by the sample EUT tested as described in this report is in compliance with conducted and radiated emission limits.

The test results of this report relate only to the tested sample identified in this report.

Tested By:

Aken Huang / Engineer

Approved By:

Jim Chang / Manager





Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Manage Control of the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms\_and\_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279

台灣檢驗科技股份有限公司

f (886-2) 2298-0488

www.tw.sqs.com



Page: 2 of 44

# **Revision History**

| Report Number | Revision | Description                  | Effected<br>Page | Issue Date   | Revised By |
|---------------|----------|------------------------------|------------------|--------------|------------|
| E2/2018/30052 | Rev.00   | Initial creation of document | All              | May 11, 2018 | Yuri Tsai  |

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279

f (886-2) 2298-0488 www.tw.sqs.com



Page: 3 of 44

# **Contents**

| 1 | GENERAL INFORMATION         | 4  |
|---|-----------------------------|----|
| 2 | SYSTEM TEST CONFIGURATION   | 7  |
| 3 | SUMMARY OF TEST RESULTS     | 10 |
| 4 | DESCRIPTION OF TEST MODES   | 11 |
| 5 | MEASUREMENT UNCERTAINTY     | 12 |
| 6 | CONDUCTED EMISSION TEST     | 13 |
| 7 | RADIATED EMISSION TEST      | 15 |
| 8 | 20 DB BANDWIDTH MEASUREMENT | 41 |
| 9 | ANTENNA REQUIREMENT         | 44 |

t (886-2) 2299-3279

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.

台灣檢驗科技股份有限公司

f (886-2) 2298-0488

www.tw.sqs.com



Page: 4 of 44

### **GENERAL INFORMATION**

# **Product Description**

### General:

| ejierai.             |  |  |
|----------------------|--|--|
| Product Name:        | TQ Receiver  |  |
| Brand Name:          | TRAXXAS, LaTrax  |  |
| Model No.:           | 6519B, 3046B   |  |
| Model Difference:    | 6519B shares the same antenna with the 3046B, the only difference are the length of the antenna cable and brand name |  |
| Hardware Version:    | N/A  |  |
| Software Version:    | N/A  |  |
| Operation Frequency: | 2406 ~ 2453MHz   |  |
| Channel number:      | 3 Channels   |  |
| Modulation Type:     | DSSS   |  |
| Power Supply:        | 6Vdc   |  |
| Host:                | Refer to next page for detail  |  |
| Antenna Designation: | <ol> <li>Internal Antenna, Peak Gain: 0.98 dBi</li> <li>Internal Antenna, Peak Gain: -0.74 dBi</li> </ol>            |  |

This test report applies for 2.4GHz function.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測述之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions for electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

\*\*SCS Talwan Live\*\*

\*\*INCLUDED\*\*

\*\*

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279



Page: 5 of 44

#### Host:

| Brand   | Model Number | Product Name                     |
|---------|--------------|----------------------------------|
| LaTrax  | 75054-1 &-5  | LaTrax Rally                     |
| LaTrax  | 76054-5      | Teton                            |
| LaTrax  | 76064-5      | Desert PreRunner                 |
| Traxxas | 24054-1 & -4 | 1/10 Bandit w/ TQ 2.4            |
| Traxxas | 36034-1      | Bigfoot Classic Stampede         |
| Traxxas | 36054-1 & -4 | 1/10 Stampede w/ TQ 2.4          |
| Traxxas | 36064-1      | 1/10 Skully w/ TQ 2.4            |
| Traxxas | 36084-1      | Bigfoot Stampede                 |
| Traxxas | 36094-1      | 1/10 Craniac w/ TQ 2.4           |
| Traxxas | 37054-1 & -4 | 1/10 Rustler w/ TQ 2.4           |
| Traxxas | 38104-5      | Blast w/ TQ 2.4                  |
| Traxxas | 45104-1      | Nitro Sport w/ TQ 2.4            |
| Traxxas | 49104-1      | 1/10 T-Maxx Classic w/ TQ 2.4    |
| Traxxas | 58024        | 1/10 Slash w/o Battery w/ TQ 2.4 |
| Traxxas | 58034-1      | 1/10 Slash w/ TQ 2.4             |
| Traxxas | 58034-2      | 1/10 Slash w/ OBA                |
| Traxxas | 58094-1      | 1/10 2017 Ford Raptor w/ TQ 2.4  |
| Traxxas | 67054-1      | 1/10 Stampede 4x4 Brushed        |
| Traxxas | 70054-1      | 1/16 Slash w/ TQ 2.4             |
| Traxxas | 71054-1      | 1/16 E-Revo Brushed w/ TQ 2.4    |
| Traxxas | 72054-5      | 1/16 Summit XL-5 w/ TQ 2.4       |
| Traxxas | 74054-4 & -6 | Fiesta ST Rally                  |
| Traxxas | 83024-4      | 4-Tec 2.0 XL-5 No Body           |
| Traxxas | 83044-4      | 4-Tec 2.0 Mustang                |

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Page: 6 of 44

# Test Methodology of Applied Standards

FCC Part 15, Subpart C §15.249

ANSI C63.10:2013

Note: All test items have been performed and record as per the above standards.

#### Test Facility 1.3

SGS Taiwan Ltd. Electronics & Communication Laboratory No.2, Keji 1st Rd., Guishan District, Taoyuan City, Taiwan 333 (TAF code 0513)

FCC Registration Numbers are: 735305 / TW0002

# 1.4 Special Accessories

There are no special accessories used while test was conducted.

#### 1.5 **Equipment Modifications**

There was no modification incorporated into the EUT.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

Unless otherwise stated the results shown in this test report reter only to the sample(s) tested and such sample(s) are retained for so days only. 

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm.

Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of the state of the s Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

台灣檢驗科技股份有限公司 t (886-2) 2299-3279

SGS Taiwan Ltd.

www.tw.sqs.com



Page: 7 of 44

# SYSTEM TEST CONFIGURATION

## **EUT Configuration**

The EUT configuration for testing is installed on RF field strength measurement to meet the Commissions requirement and operating in a manner which intends to maximize its emission characteristics in a continuous normal application.

#### 2.2 EUT Exercise

An engineering test mode (software/firmware) that applicant provided was utilized to manipulate the EUT into transmit, selection of the test channel, and modulation scheme.

#### **Test Procedure** 2.3

#### 2.3.1 Conducted Emissions

The EUT is a placed on as turn table which is 0.8 m above ground plane. Conducted emissions from the EUT measured in the frequency range between 0.15 MHz and 30MHz,. The CISPR Quasi-Peak and Average detector mode is employed according to §15.207. The two LISNs provide 50 ohm/ 50uH of coupling impedance for the measuring instrument. Both lines of the power mains connected to the EUT were checked for maximum conducted interference.

#### 2.3.2 Radiated Emissions

The EUT is a placed on as turn table. For emissions testing at or below 1 GHz, the table height shall be 80 cm above the reference ground plane. For emission measurements above 1 GHz, the table height shall be 1.5 m. The turn table shall rotate 360 degrees to determine the position of maximum emission level. EUT is set 3m away from the receiving antenna which varied from 1m to 4m to find out the highest emission. And also, each emission was to be maximized by changing the polarization of receiving antenna both horizontal and vertical. In order to find out the max. emission, the relative positions of this hand-held transmitter (EUT) was rotated through three orthogonal axes and measurement procedures for electric field radiated emissions above 1 GHz the EUT measurement is to be made "while keeping the antenna in the 'cone of radiation' from that area and pointed at the area both in azimuth and elevation, with polarization oriented for maximum response." is still within the 3dB illumination BW of the measurement antenna.

#### 2.4 Measurement Results Explanation Example

#### For all conducted test items:

The offset level is set in the spectrum analyzer to compensate the RF cable loss and attenuation factor between EUT conducted port and spectrum analyzer. With the offset compensation, the spectrum analyzer reading level is exactly EUT RF output level.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Manage Control of the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms\_and\_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Page: 8 of 44

#### 2.5 Limitation

# (1) Conducted Emission

Conducted Emission Limits is as following.

| Frequency  | Conducted Limit (dBuV) |         |
|------------|------------------------|---------|
| (MHz)      | Quasi-Peak             | Average |
| 0.15 – 0.5 | 66 - 56                | 56 - 46 |
| 0.5 – 5    | 56                     | 46      |
| 5 - 30     | 60                     | 50      |

# (2) Radiated Emission

The field strength of emissions from intentional radiators operated within these frequency bands shall comply with the following.

| Frequency        | Field strength of | Field strength of | Distance (m) |
|------------------|-------------------|-------------------|--------------|
| (MHz)            | Fundamental       | Harmonics         |              |
| 902 – 928        | 50 mV/m           | 500 uV/m          | 3            |
|                  | (94dBuV/m)        | (54dBuV/m)        |              |
| 2400 – 2483.5    | 50 mV/m           | 500 uV/m          | 3            |
|                  | (94dBuV/m)        | (54dBuV/m)        |              |
| 5725 – 5875      | 50 mV/m           | 500 uV/m          | 3            |
|                  | (94dBuV/m)        | (54dBuV/m)        |              |
| 24.0 – 24.25 GHz | 250 mV/m          | 2500 uV/m         | 3            |
|                  | (107.95dBuV/m)    | (67.95dBuV/m)     |              |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only. 
Phys. P pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd. f (886-2) 2298-0488



Page: 9 of 44

# (3) Radiated Emission

Emission Radiated outside of the specified frequency bands, except for harmonics, shall be attenuated by at least 50dB below the level of the fundamental or to the general radiated emission limits as below, whichever is the lesser attenuation.

| Frequency | Field strength | Distance (m) | Field strength at |
|-----------|----------------|--------------|-------------------|
| (MHz)     | μ <b>V/m</b>   |              | 3m dBμV/m         |
| 1.705-30  | 30             | 30           | 69.54             |
| 30-88     | 100            | 3            | 40                |
| 88-216    | 150            | 3            | 43.5              |
| 216-960   | 200            | 3            | 46                |
| Above 960 | 500            | 3            | 54                |

# (4) Radiated Emission

For frequencies above 1000MHz, the above field strength limits are based on average limits. The peak filed strength of any emission shall not exceed the maximum permitted average limits specified above by more than 20dB under any condition of modulation.

Re-

1. Emission level in dBuV/m=20 log (uV/m)

mark:

- 2. Measurement was performed at an antenna to the closed point of EUT distance of meters.
- 3. Only spurious frequency is permitted to locate within the Restricted Bands specified in provision of ξ 15.205 and RSS-Gen § 8.10
- 4. Emission spurious frequency which appearing within the Restricted Bands specified in provision of ξ15.205 and RSS-Gen § 8.10, then the general radiated emission limits in ξ 15.209 and RSS-Gen § 8.9 apply.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Manage Control of the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms\_and\_conditions.htm</u> and, for elec-

tronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 f (886-2) 2298-0488



Page: 10 of 44

# 2.6 Configuration of Tested System

Fig. 2-1 Configuration of Tested System



**Table 2-1 Equipment Used in Tested System** 

| Item | Equipment               | Mfr/Brand | Model/Type<br>No. | Series No. | Data Cable | Power Cord |
|------|-------------------------|-----------|-------------------|------------|------------|------------|
| 1.   | 2.4GHz Test<br>Software | N/A       | N/A               | N/A        | N/A        | N/A        |

### **SUMMARY OF TEST RESULTS**

| FCC Rules        | Description Of Test              | Result    |
|------------------|----------------------------------|-----------|
| §15.207(a)       | AC Power Line Conducted Emission | N/A       |
| §15.249(a)(d)(e) | Radiated Emission                | Compliant |
| §15.215(c)       | 20dB Bandwidth Measurement       | Compliant |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測述之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions for electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

\*\*SCS Talwan Live\*\*

\*\*INCLUDED\*\*

\*\*

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 台灣檢驗科技股份有限公司 t (886-2) 2299-3279



Page: 11 of 44

### **DESCRIPTION OF TEST MODES**

#### Operated in 2400 ~ 2483.5MHz Band

3 channels are provided.

#### 4.2 The Worst Test Modes and Channel Details

- 1. The EUT has been tested under operating condition.
- 2. Test program used to control the EUT for staying in continuous transmitting and receiving mode is programmed.

#### **RADIATED EMISSION TEST:**

| TADIATED EMILOCK                     | ADIATED EMISSION TEST. |                |                        |                 |  |
|--------------------------------------|------------------------|----------------|------------------------|-----------------|--|
| RADIATED EMISSION TEST (BELOW 1 GHz) |                        |                |                        |                 |  |
| MODE                                 | TESTED<br>FREQUENCY    | MODULATION     | DATA<br>RATE<br>(Mbps) | ANTENNA<br>PORT |  |
| 2.4G                                 | 2406, 2429, 2453       | GFSK           | N/A                    | MAIN            |  |
|                                      | RADIATED EMISSION TES  | ST (ABOVE 1 GH | z)                     |                 |  |
| MODE                                 | TESTED<br>FREQUENCY    | MODULATION     | DATA<br>RATE<br>(Mbps) | ANTENNA<br>PORT |  |
| 2.4G                                 | 2406, 2429, 2453       | GFSK           | N/A                    | MAIN            |  |

#### Note:

The field strength of radiation emission was measured as EUT stand-up position (H mode) and lie down position (E1, E2 mode) for 2.4GHz Wireless Transmitter for channel Low, Mid and High, the worst case E2 position was reported.

#### ANTENNA PORT CONDUCTED MEASUREMENT:

| CONDUCTED TEST |                     |            |                        |                 |
|----------------|---------------------|------------|------------------------|-----------------|
| MODE           | TESTED<br>FREQUENCY | MODULATION | DATA<br>RATE<br>(Mbps) | ANTENNA<br>PORT |
| 2.4G           | 2406, 2429, 2453    | GFSK       | N/A                    | MAIN            |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report reter only to the sample(s) tested and such sample(s) are retained for so days only. 

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm.

Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of the state of the s Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 www.tw.sqs.com



Page: 12 of 44

### **MEASUREMENT UNCERTAINTY**

| Test Items                                   | Uncertainty                 |
|--|-----------------------------|
| AC Power Line Conducted Emission             | +/- 2.586 dB                |
| 20dB & 99% Bandwidth                         | +/- 51.33 Hz                |
| 100 kHz Bandwidth Of<br>Frequency Band Edges | +/- 0.84 dB                 |
| Temperature                                  | +/- 0.65 °C                 |
| Humidity                                     | +/- 4.6 %                   |
| DC / AC Power Source                         | DC= +/- 0.13%, AC= +/- 0.2% |

# Radiated Spurious Emission:

| Measurement uncertainty (Polarization : <b>Vertical</b> ) | 9kHz – 30MHz: +/- 2.87 dB  |
|---|----------------------------|
|   | 30MHz - 180MHz: +/- 3.37dB |
|   | 180MHz -417MHz: +/- 3.19dB |
|   | 0.417GHz-1GHz: +/- 3.19dB  |
|   | 1GHz - 18GHz: +/- 4.04dB   |
|   | 18GHz - 40GHz: +/- 4.04dB  |

|   | 9kHz – 30MHz: +/- 2.87 dB  |  |  |
|---|----------------------------|--|--|
| Na an una mana anti-una anti-inter                          | 30MHz - 167MHz: +/- 4.22dB |  |  |
| Measurement uncertainty (Polarization : <b>Horizontal</b> ) | 167MHz -500MHz: +/- 3.44dB |  |  |
|   | 0.5GHz-1GHz: +/- 3.39dB    |  |  |
|   | 1GHz - 18GHz: +/- 4.08dB   |  |  |
|   | 18GHz - 40GHz: +/- 4.08dB  |  |  |

This uncertainty represents an expanded uncertainty expressed at approximately the 95% confidence level using a coverage factor of k=2.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測述之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions for electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

\*\*SCS Talwan Live\*\*

\*\*INCLUDED\*\*

\*\*

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Page: 13 of 44

#### CONDUCTED EMISSION TEST

# **Standard Applicable:**

Frequency range within 150kHz to 30MHz shall not exceed the Limit table as below.

| tro-queries reminiger that minimize to extensive extensive and extensive and benefits |                  |          |  |  |  |  |  |  |
|---|------------------|----------|--|--|--|--|--|--|
| Fraguenay range   | Limits<br>dB(uV) |          |  |  |  |  |  |  |
| Frequency range   | UD(              | uv)      |  |  |  |  |  |  |
| MHz   | Quasi-peak       | Average  |  |  |  |  |  |  |
| 0.15 to 0.50  | 66 to 56         | 56 to 46 |  |  |  |  |  |  |
| 0.50 to 5   | 56               | 46       |  |  |  |  |  |  |
| 5 to 30   | 60               | 50       |  |  |  |  |  |  |
|   |                  |          |  |  |  |  |  |  |

#### Note

#### 6.2 Measurement Equipment Used:

|                   | Conducted Emission Test Site |                   |                  |              |            |  |  |  |  |  |  |
|-------------------|------------------------------|-------------------|------------------|--------------|------------|--|--|--|--|--|--|
| EQUIPMENT<br>TYPE | MFR                          | MODEL<br>NUMBER   | SERIAL<br>NUMBER | LAST<br>CAL. | CAL DUE.   |  |  |  |  |  |  |
| EMI Test Receiver | R&S                          | ESCI 7            | 100950           | 12/24/2017   | 12/23/2018 |  |  |  |  |  |  |
| Coaxial Cables    | N/A                          | N30N30-1042-150cm | N/A              | 08/30/2017   | 08/29/2018 |  |  |  |  |  |  |
| LISN              | Schwarzbeck                  | NSLK 8127         | 8127-648         | 06/18/2017   | 06/17/2018 |  |  |  |  |  |  |
| Test Software     | Farad                        | EZ-EMC            | Ver.<br>SGS-03A2 | N.C.R.       | N.C.R.     |  |  |  |  |  |  |

#### 6.3 EUT Setup:

- 1. The conducted emission tests were performed in the test site, using the setup in accordance with the ANSI C63.10:2013.
- 2. The AC/DC Power adaptor of EUT was plug-in LISN. The EUT was placed flushed with the rear of the table.
- 3. The LISN was connected with 120Vac/60Hz power source.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Manage Control of the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms\_and\_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 www.tw.sqs.com


<sup>1.</sup> The lower limit shall apply at the transition frequencies

<sup>2.</sup> The limit decreases linearly with the logarithm of the frequency in the range 0.15 MHz to 0.50



Page: 14 of 44

# 6.4 Test SET-UP (Block Diagram of Configuration)



#### 6.5 Measurement Procedure:

- 1. The EUT was placed on a table which is 0.8m above ground plane.
- 2. Maximum procedure was performed on the six highest emissions to ensure EUT compliance.
- 3. Repeat above procedures until all phases of power being supplied by given UE are completed

#### 6.6 **Measurement Result:**

N/A, EUT powered from DC.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report reter only to the sample(s) tested and such sample(s) are retained for so days only. 

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm.

Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of the state of the s Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Page: 15 of 44


#### RADIATED EMISSION TEST

#### 7.1. Measurement Procedure

- 1. The EUT was placed on a turn table with 0.8m for frequency< 1GHz and 1.5m for frequency> 1GHz above ground plane.
- 2. Maximum procedure was performed on the six highest emissions to ensure EUT compliance.
- 3. And also, each emission was to be maximized by changing the polarization of receiving antenna both horizontal and vertical.
- 4. Repeat above procedures until all frequency measured were complete.

# 7.2. Test SET-UP (Block Diagram of Configuration)

(A) Radiated Emission Test Set-UP Frequency Below 30MHz.




Note: There is a comparison data of both open-field test site and semi-Anechoic, and test result came out very similar.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


Manage Control of the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms\_and\_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279 f (886-2) 2298-0488


SGS Taiwan Ltd.



(B) Radiated Emission Test Set-Up, Frequency form 30MHz to 1000MHz



(C) Radiated Emission Test Set-UP Frequency Over 1 GHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report reter only to the sample(s) tested and such sample(s) are retained for 50 days only. 除非另有說明,此根告结果僅對測試之樣品負責,同時此樣品僅保留句天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279

f (886-2) 2298-0488 www.tw.sqs.com



Page: 17 of 44

# 7.3. Measurement Equipment Used:

|                   | 966 Chamber     |                                |                  |              |            |  |  |  |  |
|-------------------|-----------------|--------------------------------|------------------|--------------|------------|--|--|--|--|
| EQUIPMENT<br>TYPE | MFR             | MODEL<br>NUMBER                | SERIAL<br>NUMBER | LAST<br>CAL. | CAL DUE.   |  |  |  |  |
| EMI Test Receiver | R&S             | ESU 40                         | 100363           | 04/11/2018   | 04/10/2019 |  |  |  |  |
| Loop Antenna      | ETS-Lindgren    | 6502                           | 00143303         | 12/23/2017   | 12/22/2018 |  |  |  |  |
| Broadband Antenna | TESEQ           | CBL 6112D                      | 35240            | 11/03/2017   | 11/02/2018 |  |  |  |  |
| Horn Antenna      | ETS-Lindgren    | 3117                           | 00143272         | 12/15/2017   | 12/16/2018 |  |  |  |  |
| Horn Antenna      | Schwarzbeck     | BBHA9170                       | 185              | 08/01/2017   | 07/31/2018 |  |  |  |  |
| Pre Amplifier     | EMC Instruments | EMC330                         | 980096           | 12/24/2017   | 12/23/2018 |  |  |  |  |
| Pre Amplifier     | EMC Instruments | EMC0011830                     | 980199           | 12/24/2017   | 12/23/2018 |  |  |  |  |
| Pre Amplifier     | R&S             | SCU-18                         | 10204            | 12/24/2017   | 12/23/2018 |  |  |  |  |
| Pre Amplifier     | R&S             | SCU-26                         | 100780           | 12/24/2017   | 12/23/2018 |  |  |  |  |
| Coaxial Cable     | Huber+Suhner    | RG 214/U                       | 966Rx<br>9K-30M  | 12/24/2017   | 12/23/2018 |  |  |  |  |
| Coaxial Cable     | Huber+Suhner    | RG 214/U<br>SUCOFLEX 104       | 966Rx<br>30M-3G  | 12/24/2017   | 12/23/2018 |  |  |  |  |
| Coaxial Cable     | Huber+Suhner    | SUCOFLEX 104                   | 966Rx<br>1G-18G  | 12/24/2017   | 12/23/2018 |  |  |  |  |
| Coaxial Cable     | Huber+Suhner    | mini 141-12<br>SUCOFLEX<br>104 | 966Rx<br>18G-40G | 12/24/2017   | 12/23/2018 |  |  |  |  |
| Coaxial Cable     | Huber+Suhner    | SUCOFLEX 104                   | 966Tx<br>30M-18G | 12/24/2017   | 12/23/2018 |  |  |  |  |
| Coaxial Cable     | Huber+Suhner    | SUCOFLEX 102                   | 966Tx<br>18G-40G | 12/24/2017   | 12/23/2018 |  |  |  |  |
| Attenuator        | WOKEN           | 218FS-10                       | RF27             | 12/24/2017   | 12/23/2018 |  |  |  |  |
| Site NSA          | SGS             | 966 Chamber C                  | SAC-C            | 03/02/2018   | 03/01/2019 |  |  |  |  |
| Site VSWR         | SGS             | 966 Chamber C                  | SAC-C            | 03/02/2018   | 03/01/2019 |  |  |  |  |
| DC Power Supply   | HOLA            | DP-3003                        | D7070035         | 05/04/2017   | 05/03/2018 |  |  |  |  |
| Controller        | MF              | MF-7802                        | N/A              | N.C.R.       | N.C.R.     |  |  |  |  |
| Antenna Master    | MF              | N/A                            | N/A              | N.C.R.       | N.C.R.     |  |  |  |  |
| Turn Table        | MF              | N/A                            | N/A              | N.C.R.       | N.C.R.     |  |  |  |  |
| Test Software     | World-Pallas    | Dr. E                          | V 3.0 Lite       | N.C.R.       | N.C.R.     |  |  |  |  |

Note: N.C.R refers to Not Calibrated Required

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

\*\*SGS Taiwan Ltd.\*\*

IN 134 WitkungRoad NewTaineiindustrialPark WukuDistrict NewTaineiCity. Taiwan24803/新北。市 元 股區新北。產業園區 元 工 路 134 WitkungRoad NewTaineiIndustrialPark WukuDistrict NewTaineiCity. Taiwan24803/新北。市 元 股區新北。產業園區 元 工 路 134 WitkungRoad NewTaineiIndustrialPark WukuDistrict NewTaineiCity. Taiwan24803/新北。市 元 股區新北。在 常知 134 WitkungRoad NewTaineiIndustrialPark WukuDistrict NewTaineiCity. Taiwan24803/新北。

\*\*Total Taiwan Ltd.\*\*

\*\*No. 134 Witkung Taiwan 13

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.



Page: 18 of 44

#### 7.4. Field Strength Calculation

The field strength is calculated by adding the Antenna Factor and Cable Factor and subtracting the Amplifier Gain and Duty Cycle Correction Factor (if any) from the measured reading. The basic equation with a sample calculation is as follows:

$$FS = RA + AF + CL - AG$$

| Where | •                      | CL = Cable Attenuation Factor (Cable Loss) |
|-------|------------------------|--|
|       | RA = Reading Amplitude | AG = Amplifier Gain                        |
|       | AF = Antenna Factor    |  |

Actual FS(dB $\mu$ V/m) = SPA. Reading level(dB $\mu$ V) + Factor(dB)

Factor(dB) = Antenna Factor(dBµV/m) + Cable Loss(dB) – Pre\_Amplifier Gain(dB)

"F": denotes Fundamental Frequency.; "H": denotes Harmonic Frequency.

"E": denotes Band Edge Frequency.; "S": denotes Spurious Frequency.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report reter only to the sample(s) tested and such sample(s) are retained for so days only. 

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm.

Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of the state of the s Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

www.tw.sqs.com



Page: 19 of 44


# 7.5. Measurement Result

# **Radiated Spurious Emission Measurement Result**

2.4G Operation Mode: Test Date: 2018/4/20

Fundamental Frequency: 2406 MHz Temp. / Humi. : 22.7deg\_C/57RH

Operation Band: Main CH Low Test Engineer: Jerry EUT Pol.: E2 Measurement Antenna Pol.: Vertical



| Freq.   | Note    | Detector | Spectum       | Factor | Actual | Limit  | Margin |
|---------|---------|----------|---------------|--------|--------|--------|--------|
|         |         | Mode     | Reading Level |        | FS     | @3m    |        |
| MHz     | F/H/E/S | PK/QP/AV | dΒμV          | dB     | dBµV/m | dBµV/m | dB     |
| 2405.58 | F       | Peak     | 100.91        | -6.78  | 94.12  | 114    | -19.88 |
| 2405.58 | F       | Average  | 45.83         | -6.78  | 39.04  | 94     | -54.96 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only. 
Phys. P pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279

台灣檢驗科技股份有限公司

www.tw.sqs.com




Page: 20 of 44

Operation Mode: 2.4G Test Date: 2018/4/20

Fundamental Frequency: 2406 MHz Temp. / Humi.: 22.7deg\_C/57RH

Operation Band: Test Engineer: Main CH Low Jerry EUT Pol.: E2 Measurement Antenna Pol.: Horizontal



| Freq.   | Note    | Detector | Spectum       | Factor | Actual | Limit  | Margin |   |
|---------|---------|----------|---------------|--------|--------|--------|--------|---|
|         |         | Mode     | Reading Level |        | FS     | @3m    |        |   |
| MHz     | F/H/E/S | PK/QP/AV | dΒμV          | dB     | dΒμV/m | dBµV/m | dB     |   |
| 2405.61 | F       | Peak     | 109.48        | -6.78  | 102.70 | 114    | -11.30 | _ |
| 2405.61 | F       | Average  | 46.49         | -6.78  | 39.71  | 94     | -54.29 |   |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only. 
Phys. P pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279 f (886-2) 2298-0488




Page: 21 of 44

Operation Mode: 2.4G Test Date: 2018/4/20

Fundamental Frequency: 2429 MHz Temp. / Humi.: 22.7deg\_C/57RH

Operation Band: Test Engineer: Main CH Mid Jerry EUT Pol.: Measurement Antenna Pol.: Vertical



|   |         |         |          | majoring (mine) |        |        |        |        |   |
|---|---------|---------|----------|-----------------|--------|--------|--------|--------|---|
|   | Freq.   | Note    | Detector | Spectum         | Factor | Actual | Limit  | Margin |   |
|   |         |         | Mode     | Reading Level   |        | FS     | @3m    |        |   |
|   | MHz     | F/H/E/S | PK/QP/AV | dΒμV            | dB     | dBµV/m | dBµV/m | dB     |   |
| - | 2428.64 | E       | Peak     | 101.82          | -6.66  | 95.15  | 114    | -18.85 | _ |
|   | 2428.64 | Е       | Average  | 45.43           | -6.66  | 38.76  | 94     | -55.24 |   |
|   |         |         |          |                 |        |        |        |        |   |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測述之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions for electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

\*\*SCS Talwan Live\*\*

\*\*INCLUDED\*\*

\*\*

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 f (886-2) 2298-0488




Page: 22 of 44

Operation Mode: 2.4G Test Date: 2018/4/20

Fundamental Frequency: Temp. / Humi.: 2429 MHz 22.7deg\_C/57RH

Operation Band: Test Engineer: Main CH Mid Jerry EUT Pol.: E2 Measurement Antenna Pol.: Horizontal



| Freq.   | Note    | Detector | Spectum       | Factor | Actual | Limit  | Margin |  |
|---------|---------|----------|---------------|--------|--------|--------|--------|--|
|         |         | Mode     | Reading Level |        | FS     | @3m    |        |  |
| MHz     | F/H/E/S | PK/QP/AV | dΒμV          | dB     | dΒμV/m | dBµV/m | dB     |  |
| 2428.56 | F       | Peak     | 108.29        | -6.66  | 101.62 | 114    | -12.38 |  |
| 2428.56 | F       | Average  | 46.04         | -6.66  | 39.37  | 94     | -54.63 |  |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only. 
Phys. P pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279 f (886-2) 2298-0488




Page: 23 of 44

Operation Mode: 2.4G Test Date: 2018/4/20

Fundamental Frequency: 2453 MHz Temp. / Humi.: 22.7deg\_C/57RH

Test Engineer: Operation Band: Main CH High Jerry EUT Pol.: Measurement Antenna Pol.: Vertical



| Freq.   | Note    | Detector | Spectum       | Factor | Actual | Limit       | Margin |
|---------|---------|----------|---------------|--------|--------|-------------|--------|
|         |         | Mode     | Reading Level |        | FS     | <b>@</b> 3m |        |
| MHz     | F/H/E/S | PK/QP/AV | dΒμV          | dB     | dBµV/m | dBµV/m      | dB     |
| 2452.55 | F       | Peak     | 101.91        | -6.54  | 95.37  | 114         | -18.63 |
| 2452.55 | F       | Average  | 45.61         | -6.54  | 39.06  | 94          | -54.94 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only. 
Phys. P pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279 f (886-2) 2298-0488




Page: 24 of 44

Operation Mode: 2.4G Test Date: 2018/4/20

Fundamental Frequency: Temp. / Humi.: 2453 MHz 22.7deg\_C/57RH

Operation Band: Test Engineer: Main CH High Jerry EUT Pol.: E2 Measurement Antenna Pol.: Horizontal



| Freq.   | Note    | Detector | Spectum       | Factor | Actual | Limit  | Margin |  |
|---------|---------|----------|---------------|--------|--------|--------|--------|--|
|         |         | Mode     | Reading Level |        | FS     | @3m    |        |  |
| MHz     | F/H/E/S | PK/QP/AV | dΒμV          | dB     | dBµV/m | dBµV/m | dB     |  |
| 2452.59 | E       | Peak     | 108.08        | -6.54  | 101.54 | 114    | -12.46 |  |
| 2452.59 | Е       | Average  | 46.14         | -6.54  | 39.59  | 94     | -54.41 |  |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only. 
Phys. P pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279




Page: 25 of 44

# **Radiated Spurious Emission Measurement Result**

2.4G Operation Mode: Test Date: 2018/4/20

Fundamental Frequency: 2406 MHz Temp. / Humi.: 22.7deg C/57RH

Operation Band: BE CH Low Test Engineer: Jerry EUT Pol.: Measurement Antenna Pol. : Vertical E2



| Freq.   | Note    | Detector | Spectum       | Factor | Actual | Limit       | Margin |
|---------|---------|----------|---------------|--------|--------|-------------|--------|
|         |         | Mode     | Reading Level |        | FS     | <b>@</b> 3m |        |
| MHz     | F/H/E/S | PK/QP/AV | dΒμV          | dB     | dΒμV/m | dBµV/m      | dB     |
| 2390.00 | E       | Peak     | 64.23         | -6.84  | 57.38  | 74          | -16.62 |
| 2390.00 | Е       | Average  | 39.96         | -6.84  | 33.12  | 54          | -20.88 |
| 2400.00 | S       | Peak     | 72.38         | -6.81  | 65.57  | 74          | -8.43  |
| 2400.00 | S       | Average  | 39.98         | -6.81  | 33.17  | 54          | -20.83 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report reter only to the sample(s) tested and such sample(s) are retained for 50 days only. 除非另有說明,此根告结果僅對測試之樣品負責,同時此樣品僅保留句天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279




Page: 26 of 44

Operation Mode: 2.4G Test Date: 2018/4/20

Fundamental Frequency: 2406 MHz Temp. / Humi. : 22.7deg\_C/57RH

Operation Band: BE CH Low Test Engineer: Jerry EUT Pol.: Measurement Antenna Pol.: Horizontal E2



|   | Freq.   | Note    | Detector<br>Mode | Spectum<br>Reading Level | Factor | Actual<br>FS | Limit<br>@3m | Margin |   |
|---|---------|---------|------------------|--------------------------|--------|--------------|--------------|--------|---|
|   | MHz     | F/H/E/S | PK/QP/AV         | dBµV                     | dB     | dBµV/m       | dBµV/m       | dB     |   |
| ٠ | 2390.00 | Е       | Peak             | 69.97                    | -6.84  | 63.12        | 74           | -10.88 | • |
|   | 2390.00 | E       | Average          | 40.00                    | -6.84  | 33.16        | 54           | -20.84 |   |
|   | 2400.00 | S       | Peak             | 79.73                    | -6.81  | 72.92        | 74           | -1.08  |   |
|   | 2400.00 | S       | Average          | 40.15                    | -6.81  | 33.34        | 54           | -20.66 |   |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only. 
Phys. P pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279

台灣檢驗科技股份有限公司

f (886-2) 2298-0488




Page: 27 of 44

Operation Mode: 2.4G Test Date: 2018/4/20

Fundamental Frequency: Temp. / Humi.: 2453 MHz 22.7deg\_C/57RH

Operation Band: BE CH High Test Engineer: EUT Pol.: E2 Measurement Antenna Pol.: Vertical



| Freq.   | Note    | Detector | Spectum       | Factor | Actual | Limit       | Margin |
|---------|---------|----------|---------------|--------|--------|-------------|--------|
|         |         | Mode     | Reading Level |        | FS     | <b>@</b> 3m |        |
| MHz     | F/H/E/S | PK/QP/AV | dΒμV          | dB     | dBµV/m | dBµV/m      | dB     |
| 2483.50 | E       | Peak     | 57.33         | -6.38  | 50.95  | 74          | -23.05 |
| 2483.50 | E       | Average  | 39.92         | -6.38  | 33.54  | 54          | -20.46 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only. 
Phys. P pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號




Page: 28 of 44

Operation Mode: 2.4G Test Date: 2018/4/20

Fundamental Frequency: Temp. / Humi.: 2453 MHz 22.7deg\_C/57RH

Operation Band: BE CH High Test Engineer: EUT Pol.: E2 Measurement Antenna Pol.: Horizontal



| Freq.   | Note    | Detector | Spectum       | Factor | Actual | Limit       | Margin |
|---------|---------|----------|---------------|--------|--------|-------------|--------|
|         |         | Mode     | Reading Level |        | FS     | <b>@</b> 3m |        |
| MHz     | F/H/E/S | PK/QP/AV | dΒμV          | dB     | dBµV/m | dBµV/m      | dB     |
| 2483.50 | E       | Peak     | 63.42         | -6.38  | 57.04  | 74          | -16.96 |
| 2483.50 | Е       | Average  | 39.96         | -6.38  | 33.57  | 54          | -20.43 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only. 
Phys. P pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 www.tw.sgs.com




Page: 29 of 44

# Radiated Spurious Emission Measurement Result (Below 1GHz)

Operation Mode: 2.4G Test Date: 2018/4/20

Fundamental Frequency: 2406 MHz Temp. / Humi.: 22.7deg\_C/57RH

Operation Band: Tx CH Low Test Engineer: Jerry EUT Pol.: E2 Measurement Antenna Pol.: Vertical



| Freq.  | Note    | Detector<br>Mode | Spectum<br>Reading Level | Factor | Actual<br>FS | Limit<br>@3m | Margin |
|--------|---------|------------------|--------------------------|--------|--------------|--------------|--------|
| MHz    | F/H/E/S | PK/QP/AV         | dΒμV                     | dB     | dBµV/m       | dBµV/m       | dB     |
| 108.57 | S       | Peak             | 41.49                    | -19.69 | 21.79        | 43.5         | -21.71 |
| 356.89 | S       | Peak             | 33.88                    | -14.10 | 19.78        | 46           | -26.22 |
| 468.44 | S       | Peak             | 33.68                    | -11.13 | 22.55        | 46           | -23.45 |
| 745.86 | S       | Peak             | 35.77                    | -7.11  | 28.66        | 46           | -17.34 |
| 835.10 | S       | Peak             | 34.43                    | -5.86  | 28.57        | 46           | -17.43 |
| 975.75 | S       | Peak             | 35.03                    | -4.06  | 30.97        | 54           | -23.03 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report reter only to the sample(s) tested and such sample(s) are retained for 50 days only. 除非另有說明,此根告结果僅對測試之樣品負責,同時此樣品僅保留句天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279

台灣檢驗科技股份有限公司

f (886-2) 2298-0488




Page: 30 of 44

2.4G Operation Mode: Test Date: 2018/4/20

Fundamental Frequency: Temp. / Humi.: 2406 MHz 22.7deg\_C/57RH

Operation Band: Tx CH Low Test Engineer: Jerry EUT Pol.: E2 Measurement Antenna Pol. : Horizontal



| Freq.  | Note    | Detector<br>Mode | Spectum<br>Reading Level | Factor | Actual<br>FS | Limit<br>@3m | Margin |
|--------|---------|------------------|--------------------------|--------|--------------|--------------|--------|
| MHz    | F/H/E/S | PK/QP/AV         | dΒμV                     | dB     | dBµV/m       | dBµV/m       | dB     |
| 76.56  | S       | Peak             | 51.96                    | -20.47 | 31.48        | 40           | -8.52  |
| 279.29 | S       | Peak             | 32.83                    | -15.73 | 17.10        | 46           | -28.90 |
| 391.81 | S       | Peak             | 34.35                    | -13.00 | 21.35        | 46           | -24.65 |
| 573.20 | S       | Peak             | 34.94                    | -9.40  | 25.55        | 46           | -20.45 |
| 745.86 | S       | Peak             | 38.06                    | -7.11  | 30.96        | 46           | -15.04 |
| 924.34 | S       | Peak             | 36.01                    | -4.91  | 31.09        | 46           | -14.91 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report reter only to the sample(s) tested and such sample(s) are retained for 50 days only. 除非另有說明,此根告结果僅對測試之樣品負責,同時此樣品僅保留句天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

f (886-2) 2298-0488




Page: 31 of 44

Operation Mode: 2.4G Test Date: 2018/4/20

Fundamental Frequency: 2429 MHz Temp. / Humi.: 22.7deg C/57RH

Operation Band: Tx CH Mid Test Engineer: Jerry EUT Pol.: E2 Measurement Antenna Pol.: Vertical



| Freq.  | Note    | Detector | Spectum       | Factor | Actual | Limit  | Margin |
|--------|---------|----------|---------------|--------|--------|--------|--------|
|        |         | Mode     | Reading Level |        | FS     | @3m    |        |
| MHz    | F/H/E/S | PK/QP/AV | dΒμV          | dB     | dBµV/m | dBµV/m | dB     |
| 108.57 | S       | Peak     | 41.02         | -19.69 | 21.33  | 43.5   | -22.17 |
| 159.98 | S       | Peak     | 32.77         | -15.54 | 17.23  | 43.5   | -26.27 |
| 411.21 | S       | Peak     | 33.59         | -11.96 | 21.63  | 46     | -24.37 |
| 653.71 | S       | Peak     | 34.30         | -7.97  | 26.33  | 46     | -19.67 |
| 734.22 | S       | Peak     | 39.10         | -7.64  | 31.46  | 46     | -14.54 |
| 925.31 | S       | Peak     | 35.26         | -4.88  | 30.39  | 46     | -15.61 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only. 
Phys. P pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號




Page: 32 of 44

Operation Mode: 2.4G Test Date: 2018/4/20

Fundamental Frequency: Temp. / Humi.: 2429 MHz 22.7deg\_C/57RH

Operation Band: Tx CH Mid Test Engineer: Jerry EUT Pol.: E2 Measurement Antenna Pol. : Horizontal



| Freq.  | Note    | Detector<br>Mode | Spectum<br>Reading Level | Factor | Actual<br>FS | Limit<br>@3m | Margin |
|--------|---------|------------------|--------------------------|--------|--------------|--------------|--------|
| MHz    | F/H/E/S | PK/QP/AV         | dΒμV                     | dB     | dBµV/m       | dBµV/m       | dB     |
| 37.76  | S       | Peak             | 33.76                    | -17.57 | 16.19        | 40           | -23.81 |
| 139.61 | S       | Peak             | 34.05                    | -16.50 | 17.55        | 43.5         | -25.95 |
| 342.34 | S       | Peak             | 33.79                    | -14.31 | 19.48        | 46           | -26.52 |
| 515.00 | S       | Peak             | 32.48                    | -10.70 | 21.78        | 46           | -24.22 |
| 734.22 | S       | Peak             | 39.09                    | -7.64  | 31.46        | 46           | -14.54 |
| 964.11 | S       | Peak             | 35.13                    | -4.30  | 30.82        | 54           | -23.18 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report reter only to the sample(s) tested and such sample(s) are retained for 50 days only. 除非另有說明,此根告结果僅對測試之樣品負責,同時此樣品僅保留句天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279

f (886-2) 2298-0488




Page: 33 of 44

Operation Mode: 2.4G Test Date: 2018/4/20

Fundamental Frequency: 2453 MHz Temp. / Humi.: 22.7deg C/57RH

Operation Band: Tx CH High Test Engineer: Jerry EUT Pol.: E2 Measurement Antenna Pol.: Vertical



| Freq.  | Note    | Detector<br>Mode | Spectum<br>Reading Level | Factor | Actual<br>FS | Limit<br>@3m | Margin |
|--------|---------|------------------|--------------------------|--------|--------------|--------------|--------|
| MHz    | F/H/E/S | PK/QP/AV         | dBµV                     | dB     | dBµV/m       | dBµV/m       | dB     |
| 108.57 | S       | Peak             | 41.30                    | -19.69 | 21.61        | 43.5         | -21.89 |
| 324.88 | S       | Peak             | 33.22                    | -14.60 | 18.62        | 46           | -27.38 |
| 472.32 | S       | Peak             | 33.75                    | -11.10 | 22.65        | 46           | -23.35 |
| 701.24 | S       | Peak             | 35.41                    | -7.41  | 28.00        | 46           | -18.00 |
| 822.49 | S       | Peak             | 35.16                    | -6.08  | 29.07        | 46           | -16.93 |
| 922.40 | S       | Peak             | 35.28                    | -4.99  | 30.29        | 46           | -15.71 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only. 
Phys. P pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279

台灣檢驗科技股份有限公司

f (886-2) 2298-0488




Page: 34 of 44

2.4G Operation Mode: Test Date: 2018/4/20

Fundamental Frequency: Temp. / Humi.: 2453 MHz 22.7deg\_C/57RH

Operation Band: Tx CH High Test Engineer: Jerry EUT Pol.: E2 Measurement Antenna Pol.: Horizontal



| Freq.  | Note    | Detector<br>Mode | Spectum Reading Level | Factor | Actual<br>FS | Limit<br>@3m | Margin |
|--------|---------|------------------|-----------------------|--------|--------------|--------------|--------|
| MHz    | F/H/E/S | PK/QP/AV         | dBµV                  | dB     | dΒμV/m       | dBμV/m       | dB     |
| 43.58  | S       | Peak             | 35.30                 | -17.14 | 18.16        | 40           | -21.84 |
| 158.04 | S       | Peak             | 32.96                 | -15.59 | 17.36        | 43.5         | -26.14 |
| 459.71 | S       | Peak             | 33.61                 | -11.31 | 22.29        | 46           | -23.71 |
| 648.86 | S       | Peak             | 34.61                 | -7.92  | 26.69        | 46           | -19.31 |
| 831.22 | S       | Peak             | 35.08                 | -5.87  | 29.21        | 46           | -16.79 |
| 966.05 | S       | Peak             | 34.87                 | -4.23  | 30.64        | 54           | -23.36 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report reter only to the sample(s) tested and such sample(s) are retained for 50 days only. 除非另有說明,此根告结果僅對測試之樣品負責,同時此樣品僅保留句天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279 f (886-2) 2298-0488




Page: 35 of 44

# Radiated Spurious Emission Measurement Result (Above 1GHz)

Operation Mode: 2.4G Test Date: 2018/4/20

Fundamental Frequency: 2406 MHz Temp. / Humi.: 22.7deg\_C/57RH

Operation Band: Tx CH Low Test Engineer: Jerry EUT Pol.: E2 Measurement Antenna Pol.: Vertical



| Freq.   | Note    | Detector | Spectum       | Factor | Actual | Limit       | Margin |
|---------|---------|----------|---------------|--------|--------|-------------|--------|
|         |         | Mode     | Reading Level |        | FS     | <b>@</b> 3m |        |
| MHz     | F/H/E/S | PK/QP/AV | dBµV          | dB     | dBµV/m | dBµV/m      | dB     |
| 4812.00 | Н       | Peak     | 50.69         | -1.11  | 49.58  | 74          | -24.42 |
| 4812.00 | Н       | Average  | 32.87         | -1.11  | 31.76  | 54          | -22.24 |
| 7218.00 | Н       | Peak     | 45.95         | 5.50   | 51.45  | 74          | -22.55 |
| 7218.00 | Н       | Average  | 27.67         | 5.50   | 33.17  | 54          | -20.83 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only. 
Phys. P pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司

f (886-2) 2298-0488

www.tw.sqs.com




Page: 36 of 44

Operation Mode: 2.4G Test Date: 2018/4/20

Fundamental Frequency: Temp. / Humi.: 2406 MHz 22.7deg\_C/57RH

Operation Band: Tx CH Low Test Engineer: Jerry EUT Pol.: E2 Measurement Antenna Pol. : Horizontal



| Freq.   | Note    | Detector | Spectum       | Factor | Actual | Limit       | Margin |
|---------|---------|----------|---------------|--------|--------|-------------|--------|
|         |         | Mode     | Reading Level |        | FS     | <b>@</b> 3m |        |
| MHz     | F/H/E/S | PK/QP/AV | dΒμV          | dB     | dBμV/m | dBµV/m      | dB     |
| 4812.00 | Н       | Peak     | 52.53         | -1.11  | 51.42  | 74          | -22.58 |
| 4812.00 | Н       | Average  | 40.67         | -1.11  | 39.56  | 54          | -14.44 |
| 7218.00 | Н       | Peak     | 45.70         | 5.50   | 51.20  | 74          | -22.80 |
| 7218.00 | Н       | Average  | 27.40         | 5.50   | 32.90  | 54          | -21.10 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only. 
Phys. P pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279

台灣檢驗科技股份有限公司

f (886-2) 2298-0488




Page: 37 of 44

Operation Mode: 2.4G Test Date: 2018/4/20

Fundamental Frequency: 2429 MHz Temp. / Humi.: 22.7deg C/57RH

Operation Band: Tx CH Mid Test Engineer: Jerry EUT Pol.: E2 Measurement Antenna Pol.: Vertical



| Freq.   | Note    | Detector | Spectum       | Factor | Actual | Limit       | Margin |
|---------|---------|----------|---------------|--------|--------|-------------|--------|
|         |         | Mode     | Reading Level |        | FS     | <b>@</b> 3m |        |
| MHz     | F/H/E/S | PK/QP/AV | dΒμV          | dB     | dBµV/m | dBµV/m      | dB     |
| 4858.00 | Н       | Peak     | 51.18         | -0.84  | 50.34  | 74          | -23.66 |
| 4858.00 | Н       | Average  | 33.24         | -0.84  | 32.40  | 54          | -21.60 |
| 7287.00 | Н       | Peak     | 45.97         | 6.00   | 51.96  | 74          | -22.04 |
| 7287.00 | Н       | Average  | 27.77         | 6.00   | 33.77  | 54          | -20.23 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only. 
Phys. P pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號




Page: 38 of 44

Operation Mode: 2.4G Test Date: 2018/4/20

Fundamental Frequency: Temp. / Humi.: 2429 MHz 22.7deg\_C/57RH

Operation Band: Tx CH Mid Test Engineer: Jerry EUT Pol.: E2 Measurement Antenna Pol. : Horizontal



| Freq.   | Note    | Detector | Spectum       | Factor | Actual | Limit       | Margin |
|---------|---------|----------|---------------|--------|--------|-------------|--------|
|         |         | Mode     | Reading Level |        | FS     | <b>@</b> 3m |        |
| MHz     | F/H/E/S | PK/QP/AV | dΒμV          | dB     | dBµV/m | dBμV/m      | dB     |
| 4858.00 | Н       | Peak     | 53.26         | -0.84  | 52.42  | 74          | -21.58 |
| 4858.00 | Н       | Average  | 40.99         | -0.84  | 40.15  | 54          | -13.85 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only. 
Phys. P pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279 f (886-2) 2298-0488 www.tw.sqs.com




Page: 39 of 44

Operation Mode: 2.4G Test Date: 2018/4/20

Fundamental Frequency: 2453 MHz Temp. / Humi.: 22.7deg C/57RH

Operation Band: Tx CH High Test Engineer: Jerry EUT Pol.: E2 Measurement Antenna Pol.: Vertical



| Freq.   | Note    | Detector<br>Mode | Spectum<br>Reading Level | Factor | Actual<br>FS | Limit<br>@3m | Margin |
|---------|---------|------------------|--------------------------|--------|--------------|--------------|--------|
| MHz     | F/H/E/S | PK/QP/AV         | dBµV                     | dB     | dΒμV/m       | dBµV/m       | dB     |
| 4906.00 | Н       | Peak             | 51.57                    | -0.60  | 50.97        | 74           | -23.03 |
| 4906.00 | Н       | Average          | 33.97                    | -0.60  | 33.37        | 54           | -20.63 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測述之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions for electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

\*\*SCS Talwan Live\*\*

\*\*INCLUDED\*\*

\*\*

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279




Page: 40 of 44

Operation Mode: 2.4G Test Date: 2018/4/20

Fundamental Frequency: Temp. / Humi.: 2453 MHz 22.7deg\_C/57RH

Operation Band: Tx CH High Test Engineer: Jerry EUT Pol.: E2 Measurement Antenna Pol.: Horizontal



| Freq.   | Note    | Detector | Spectum       | Factor | Actual | Limit  | Margin |
|---------|---------|----------|---------------|--------|--------|--------|--------|
|         |         | Mode     | Reading Level |        | FS     | @3m    |        |
| MHz     | F/H/E/S | PK/QP/AV | dΒμV          | dB     | dBμV/m | dBµV/m | dB     |
| 4906.00 | Н       | Peak     | 53.19         | -0.60  | 52.59  | 74     | -21.41 |
| 4906.00 | Н       | Average  | 41.08         | -0.60  | 40.47  | 54     | -13.53 |
| 7359.00 | Н       | Peak     | 45.99         | 6.15   | 52.14  | 74     | -21.86 |
| 7359.00 | Н       | Average  | 27.69         | 6.15   | 33.84  | 54     | -20.16 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only. 
Phys. P pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Page: 41 of 44

# 20 DB BANDWIDTH MEASUREMENT

#### 8.1 Measurement Procedure

- The EUT was placed on a turn table which is 0.8m above ground plane.
- Set ETU normal operating mode.
- 3. Set SPA Center Frequency = fundamental frequency, RBW = 100kHz, VBW = 300kHz, Span = 5MHz.
- 4. Set SPA Max hold. Mark peak, -20dB.

# 8.2 Test SET-UP (Block Diagram of Configuration)

Refer to section 7.2 for the plot.

#### 8.3 Measurement Equipment Used:

| Conducted Emission Test Site |            |                |            |            |            |  |  |  |
|------------------------------|------------|----------------|------------|------------|------------|--|--|--|
| EQUIPMENT                    | MFR        | MODEL          | SERIAL     | LAST       | CAL DUE.   |  |  |  |
| TYPE                         |            | NUMBER         | NUMBER     | CAL.       |            |  |  |  |
| Spectrum Analyzer            | KEYSIGHT   | N9010A         | MY51440113 | 06/20/2017 | 06/19/2018 |  |  |  |
| Power Meter                  | Anritsu    | ML2496A        | 1326001    | 06/23/2017 | 06/22/2018 |  |  |  |
| Power Sensor                 | Anritsu    | MA2411B        | 1315048    | 06/23/2017 | 06/22/2018 |  |  |  |
| Power Sensor                 | Anritsu    | MA2411B        | 1315049    | 06/23/2017 | 06/22/2018 |  |  |  |
| Coaxial Cable 30cm           | WOKEN      | 00100A1F1A195C | RF01       | 12/24/2017 | 12/23/2018 |  |  |  |
| DC Block                     | PASTERNACK | PE8210         | RF29       | 12/24/2017 | 12/23/2018 |  |  |  |
| Splitter                     | RF-LAMBAD  | RFLT2W1G18G    | RF35       | 12/24/2017 | 12/23/2018 |  |  |  |
| Attenuator                   | WOKEN      | 218FS-10       | RF23       | 12/24/2017 | 12/23/2018 |  |  |  |
| DC Power Supply              | Agilent    | E3640A         | MY53140006 | 05/02/2017 | 05/01/2018 |  |  |  |

#### 8.4 Measurement Results:

2.406GHz = 1.197MHz

2.429GHz = 1.249MHz

2.453GHz = 1.370MHz

Refer to attached data chart.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

Unless otherwise stated the results shown in this test report reter only to the sample(s) tested and such sample(s) are retained for so days only. 

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm.


Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of the state of the s Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 台灣檢驗科技股份有限公司 t (886-2) 2299-3279 f (886-2) 2298-0488




Page: 42 of 44

# 20dB Bandwidth Test Plot (2.406GHz)



20dB Bandwidth Test Plot (2.429GHz)



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

t (886-2) 2299-3279

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for so days only. 

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions htm and, for electronic format document, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions htm and, for electronic format document, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions htm and, for electronic format document, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions for electronic format document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and the wide of the subject to Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司


f (886-2) 2298-0488

www.tw.sqs.com



Page: 43 of 44

# 20dB Bandwidth Test Plot (2.453GHz)



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279

f (886-2) 2298-0488 www.tw.sqs.com



Page: 44 of 44

#### ANTENNA REQUIREMENT

# **Standard Applicable:**

For intentional device, according to §15.203, an intentional radiator shall be designed to ensure that no antenna other than furnished by the responsible party shall be used with the device.

If the transmitting antenna is greater than 6dBi, the power shall be reduced by the same level in dB comparing to gain minus 6dBi.

In case of point-to-point operation, the power shall be reduced by the one dB for every 3 dB that the directional gain of antenna exceeds 6dBi.

#### 9.2 Antenna Connected Construction:

An internal antenna design is used.

The antenna is designed as permanently attached and no consideration of replacement. Please see EUT photo and antenna spec. for details.

~ End of Report ~

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm.

Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號