



**PHOTOGRAPHS OF THE TESTSETUP OF AN  
INDUCTIVE PROXIMITY CARD READER,  
OPERATING ON 13.56 MHz  
BRAND INID, MODEL 50XX**

**10060901.p03  
January 11, 2011**

FCC listed : 90828  
Industry Canada : 2932G-1  
VCCI Registered : R-1518, C-1598  
R&TTE, LVD, EMC Notified Body : 1856

**TÜV Rheinland EPS B.V.  
P.O. Box 15  
9822 ZG Niekerk (NL)  
Smidshornerweg 18  
9822 TL Niekerk (NL)**

Telephone: +31 594 505005  
Telefax: +31 594 504804

Internet: [www.tuv-eps.com](http://www.tuv-eps.com)  
E-mail: [info@tuv-eps.com](mailto:info@tuv-eps.com)



**Description of test item**

Test item (EUT)	:	Inductive Proximity Card Reader, operating on 13.56 MHz
Manufacturer	:	INID B.V.
Brand	:	INID
Model(s)	:	50XX
Serial number(s)	:	--
FCC ID	:	YAB-ISOACRDR
IC	:	8908A-ISOACRDR

**Applicant information**

Applicant's representative	:	Mr. Mark de Olde
Company	:	INID B.V.
Address	:	Kollenbergweg 78c
Postal code	:	1101AV
City	:	Amsterdam
Country	:	The Netherlands
Telephone number	:	+31 206967441
Telefax number	:	+31 203653954
e-mail address	:	Mark@inid-readers.com

## **Table of contents**

<b>1</b>	<b>PHOTOGRAPHS OF THE TESTSETUP. ....</b>	<b>4</b>
1.1	RADIATED EMISSIONS.....	4
1.1.1	<i>Radiated emissions H-field @ 3m.....</i>	<i>4</i>
1.1.2	<i>Radiated emissions E-field @3m.....</i>	<i>5</i>
<b>2</b>	<b>CONDUCTED EMISSIONS .....</b>	<b>7</b>
<b>3</b>	<b>CARRIER STABILITY .....</b>	<b>8</b>

## 1 Photographs of the testsetup.

### 1.1 Radiated emissions.

#### 1.1.1 Radiated emissions H-field @ 3m




### 1.1.2 Radiated emissions E-field @3m







## 2 Conducted emissions





### 3 Carrier stability





