



TEL: 86-0512-5790-0158 FAX: 86-0512-5790-0958 FCC ID: YCNK33B36 Page Number : A121 of A135
Report Issued Date : Sep. 05, 2016
Report Version : Rev. 02

Report Template No.: BU5-FGLTE Version 1.5



TEL: 86-0512-5790-0158 FAX: 86-0512-5790-0958 FCC ID: YCNK33B36 Page Number : A122 of A135
Report Issued Date : Sep. 05, 2016
Report Version : Rev. 02

Report Template No.: BU5-FGLTE Version 1.5




TEL: 86-0512-5790-0158 FAX: 86-0512-5790-0958 FCC ID: YCNK33B36 Page Number : A123 of A135
Report Issued Date : Sep. 05, 2016
Report Version : Rev. 02

Report Template No.: BU5-FGLTE Version 1.5




TEL: 86-0512-5790-0158 FAX: 86-0512-5790-0958 FCC ID: YCNK33B36 Page Number : A124 of A135
Report Issued Date : Sep. 05, 2016
Report Version : Rev. 02

Report Template No.: BU5-FGLTE Version 1.5




TEL: 86-0512-5790-0158 FAX: 86-0512-5790-0958 FCC ID: YCNK33B36 Page Number : A125 of A135
Report Issued Date : Sep. 05, 2016
Report Version : Rev. 02

Report Template No.: BU5-FGLTE Version 1.5



TEL: 86-0512-5790-0158 FAX: 86-0512-5790-0958 FCC ID: YCNK33B36 Page Number : A126 of A135
Report Issued Date : Sep. 05, 2016
Report Version : Rev. 02

Report Template No.: BU5-FGLTE Version 1.5




TEL: 86-0512-5790-0158 FAX: 86-0512-5790-0958 FCC ID: YCNK33B36 Page Number : A127 of A135
Report Issued Date : Sep. 05, 2016
Report Version : Rev. 02

Report Template No.: BU5-FGLTE Version 1.5




TEL: 86-0512-5790-0158 FAX: 86-0512-5790-0958 FCC ID: YCNK33B36 Page Number : A128 of A135
Report Issued Date : Sep. 05, 2016
Report Version : Rev. 02

Report Template No.: BU5-FGLTE Version 1.5




TEL: 86-0512-5790-0158 FAX: 86-0512-5790-0958 FCC ID: YCNK33B36 Page Number : A129 of A135
Report Issued Date : Sep. 05, 2016
Report Version : Rev. 02

Report Template No.: BU5-FGLTE Version 1.5



TEL: 86-0512-5790-0158 FAX: 86-0512-5790-0958 FCC ID: YCNK33B36 Page Number : A130 of A135
Report Issued Date : Sep. 05, 2016
Report Version : Rev. 02

Report Template No.: BU5-FGLTE Version 1.5



TEL: 86-0512-5790-0158 FAX: 86-0512-5790-0958 FCC ID: YCNK33B36 Page Number : A131 of A135
Report Issued Date : Sep. 05, 2016
Report Version : Rev. 02

Report Template No.: BU5-FGLTE Version 1.5

Frequency Stability

Test (Conditions	LTE Band 2 (QPSK) / Middle Channel	Limit
_		BW 10MHz	Note 2.
Temperature (°C)	Voltage (Volt)	Deviation (ppm)	Result
50	Normal Voltage	0.0001	
40	Normal Voltage	0.0023	
30	Normal Voltage	0.0011	
20(Ref.)	Normal Voltage	0.0000	
10	Normal Voltage	0.0028	
0	Normal Voltage	0.0029	
-10	Normal Voltage	0.0004	PASS
-20	Normal Voltage	0.0020	
-30	Normal Voltage	0.0025	
20	Maximum Voltage	0.0014	
20	Normal Voltage	0.0007	
20	Battery End Point	0.0022	

Note:

- 1. Normal Voltage =3.85 V.; Battery End Point (BEP) =3.5 V.; Maximum Voltage =4.35 V.
- 2. Note: The frequency fundamental emissions stay within the authorized frequency block based on the frequency deviation measured is small.

SPORTON INTERNATIONAL (KUNSHAN) INC.

TEL: 86-0512-5790-0158 FAX: 86-0512-5790-0958 FCC ID: YCNK33B36 Page Number : A132 of A135
Report Issued Date : Sep. 05, 2016
Report Version : Rev. 02

Report Template No.: BU5-FGLTE Version 1.5

Test (Conditions	LTE Band 4 (QPSK) / Middle Channel	Limit
		BW 10MHz	Note 2.
Temperature (°C)	Voltage (Volt)	Deviation (ppm)	Result
50	Normal Voltage	0.0010	
40	Normal Voltage	0.0006	
30	Normal Voltage	0.0002	
20(Ref.)	Normal Voltage	0.0000	
10	Normal Voltage	0.0009	
0	Normal Voltage	0.0035	
-10	Normal Voltage	0.0044	PASS
-20	Normal Voltage	0.0002	
-30	Normal Voltage	0.0024	
20	Maximum Voltage	0.0005	
20	Normal Voltage	0.0013	
20	Battery End Point	0.0028	

Note:

- 1. Normal Voltage =3.85 V.; Battery End Point (BEP) =3.5 V.; Maximum Voltage =4.35 V.
- 2. Note: The frequency fundamental emissions stay within the authorized frequency block based on the frequency deviation measured is small.

TEL: 86-0512-5790-0158 FAX: 86-0512-5790-0958 FCC ID: YCNK33B36 Page Number : A133 of A135
Report Issued Date : Sep. 05, 2016
Report Version : Rev. 02

Report Template No.: BU5-FGLTE Version 1.5

Test (Conditions	LTE Band 5 (QPSK) / Middle Channel	Limit
_ ,		BW 10MHz	2.5ppm
Temperature (°C)	Voltage (Volt)	Deviation (ppm)	Result
50	Normal Voltage	0.0074	
40	Normal Voltage	0.0031	
30	Normal Voltage	0.0023	
20(Ref.)	Normal Voltage	0.0000	
10	Normal Voltage	0.0096	
0	Normal Voltage	0.0090	
-10	Normal Voltage	0.0081	PASS
-20	Normal Voltage	0.0061	
-30	Normal Voltage	0.0072	
20	Maximum Voltage	0.0075	
20	Normal Voltage	0.0091	
20	Battery End Point	0.0068	

Note: Normal Voltage =3.85 V.; Battery End Point (BEP) =3.5 V.; Maximum Voltage =4.35 V.

TEL: 86-0512-5790-0158 FAX: 86-0512-5790-0958 FCC ID: YCNK33B36 Page Number : A134 of A135
Report Issued Date : Sep. 05, 2016
Report Version : Rev. 02

Report Template No.: BU5-FGLTE Version 1.5

Test (Conditions	LTE Band 7 (QPSK) / Middle Channel	Limit
		BW 10MHz	Note 2.
Temperature (°C)	Voltage (Volt)	Deviation (ppm)	Result
50	Normal Voltage	0.0020	
40	Normal Voltage	0.0005	
30	Normal Voltage	0.0002	
20(Ref.)	Normal Voltage	0.0000	
10	Normal Voltage	0.0015	
0	Normal Voltage	0.0015	
-10	Normal Voltage	0.0018	PASS
-20	Normal Voltage	0.0021	
-30	Normal Voltage	0.0028	
20	Maximum Voltage	0.0025	
20	Normal Voltage	0.0026	
20	Battery End Point	0.0005	

Note:

- 1. Normal Voltage =3.85 V.; Battery End Point (BEP) =3.5 V.; Maximum Voltage =4.35 V.
- 2. Note: The frequency fundamental emissions stay within the authorized frequency block based on the frequency deviation measured is small.

TEL: 86-0512-5790-0158 FAX: 86-0512-5790-0958 FCC ID: YCNK33B36 Page Number : A135 of A135
Report Issued Date : Sep. 05, 2016
Report Version : Rev. 02

Report Template No.: BU5-FGLTE Version 1.5

Appendix B. Test Results of Radiated Test

ERP/EIRP

	LTE Band 2 / 1.4MHz (Average)								
Channel	Modulation	F	RB	Horiz	ontal	Vertical			
Channel	Wodulation	Size	Offset	EIRP(dBm)	EIRP(W)	EIRP(dBm)	EIRP(W)		
Lowest		3	3	21.30	0.1349	21.13	0.1297		
Middle	QPSK	3	1	21.23	0.1327	21.09	0.1285		
Highest		3	1	20.80	0.1202	20.61	0.1151		
Lowest		1	3	19.58	0.0908	19.55	0.0902		
Middle	16QAM	3	3	19.88	0.0973	19.97	0.0993		
Highest		3	3	19.50	0.0891	19.38	0.0867		
Limit	EIRP < 2W			Result		PASS			

	LTE Band 2 / 3MHz (Average)								
Channel	Modulation	F	RB	Horizo	ontal	Vertical			
Channel	Wiodulation	Size	Offset	EIRP(dBm)	EIRP(W)	EIRP(dBm)	EIRP(W)		
Lowest		1	8	20.60	0.1148	20.66	0.1164		
Middle	QPSK	1	8	20.66	0.1164	20.86	0.1219		
Highest		1	14	20.19	0.1045	20.13	0.1030		
Lowest		1	0	19.28	0.0847	19.29	0.0849		
Middle	16QAM	1	14	19.41	0.0873	19.47	0.0885		
Highest		1	14	19.15	0.0822	18.75	0.0750		
Limit	EIRP < 2W		Result		PASS				

	LTE Band 2 / 5MHz (Average)								
Channal	Madulation	F	RB	Horizo	ontal	Vert	ical		
Channel	Modulation	Size	Offset	EIRP(dBm)	EIRP(W)	EIRP(dBm)	EIRP(W)		
Lowest		1	24	20.84	0.1213	20.84	0.1213		
Middle	QPSK	1	12	20.93	0.1239	21.04	0.1271		
Highest		1	12	20.78	0.1197	20.61	0.1151		
Lowest		1	24	19.65	0.0923	19.51	0.0893		
Middle	16QAM	1	0	19.61	0.0914	19.71	0.0935		
Highest		1	12	19.15	0.0822	19.27	0.0845		
Limit	EIRP < 2W		Result		PASS				

SPORTON INTERNATIONAL (KUNSHAN) INC.

TEL: 86-0512-5790-0158 FAX: 86-0512-5790-0958 FCC ID: YCNK33B36 Page Number : B1 of B14
Report Issued Date : Sep. 05, 2016
Report Version : Rev. 02

Report No.: FG662816B

Report Template No.: BU5-FGLTE Version 1.5

	LTE Band 2 / 10MHz (Average)									
Channel	Modulation	F	RB	Horizo	ontal	Vertical				
Channel	Wodulation	Size	Offset	EIRP(dBm)	EIRP(W)	EIRP(dBm)	EIRP(W)			
Lowest		1	25	20.97	0.1250	20.90	0.1230			
Middle	QPSK	1	0	20.80	0.1202	20.93	0.1239			
Highest		1	25	20.28	0.1067	20.24	0.1057			
Lowest		1	25	19.45	0.0881	19.55	0.0902			
Middle	16QAM	1	0	19.43	0.0877	19.60	0.0912			
Highest		1	25	19.29	0.0849	19.22	0.0836			
Limit	EIRP < 2W		Result		PASS					

LTE Band 2 / 15MHz (Average)								
Channal	Madulation	F	RB	Horiz	ontal	Vert	ical	
Channel	Modulation	Size	Offset	EIRP(dBm)	EIRP(W)	EIRP(dBm)	EIRP(W)	
Lowest		1	37	21.08	0.1282	21.04	0.1271	
Middle	QPSK	1	0	20.55	0.1135	20.65	0.1161	
Highest		1	74	20.30	0.1072	20.20	0.1047	
Lowest		1	37	20.04	0.1009	19.31	0.0853	
Middle	16QAM	1	0	19.37	0.0865	18.70	0.0741	
Highest	1	1	37	19.27	0.0845	18.66	0.0735	
Limit	EIRP < 2W			Res	sult	PASS		

LTE Band 2 / 20MHz (Average)								
Channel	Modulation	RB		Horiz	ontal	Vertical		
Channel	Wodulation	Size	Offset	EIRP(dBm)	EIRP(W)	EIRP(dBm)	EIRP(W)	
Lowest		1	49	20.88	0.1225	20.88	0.1225	
Middle	QPSK	1	49	20.56	0.1138	20.64	0.1159	
Highest		1	49	20.42	0.1102	20.37	0.1089	
Lowest		1	49	19.83	0.0962	19.27	0.0845	
Middle	16QAM	1	0	19.43	0.0877	18.79	0.0757	
Highest		1	49	19.69	0.0931	18.83	0.0764	
Limit	EIRP < 2W			Res	sult	PASS		

TEL: 86-0512-5790-0158 FAX: 86-0512-5790-0958 FCC ID: YCNK33B36 Page Number : B2 of B14
Report Issued Date : Sep. 05, 2016
Report Version : Rev. 02

Report Template No.: BU5-FGLTE Version 1.5

	LTE Band 4 / 1.4MHz (Average)								
Channel	Modulation	F	RB	Horizo	ontal	Vertical			
Channel	Wiodulation	Size	Offset	EIRP(dBm)	EIRP(W)	EIRP(dBm)	EIRP(W)		
Lowest		3	1	20.70	0.1175	19.56	0.0904		
Middle	QPSK	3	0	21.35	0.1365	20.08	0.1019		
Highest		3	0	21.63	0.1455	20.43	0.1104		
Lowest		3	1	19.56	0.0904	18.58	0.0721		
Middle	16QAM	1	3	20.30	0.1072	19.09	0.0811		
Highest		3	3	20.92	0.1236	19.69	0.0931		
Limit	EIRP < 1W		Result		PASS				

	LTE Band 4 / 3MHz (Average)								
Channel	Modulation	F	RB	Horizo	ontal	Vertical			
Channel	Wodulation	Size	Offset	EIRP(dBm)	EIRP(W)	EIRP(dBm)	EIRP(W)		
Lowest		1	8	20.23	0.1054	19.13	0.0818		
Middle	QPSK	1	8	20.96	0.1247	19.95	0.0989		
Highest		1	0	21.18	0.1312	20.08	0.1019		
Lowest		1	0	19.49	0.0889	18.42	0.0695		
Middle	16QAM	1	14	20.14	0.1033	18.88	0.0773		
Highest		1	14	20.30	0.1072	19.06	0.0805		
Limit	EIRP < 1W		Result		PASS				

	LTE Band 4 / 5MHz (Average)											
011		RB		Horizo	ontal	Vert	ical					
Channel	Modulation	Size	Offset	EIRP(dBm)	EIRP(W)	EIRP(dBm)	EIRP(W)					
Lowest		1	12	20.55	0.1135	19.46	0.0883					
Middle	QPSK	1	12	21.20	0.1318	19.92	0.0982					
Highest		1	0	21.08	0.1282	19.81	0.0957					
Lowest		1	0	19.30	0.0851	18.32	0.0679					
Middle	16QAM	1	24	20.07	0.1016	18.90	0.0776					
Highest		1	0	20.07	0.1016	18.86	0.0769					
Limit	EIRP < 1W			Res	sult	PASS						

TEL: 86-0512-5790-0158 FAX: 86-0512-5790-0958 FCC ID: YCNK33B36 Page Number : B3 of B14
Report Issued Date : Sep. 05, 2016
Report Version : Rev. 02

Report Template No.: BU5-FGLTE Version 1.5

	LTE Band 4/ 10MHz (Average)											
01		RB		Horizo	ontal	Vert	ical					
Channel	Modulation	Size	Offset	EIRP(dBm)	EIRP(W)	EIRP(dBm)	EIRP(W)					
Lowest		1	25	20.64	0.1159	19.55	0.0902					
Middle	QPSK	1	0	20.86	0.1219	19.64	0.0920					
Highest		1	0	21.35	0.1365	20.01	0.1002					
Lowest		1	25	19.40	0.0871	18.22	0.0664					
Middle	16QAM	1	0	19.79	0.0953	18.60	0.0724					
Highest		1	49	20.20	0.1047	18.95	0.0785					
Limit	EIRP < 1W			Res	sult	PASS						

	LTE Band 4 / 15MHz (Average)											
	Madulation	F	RB	Horiz	ontal	Vert	ical					
Channel	Modulation	Size	Offset	EIRP(dBm)	EIRP(W)	EIRP(dBm)	EIRP(W)					
Lowest		1	74	20.89	0.1227	19.71	0.0935					
Middle	QPSK	1	0	20.58	0.1143	19.61	0.0914					
Highest		1	0	21.51	0.1416	20.04	0.1009					
Lowest		1	0	19.19	0.0830	18.11	0.0647					
Middle	16QAM	1	0	19.03	0.0800	17.86	0.0611					
Highest		1	0	20.28	0.1067	19.08	0.0809					
Limit	EIRP < 1W			Res	sult	PASS						

	LTE Band 4 / 20MHz (Average)											
Channel		RB		Horizontal		Vertical						
Channel	Modulation	Size	Offset	EIRP(dBm)	EIRP(W)	EIRP(dBm)	EIRP(W)					
Lowest		1	0	20.64	0.1159	19.56	0.0904					
Middle	QPSK	1	0	20.79	0.1199	19.77	0.0948					
Highest		1	0	21.56	0.1432	20.32	0.1076					
Lowest		1	49	19.32	0.0855	18.15	0.0653					
Middle	16QAM	1	0	19.91	0.0979	18.65	0.0733					
Highest		1	0	20.42	0.1102	18.96	0.0787					
Limit	EIRI	o < 1W		Res	sult	PASS						

TEL: 86-0512-5790-0158 FAX: 86-0512-5790-0958 FCC ID: YCNK33B36 Page Number : B4 of B14
Report Issued Date : Sep. 05, 2016
Report Version : Rev. 02

Report Template No.: BU5-FGLTE Version 1.5

	LTE Band 5 / 1.4MHz (Average)											
Ohamad	Modulation	F	RB	Horizo	ontal	Vert	ical					
Channel	Wiodulation	Size	Offset	ERP(dBm)	ERP(W)	ERP(dBm)	ERP(W)					
Lowest		3	1	17.80	0.0603	8.01	0.0063					
Middle	QPSK	3	1	18.34	0.0682	8.60	0.0072					
Highest		3	3	19.05	0.0804	9.07	0.0081					
Lowest		3	1	17.05	0.0507	7.34	0.0054					
Middle	16QAM	3	3	17.60	0.0575	7.77	0.0060					
Highest		3	1	18.19	0.0659	8.26	0.0067					
Limit	ERP < 7W			Res	sult	PAS	PASS					

	LTE Band 5 / 3MHz (Average)											
01	Madulation	F	RB	Horiz	ontal	Vert	ical					
Channel	Modulation	Size	Offset	ERP(dBm)	ERP(W)	ERP(dBm)	ERP(W)					
Lowest		1	8	17.49	0.0561	7.69	0.0059					
Middle	QPSK	1	8	18.10	0.0646	8.09	0.0064					
Highest		1	8	18.70	0.0741	8.89	0.0077					
Lowest		1	14	16.67	0.0465	6.93	0.0049					
Middle	16QAM	1	14	16.80	0.0479	7.16	0.0052					
Highest]	1	14	17.60	0.0575	7.91	0.0062					
Limit	ERP < 7W			Res	sult	PASS						

	LTE Band 5 / 5MHz (Average)											
Channel		RB		Horiz	ontal	Vertical						
Channel	Modulation	Size	Offset	ERP(dBm)	ERP(W)	ERP(dBm)	ERP(W)					
Lowest		1	24	17.76	0.0597	7.99	0.0063					
Middle	QPSK	1	24	18.05	0.0638	8.20	0.0066					
Highest		1	24	18.84	0.0766	8.96	0.0079					
Lowest		1	24	16.51	0.0448	6.57	0.0045					
Middle	16QAM	1	24	16.86	0.0485	6.84	0.0048					
Highest		1	24	17.79	0.0601	7.84	0.0061					
Limit	ERF	P < 7W		Res	sult	PASS						

TEL: 86-0512-5790-0158 FAX: 86-0512-5790-0958 FCC ID: YCNK33B36 Page Number : B5 of B14
Report Issued Date : Sep. 05, 2016
Report Version : Rev. 02

Report Template No.: BU5-FGLTE Version 1.5

	LTE Band 5 / 10MHz (Average)											
Oh ann a l	Modulation	RB		Horizo	ontal	Vert	ical					
Channel		Size	Offset	ERP(dBm)	ERP(W)	ERP(dBm)	ERP(W)					
Lowest		1	25	18.02	0.0634	8.32	0.0068					
Middle	QPSK	1	25	18.30	0.0676	8.34	0.0068					
Highest		1	25	18.75	0.0750	8.84	0.0077					
Lowest		1	25	16.71	0.0469	7.08	0.0051					
Middle	16QAM	1	25	17.05	0.0507	7.15	0.0052					
Highest		1	25	17.56	0.0570	7.31	0.0054					
Limit	ERP < 7W			Res	sult	PASS						

	LTE Band 7 / 5MHz (Average)											
01 1		RB		Horiz	ontal	Vertical						
Channel	Modulation	Size	Offset	EIRP(dBm)	EIRP(W)	EIRP(dBm)	EIRP(W)					
Lowest		1	12	26.13	0.4102	25.93	0.3917					
Middle	QPSK	1	12	26.18	0.4150	25.84	0.3837					
Highest		1	12	25.49	0.3540	25.51	0.3556					
Lowest		1	12	24.96	0.3133	24.27	0.2673					
Middle	16QAM	1	24	24.96	0.3133	24.68	0.2938					
Highest		1	0	24.22	0.2642	23.97	0.2495					
Limit	EIRP < 2W			Res	sult	PASS						

	LTE Band 7 / 10MHz (Average)											
Channel		RB		Horizo	Horizontal		ical					
Channel	Modulation	Size	Offset	EIRP(dBm)	EIRP(W)	EIRP(dBm)	EIRP(W)					
Lowest		1	25	26.30	0.4266	25.79	0.3793					
Middle	QPSK	1	25	26.34	0.4305	25.77	0.3776					
Highest		1	25	25.34	0.3420	25.33	0.3412					
Lowest		1	0	24.38	0.2742	24.05	0.2541					
Middle	16QAM	1	0	24.72	0.2965	24.21	0.2636					
Highest		1	25	24.36	0.2729	24.12	0.2582					
Limit	EIRI	o < 2W		Res	sult	PASS						

TEL: 86-0512-5790-0158 FAX: 86-0512-5790-0958 FCC ID: YCNK33B36 Page Number : B6 of B14
Report Issued Date : Sep. 05, 2016
Report Version : Rev. 02

Report Template No.: BU5-FGLTE Version 1.5

	LTE Band 7 / 15MHz (Average)											
01		F	RB	Horize	ontal	Vert	ical					
Channel	Modulation	Size	Offset	EIRP(dBm)	EIRP(W)	EIRP(dBm)	EIRP(W)					
Lowest		1	37	26.28	0.4246	26.10	0.4074					
Middle	QPSK	1	37	26.57	0.4539	26.24	0.4207					
Highest		1	0	25.72	0.3733	25.44	0.3499					
Lowest		1	0	24.55	0.2851	24.78	0.3006					
Middle	16QAM	1	0	24.85	0.3055	24.60	0.2884					
Highest		1	0	24.08	0.2559	23.94	0.2477					
Limit	EIRI	P < 2W		Res	sult	PASS						

	LTE Band 7 / 20MHz (Average)											
Oh ann al		RB		Horizo	ontal	Vert	ical					
Channel	Modulation	Size	Offset	EIRP(dBm)	EIRP(W)	EIRP(dBm)	EIRP(W)					
Lowest		1	49	26.00	0.3981	25.73	0.3741					
Middle	QPSK	1	49	26.08	0.4055	25.75	0.3758					
Highest		1	49	25.49	0.3540	25.14	0.3266					
Lowest		1	49	24.21	0.2636	24.14	0.2594					
Middle	16QAM	1	0	24.43	0.2773	24.19	0.2624					
Highest		1	0	24.25	0.2661	23.85	0.2427					
Limit	EIRP < 2W			Res	sult	PASS						

TEL: 86-0512-5790-0158 FAX: 86-0512-5790-0958 FCC ID: YCNK33B36 Page Number : B7 of B14
Report Issued Date : Sep. 05, 2016
Report Version : Rev. 02

Report Template No.: BU5-FGLTE Version 1.5

Radiated Spurious Emission

	LTE Band 2 / 1.4MHz / QPSK / RB Size 1 Offset 0												
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)				
	3756	-62.86	-13	-49.86	-66.37	-67.85	1.88	6.87	Н				
	5638.5	-57.50	-13	-44.50	-65.69	-64.80	2.38	9.68	Н				
Middle	7518	-55.55	-13	-42.55	-67.58	-64.62	2.74	11.81	Н				
Middle	3756	-62.44	-13	-49.44	-66.23	-67.43	1.88	6.87	V				
	5638	-56.47	-13	-43.47	-65.04	-63.77	2.38	9.68	V				
	7518	-56.81	-13	-43.81	-67.52	-65.88	2.74	11.81	V				

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.

	LTE Band 2 / 3MHz / QPSK / RB Size 1 Offset 0												
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)				
	3756	-62.93	-13	-49.93	-66.44	-67.92	1.88	6.87	Н				
	5635.9	-58.52	-13	-45.52	-66.71	-65.82	2.38	9.68	Н				
Middle	7514.6	-55.28	-13	-42.28	-67.31	-64.35	2.74	11.81	Н				
ivildale	3757.3	-61.94	-13	-48.94	-65.73	-66.93	1.88	6.87	V				
	5634	-55.58	-13	-42.58	-64.15	-62.88	2.38	9.68	V				
	7512	-57.41	-13	-44.41	-68.12	-66.48	2.74	11.81	V				

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.

	LTE Band 2 / 5MHz / QPSK / RB Size 1 Offset 0												
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)				
	3755.8	-62.40	-13	-49.40	-65.91	-67.39	1.88	6.87	Н				
	5634	-55.70	-13	-42.70	-63.89	-63.00	2.38	9.68	Н				
N 4: el el la	7512	-55.83	-13	-42.83	-67.86	-64.90	2.74	11.81	Н				
Middle	3755	-63.23	-13	-50.23	-67.02	-68.22	1.88	6.87	V				
	5634	-57.00	-13	-44.00	-65.57	-64.30	2.38	9.68	V				
	7512	-57.07	-13	-44.07	-67.78	-66.14	2.74	11.81	V				

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.

SPORTON INTERNATIONAL (KUNSHAN) INC.

TEL: 86-0512-5790-0158 FAX: 86-0512-5790-0958 FCC ID: YCNK33B36 Page Number : B8 of B14
Report Issued Date : Sep. 05, 2016
Report Version : Rev. 02

Report Template No.: BU5-FGLTE Version 1.5

	LTE Band 2 / 10MHz / QPSK / RB Size 1 Offset 0												
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)				
	3750	-61.93	-13	-48.93	-65.44	-66.92	1.88	6.87	Н				
	5628	-55.14	-13	-42.14	-63.33	-62.44	2.38	9.68	Н				
Middle	7500	-55.09	-13	-42.09	-67.12	-64.16	2.74	11.81	Н				
ivildale	3751	-62.12	-13	-49.12	-65.91	-67.11	1.88	6.87	V				
	5628	-53.53	-13	-40.53	-62.1	-60.83	2.38	9.68	V				
	7500	-56.48	-13	-43.48	-67.19	-65.55	2.74	11.81	V				

			LTE Band 2	2 / 15MHz / C	PSK / RB Si	ize 1 Offset 0			
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
	3744	-62.71	-13	-49.71	-66.22	-67.70	1.88	6.87	Н
	5620	-56.98	-13	-43.98	-65.17	-64.28	2.38	9.68	Н
N 4: al all a	7493	-54.36	-13	-41.36	-66.39	-63.43	2.74	11.81	Н
Middle	3746	-62.61	-13	-49.61	-66.4	-67.60	1.88	6.87	V
	5622	-55.75	-13	-42.75	-64.32	-63.05	2.38	9.68	V
	7494	-57.60	-13	-44.60	-68.31	-66.67	2.74	11.81	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.

	LTE Band 2 / 20MHz / QPSK / RB Size 1 Offset 0												
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)				
	3744	-61.52	-13	-48.52	-65.03	-66.51	1.88	6.87	Н				
	5616	-56.28	-13	-43.28	-64.47	-63.58	2.38	9.68	Н				
Middle	7484	-55.38	-13	-42.38	-67.41	-64.45	2.74	11.81	Н				
ivildale	3744	-61.90	-13	-48.90	-65.69	-66.89	1.88	6.87	V				
	5613	-56.40	-13	-43.40	-64.97	-63.70	2.38	9.68	V				
	7484	-58.15	-13	-45.15	-68.86	-67.22	2.74	11.81	V				

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.

SPORTON INTERNATIONAL (KUNSHAN) INC.

TEL: 86-0512-5790-0158 FAX: 86-0512-5790-0958 FCC ID: YCNK33B36 Page Number : B9 of B14
Report Issued Date : Sep. 05, 2016
Report Version : Rev. 02

Report Template No.: BU5-FGLTE Version 1.5

	LTE Band 4 / 1.4MHz / QPSK / RB Size 1 Offset 0												
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)				
	3462	-57.93	-13	-44.93	-64.72	-62.82	1.81	6.70	Н				
	5195.88	-53.28	-13	-40.28	-65.96	-60.18	2.23	9.13	Н				
Middle	6927.84	-51.95	-13	-38.95	-67.13	-60.01	2.60	10.66	Н				
Middle	3462	-60.30	-13	-47.30	-65.5	-65.19	1.81	6.70	V				
	5195.88	-52.39	-13	-39.39	-65.94	-59.29	2.23	9.13	V				
	6927.84	-53.24	-13	-40.24	-68.29	-61.30	2.6	10.66	V				

	LTE Band 4 / 3MHz / QPSK / RB Size 1 Offset 0												
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)				
	3465.9	-58.74	-13	-45.74	-65.53	-63.63	1.81	6.70	Н				
	5198.88	-54.61	-13	-41.61	-67.29	-61.51	2.23	9.13	Н				
N 4: al all a	6930	-53.33	-13	-40.33	-68.51	-61.39	2.60	10.66	Н				
Middle	3468	-60.34	-13	-47.34	-65.54	-65.23	1.81	6.70	V				
	5196	-52.44	-13	-39.44	-65.99	-59.34	2.23	9.13	V				
	6931.84	-52.57	-13	-39.57	-67.62	-60.63	2.6	10.66	V				

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.

	LTE Band 4 / 5MHz / QPSK / RB Size 1 Offset 0												
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)				
	3462	-59.09	-13	-46.09	-65.88	-63.98	1.81	6.70	Н				
	5191	-53.42	-13	-40.42	-66.10	-60.32	2.23	9.13	Н				
Middle	6924	-52.60	-13	-39.60	-67.78	-60.66	2.60	10.66	Н				
Middle	3460	-60.89	-13	-47.89	-66.09	-65.78	1.81	6.70	V				
	5191	-53.10	-13	-40.10	-66.65	-60.00	2.23	9.13	V				
	6924	-52.85	-13	-39.85	-67.9	-60.91	2.6	10.66	V				

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.

SPORTON INTERNATIONAL (KUNSHAN) INC.

TEL: 86-0512-5790-0158 FAX: 86-0512-5790-0958 FCC ID: YCNK33B36 Page Number : B10 of B14
Report Issued Date : Sep. 05, 2016
Report Version : Rev. 02

Report Template No.: BU5-FGLTE Version 1.5

	LTE Band 4 / 10MHz / QPSK / RB Size 1 Offset 0												
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)				
	3456	-57.99	-13	-44.99	-64.78	-62.88	1.81	6.70	Н				
	5184	-54.23	-13	-41.23	-66.91	-61.13	2.23	9.13	Н				
NA: el el la	6912	-52.59	-13	-39.59	-67.77	-60.65	2.60	10.66	Н				
Middle	3456	-60.25	-13	-47.25	-65.45	-65.14	1.81	6.70	V				
	5184	-53.25	-13	-40.25	-66.8	-60.15	2.23	9.13	V				
	6912	-52.33	-13	-39.33	-67.38	-60.39	2.6	10.66	V				

	LTE Band 4 / 15MHz / QPSK / RB Size 1 Offset 0												
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)				
	3450	-58.16	-13	-45.16	-64.95	-63.05	1.81	6.70	Н				
	5177	-54.42	-13	-41.42	-67.10	-61.32	2.23	9.13	Н				
N 4: al all a	6903	-53.05	-13	-40.05	-68.23	-61.11	2.60	10.66	Н				
Middle	3451	-60.52	-13	-47.52	-65.72	-65.41	1.81	6.70	V				
	5177	-54.37	-13	-41.37	-67.92	-61.27	2.23	9.13	V				
	6900	-52.63	-13	-39.63	-67.68	-60.69	2.6	10.66	V				

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.

	LTE Band 4 / 20MHz / QPSK / RB Size 1 Offset 0												
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)				
	3447	-58.63	-13	-45.63	-65.42	-63.52	1.81	6.70	Н				
	5170	-54.08	-13	-41.08	-66.76	-60.98	2.23	9.13	Н				
Middle	6894	-52.31	-13	-39.31	-67.49	-60.37	2.60	10.66	Н				
Middle	3444	-60.65	-13	-47.65	-65.85	-65.54	1.81	6.70	V				
	5170	-53.44	-13	-40.44	-66.99	-60.34	2.23	9.13	V				
	6894	-52.35	-13	-39.35	-67.4	-60.41	2.6	10.66	V				

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.

SPORTON INTERNATIONAL (KUNSHAN) INC.

TEL: 86-0512-5790-0158 FAX: 86-0512-5790-0958 FCC ID: YCNK33B36 Page Number : B11 of B14
Report Issued Date : Sep. 05, 2016
Report Version : Rev. 02

Report Template No.: BU5-FGLTE Version 1.5

	LTE Band 5 / 1.4MHz / QPSK / RB Size 1 Offset 0											
Channel	Frequency (MHz)	ERP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)			
	1671	-63.45	-13	-50.45	-62.08	-65.47	1.73	5.90	Н			
	2512	-51.96	-13	-38.96	-55.55	-54.50	2.11	6.80	Н			
NA: al all a	3342	-61.13	-13	-48.13	-65.08	-63.91	2.47	7.40	Н			
Middle	1672	-61.90	-13	-48.90	-59.86	-63.92	1.73	5.90	V			
	2512	-51.48	-13	-38.48	-53.95	-54.02	2.11	6.80	V			
	3342	-61.45	-13	-48.45	-64.77	-64.23	2.47	7.40	V			

	LTE Band 5 / 3MHz / QPSK / RB Size 1 Offset 0											
Channel	Frequency (MHz)	ERP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)			
	1672	-60.18	-13	-47.18	-58.81	-62.20	1.73	5.90	Н			
	2505.69	-58.26	-13	-45.26	-61.25	-60.80	2.11	6.80	Н			
N 4: al all a	3340.92	-60.79	-13	-47.79	-64.74	-63.57	2.47	7.40	Н			
Middle	1672	-61.73	-13	-48.73	-59.69	-63.75	1.73	5.90	V			
	2504	-57.74	-13	-44.74	-59.72	-60.28	2.11	6.80	V			
	3344	-61.62	-13	-48.62	-64.94	-64.40	2.47	7.40	V			

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.

	LTE Band 5 / 5MHz / QPSK / RB Size 1 Offset 0											
Channel	Frequency (MHz)	ERP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)			
	1672	-61.54	-13.00	-48.54	-60.17	-63.56	1.73	5.90	Н			
	2504	-53.52	-13.00	-40.52	-56.51	-56.06	2.11	6.80	Н			
Middle	3337.32	-60.52	-13.00	-47.52	-64.47	-63.30	2.47	7.40	Н			
Middle	1672	-61.92	-13.00	-48.92	-59.88	-63.94	1.73	5.90	V			
	2504	-54.63	-13.00	-41.63	-56.61	-57.17	2.11	6.80	V			
	3336	-61.61	-13.00	-48.61	-64.93	-64.39	2.47	7.40	V			

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.

SPORTON INTERNATIONAL (KUNSHAN) INC.

TEL: 86-0512-5790-0158 FAX: 86-0512-5790-0958 FCC ID: YCNK33B36 Page Number : B12 of B14
Report Issued Date : Sep. 05, 2016
Report Version : Rev. 02

Report Template No.: BU5-FGLTE Version 1.5

	LTE Band 5 / 10MHz / QPSK / RB Size 1 Offset 0											
Channel	Frequency (MHz)	ERP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)			
	1664	-62.94	-13	-49.94	-61.57	-64.96	1.73	5.90	Н			
	2496	-54.22	-13	-41.22	-57.21	-56.76	2.11	6.80	Н			
Middle	3328	-60.21	-13	-47.21	-64.16	-62.99	2.47	7.40	Н			
Middle	1664	-63.33	-13	-50.33	-61.29	-65.35	1.73	5.90	V			
	2496	-54.66	-13	-41.66	-56.64	-57.20	2.11	6.80	V			
	3328	-61.57	-13	-48.57	-64.89	-64.35	2.47	7.40	V			

	LTE Band 7 / 5MHz / QPSK / RB Size 1 Offset 0											
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)			
	5064	-65.91	-25	-40.91	-47.83	-72.47	2.41	8.97	Н			
	7598.79	-59.71	-25	-34.71	-48.62	-68.71	2.86	11.86	Н			
Middle	10134	-56.85	-25	-31.85	-52.24	-65.75	3.21	12.11	Н			
Middle	5064	-64.68	-25	-39.68	-47.92	-71.24	2.41	8.97	V			
	7600	-55.36	-25	-30.36	-45.2	-64.36	2.86	11.86	V			
	10134	-56.01	-25	-31.01	-51.53	-64.91	3.21	12.11	V			

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.

	LTE Band 7 / 10MHz / QPSK / RB Size 1 Offset 0											
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)			
	5061.18	-66.06	-25	-41.06	-47.98	-72.62	2.41	8.97	Н			
	7592	-58.85	-25	-33.85	-47.76	-67.85	2.86	11.86	Н			
Middle	10124	-55.26	-25	-30.26	-50.65	-64.16	3.21	12.11	Н			
Middle	5060	-64.80	-25	-39.80	-48.04	-71.36	2.41	8.97	V			
	7592	-54.21	-25	-29.21	-43.91	-63.21	2.86	11.86	V			
	10124	-55.59	-25	-30.59	-51.11	-64.49	3.21	12.11	V			

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.

SPORTON INTERNATIONAL (KUNSHAN) INC.

TEL: 86-0512-5790-0158 FAX: 86-0512-5790-0958 FCC ID: YCNK33B36 Page Number : B13 of B14
Report Issued Date : Sep. 05, 2016
Report Version : Rev. 02

Report Template No.: BU5-FGLTE Version 1.5

	LTE Band 7 / 15MHz / QPSK / RB Size 1 Offset 0											
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)			
	5057.22	-65.17	-25	-40.17	-47.09	-71.73	2.41	8.97	Н			
	7584	-58.24	-25	-33.24	-47.15	-67.24	2.86	11.86	Н			
Middle	10116	-55.44	-25	-30.44	-50.83	-64.34	3.21	12.11	Н			
Middle	5056	-64.35	-25	-39.35	-47.59	-70.91	2.41	8.97	V			
	7584	-55.08	-25	-30.08	-44.98	-64.08	2.86	11.86	V			
	10116	-56.22	-25	-31.22	-51.74	-65.12	3.21	12.11	V			

	LTE Band 7 / 20MHz / QPSK / RB Size 1 Offset 0											
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)			
	5052.18	-65.94	-25	-40.94	-47.86	-72.50	2.41	8.97	Н			
	7580	-57.16	-25	-32.16	-46.07	-66.16	2.86	11.86	Н			
Middle	10107	-57.10	-25	-32.10	-52.49	-66.00	3.21	12.11	Н			
Middle	5052.18	-62.74	-25	-37.74	-45.98	-69.30	2.41	8.97	V			
	7580	-53.57	-25	-28.57	-43.43	-62.57	2.86	11.86	V			
	10107	-56.18	-25	-31.18	-51.7	-65.08	3.21	12.11	V			

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.

SPORTON INTERNATIONAL (KUNSHAN) INC.

TEL: 86-0512-5790-0158 FAX: 86-0512-5790-0958 FCC ID: YCNK33B36 Page Number : B14 of B14
Report Issued Date : Sep. 05, 2016
Report Version : Rev. 02

Report Template No.: BU5-FGLTE Version 1.5