

Report No.: E2/2015/70009 **Issue Date: Jul. 13, 2015** 

Page: 1 of 79

### ELECTROMAGNETIC EMISSIONS COMPLIANCE REPORT

# INTENTIONAL RADIATOR CERTIFICATION TO FCC PART 15 SUBPART C REQUIREMENT

*OF* 

**Product Name: Mobile Tablet** 

**Brand Name: DT Research Inc.** 

DT395BV, Atlas 91i Model No.:

**Different Exterior Color: Model Difference:** 

DT395BV-Black, Atlas 91i-Red

FCC ID: YE3800E

**Report No.:** E2/2015/70009

**Issue Date:** Jul. 13, 2015

**FCC Rule Part:** §15.247, Cat: DSS

DT Research Inc.

**Prepared for:** 6F, NO.1, Ning-Po E. Street, Taipei 100, Tai-

wan

**SGS Taiwan Ltd.** 

**Electronics & Communication Laboratory** Prepared by:

No.2, Keji 1st Rd., Guishan District, Taoyuan

City, Taiwan 333





*Note:* This report shall not be reproduced except in full, without the written approval of SGS Taiwan Ltd. This document may be altered or revised by SGS Taiwan Ltd. personnel only, and shall be noted in the revision section of the document.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sqs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

> t (886-2) 2299-3279 f (886-2) 2298-0488 www.tw.sqs.com

SGS Taiwan Ltd.



Report No.: E2/2015/70009 **Issue Date: Jul. 13, 2015** 

Page: 2 of 79

### VERIFICATION OF COMPLIANCE

**Applicant:** DT Research Inc.

6F, NO.1, Ning-Po E. Street, Taipei 100, Taiwan

**Product Name:** Mobile Tablet

**Brand Name:** DT Research Inc.

Model No.: DT395BV, Atlas 91i

**Model Difference:** Different Exterior Color: DT395BV-Black, Atlas 91i-Red

FCC ID: YE3800E

**Report Number:** E2/2015/70009

Date of test: Jun. 23, 2015 ~ Jul. 13, 2015

**Date of EUT Received:** Jun. 23, 2015

### We hereby certify that:

The above equipment was tested by SGS Taiwan Ltd. Electronics & Communication Laboratory The test data, data evaluation, test procedures, and equipment configurations shown in this report were made in accordance with the procedures given in ANSI C63.10:2009 and the energy emitted by the sample EUT tested as described in this report is in compliance with conducted and radiated emission limits.

The test results of this report relate only to the tested sample identified in this report.

Test By:	Jerry Lu	Date:	Jul. 13, 2015	
Prepared By:	Jerry Lu/Engineer Allen Tsai	Date:	Jul. 13, 2015	
Approved By:	Allen Tsai / Engineer  Jim Chang / Asst. Manager	Date:	Jul. 13, 2015	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

SGS Taiwan Ltd.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions of Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions for Electronic Document Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 台灣檢驗科技股份有限公司 t (886-2) 2299-3279 f (886-2) 2298-0488 www.tw.sqs.com



Report No.: E2/2015/70009 **Issue Date: Jul. 13, 2015** 

Page: 3 of 79

# **Revision History**

Report Number	Revision	Description	Issue Date
E2/2015/70009	Rev.00	Initial creation of document	Jul. 13, 2015

t (886-2) 2299-3279

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate in unleast at any the prosequents of this document. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Report No.: E2/2015/70009 **Issue Date: Jul. 13, 2015** 

Page: 4 of 79

### **Table of Contents**

1.	GEN	IERAL INFORMATION	7
	1.1.	Product description	7
	1.2.	Product Feature of Equipment Under Test	8
	1.3.	Test Methodology of Applied Standards	9
	1.4.	Test Facility	9
	1.5.	Special Accessories	9
	1.6.	Equipment Modifications	9
2.	SYST	TEM TEST CONFIGURATION	10
	2.1.	EUT Configuration	10
	2.2.	EUT Exercise	10
	2.3.	Test Procedure	10
	2.4.	Measurement Results Explanation Example	10
	2.5.	Configuration of Tested System	11
3.	SUM	IMARY OF TEST RESULTS	12
4.	DES	CRIPTION OF TEST MODES	13
	2.6.	Operated in 2400 ~ 2483.5MHz Band	13
	2.7.	The Worst Test Modes and Channel Details	14
5.	MEA	ASUREMENT UNCERTAINTY	15
6.	CON	NDUCTED EMISSION TEST	16
	6.1.	Standard Applicable	16
	6.2.	Measurement Equipment Used	16
	6.3.	EUT Setup	16
	6.4.	Test SET-UP (Block Diagram of Configuration)	17
	6.5.	Measurement Procedure	17
	6.6.	Measurement Result	17
7.	PEA	K OUTPUT POWER MEASUREMENT	20
	7.1.	Standard Applicable	20
	7.2.	Measurement Equipment Used	20
	7.3.	Test Set-up:	20
	7.4.	Measurement Procedure:	20
	7.5.	Measurement Result	21
8.	20dB	B BANDWIDTH MEASUREMENT	22
	8.1.	Standard Applicable	22
	8.2.	Measurement Equipment Used	22

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate in unleast at any the prosequents of this document. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeilndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Report No.: E2/2015/70009 **Issue Date: Jul. 13, 2015** 

Page: 5 of 79

	8.3.	Test Set-up	22
	8.4.	Measurement Procedure	22
	8.5.	Measurement Result	23
9.	CONI	DUCTED BAND EDGES AND SPURIOUS EMISSION MEASUREMENT	29
	9.1.	Standard Applicable	29
	9.2.	Measurement Equipment Used	29
	9.3.	Test SET-UP	29
	9.4.	Measurement Procedure	30
	9.5.	Measurement Result	30
10.	RADI	ATED BANDEDGE AND SPURIOUS EMISSION MEASUREMENT	36
	10.1.	Standard Applicable	36
	10.2.	Measurement Equipment Used	37
	10.3.	Test SET-UP	38
	10.4.	Measurement Procedure	39
	10.5.	Field Strength Calculation.	40
	10.6.	Test Results of Radiated Spurious Emissions form 9 kHz to 30 MHz	40
	10.7.	Measurement Result	40
11.	FRE(	QUENCY SEPARATION	57
	11.1.	Standard Applicable	57
	11.2.	Measurement Equipment Used	57
	11.3.	Test Set-up	57
	11.4.	Measurement Procedure	57
	11.5.	Measurement Result	58
12.	NUM	BER OF HOPPING FREQUENCY	59
	12.1.	Standard Applicable	
	12.2.	Measurement Equipment Used	
	12.3.	Test Set-up	59
	12.4.	Measurement Procedure	59
	12.5.	Measurement Result	59
13.	TIME	OF OCCUPANCY (DWELL TIME)	61
	13.1.	Standard Applicable	
	13.2.	Measurement Equipment Used	61
	13.3.	Test Set-up	61
	13.4.	Measurement Procedure	62
	13.5	Tabular Result of the Measurement	63

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate in unleast at any the prosequents of this document. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeilndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Report No.: E2/2015/70009 **Issue Date: Jul. 13, 2015** 

Page: 6 of 79

	13.6.	Measurement Result	65
14.	ANTI	ENNA REQUIREMENT	75
		Standard Applicable:	
	14.2	Antenna Connected Construction:	75
PH	OTOG	RAPHS OF SET UP	76
PН	OTOG	RAPHS OF EUT	79

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate in unleast at any the prosequents of this document. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeilndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279



Report No.: E2/2015/70009 Issue Date: Jul. 13, 2015

Page: 7 of 79

### **GENERAL INFORMATION**

#### 1.1. Product description

#### General:

Product Name:	Mobile Tablet					
Brand Name:	DT Resear	DT Research Inc.				
Model No.:	DT395BV	, Atlas 91i				
Model Difference:	Different I	Exterior Color: DT395BV-Black, Atlas 91i-Red				
Product SW/HW version:	WIN embe	WIN embedded 8.1 industry pro. / MB version 2.1				
Radio SW/HW version:	N/A					
Test SW Version:	DRTU ver	sion 1.7.4-1041				
RF power setting in TEST SW:	N/A					
	7.4Vdc from Rechargeable Li-ion Battery or 19V from AC/DC Adapter					
Power Supply:	Battery:	Model No.:ACC-006-18, Supplier: Formosa Electronic Industries INC				
	Adapter :	Model No.:A11-065N1A, Supplier: Chicony				

#### Bluetooth BR+EDR:

Bluetooth Version:	V4.0 dual mode
Channel number:	79 channels
Modulation type:	Frequency Hopping Spread Spectrum
Transmit Power:	6.20dBm
Frequency Range:	2.402GHz – 2.480GHz
Dwell Time:	<= 0.4s
Antenna Designation:	PIFA Antenna, Gain: 5.0dBi

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sgs.com/terms and conditions.htm">www.sgs.com/terms and conditions.htm</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms-e-document.htm">www.sgs.com/terms-e-document.htm</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approaches of this document is unabled and offenders may be prosecuted to the law pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279 台灣檢驗科技股份有限公司 www.tw.sqs.com

SGS Taiwan Ltd.



Report No.: E2/2015/70009 **Issue Date: Jul. 13, 2015** 

Page: 8 of 79

### 1.2. Product Feature of Equipment Under Test

The equipment under Test (Hereafter Called: EUT) is mobile phone supporting, CDMA, LTE, Wi-Fi 802.11abgn & ac. Bluetooth features, and below is details of information

	Product Feature
Product Name:	Mobile Tablet
Brand Name:	DT Research Inc.
Model No.:	DT395BV, Atlas 91i
Model Difference:	Different Exterior Color: DT395BV-Black, Atlas 91i-Red
FCC ID:	YE3800E
CDMA2000 / EVDO	BC0/BC1
LTE	B4/B13
Wi-Fi Specification	802.11a/b/g/n & ac
Bluetooth Version	V4.0 dual mode

Note: The above EUT information was declared by manufacturer. Please refer to the specifications or user's manual for more detailed description.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sgs.com/terms and conditions.htm">www.sgs.com/terms and conditions.htm</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms-e-document.htm">www.sgs.com/terms-e-document.htm</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approaches of this document is unabled and offenders may be prosecuted to the law pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 www.tw.sqs.com

台灣檢驗科技股份有限公司 t (886-2) 2299-3279



Report No.: E2/2015/70009 **Issue Date: Jul. 13, 2015** 

Page: 9 of 79

#### 1.3. Test Methodology of Applied Standards

FCC Part 15, Subpart C §15.247

FCC Public Notice DA 00-705 Measurement Guidelines

ANSI C63.10:2009

#### Note:

- All test items have been performed and record as per the above standards.
- The composite system is compliance with FCC Subpart B is authorized under the certification procedure.
- 3. The EUT was placed 0.8m height for frequency above 1GHz in accordance with ANSI C63. 10:2009

### 1.4. Test Facility

SGS Taiwan Ltd. Electronics & Communication Laboratory No.2, Keji 1st Rd., Guishan District, Taoyuan City, Taiwan 333. (TAF code 0513)

FCC Registration Numbers are: 628985

Canada Registration Number: 4620A-5.

#### 1.5. Special Accessories

There is no special accessory used while test was conducted.

#### 1.6. Equipment Modifications

There was no modification incorporated into the EUT.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

নি স স প অপ ্যাম্বভিক ছে গুলু লাল্ডাক ভাছু লাল্ডাক ভাছু লাল্ডাক ভাছু লাভ্ডাক বিদ্যালয় কৰিছিল। স্থান বিদ্যালয় কৰিছিল বিদ্যালয় কৰিছিল বিদ্যালয় কৰিছিল। স্থান বিদ্যালয় কৰিছিল বিদ্যালয় কৰিছিল বিদ্যালয় কৰিছিল। স্থান বিদ্যালয় কৰিছিল বিদ্যালয় কৰিছিল বিদ্যালয় কৰিছিল বিদ্যালয় কৰিছিল। স্থান বিদ্যালয় কৰিছিল বিদ্যালয় কৰিছি Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 台灣檢驗科技股份有限公司 t (886-2) 2299-3279 www.tw.sqs.com

SGS Taiwan Ltd.



Report No.: E2/2015/70009 **Issue Date: Jul. 13, 2015** 

Page: 10 of 79

### SYSTEM TEST CONFIGURATION

### 2.1. EUT Configuration

The EUT configuration for testing is installed on RF field strength measurement to meet the Commissions requirement and operating in a manner which intends to maximize its emission characteristics in a continuous normal application.

#### 2.2. EUT Exercise

An engineering test mode (software/firmware) that applicant provided was utilized to manipulate the EUT into transmit, selection of the test channel, and modulation scheme.

#### 2.3. Test Procedure

#### 2.3.1 Conducted Emissions

The EUT is a placed on as turn table which is 0.8 m above ground plan. Conducted emissions from the EUT measured in the frequency range between 0.15 MHz and 30MHz,. The CISPR Quasi-Peak and Average detector mode is employed according to §15.207. The two LISNs provide 50 ohm/ 50uH of coupling impedance for the measuring instrument. Both lines of the power mains connected to the EUT were checked for maximum conducted interference.

#### 2.3.2 Radiated Emissions

The EUT is a placed on as turn table. For emissions testing at or below 1 GHz, the table height shall be 0.8 m above the reference ground plan. For emission measurements above 1 GHz, the table height shall be 0.8 m. The turn table shall rotate 360 degrees to determine the position of maximum emission level. EUT is set 3m away from the receiving antenna which varied from 1m to 4m to find out the highest emission. And also, each emission was to be maximized by changing the polarization of receiving antenna both horizontal and vertical. In order to find out the max, emission, the relative positions of this hand-held transmitter (EUT) was rotated through three orthogonal axes and measurement procedures for electric field radiated emissions above 1 GHz the EUT measurement is to be made "while keeping the antenna in the 'cone of radiation' from that area and pointed at the area both in azimuth and elevation, with polarization oriented for maximum response." is still within the 3dB illumination BW of the measurement antenna.

#### 2.4. Measurement Results Explanation Example

#### For all conducted test items:

The offset level is set in the spectrum analyzer to compensate the RF cable loss and attenuation factor between EUT conducted port and spectrum analyzer. With the offset compensation, the spectrum analyzer reading level is exactly EUT RF output level.

The spectrum analyzer offset is derived from RF cable loss 0.6dB.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd. www.tw.sqs.com



Report No.: E2/2015/70009 **Issue Date: Jul. 13, 2015** 

Page: 11 of 79

### 2.5. Configuration of Tested System

Fig. 2-1 Conducted (Antenna Port)





Fig. 2-2 Radiated Emission & AC Power Line Conducted Emission Configuration



**Table 2-1 Equipment Used in Tested System** 

Item	Equipment	Mfr/Brand	Model/Model No.	Series No.	Data Cable	Power Cord
1.	BT Test Soft- ware	N/A	N/A	N/A	N/A	N/A
2.	DC Power supply	Agilent	E3640A	MY53140006	N/A	Unshielded

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sgs.com/terms and conditions.htm">www.sgs.com/terms and conditions.htm</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms-e-document.htm">www.sgs.com/terms-e-document.htm</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approaches of this document is unabled and offenders may be prosecuted to the law pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279



Report No.: E2/2015/70009 **Issue Date: Jul. 13, 2015** 

Page: 12 of 79

### 3. SUMMARY OF TEST RESULTS

FCC Rules	<b>Description Of Test</b>	Result
§15.207(a)	AC Power Line Conducted Emission	Compliant
§15.247(b)(1)	Peak Output Power	Compliant
§15.247(a)(1)	20dB Bandwidth	Compliant
§15.247(d)	Conducted Band Edge and Spurious Emission	Compliant
§15.247(d)	Radiated Band Edge and Spurious Emission	Compliant
§15.247(a)(1)	Frequency Separation	Compliant
§15.247(a)(1)(iii)	Number of hopping frequency	Compliant
§15.247(a)(1)(iii)	Time of Occupancy	Compliant
\$15.203 \$15.247(b)	Antenna Requirement	Compliant

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate in unleast at any the prosequents of this document. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.

f (886-2) 2298-0488

台灣檢驗科技股份有限公司 t (886-2) 2299-3279



Report No.: E2/2015/70009 **Issue Date: Jul. 13, 2015** 

Page: 13 of 79

### 4. DESCRIPTION OF TEST MODES

### 2.6. Operated in 2400 ~ 2483.5MHz Band

79 channels are provided for Bluetooth

CH FREQUENCY CH FREQUENCY CH FREQUENCY CH FREQUENCY  0 2402 MHz 20 2422 MHz 40 2442 MHz 70 2462 MHz  1 2403 MHz 21 2423 MHz 41 2443 MHz 71 2463 MHz  2 2404 MHz 22 2424 MHz 42 2444 MHz 72 2464 MHz  3 2405 MHz 23 2425 MHz 43 2445 MHz 73 2465 MHz  4 2406 MHz 24 2426 MHz 44 2446 MHz 74 2466 MHz  5 2407 MHz 25 2427 MHz 45 2447 MHz 75 2467 MHz  6 2408 MHz 26 2428 MHz 46 2448 MHz 76 2468 MHz  7 2409 MHz 27 2429 MHz 47 2449 MHz 77 2469 MHz  8 2410 MHz 28 2430 MHz 48 2450 MHz 78 2470 MHz  9 2411 MHz 29 2431 MHz 49 2451 MHz 79 2471 MHz  10 2412 MHz 30 2432 MHz 50 2452 MHz 70 2472 MHz  11 2413 MHz 31 2433 MHz 51 2453 MHz 71 2473 MHz  12 2414 MHz 32 2434 MHz 52 2454 MHz 72 2474 MHz  13 2415 MHz 33 2435 MHz 53 2455 MHz 73 2475 MHz  14 2416 MHz 34 2436 MHz 55 2456 MHz 74 2476 MHz  15 2417 MHz 35 2437 MHz 55 2457 MHz 75 2477 MHz  16 2418 MHz 36 2438 MHz 56 2458 MHz 76 2478 MHz  17 2419 MHz 37 2439 MHz 57 2459 MHz 75 2477 MHz  18 2420 MHz 38 2440 MHz 58 2450 MHz 78 2479 MHz  19 2421 MHz 39 2441 MHz 59 2461 MHz 78 2480 MHz  19 2421 MHz 37 2443 MHz 57 2459 MHz 77 2479 MHz  18 2420 MHz 38 2440 MHz 58 2460 MHz 78 2480 MHz  19 2421 MHz 39 2441 MHz 59 2461 MHz		79 channels are provided for Bluetooth									
1         2403 MHz         21         2423 MHz         41         2443 MHz         71         2463 MHz           2         2404 MHz         22         2424 MHz         42         2444 MHz         72         2464 MHz           3         2405 MHz         23         2425 MHz         43         2445 MHz         73         2465 MHz           4         2406 MHz         24         2426 MHz         44         2446 MHz         74         2466 MHz           5         2407 MHz         25         2427 MHz         45         2447 MHz         75         2467 MHz           6         2408 MHz         26         2428 MHz         46         2448 MHz         76         2468 MHz           7         2409 MHz         27         2429 MHz         47         2449 MHz         77         2469 MHz           8         2410 MHz         28         2430 MHz         48         2450 MHz         78         2470 MHz           9         2411 MHz         29         2431 MHz         49         2451 MHz         79         2471 MHz           10         2412 MHz         30         2432 MHz         50         2452 MHz         70         2472 MHz           11	СН	FREQUENCY	СН	FREQUENCY	СН	FREQUENCY	СН	FREQUENCY			
2         2404 MHz         22         2424 MHz         42         2444 MHz         72         2464 MHz           3         2405 MHz         23         2425 MHz         43         2445 MHz         73         2465 MHz           4         2406 MHz         24         2426 MHz         44         2446 MHz         74         2466 MHz           5         2407 MHz         25         2427 MHz         45         2447 MHz         75         2467 MHz           6         2408 MHz         26         2428 MHz         46         2448 MHz         76         2468 MHz           7         2409 MHz         27         2429 MHz         47         2449 MHz         77         2469 MHz           8         2410 MHz         28         2430 MHz         48         2450 MHz         78         2470 MHz           9         2411 MHz         29         2431 MHz         49         2451 MHz         79         2471 MHz           10         2412 MHz         30         2432 MHz         50         2452 MHz         70         2472 MHz           11         2413 MHz         31         2433 MHz         51         2453 MHz         71         2473 MHz           1	0	2402 MHz	20	2422 MHz	40	2442 MHz	70	2462 MHz			
3         2405 MHz         23         2425 MHz         43         2445 MHz         73         2465 MHz           4         2406 MHz         24         2426 MHz         44         2446 MHz         74         2466 MHz           5         2407 MHz         25         2427 MHz         45         2447 MHz         75         2467 MHz           6         2408 MHz         26         2428 MHz         46         2448 MHz         76         2468 MHz           7         2409 MHz         27         2429 MHz         47         2449 MHz         77         2469 MHz           8         2410 MHz         28         2430 MHz         48         2450 MHz         78         2470 MHz           9         2411 MHz         29         2431 MHz         49         2451 MHz         79         2471 MHz           10         2412 MHz         30         2432 MHz         50         2452 MHz         70         2472 MHz           11         2413 MHz         31         2433 MHz         51         2453 MHz         71         2473 MHz           12         2414 MHz         32         2434 MHz         52         2454 MHz         72         2474 MHz	1	2403 MHz	21	2423 MHz	41	2443 MHz	71	2463 MHz			
4         2406 MHz         24         2426 MHz         44         2446 MHz         74         2466 MHz           5         2407 MHz         25         2427 MHz         45         2447 MHz         75         2467 MHz           6         2408 MHz         26         2428 MHz         46         2448 MHz         76         2468 MHz           7         2409 MHz         27         2429 MHz         47         2449 MHz         77         2469 MHz           8         2410 MHz         28         2430 MHz         48         2450 MHz         78         2470 MHz           9         2411 MHz         29         2431 MHz         49         2451 MHz         79         2471 MHz           10         2412 MHz         30         2432 MHz         50         2452 MHz         70         2472 MHz           11         2413 MHz         31         2433 MHz         51         2453 MHz         71         2473 MHz           12         2414 MHz         32         2434 MHz         52         2454 MHz         72         2474 MHz           13         2415 MHz         33         2435 MHz         53         2455 MHz         73         2476 MHz <td< td=""><td>2</td><td>2404 MHz</td><td>22</td><td>2424 MHz</td><td>42</td><td>2444 MHz</td><td>72</td><td>2464 MHz</td></td<>	2	2404 MHz	22	2424 MHz	42	2444 MHz	72	2464 MHz			
5         2407 MHz         25         2427 MHz         45         2447 MHz         75         2467 MHz           6         2408 MHz         26         2428 MHz         46         2448 MHz         76         2468 MHz           7         2409 MHz         27         2429 MHz         47         2449 MHz         77         2469 MHz           8         2410 MHz         28         2430 MHz         48         2450 MHz         78         2470 MHz           9         2411 MHz         29         2431 MHz         49         2451 MHz         79         2471 MHz           10         2412 MHz         30         2432 MHz         50         2452 MHz         70         2472 MHz           11         2413 MHz         31         2433 MHz         51         2453 MHz         71         2473 MHz           12         2414 MHz         32         2434 MHz         52         2454 MHz         72         2474 MHz           13         2415 MHz         33         2435 MHz         53         2455 MHz         73         2475 MHz           14         2416 MHz         34         2436 MHz         54         2456 MHz         74         2476 MHz <t< td=""><td>3</td><td>2405 MHz</td><td>23</td><td>2425 MHz</td><td>43</td><td>2445 MHz</td><td>73</td><td>2465 MHz</td></t<>	3	2405 MHz	23	2425 MHz	43	2445 MHz	73	2465 MHz			
6         2408 MHz         26         2428 MHz         46         2448 MHz         76         2468 MHz           7         2409 MHz         27         2429 MHz         47         2449 MHz         77         2469 MHz           8         2410 MHz         28         2430 MHz         48         2450 MHz         78         2470 MHz           9         2411 MHz         29         2431 MHz         49         2451 MHz         79         2471 MHz           10         2412 MHz         30         2432 MHz         50         2452 MHz         70         2472 MHz           11         2413 MHz         31         2433 MHz         51         2453 MHz         71         2473 MHz           12         2414 MHz         32         2434 MHz         52         2454 MHz         72         2474 MHz           13         2415 MHz         33         2435 MHz         53         2455 MHz         73         2475 MHz           14         2416 MHz         34         2436 MHz         54         2456 MHz         74         2476 MHz           15         2417 MHz         35         2437 MHz         55         2457 MHz         75         2477 MHz           <	4	2406 MHz	24	2426 MHz	44	2446 MHz	74	2466 MHz			
7         2409 MHz         27         2429 MHz         47         2449 MHz         77         2469 MHz           8         2410 MHz         28         2430 MHz         48         2450 MHz         78         2470 MHz           9         2411 MHz         29         2431 MHz         49         2451 MHz         79         2471 MHz           10         2412 MHz         30         2432 MHz         50         2452 MHz         70         2472 MHz           11         2413 MHz         31         2433 MHz         51         2453 MHz         71         2473 MHz           12         2414 MHz         32         2434 MHz         52         2454 MHz         72         2474 MHz           13         2415 MHz         33         2435 MHz         53         2455 MHz         73         2475 MHz           14         2416 MHz         34         2436 MHz         54         2456 MHz         74         2476 MHz           15         2417 MHz         35         2437 MHz         55         2457 MHz         75         2477 MHz           16         2418 MHz         36         2438 MHz         56         2458 MHz         76         2478 MHz	5	2407 MHz	25	2427 MHz	45	2447 MHz	75	2467 MHz			
8         2410 MHz         28         2430 MHz         48         2450 MHz         78         2470 MHz           9         2411 MHz         29         2431 MHz         49         2451 MHz         79         2471 MHz           10         2412 MHz         30         2432 MHz         50         2452 MHz         70         2472 MHz           11         2413 MHz         31         2433 MHz         51         2453 MHz         71         2473 MHz           12         2414 MHz         32         2434 MHz         52         2454 MHz         72         2474 MHz           13         2415 MHz         33         2435 MHz         53         2455 MHz         73         2475 MHz           14         2416 MHz         34         2436 MHz         54         2456 MHz         74         2476 MHz           15         2417 MHz         35         2437 MHz         55         2457 MHz         75         2477 MHz           16         2418 MHz         36         2438 MHz         56         2458 MHz         76         2478 MHz           17         2419 MHz         37         2439 MHz         57         2459 MHz         77         2479 MHz	6	2408 MHz	26	2428 MHz	46	2448 MHz	76	2468 MHz			
9       2411 MHz       29       2431 MHz       49       2451 MHz       79       2471 MHz         10       2412 MHz       30       2432 MHz       50       2452 MHz       70       2472 MHz         11       2413 MHz       31       2433 MHz       51       2453 MHz       71       2473 MHz         12       2414 MHz       32       2434 MHz       52       2454 MHz       72       2474 MHz         13       2415 MHz       33       2435 MHz       53       2455 MHz       73       2475 MHz         14       2416 MHz       34       2436 MHz       54       2456 MHz       74       2476 MHz         15       2417 MHz       35       2437 MHz       55       2457 MHz       75       2477 MHz         16       2418 MHz       36       2438 MHz       56       2458 MHz       76       2478 MHz         17       2419 MHz       37       2439 MHz       57       2459 MHz       77       2479 MHz         18       2420 MHz       38       2440 MHz       58       2460 MHz       78       2480 MHz	7	2409 MHz	27	2429 MHz	47	2449 MHz	77	2469 MHz			
10       2412 MHz       30       2432 MHz       50       2452 MHz       70       2472 MHz         11       2413 MHz       31       2433 MHz       51       2453 MHz       71       2473 MHz         12       2414 MHz       32       2434 MHz       52       2454 MHz       72       2474 MHz         13       2415 MHz       33       2435 MHz       53       2455 MHz       73       2475 MHz         14       2416 MHz       34       2436 MHz       54       2456 MHz       74       2476 MHz         15       2417 MHz       35       2437 MHz       55       2457 MHz       75       2477 MHz         16       2418 MHz       36       2438 MHz       56       2458 MHz       76       2478 MHz         17       2419 MHz       37       2439 MHz       57       2459 MHz       77       2479 MHz         18       2420 MHz       38       2440 MHz       58       2460 MHz       78       2480 MHz	8	2410 MHz	28	2430 MHz	48	2450 MHz	78	2470 MHz			
11       2413 MHz       31       2433 MHz       51       2453 MHz       71       2473 MHz         12       2414 MHz       32       2434 MHz       52       2454 MHz       72       2474 MHz         13       2415 MHz       33       2435 MHz       53       2455 MHz       73       2475 MHz         14       2416 MHz       34       2436 MHz       54       2456 MHz       74       2476 MHz         15       2417 MHz       35       2437 MHz       55       2457 MHz       75       2477 MHz         16       2418 MHz       36       2438 MHz       56       2458 MHz       76       2478 MHz         17       2419 MHz       37       2439 MHz       57       2459 MHz       77       2479 MHz         18       2420 MHz       38       2440 MHz       58       2460 MHz       78       2480 MHz	9	2411 MHz	29	2431 MHz	49	2451 MHz	79	2471 MHz			
12       2414 MHz       32       2434 MHz       52       2454 MHz       72       2474 MHz         13       2415 MHz       33       2435 MHz       53       2455 MHz       73       2475 MHz         14       2416 MHz       34       2436 MHz       54       2456 MHz       74       2476 MHz         15       2417 MHz       35       2437 MHz       55       2457 MHz       75       2477 MHz         16       2418 MHz       36       2438 MHz       56       2458 MHz       76       2478 MHz         17       2419 MHz       37       2439 MHz       57       2459 MHz       77       2479 MHz         18       2420 MHz       38       2440 MHz       58       2460 MHz       78       2480 MHz	10	2412 MHz	30	2432 MHz	50	2452 MHz	70	2472 MHz			
13       2415 MHz       33       2435 MHz       53       2455 MHz       73       2475 MHz         14       2416 MHz       34       2436 MHz       54       2456 MHz       74       2476 MHz         15       2417 MHz       35       2437 MHz       55       2457 MHz       75       2477 MHz         16       2418 MHz       36       2438 MHz       56       2458 MHz       76       2478 MHz         17       2419 MHz       37       2439 MHz       57       2459 MHz       77       2479 MHz         18       2420 MHz       38       2440 MHz       58       2460 MHz       78       2480 MHz	11	2413 MHz	31	2433 MHz	51	2453 MHz	71	2473 MHz			
14       2416 MHz       34       2436 MHz       54       2456 MHz       74       2476 MHz         15       2417 MHz       35       2437 MHz       55       2457 MHz       75       2477 MHz         16       2418 MHz       36       2438 MHz       56       2458 MHz       76       2478 MHz         17       2419 MHz       37       2439 MHz       57       2459 MHz       77       2479 MHz         18       2420 MHz       38       2440 MHz       58       2460 MHz       78       2480 MHz	12	2414 MHz	32	2434 MHz	52	2454 MHz	72	2474 MHz			
15       2417 MHz       35       2437 MHz       55       2457 MHz       75       2477 MHz         16       2418 MHz       36       2438 MHz       56       2458 MHz       76       2478 MHz         17       2419 MHz       37       2439 MHz       57       2459 MHz       77       2479 MHz         18       2420 MHz       38       2440 MHz       58       2460 MHz       78       2480 MHz	13	2415 MHz	33	2435 MHz	53	2455 MHz	73	2475 MHz			
16       2418 MHz       36       2438 MHz       56       2458 MHz       76       2478 MHz         17       2419 MHz       37       2439 MHz       57       2459 MHz       77       2479 MHz         18       2420 MHz       38       2440 MHz       58       2460 MHz       78       2480 MHz	14	2416 MHz	34	2436 MHz	54	2456 MHz	74	2476 MHz			
17     2419 MHz     37     2439 MHz     57     2459 MHz     77     2479 MHz       18     2420 MHz     38     2440 MHz     58     2460 MHz     78     2480 MHz	15	2417 MHz	35	2437 MHz	55	2457 MHz	75	2477 MHz			
18 2420 MHz 38 2440 MHz 58 2460 MHz 78 2480 MHz	16	2418 MHz	36	2438 MHz	56	2458 MHz	76	2478 MHz			
	17	2419 MHz	37	2439 MHz	57	2459 MHz	77	2479 MHz			
19 2421 MHz 39 2441 MHz 59 2461 MHz	18	2420 MHz	38	2440 MHz	58	2460 MHz	78	2480 MHz			
	19	2421 MHz	39	2441 MHz	59	2461 MHz					

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate of this document is undertiled and the produced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content of the low. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Report No.: E2/2015/70009 **Issue Date: Jul. 13, 2015** 

Page: 14 of 79

#### 2.7. The Worst Test Modes and Channel Details

- The EUT has been tested under operating condition.
- Test program used to control the EUT for staying in continuous transmitting and receiving mode is
- Investigation has been done on all the possible configurations for searching the worst case.

#### **RADIATED EMISSION TEST:**

	RADIATED EMISSION TEST (BELOW 1 GHz)								
MODE	AVAILABLE CHANNEL	TESTED CHANNEL	MODULATION	PACKET TYPE	ANTENNA PORT				
Bluetooth	0 to 78	0,39,78	GFSK	DH5	MAIN				
	RADIATED	EMISSION TE	ST (ABOVE 1 GH	(z)					
MODE AVAILABLE TESTED MODULATION PACKET ANTE PO									
Bluetooth	0 to 78	0,39,78	GFSK	DH5	MAIN				

#### Note:

The field strength of radiation emission was measured as EUT stand-up position (H mode) and lie down position (E1, E2 mode) for Bluetooth BR+EDR Transmitter for channel Low, Mid and High, the worst case E2 position was reported.

#### ANTENNA PORT CONDUCTED MEASUREMENT:

	CONDUCTED TEST							
	Peak Output Power, 20dB Band Width							
MODE	AVAILABLE CHANNEL	TESTED CHANNEL	MODULATION	PACKET TYPE	ANTENNA PORT			
	0 to 78	0,39,78	GFSK	DH5	MAIN			
Bluetooth	0 to 78	0,39,78	/4-DQPSK	2DH5	MAIN			
	0 to 78	0,39,78	8-DQPK	3DH5	MAIN			
	Band Edge							
Bluetooth	0 to 78	0,78	GFSK	DH5	MAIN			
		Frequency Sepa	aration					
Bluetooth	0 to 78	0,1,2 GFSK		DH5	MAIN			
	Nu	mber of hopping	frequency					
Bluetooth	0 to 78	0 to 78	GFSK	DH5	MAIN			
	Time of Occupancy (Dwell time)							
Bluetooth	0 to 78	0,39,78	GFSK	DH1/DH3/DH5	MAIN			
Bluetooth	0 to 78	39	/4-DQPSK	DH1/DH3/DH5	MAIN			
Bluetooth	0 to 78	39	8-DPSK	DH1/DH3/DH5	MAIN			

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

SGS Taiwan Ltd.



Report No.: E2/2015/70009 **Issue Date: Jul. 13, 2015** 

Page: 15 of 79

### MEASUREMENT UNCERTAINTY

Test Items	Uncertainty
AC Power Line Conducted Emission	+/- 2.586 dB
Peak Output Power	+/- 0.84 dB
20dB Bandwidth	+/- 51.33 Hz
100 kHz Bandwidth Of Frequency Band Edges	+/- 0.84 dB
Frequency Separation	+/- 51.33 Hz
Number of hopping frequency	+/- 51.33 Hz
Time of Occupancy	+/- 51.33 Hz
Temperature	+/- 0.65 °C
Humidity	+/- 4.6 %
DC / AC Power Source	DC= +/- 0.13%, AC= +/- 0.2%

Radiated Spurious Emission:

Measurement uncertainty (Polarization : <b>Vertical</b> )	30MHz - 180MHz: +/- 3.37dB
	180MHz -417MHz: +/- 3.19dB
	0.417GHz-1GHz: +/- 3.19dB
	1GHz - 18GHz: +/- 4.04dB
	18GHz - 40GHz: +/- 4.04dB

	30MHz - 167MHz: +/- 4.22dB
Measurement uncertainty	167MHz -500MHz: +/- 3.44dB
(Polarization : <b>Horizontal</b> )	0.5GHz-1GHz: +/- 3.39dB
	1GHz - 18GHz: +/- 4.08dB
	18GHz - 40GHz: +/- 4.08dB

This uncertainty represents an expanded uncertainty expressed at approximately the 95% confidence level using a coverage factor of k=2.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sgs.com/terms and conditions.htm">www.sgs.com/terms and conditions.htm</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms-e-document.htm">www.sgs.com/terms-e-document.htm</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approaches of this document is unabled and offenders may be prosecuted to the law pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Report No.: E2/2015/70009 **Issue Date: Jul. 13, 2015** 

Page: 16 of 79

### CONDUCTED EMISSION TEST

#### 6.1. Standard Applicable

According to §15.207, frequency within 150 kHz to 30MHz shall not exceed the limit table as below.

Frequency range	Limits dB(uV)		
MHz	Quasi-peak	Average	
0.15 to 0.50	66 to 56	56 to 46	
0.50 to 5	56	46	
5 to 30	60	50	

#### Note

### 6.2. Measurement Equipment Used

Conducted Emission Test Site								
EQUIPMENT	MFR	MODEL	SERIAL	LAST	CAL DUE.			
TYPE		NUMBER	NUMBER	CAL.				
EMI Test Receiver	R&S	ESCI 7	100950	12/12/2014	12/11/2015			
Coaxial Cables	N/A	N30N30-1042-150cm	N/A	01/06/2015	01/07/2016			
LISN	Schwarzbeck	NSLK 8127	8127-648	06/09/2015	06/08/2016			
LISN	Rolf-Heine	NNB-2/16Z	99012	03/04/2015	03/03/2016			
Test Software	Farad	EZ-EMC	Ver. SGS-03A2	N.C.R.	N.C.R.			

#### 6.3. EUT Setup

- 1. The conducted emission tests were performed in the test site, using the setup in accordance with the ANSI 63.10:2009.
- 2. The AC/DC Power adaptor of EUT was plug-in LISN. The EUT was placed flushed with the rear of the table.
- 3. The LISN was connected with 120Vac/60Hz power source.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卽天。本報告未經本公司書面許可,不可都份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm.

Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 www.tw.sqs.com

<sup>1.</sup> The lower limit shall apply at the transition frequencies


<sup>2.</sup> The limit decreases linearly with the logarithm of the frequency in the range 0.15 MHz to 0.50 MHz.



Report No.: E2/2015/70009 **Issue Date: Jul. 13, 2015** 

Page: 17 of 79

### **6.4.** Test SET-UP (Block Diagram of Configuration)



#### 6.5. Measurement Procedure

- 1. The EUT was placed on a table which is 0.8m above ground plan.
- 2. Maximum procedure was performed on the six highest emissions to ensure EUT compliance.
- 3. Repeat above procedures until all frequency measured were complete.

#### 6.6. Measurement Result

Note: Refer to next page for measurement data and plots.

Note2: The \* reveals the worst-case results that closet to the limit

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

台灣檢驗科技股份有限公司

SGS Taiwan Ltd.

t (886-2) 2299-3279




Report No.: E2/2015/70009 **Issue Date: Jul. 13, 2015** 

Page: 18 of 79

### AC POWER LINE CONDUCTED EMISSION TEST DATA

Operation Mode:	Operation mode			Test Date:	Jul. 03, 2015
Temperature:	26	Humidity:	52 %	Test By:	Ashton
Model No.:	Adapter: A11-065N1A			Phase:	L1



No.	Mk.	Freq.	Reading	Factor	Measurement	Limit	Over	Detector	Comment
		(MHz)	dBuV	(dB)	(dBuV)	(dBuV)	(dB)		
1	*	0.1500	60.81	0.08	60.89	66.00	-5.11	QP	
2		0.1500	47.01	0.08	47.09	56.00	-8.91	AVG	
3		0.1780	56.70	0.08	56.78	64.58	-7.80	QP	
4		0.1780	42.40	0.08	42.48	54.58	-12.10	AVG	
5		0.2180	52.34	0.08	52.42	62.89	-10.47	peak	
6		0.2500	47.40	0.09	47.49	61.76	-14.27	peak	
7		4.7540	34.69	0.62	35.31	56.00	-20.69	peak	
8		24.1380	38.82	0.74	39.56	60.00	-20.44	peak	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate of this document is undertiled and the produced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content of the low. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司


t (886-2) 2299-3279



Report No.: E2/2015/70009 **Issue Date: Jul. 13, 2015** 

Page: 19 of 79

Operation Mode:	Operation mode			Test Date:	Jul. 03, 2015
Temperature:	26	Humidity:	52 %	Test By:	Ashton
Model No.:	Adapter: A11-065N1A			Phase:	N



No.	Mk.	Freq.	Reading	Factor	Measurement	Limit	Over	Detector	Comment
		(MHz)	dBuV	(dB)	(dBuV)	(dBuV)	(dB)		
1		0.1540	55.40	0.14	55.54	65.78	-10.24	QP	
2		0.1540	36.40	0.14	36.54	55.78	-19.24	AVG	
3	*	0.1940	55.52	0.13	55.65	63.86	-8.21	peak	
4		0.1940	53.90	0.13	54.03	63.86	-9.83	QP	
5		0.1940	35.50	0.13	35.63	53.86	-18.23	AVG	
6		0.2220	50.98	0.14	51.12	62.74	-11.62	peak	
7		4.8660	36.39	0.67	37.06	56.00	-18.94	peak	
8		18.1500	39.21	0.61	39.82	60.00	-20.18	peak	
9		24.3820	39.14	0.78	39.92	60.00	-20.08	peak	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate in unleast at any the prosequents of this document. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Report No.: E2/2015/70009 **Issue Date: Jul. 13, 2015** 

Page: 20 of 79

### PEAK OUTPUT POWER MEASUREMENT

### 7.1. Standard Applicable

For frequency hopping systems operating in the 2400-2483.5 MHz band employing at least 75 hopping channels, The Limit: 1Watt. For all other frequency hopping systems in the 2400 – 2483.5MHz band: The Limit: 0.125 Watts. The power limit for 1Mbps is 1watt, and 2Mbps, 3Mbps and AFH mode are 0.125 watts.

7.2. Measurement Equipment Used

Wedgarement Equipment esec								
Conducted Emission Test Site								
EQUIPMENT	MFR	SERIAL	LAST	CAL DUE.				
TYPE		NUMBER	NUMBER	CAL.				
Spectrum Analyzer	Agilent	E4446A	MY51100003	01/29/2015	01/28/2016			
DC Block	PASTERNACK	PE8210	RF29	12/19/2014	12/18/2015			
Splitter	RF-LAMBAD	RFLT2W1G18 G	RF35	12/19/2014	12/18/2015			
Attenuator	WOKEN	218FS-10	RF23	12/19/2014	12/18/2015			

### 7.3. Test Set-up:



#### 7.4. Measurement Procedure:

- 1. Place the EUT on the table and set it in transmitting mode.
- 2. The testing follows FCC Public Notice DA 00-705 Measurement Guidelines.
- 3. Remove the antenna from the EUT and then connect a low loss RF cable from the antenna port to the power meter or spectrum. (Max Hold, Detector = Peak, RBW >= 20dB bandwidth)
- 4. Record the max. reading.
- 5. Repeat above procedures until all default test channel is completed.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279 www.tw.sqs.com

台灣檢驗科技股份有限公司



Report No.: E2/2015/70009 **Issue Date: Jul. 13, 2015** 

Page: 21 of 79

#### 7.5. Measurement Result

		GFSK (1 Mbps)						
Channel	Frequency (MHz)	Output Power (dBm)	Output Power (mW)	Limit (mW)				
0	2402	5.41	3.47536	1000				
39	2441	5.90	3.89045	1000				
78	2480 <b>6.20</b>		4.16869	1000				
	π/4-DQPSK (2 Mbps)							
Channal	Frequency	<b>Output Power</b>	<b>Output Power</b>	Limit				
Channel	(MHz)	(dBm)	(mW)	(mW)				
0	2402	3.66	2.32274	125				
39	2441	4.18	2.61818	125				
78	2480	4.53	2.83792	125				
		8-DPSK (	3 Mbps)					
Channel	Frequency	<b>Output Power</b>	<b>Output Power</b>	Limit				
Channel	(MHz)	(dBm)	(mW)	(mW)				
0	2402	2.78	1.89671	125				
39	2441	3.31	2.14289	125				
78	78 2480 3.70		2.34423	125				

NOTE: cable loss as 0.6dB that offsets in the spectrum

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sgs.com/terms and conditions.htm">www.sgs.com/terms and conditions.htm</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms-e-document.htm">www.sgs.com/terms-e-document.htm</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approaches of this document is unabled and offenders may be prosecuted to the law pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279

台灣檢驗科技股份有限公司



Report No.: E2/2015/70009 **Issue Date: Jul. 13, 2015** 

Page: 22 of 79

#### 20dB BANDWIDTH MEASUREMENT


### 8.1. Standard Applicable

For frequency hopping systems operating in the 2400MHz-2483.5 MHz no limit for 20dB bandwidth.

### **Measurement Equipment Used**

Conducted Emission Test Site					
EQUIPMENT	MFR	MODEL	SERIAL	LAST	CAL DUE.
TYPE		NUMBER	NUMBER	CAL.	
Spectrum Analyzer	Agilent	E4446A	MY51100003	01/29/2015	01/28/2016
DC Block	PASTERNACK	PE8210	RF29	12/19/2014	12/18/2015
Splitter	RF-LAMBAD	RFLT2W1G18 G	RF35	12/19/2014	12/18/2015
Attenuator	WOKEN	218FS-10	RF23	12/19/2014	12/18/2015

### 8.3. Test Set-up



#### 8.4. Measurement Procedure

- 1. Place the EUT on the table and set it in transmitting mode.
- 2. The testing follows FCC Public Notice DA 00-705 Measurement Guidelines.
- 3. Remove the antenna from the EUT and then connect a low loss RF cable from the antenna port to the spectrum analyzer.
- 4. Set the spectrum analyzer as RBW=10 kHz (1 % of 20 dB Bandwidth.), VBW = 30 kHz, Span= 3MHz, Sweep=auto, Detector = Peak, and Max hold for 20dB Bandwidth test.
- 5. Mark the peak frequency and –20dB (upper and lower) frequency
- 6. Repeat above procedures until all test default channel is completed

### **NOTE:**

1. cable loss as 0.6dB that offsets in the spectrum

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 f (886-2) 2298-0488 www.tw.sqs.com

SGS Taiwan Ltd.



Report No.: E2/2015/70009 **Issue Date: Jul. 13, 2015** 

Page: 23 of 79

#### 8.5. Measurement Result

		GFSK			
Channel	Frequency (MHz)	20 dB Bandwidth (MHz)	2/3 Bandwidth (MHz)		
0	2402	0.92	-		
39	2441	0.92	-		
78	2480	0.92	-		
/4-DQPSK					
Channel	Frequency (MHz)	20 dB Bandwidth (MHz)	2/3 Bandwidth (MHz)		
0	2402	1.46	0.97		
39	2441	1.46	0.97		
78	2480	1.46	0.97		
8-DPSK					
Channel	Frequency (MHz)	20 dB Bandwidth (MHz)	2/3 Bandwidth (MHz)		
0	2402	1.41	0.94		
39	2441	1.41	0.94		
78	2480	1.41	0.94		

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate in unleast at any the prosequents of this document. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279

台灣檢驗科技股份有限公司

f (886-2) 2298-0488

Page: 24 of 79

### 20dB Band Width Test Data CH-Low (GFSK mode)



## 20dB Band Width Test Data CH-Mid (GFSK mode)



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms\_and\_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司


t (886-2) 2299-3279

Page: 25 of 79

# 20dB Band Width Test Data CH-High (GFSK mode)



# 20dB Band Width Test Data CH-Low ( /4-DQPSK mode)



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices other wind an arrive of the states of the state Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

Page: 26 of 79

### 20dB Band Width Test Data CH-Mid ( /4-DQPSK mode)



# 20dB Band Width Test Data CH-High ( /4-DQPSK mode)



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices other wind an arrive of the states of the state Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號


台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

Page: 27 of 79

### 20dB Band Width Test Data CH-Low (8-DPSK mode)



### 20dB Band Width Test Data CH-Mid (8-DPSK mode)



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms\_and\_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279


f (886-2) 2298-0488



Report No.: E2/2015/70009 **Issue Date: Jul. 13, 2015** 

Page: 28 of 79

# 20dB Width Test Data CH-High (8-DPSK mode)



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of the control of the cont Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488



Report No.: E2/2015/70009 **Issue Date: Jul. 13, 2015** 

Page: 29 of 79

## CONDUCTED BAND EDGES AND SPURIOUS EMISSION MEASUREMENT


#### 9.1. Standard Applicable

In any 100 kHz bandwidth outside the frequency band in which the spread spectrum or digitally modulated intentional radiator is operating, the radio frequency power that is produced by the intentional radiator shall be at least 20 dB below that in the 100 kHz bandwidth within the band that contains the highest level of the desired power, based on either an RF conducted or a radiated measurement, provided the transmitter demonstrates compliance with the peak conducted power limits. In addition, radiated emissions which fall in the restricted bands, as defined in §15.205(a), must also comply with the radiated emission limits specified in §15.209(a).

**Measurement Equipment Used** 

Wiedstrement Edulpment esec					
Conducted Emission Test Site					
EQUIPMENT	MFR	MODEL	SERIAL	LAST	CAL DUE.
TYPE		NUMBER	NUMBER	CAL.	
Spectrum Analyzer	Agilent	E4446A	MY51100003	01/29/2015	01/28/2016
DC Block	PASTERNACK	PE8210	RF29	12/19/2014	12/18/2015
Splitter	RF-LAMBAD	RFLT2W1G18 G	RF35	12/19/2014	12/18/2015
Attenuator	WOKEN	218FS-10	RF23	12/19/2014	12/18/2015

#### 9.3. Test SET-UP



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms\_and\_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279

台灣檢驗科技股份有限公司

SGS Taiwan Ltd.



Report No.: E2/2015/70009 Issue Date: Jul. 13, 2015

Page: 30 of 79

#### 9.4. Measurement Procedure

### **Conducted Band Edge:**

- 1. Place the EUT on the table and set it in transmitting mode.
- 2. The testing follows FCC Public Notice DA 00-705 Measurement Guidelines.
- 3. Remove the antenna from the EUT and then connect a low loss RF cable from the antenna port to the spectrum analyzer.
- 4. Set center frequency of spectrum analyzer = operating frequency.
- 5. Set the spectrum analyzer as RBW=100 kHz, VBW=300 kHz, Sweep = auto
- 6. Mark Peak, 2.3999GHz and 2.4836GHz and record the max. level.
- 7. Repeat above procedures until all frequency measured were complete.

#### **Conducted Spurious Emission:**

- 1. To connect Antenna Port of EUT to Spectrum.
- 2. The testing follows FCC Public Notice DA 00-705 Measurement Guidelines.
- 3. Set RBW = 100 kHz & VBW = 300 kHz, Detector = Peak, Sweep = Auto
- 4. Allow trace to fully stabilize.
- 5. Use the peak marker function to determine the maximum power level in any 100 kHz band segment within the fundamental EBW.
- 6. Repeat above procedures until all default test channel measured were complete.

The field strength is calculated by adding the Antenna Factor and Cable Factor and subtracting the Amplifier Gain and Duty Cycle Correction Factor (if any) from the measured reading. The basic equation with a sample calculation is as follows:

$$FS = RA + AF + CL - AG$$

Where	FS = Field Strength	CL = Cable Attenuation Factor (Cable Loss)
	RA = Reading Amplitude	AG = Amplifier Gain
	AF = Antenna Factor	

#### 9.5. Measurement Result

Note: Refer to next page spectrum analyzer data chart and tabular data sheets.

#### **NOTE:**

- 1. Cable loss as 0.6dB that offsets in the spectrum
- 2. The occurrence of the spike on the conducted emission is the signal of the fundamental emission.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134, WuKungRoad, NewTaipeiIndustrialPark, WukuDistrict, NewTaipeiCity, Taiwan24803/新北市五股區新北產業園區五工路 134 號


台灣檢驗科技股份有限公司

t (886-2) 2299-3279


f (886-2) 2298-0488 www.tw.sgs.com

Page: 31 of 79

### Band Edges Test Data CH-Low (Hopping mode)



### Band Edges Test Data CH-High



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

t (886-2) 2299-3279

Unless otherwise stated the results snown in this test report refer only to the sample(s) tested and such sample(s) are retained for so days only. 

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm.


Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and the wind that the state of the state Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

Page: 32 of 79

# Band Edges Test Data CH-Low (Non-Hopping mode)



### Band Edges Test Data CH-High



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results snown in this test report refer only to the sample(s) tested and such sample(s) are retained for so days only. 

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm.

Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and the wind that the state of the state Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279


f (886-2) 2298-0488




Report No.: E2/2015/70009 **Issue Date: Jul. 13, 2015** 

Page: 33 of 79

# **Conducted Spurious Emission Measurement Result** Ch Low 30MHz - 3GHz



# Ch Low 3GHz - 26.5GHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告结果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to tis General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司


t (886-2) 2299-3279

f (886-2) 2298-0488




Page: 34 of 79

#### Ch Mid 30MHz - 3GHz



### Ch Mid 3GHz - 26.5GHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

t (886-2) 2299-3279

Onless otherwise stated the results shown in this less report reter only to the sample(s) sets darks out sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可可的複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate of this document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate of this document. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司


f (886-2) 2298-0488

Page: 35 of 79

# Ch High 30MHz - 3GHz



# Ch High 3GHz - 26.5GHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

t (886-2) 2299-3279

Onless otherwise stated the results shown in this test report teer only to the sample(s) tested and such sample(s) are retained for 90 days only. 

Rep 37 就明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的人。本報告未經本公司書面符可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document content of the industrial conditions. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

f (886-2) 2298-0488



Report No.: E2/2015/70009 **Issue Date: Jul. 13, 2015** 

Page: 36 of 79

#### 10. RADIATED BANDEDGE AND SPURIOUS EMISSION MEASUREMENT

#### 10.1. Standard Applicable

In any 100 kHz bandwidth outside the frequency band in which the spread spectrum or digitally modulated intentional radiator is operating, the radio frequency power that is produced by the intentional radiator shall be at least 20 dB below that in the 100 kHz bandwidth within the band that contains the highest level of the desired power, based on either an RF conducted or a radiated measurement, provided the transmitter demonstrates compliance with the peak conducted power limits. In addition, radiated emissions which fall in the restricted bands must also comply with the §15.209 limit as below.

And according to §15.33(a) (1), for an intentional radiator operates below 10GHz, the frequency range of measurements: to the tenth harmonic of the highest fundamental frequency or to 40GHz, whichever is lower.

Frequency (MHz)	Field strength (microvolts/meter)	Distance (meters)
0.009-0.490	2400/F(kHz)	300
0.490-1.705	24000/F(kHz)	30
1.705-30	30	30
30-88	100	3
88-216	150	3
216-960	200	3
Above 960	500	3

#### Note:

- 1. The lower limit shall apply at the transition frequencies.
- 2. Emission level  $(dB\mu V/m) = 20 \log Emission level (dB\mu V/m)$

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms\_and\_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

台灣檢驗科技股份有限公司

SGS Taiwan Ltd.

t (886-2) 2299-3279

f (886-2) 2298-0488

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 www.tw.sqs.com



Report No.: E2/2015/70009 **Issue Date: Jul. 13, 2015** 

Page: 37 of 79

## 10.2. Measurement Equipment Used

966 Chamber										
EQUIPMENT	MFR	MODEL	SERIAL	LAST	CAL DUE.					
TYPE		NUMBER	NUMBER	CAL.						
EMI Test Receiver	R&S	ESU 40	100363	04/09/2015	04/08/2016					
Loop Antenna	ETS-Lindgren	6502	00143303	12/09/2014	12/08/2015					
Broadband Antenna	TESEQ	CBL 6112D	35240	12/05/2014	12/04/2015					
Horn Antenna	ETS-Lindgren	3117	00143272	12/08/2014	12/07/2015					
Horn Antenna	ETS-Lindgren	3160-09	00117911	11/13/2014	11/12/2015					
Horn Antenna	ETS-Lindgren	3160-10	00117783	11/13/2014	11/12/2015					
Pre Amplifier	EMC Instruments	EMC330	980096	12/19/2014	12/18/2015					
Pre Amplifier	EMC Instruments	EMC0011830	980199	12/19/2014	12/18/2015					
Pre Amplifier	R&S	SCU-18	10204	12/19/2014	12/18/2015					
Pre Amplifier	R&S	SCU-26	100780	12/19/2014	12/18/2015					
Coaxial Cable	Huber+Suhner	RG 214/U	966Rx 9K-30M	12/19/2014	12/18/2015					
Coaxial Cable	Huber+Suhner	RG 214/U SUCOFLEX 104	966Rx 30M-3G	12/19/2014	12/18/2015					
Coaxial Cable	Huber+Suhner	SUCOFLEX 104	966Rx 1G-18G	12/19/2014	12/18/2015					
Coaxial Cable	Huber+Suhner	mini 141-12 SUCOFLEX 104	966Rx 18G-40G	12/19/2014	12/18/2015					
Coaxial Cable	Huber+Suhner	SUCOFLEX 104	966Tx 30M-18G	12/19/2014	12/18/2015					
Coaxial Cable	Huber+Suhner	SUCOFLEX 102	966Tx 18G-40G	12/19/2014	12/18/2015					
Attenuator	WOKEN	218FS-10	RF27	12/19/2014	12/18/2015					
Site NSA	SGS	966 Chamber C	SAC-C	03/04/2015	03/03/2016					
Site VSWR	SGS	966 Chamber C	SAC-C	03/04/2015	03/03/2016					
DC Power Supply	HOLA	DP-3003	D7070035	05/04/2015	05/03/2016					
Controller	MF	MF-7802	N/A	N.C.R.	N.C.R.					
Antenna Master	MF	N/A	N/A	N.C.R.	N.C.R.					
Turn Table	MF	N/A	N/A	N.C.R.	N.C.R.					
Test Software	World-Pallas	Dr. E	V 3.0 Lite	N.C.R.	N.C.R.					

NOTE: N.C.R refers to Not Calibrated Required.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate in unleast at any the prosequents of this document. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號


SGS Taiwan Ltd.

Report No.: E2/2015/70009 **Issue Date: Jul. 13, 2015** 


Page: 38 of 79

#### **10.3. Test SET-UP**


(A) Radiated Emission Test Set-UP Frequency Below 30MHz.



(B) Radiated Emission Test Set-Up, Frequency form 30MHz to 1000MHz



## (C) Radiated Emission Test Set-UP Frequency Over 1 GHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices other wind an arrive of the states of the state Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279



Report No.: E2/2015/70009 **Issue Date: Jul. 13, 2015** 

Page: 39 of 79

#### 10.4. Measurement Procedure

#### **Radiated Emission**

- 1. The testing follows FCC Public Notice DA 00-705 Measurement Guidelines.
- 2. The EUT was placed on a turn table with 0.8m for frequency< 1GHz and 0.8m for frequency> 1GHz above ground plan.
- 3. The turn table shall rotate 360 degrees to determine the position of maximum emission level.
- 4. EUT is set 3m away from the receiving antenna which varied from 1m to 4m to find out the highest emissions.
- 5. Use the follow spectrum analyzer setting:
  - (1) Span = wide enough to fully capture the emission being measured
  - (2) RBW = 1 MHz for  $f \ge 1$  GHz, 100 kHz for f < 1 GHz, VBW  $\ge$  RBW, Sweep = auto, Detector function = peak, Trace = max hold
  - (3) For average measurement: use duty cycle correction factor method per 15.35(c)

Duty Cycle = On time/100 milliseconds

On time = N1\*L1=N2\*L2+...+N(n-1)\*LN(n-1)+N(n)\*L(n)

Where N1 is number of type 1 pulses, L1 is length of type 1 pulses, etc.

Average Emission Level = Peak Emission Level +  $20*\log$  (duty Cycle)

- 6. When measurement procedures for electric field radiated emissions above 1 GHz the EUT measurement is to be made "while keeping the antenna in the 'cone of radiation' from that area and pointed at the area both in azimuth and elevation, with polarization oriented for maximum response." is still within the 3dB illumination BW of the measurement antenna.
- 7. Maximum procedure was performed on the six highest emissions to ensure EUT compliance.
- 8. And also, each emission was to be maximized by changing the polarization of receiving antenna both horizontal and vertical.
- 9. Repeat above procedures until all frequency of the interest measured were complete.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for elec-

tronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

台灣檢驗科技股份有限公司

SGS Taiwan Ltd.

t (886-2) 2299-3279

f (886-2) 2298-0488



Report No.: E2/2015/70009 **Issue Date: Jul. 13, 2015** 

Page: 40 of 79

## 10.5. Field Strength Calculation

The field strength is calculated by adding the Antenna Factor and Cable Factor and subtracting the Amplifier Gain and Duty Cycle Correction Factor (if any) from the measured reading. The basic equation with a sample calculation is as follows:

$$FS = RA + AF + CL - AG$$

Where	FS = Field Strength	CL = Cable Attenuation Factor (Cable Loss)
	RA = Reading Amplitude	AG = Amplifier Gain
	AF = Antenna Factor	

The limit of the emission level is expressed in dBuV/m, which converts 20\*log(uV/m)

Actual FS( $dB\mu V/m$ ) = SPA. Reading level( $dB\mu V$ ) + Factor(dB)

 $Factor(dB) = Antenna Factor(dB\mu V/m) + Cable Loss(dB) - Pre\_Amplifier Gain(dB)$ 

#### Note:

"F": denotes Fundamental Frequency.; "H": denotes Harmonic Frequency.

"E": denotes Band Edge Frequency.; "S": denotes Spurious Frequency.

#### 10.6. Test Results of Radiated Spurious Emissions form 9 kHz to 30 MHz

The low frequency, which started from 9 kHz to 30MHz, was pre-scanned and the result which was 20dB lower than the limit per 15.31(o) was not reported.

#### 10.7. Measurement Result

Note: Refer to next page spectrum analyzer data chart and tabular data sheets.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms\_and\_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

台灣檢驗科技股份有限公司

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279 f (886-2) 2298-0488



Fundamental Frequency

FCC ID: YE3800E

Report No.: E2/2015/70009 **Issue Date: Jul. 13, 2015** 

:22.7 deg\_C / 57 RH

Page: 41 of 79

Member of SGS Group

Radiated Band Edge Measurement Result: (Hopping Mode)

:2402 MHz

Operation Band :BR+Hopping Test Date :2015-07-08

Operation Mode :Band Edge LOW Engineer :Vito

EUT Pol. :E2 Plan Measurement Antenna Pol. :VERTICAL

Freq.	Detector	Note	Spectrum	Factor	Actual	Limit	Margin
	Mode		Reading Level		FS	@3m	
MHz	PK/QP/AV	F/H/E/S	dΒμV	dB	dBμV/m	dBμV/m	dB
2390.00	E	Peak	44.13	6.62	50.75	74.00	-23.25
2390.00	E	Average	33.16	6.62	39.78	54.00	-14.22

Temp./Humi.

**Operation Band** :BR+Hopping Test Date :2015-07-08

Fundamental Frequency :2402 MHz Temp./Humi. :22.7 deg\_C / 57 RH

Operation Mode :Band Edge LOW Engineer :Vito

EUT Pol. :E2 Plan Measurement Antenna Pol. :HORIZONTAL

Freq.	Detector	Note	Spectrum	Factor	Actual	Limit	Margin
	Mode		Reading Level		FS	@3m	
MHz	PK/QP/AV	F/H/E/S	dΒμV	dB	dBμV/m	dBμV/m	dB
2390.00	E	Peak	45.05	6.62	51.67	74.00	-22.33
2390.00	E	Average	33.18	6.62	39.80	54.00	-14.20

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is understanded by the responsibility is to the full produced of the lower. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.
No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

f (886-2) 2298-0488 t (886-2) 2299-3279 台灣檢驗科技股份有限公司 www.tw.sgs.com



Report No.: E2/2015/70009 **Issue Date: Jul. 13, 2015** 

Page: 42 of 79

**Operation Band** :BR+Hopping Test Date :2015-07-08

Fundamental Frequency :2480 MHz Temp./Humi. :22.7 deg\_C / 57 RH

Operation Mode :Band Edge HIGH Engineer

EUT Pol. :E2 Plan Measurement Antenna Pol. :VERTICAL

Freq.	Detector	Note	Spectrum	Factor	Actual	Limit	Margin
	Mode		Reading Level		FS	@3m	
MHz	PK/QP/AV	F/H/E/S	dΒμV	dB	dBμV/m	dBμV/m	dB
2483.50	E	Peak	48.00	6.96	54.96	74.00	-19.04
2483.50	Е	Average	34.50	6.96	41.46	54.00	-12.54

Operation Band :BR+Hopping Test Date :2015-07-08

Fundamental Frequency :2480 MHz Temp./Humi. :22.7 deg\_C / 57 RH

Operation Mode :Band Edge HIGH Engineer :Vito

EUT Pol. :E2 Plan Measurement Antenna Pol. :HORIZONTAL

Freq.	Detector	Note	Spectrum	Factor	Actual	Limit	Margin
	Mode		Reading Level		FS	@3m	
MHz	PK/QP/AV	F/H/E/S	dΒμV	dB	dBμV/m	dBμV/m	dB
2483.50	E	Peak	48.39	6.96	55.35	74.00	-18.65
2483.50	E	Average	35.09	6.96	42.05	54.00	-11.95

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is understanded by the responsibility is to the full produced of the lower. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.
No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Report No.: E2/2015/70009 **Issue Date: Jul. 13, 2015** 

Page: 43 of 79

10.6.2 Radiated Emission – Band Edge (Non-Hopping Mode):

Operation Band Test Date :BR :2015-07-08

Fundamental Frequency :2402 MHz Temp./Humi. :22.7 deg\_C / 57 RH Operation Mode Engineer :Band Edge LOW :Vito

EUT Pol. :E2 Plan Measurement Antenna Pol. :VERTICAL

Freq.	Detector	Note	Spectrum	Factor	Actual	Limit	Margin
	Mode		Reading Level		FS	@3m	
MHz	PK/QP/AV	F/H/E/S	dΒμV	dB	dBμV/m	dBμV/m	dB
2390.00	E	Peak	44.25	6.62	50.87	74.00	-23.13
2390.00	E	Average	33.10	6.62	39.72	54.00	-14.28

Operation Band :BR Test Date :2015-07-08

Fundamental Frequency :2402 MHz Temp./Humi. :22.7 deg\_C / 57 RH

Operation Mode :Band Edge LOW Engineer :Vito

EUT Pol. :E2 Plan Measurement Antenna Pol. :HORIZONTAL

Freq.	Detector	Note	Spectrum	Factor	Actual	Limit	Margin
	Mode		Reading Level		FS	@3m	
MHz	PK/QP/AV	F/H/E/S	dΒμV	dB	dBμV/m	dBμV/m	dB
2390.00	E	Peak	45.01	6.62	51.62	74.00	-22.38
2390.00	E	Average	33.13	6.62	39.75	54.00	-14.25

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is understanded by the responsibility is to the full produced of the lower. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.
No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

f (886-2) 2298-0488 t (886-2) 2299-3279 台灣檢驗科技股份有限公司 www.tw.sgs.com



Report No.: E2/2015/70009 **Issue Date: Jul. 13, 2015** 

Page: 44 of 79

**Operation Band** :BR Test Date :2015-07-08

Fundamental Frequency :2480 MHz Temp./Humi. :22.7 deg\_C / 57 RH

Operation Mode :Band Edge HIGH Engineer EUT Pol. :E2 Plan Measurement Antenna Pol. :VERTICAL

Freq.	Detector	Note	Spectrum	Factor	Actual	Limit	Margin
	Mode		Reading Level		FS	@3m	
MHz	PK/QP/AV	F/H/E/S	dΒμV	dB	dBμV/m	dBµV/m	dB
2483.50	E	Peak	48.93	6.96	55.89	74.00	-18.11
2483.50	Е	Average	43.11	6.96	50.07	54.00	-3.93

Operation Band :BR Test Date :2015-07-08

Fundamental Frequency :2480 MHz Temp./Humi. :22.7 deg\_C / 57 RH

Operation Mode :Band Edge HIGH Engineer :Vito

EUT Pol. :E2 Plan Measurement Antenna Pol. :HORIZONTAL

Freq.	Detector	Note	Spectrum	Factor	Actual	Limit	Margin
	Mode		Reading Level		FS	@3m	
MHz	PK/QP/AV	F/H/E/S	$\mathrm{d} B \mu V$	dB	dBμV/m	dBμV/m	dB
2483.50	E	Peak	49.07	6.96	56.03	74.00	-17.97
2483.50	E	Average	43.82	6.96	50.78	54.00	-3.22

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is understanded by the responsibility is to the full produced of the lower. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.
No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

f (886-2) 2298-0488 t (886-2) 2299-3279 www.tw.sgs.com



Report No.: E2/2015/70009 **Issue Date: Jul. 13, 2015** 

Page: 45 of 79

## **Radiated Spurious Emission Measurement Result:**


## For Frequency form 30MHz to 1000MHz

**Operation Band** Test Date :BR :2015-07-08

Fundamental Frequency :2402 MHz Temp./Humi. :22.7 deg\_C / 57 RH

Operation Mode :TX LOW Engineer :Vito

EUT Pol. :E2 Plan Measurement Antenna Pol. :VERTICAL



Freq.	Detector	Note	Spectrum	Factor	Actual	Limit	Margin
	Mode		Reading Level		FS	@3m	
MHz	PK/QP/AV	F/H/E/S	dΒμV	dB	dBμV/m	dBµV/m	dB
32.91	S	Peak	50.21	-14.69	35.51	40.00	-4.49
100.81	S	Peak	55.25	-23.69	31.56	43.50	-11.94
403.45	S	Peak	41.07	-15.75	25.32	46.00	-20.68
470.38	S	Peak	39.37	-14.16	25.21	46.00	-20.79
605.21	S	Peak	41.02	-12.64	28.38	46.00	-17.62
729.37	S	Peak	50.15	-10.66	39.49	46.00	-6.51

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Report No.: E2/2015/70009 **Issue Date: Jul. 13, 2015** 

Page: 46 of 79

Operation Band :BR Test Date :2015-07-08

Fundamental Frequency :2402 MHz Temp./Humi. :22.7 deg\_C / 57 RH Operation Mode :TX LOW Engineer

EUT Pol. :E2 Plan Measurement Antenna Pol. :HORIZONTAL



Freq.	Detector	Note	Spectrum	Factor	Actual	Limit	Margin
	Mode		Reading Level		FS	@3m	
MHz	PK/QP/AV	F/H/E/S	dΒμV	dB	dBµV/m	dBµV/m	dB
37.76	S	Peak	39.11	-17.57	21.54	40.00	-18.46
100.81	S	Peak	48.60	-23.69	24.91	43.50	-18.59
142.52	S	Peak	49.23	-21.92	27.32	43.50	-16.18
268.62	S	Peak	46.26	-19.63	26.63	46.00	-19.37
403.45	S	Peak	45.18	-15.75	29.43	46.00	-16.57
730.34	S	Peak	40.43	-10.64	29.79	46.00	-16.21

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate of this document is undertiled and the produced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content of the low. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Report No.: E2/2015/70009 **Issue Date: Jul. 13, 2015** 

Page: 47 of 79

Operation Band :BR Test Date :2015-07-08

Fundamental Frequency :2441 MHz Temp./Humi. :22.7 deg\_C / 57 RH Operation Mode :TX MID Engineer

EUT Pol. :E2 Plan Measurement Antenna Pol. :VERTICAL



Freq.	Detector	Note	Spectrum	Factor	Actual	Limit	Margin
	Mode		Reading Level		FS	@3m	
MHz	PK/QP/AV	F/H/E/S	dΒμV	dB	dBμV/m	dBµV/m	dB
58.13	S	Peak	62.03	-27.92	34.11	40.00	-5.89
100.81	S	Peak	55.37	-23.69	31.68	43.50	-11.82
140.58	S	Peak	46.10	-21.70	24.40	43.50	-19.10
605.21	S	Peak	42.13	-12.64	29.49	46.00	-16.51
746.83	S	Peak	45.17	-9.95	35.22	46.00	-10.78
940.83	S	Peak	37.63	-7.63	30.00	46.00	-16.00

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate of this document is undertiled and the produced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content of the low. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Report No.: E2/2015/70009 **Issue Date: Jul. 13, 2015** 

Page: 48 of 79

Operation Band :BR Test Date :2015-07-08

Fundamental Frequency :2441 MHz Temp./Humi. :22.7 deg\_C / 57 RH Operation Mode :TX MID Engineer

EUT Pol. :E2 Plan Measurement Antenna Pol. :HORIZONTAL



Freq.	Detector	Note	Spectrum	Factor	Actual	Limit	Margin
	Mode		Reading Level		FS	@3m	
MHz	PK/QP/AV	F/H/E/S	dΒμV	dB	dBμV/m	dBμV/m	dB
31.94	S	Peak	34.40	-14.17	20.24	40.00	-19.76
100.81	S	Peak	49.07	-23.69	25.38	43.50	-18.12
143.49	S	Peak	49.23	-22.04	27.19	43.50	-16.31
187.14	S	Peak	49.03	-24.24	24.78	43.50	-18.72
403.45	S	Peak	46.78	-15.75	31.03	46.00	-14.97
744.89	S	Peak	53.63	-10.02	43.60	46.00	-2.40

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate of this document is undertiled and the produced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content of the low. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Report No.: E2/2015/70009 **Issue Date: Jul. 13, 2015** 

Page: 49 of 79

Operation Band :BR Test Date :2015-07-08

Fundamental Frequency :2480 MHz Temp./Humi. :22.7 deg\_C / 57 RH

Operation Mode :TX HIGH Engineer EUT Pol. :E2 Plan Measurement Antenna Pol. :VERTICAL



Freq.	Detector	Note	Spectrum	Factor	Actual	Limit	Margin	
	Mode		Reading Level		FS	@3m		
MHz	PK/QP/AV	F/H/E/S	dΒμV	dB	dBμV/m	dBμV/m	dB	_
35.82	S	Peak	47.33	-16.34	30.98	40.00	-9.02	
100.81	S	Peak	55.58	-23.69	31.89	43.50	-11.61	
136.70	S	Peak	46.16	-21.55	24.61	43.50	-18.89	
470.38	S	Peak	39.09	-14.16	24.93	46.00	-21.07	
605.21	S	Peak	40.45	-12.64	27.81	46.00	-18.19	
940.83	S	Peak	36.69	-7.63	29.06	46.00	-16.94	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate of this document is undertiled and the produced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content of the low. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279




Report No.: E2/2015/70009 **Issue Date: Jul. 13, 2015** 

Page: 50 of 79

Operation Band :BR Test Date :2015-07-08

Fundamental Frequency :2480 MHz Temp./Humi. :22.7 deg\_C / 57 RH Operation Mode :TX HIGH Engineer

EUT Pol. :E2 Plan Measurement Antenna Pol. :HORIZONTAL



Freq.	Detector	Note	Spectrum	Factor	Actual	Limit	Margin
	Mode		Reading Level		FS	@3m	
MHz	PK/QP/AV	F/H/E/S	$\mathrm{d} B \mu V$	dB	dBμV/m	dBµV/m	dB
64.92	S	Peak	48.43	-28.16	20.27	40.00	-19.73
100.81	S	Peak	49.67	-23.69	25.99	43.50	-17.51
141.55	S	Peak	47.91	-21.81	26.10	43.50	-17.40
403.45	S	Peak	45.12	-15.75	29.37	46.00	-16.63
442.25	S	Peak	42.53	-15.28	27.25	46.00	-18.75
762.35	S	Peak	38.11	-10.00	28.11	46.00	-17.89

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate of this document is undertiled and the produced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content of the low. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report No.: E2/2015/70009 **Issue Date: Jul. 13, 2015** 

Page: 51 of 79

## **Radiated Spurious Emission Measurement Result:**


## For Frequency above 1 GHz

**Operation Band** Test Date :2015-07-08

Fundamental Frequency :2402 MHz Temp./Humi. :22.7 deg\_C / 57 RH

Operation Mode :TX LOW Engineer :Vito

EUT Pol. :E2 Plan Measurement Antenna Pol. :VERTICAL



Freq.	Detector	Note	Spectrum	Factor	Actual	Limit	Margin
	Mode		Reading Level		FS	@3m	
MHz	PK/QP/AV	F/H/E/S	dΒμV	dB	dBμV/m	dBμV/m	dB
4804.00	Н	Peak	32.34	10.98	43.32	74.00	-30.68
4804.00	Н	Average	22.24	10.98	33.22	54.00	-20.78

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 www.tw.sqs.com

台灣檢驗科技股份有限公司

t (886-2) 2299-3279




Report No.: E2/2015/70009 **Issue Date: Jul. 13, 2015** 

Page: 52 of 79

Operation Band :BR Test Date :2015-07-08

Fundamental Frequency :2402 MHz Temp./Humi. :22.7 deg\_C / 57 RH Operation Mode :TX LOW Engineer

EUT Pol. :E2 Plan Measurement Antenna Pol. :HORIZONTAL



Freq.	Detector	Note	Spectrum	Factor	Actual	Limit	Margin
	Mode		Reading Level		FS	@3m	
MHz	PK/QP/AV	F/H/E/S	$\mathrm{d} B \mu V$	dB	dBμV/m	dBμV/m	dB
4804.00	Н	Peak	31.70	10.98	42.68	74.00	-31.32
4804.00	Н	Average	24.39	10.98	35.37	54.00	-18.63

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate of this document is undertiled and the produced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content of the low. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report No.: E2/2015/70009 **Issue Date: Jul. 13, 2015** 


Page: 53 of 79

Operation Band :BR Test Date :2015-07-08

Fundamental Frequency :2441 MHz Temp./Humi. :22.7 deg\_C / 57 RH

Operation Mode :TX MID Engineer

EUT Pol. :E2 Plan Measurement Antenna Pol. :VERTICAL



Freq.	Detector	Note	Spectrum	Factor	Actual	Limit	Margin
	Mode		Reading Level		FS	@3m	
MHz	PK/QP/AV	F/H/E/S	$\mathrm{d} B \mu V$	dB	dBμV/m	dBμV/m	dB
4882.00	Н	Peak	32.25	10.91	43.16	74.00	-30.84
4882.00	Н	Average	22.50	10.91	33.41	54.00	-20.59

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate of this document is undertiled and the produced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content of the low. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279




Report No.: E2/2015/70009 **Issue Date: Jul. 13, 2015** 

Page: 54 of 79

Operation Band :BR Test Date :2015-07-08

Fundamental Frequency :2441 MHz Temp./Humi. :22.7 deg\_C / 57 RH Operation Mode :TX MID Engineer

EUT Pol. :E2 Plan Measurement Antenna Pol. :HORIZONTAL



Freq.	Detector	Note	Spectrum	Factor	Actual	Limit	Margin
	Mode		Reading Level		FS	@3m	
MHz	PK/QP/AV	F/H/E/S	$\mathrm{d} B \mu V$	dB	dBμV/m	dBμV/m	dB
4882.00	Н	Peak	32.42	10.91	43.34	74.00	-30.66
4882.00	Н	Average	22.05	10.91	32.96	54.00	-21.04

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate of this document is undertiled and the produced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content of the low. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Report No.: E2/2015/70009 **Issue Date: Jul. 13, 2015** 

Page: 55 of 79

Operation Band :BR Test Date :2015-07-08

Fundamental Frequency :2480 MHz Temp./Humi. :22.7 deg\_C / 57 RH Operation Mode :TX HIGH Engineer

EUT Pol. :E2 Plan Measurement Antenna Pol. :VERTICAL



Freq.	Detector	Note	Spectrum	Factor	Actual	Limit	Margin
	Mode Re		Reading Level		FS	@3m	
MHz	PK/QP/AV	F/H/E/S	$\mathrm{d} B \mu V$	dB	dBμV/m	dBμV/m	dB
4960.00	Н	Peak	32.20	10.99	43.19	74.00	-30.81
4960.00	Н	Average	22.80	10.99	33.79	54.00	-20.21

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate of this document is undertiled and the produced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content of the low. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279




Report No.: E2/2015/70009 **Issue Date: Jul. 13, 2015** 

Page: 56 of 79

Operation Band :BR Test Date :2015-07-08

Fundamental Frequency :2480 MHz Temp./Humi. :22.7 deg\_C / 57 RH

Operation Mode :TX HIGH Engineer EUT Pol. :E2 Plan Measurement Antenna Pol.



Freq.	Detector	Note	Spectrum	Factor	Actual	Limit	Margin
	Mode		Reading Level		FS	@3m	
MHz	PK/QP/AV	F/H/E/S	${ m d} B \mu V$	dB	dBμV/m	dBμV/m	dB
4960.00	Н	Peak	33.28	10.99	44.27	74.00	-29.73
4960.00	Н	Average	25.90	10.99	36.89	54.00	-17.11

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate of this document is undertiled and the produced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content of the low. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report No.: E2/2015/70009 **Issue Date: Jul. 13, 2015** 

Page: 57 of 79

## 11. FREQUENCY SEPARATION


## 11.1. Standard Applicable

Frequency hopping systems shall have hopping channel carrier frequencies separated by minimum of 25 kHz or the 2/3\*20dB bandwidth of the hopping channel, whichever is greater.

#### 11.2. Measurement Equipment Used

Conducted Emission Test Site									
EQUIPMENT	MFR	MODEL	SERIAL	LAST	CAL DUE.				
TYPE		NUMBER	NUMBER	CAL.					
Spectrum Analyzer	Agilent	E4446A	MY51100003	01/29/2015	01/28/2016				
DC Block	PASTERNACK	PE8210	RF29	12/19/2014	12/18/2015				
Splitter	RF-LAMBAD	RFLT2W1G18 G	RF35	12/19/2014	12/18/2015				
Attenuator	WOKEN	218FS-10	RF23	12/19/2014	12/18/2015				

#### 11.3. Test Set-up



#### 11.4. Measurement Procedure

- 1. Place the EUT on the table and set it in transmitting mode.
- 2. The testing follows FCC Public Notice DA 00-705 Measurement Guidelines.
- 3. Remove the antenna from the EUT and then connect a low loss RF cable from the antenna port to the spectrum analyzer.
- 4. Set center frequency of spectrum analyzer = middle of hopping channel.
- 5. Set the spectrum analyzer as RBW, VBW=100 kHz, Adjust Span to 5MHz, Sweep = auto.
- 6. Max hold. Mark 3 Peaks of hopping channel and record the 3 peaks frequency.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Report No.: E2/2015/70009 **Issue Date: Jul. 13, 2015** 

Page: 58 of 79

#### 11.5. Measurement Result

Channel separation (MHz)	Limit	Result
1	>=25 kHz or 2/3 times 20dB bandwidth	PASS

# **Frequency Separation Test Data**



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is understanded by the responsibility is to the full produced of the lower. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司



Report No.: E2/2015/70009 Issue Date: Jul. 13, 2015

Page: 59 of 79

## 12. NUMBER OF HOPPING FREQUENCY


## 12.1. Standard Applicable

Frequency hopping systems operating in the 2400MHz-2483.5 MHz bands shall use at least 15 hopping frequencies.

12.2. Measurement Equipment Used

· Wedstrement Equipment Osca					
Conducted Emission Test Site					
EQUIPMENT	MFR	MODEL	SERIAL	LAST	CAL DUE.
TYPE		NUMBER	NUMBER	CAL.	
Spectrum Analyzer	Agilent	E4446A	MY51100003	01/29/2015	01/28/2016
DC Block	PASTERNACK	PE8210	RF29	12/19/2014	12/18/2015
Splitter	RF-LAMBAD	RFLT2W1G18 G	RF35	12/19/2014	12/18/2015
Attenuator	WOKEN	218FS-10	RF23	12/19/2014	12/18/2015

#### 12.3. Test Set-up



#### 12.4. Measurement Procedure

- 1. Place the EUT on the table and set it in transmitting mode.
- 2. The testing follows FCC Public Notice DA 00-705 Measurement Guidelines.
- 3. Remove the antenna from the EUT and then connect a low loss RF cable from the antenna port to the spectrum analyzer.
- 4. Set spectrum analyzer Start=2400MHz, Stop = 2483.5MHz, Sweep = auto.
- 5. Set the spectrum analyzer as RBW=430 kHz, VBW=1.5MHz., Detector = Peak
- 6. Max hold, view and count how many channel in the band.

#### 12.5. Measurement Result

#### **Tabular Data of Total Channel Number**

	Channel Number	Limit
2.4 GHz – 2.441GHz	40	
2.441 GHz – 2.4835GHz	39	>15
2.4GHz ~2.4835GHz	(40+39) = 79	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report No.: E2/2015/70009 **Issue Date: Jul. 13, 2015** 


Page: 60 of 79

#### **Channel Number**

#### 2.4 GHz - 2.441GHz



#### 2.441 GHz - 2.4835GHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告结果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> edocument.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488



Report No.: E2/2015/70009 **Issue Date: Jul. 13, 2015** 

Page: 61 of 79

## TIME OF OCCUPANCY (DWELL TIME)


## 13.1. Standard Applicable

Frequency hopping systems operating in the 2400MHz-2483.5MHz. The average time of occupancy on any frequency shall not greater than 0.4 s within period of 0.4 seconds multiplied by the number of hopping channel employed.

## 13.2. Measurement Equipment Used

Conducted Emission Test Site					
EQUIPMENT	MFR	MODEL	SERIAL	LAST	CAL DUE.
TYPE		NUMBER	NUMBER	CAL.	
Spectrum Analyzer	Agilent	E4446A	MY51100003	01/29/2015	01/28/2016
DC Block	PASTERNACK	PE8210	RF29	12/19/2014	12/18/2015
Splitter	RF-LAMBAD	RFLT2W1G18 G	RF35	12/19/2014	12/18/2015
Attenuator	WOKEN	218FS-10	RF23	12/19/2014	12/18/2015

#### 13.3. Test Set-up



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告结果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to tis General Conditions of Service printed overleaf, available on request or accessible at <a href="www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279

台灣檢驗科技股份有限公司

SGS Taiwan Ltd.

Report No.: E2/2015/70009 **Issue Date: Jul. 13, 2015** 

Page: 62 of 79

#### 13.4. Measurement Procedure

- 1. Place the EUT on the table and set it in transmitting mode.
- 2. The testing follows FCC Public Notice DA 00-705 Measurement Guidelines.
- 3. Remove the antenna from the EUT and then connect a low loss RF cable from the antenna port to the spectrum analyzer.
- 4. Set center frequency of spectrum analyzer = operating frequency.
- 5. Set the spectrum analyzer as RBW, VBW=1MHz, 3MHz, Span = 0Hz, Detector = Peak, Adjust Sweep =  $2 \sim 8$ ms.
- 6. Repeat above procedures until all frequency of the interest measured were complete.

Formula Deduced: time occupancy of one time slot X Hopping rate / total slot in one channel / total channel that hops X period of working channels.

Where, standard hopping rate is 1600 hops/s, slot in one channel for DH1, DH3, and DH5 is 2, 4, and 6, respectively.

DH1 consists of single time slot of the uplink, and one slot of the downlink Total Slot: 2

DH3 consists of three time slot of the uplink, and one slot of the downlink. Total Slot: 4

DH5 consists of five time slot of the uplink, and one slot of the downlink. Total Slot: 6

In AFH mode, hopping rate is 800 hop/s with 6 slots in 20 hopping channels with channel hopping rate (800 / 6 / 20) in Occupancy Time Limit (0.4 \* 20 ) (S), Hop Over Occupancy Time comes to (800 / 6 / 20)\*(0.4 \*20) =53.33

Note: the result of the complete test default channel at 1Mbps is recorded on the test report, 2Mbps, and 3Mbps only records the measurement result at middle channel that reveals no much deviation.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms\_and\_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

> 台灣檢驗科技股份有限公司 t (886-2) 2299-3279

SGS Taiwan Ltd.

f (886-2) 2298-0488



Report No.: E2/2015/70009 **Issue Date: Jul. 13, 2015** 

Page: 63 of 79

#### 13.5. Tabular Result of the Measurement

GFSK (1Mbps)							
Channel	PACKET TYPE	Measurement Result	Limit				
	FACKETTIFE	(ms)	(ms)				
	DH1	128	400ms				
0	DH3	512	400ms				
	DH5	928	400ms				
	DH1	128	400ms				
39	DH3	512	400ms				
	DH5	928	400ms				
	DH1	128	400ms				
78	DH3	512	400ms				
	DH5	928	400ms				
/4 DQPSK (2Mbps)							
Channel	PACKET TYPE	Measurement Result	Limit				
Channel		(ms)	(ms)				
	DH1	128	400ms				
39	DH3	512	400ms				
	DH5	928	400ms				
	8-DPSK (3Mbps)						
Channel		Measurement Result	Limit				
	PACKET TYPE	(ms)	(ms)				
39	DH1	128	400ms				
	DH3	512	400ms				
	DH5	928	400ms				

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate in unleast at any the prosequents of this document. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.
No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279



Report No.: E2/2015/70009 **Issue Date: Jul. 13, 2015** 

Page: 64 of 79

A period time = 0.4 (s) \* 79 = 31.6 (s)

## GFSK (1Mbps):

CH Low DH1 time slot = 
$$0.4$$
 (ms) \*  $(1600/2/79)$  \*  $31.6 = 128$  (ms)

DH3 time slot = 
$$1.6$$
 (ms) \*  $(1600/4/79)$  \*  $31.6$  =  $512$  (ms)

DH5 time slot = 
$$2.9$$
 (ms) \*  $(1600/6/79)$  \*  $31.6 = 928$  (ms)

CH Mid DH1 time slot = 
$$0.4$$
 (ms) \*  $(1600/2/79)$  \*  $31.6 = 128$  (ms)

DH3 time slot = 
$$1.6$$
 (ms) \*  $(1600/4/79)$  \*  $31.6$  =  $512$  (ms)

DH5 time slot = 
$$2.9$$
 (ms) \*  $(1600/6/79)$  \*  $31.6 = 928$  (ms)

CH High DH1 time slot = 
$$0.4$$
 (ms) \*  $(1600/2/79)$  \*  $31.6 = 128$  (ms)

DH3 time slot = 
$$1.6$$
 (ms) \*  $(1600/4/79)$  \*  $31.6$  =  $512$  (ms)

DH5 time slot = 
$$2.9$$
 (ms) \*  $(1600/6/79)$  \*  $31.6 = 928$  (ms)

## **/4 -DQPSK (2Mbps):**

CH Mid 2DH1 time slot = 
$$0.4$$
 (ms) \*  $(1600/2/79)$  \* 31.6 =  $128$  (ms)

2DH3 time slot = 
$$1.6$$
 (ms) \*  $(1600/4/79)$  \*  $31.6$  =  $512$  (ms)

2DH5 time slot = 
$$2.9$$
 (ms) \*  $(1600/6/79)$  \*  $31.6 = 928$  (ms)

#### **8-DPSK** (**3Mbps**):

CH Mid 3DH1 time slot = 
$$0.4$$
 (ms) \*  $(1600/2/79)$  \*  $31.6 = 128$  (ms)

3DH3 time slot = 
$$1.6$$
 (ms) \*  $(1600/4/79)$  \*  $31.6$  =  $512$  (ms)

3DH5 time slot = 
$$2.9$$
 (ms) \*  $(1600/6/79)$  \*  $31.6 = 928$  (ms)

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279 www.tw.sqs.com



Report No.: E2/2015/70009 **Issue Date: Jul. 13, 2015** 

Page: 65 of 79

#### **AFH Mode:**

GFSK (1Mbps) for AFH Mode						
Hopping Channel Number	PACKET TYPE	Measurement Result (ms)	Limit (ms)			
20	DH5	154.67	400ms			
	/4 DQPSK (2Mbps) for Mode					
Hopping Channel Number	PACKET TYPE	Measurement Result (ms)	Limit (ms)			
20	DH5	154.67	400ms			
8-DPSK (3Mbps) for AFH Mode						
Hopping Channel Number	PACKET TYPE	Measurement Result (ms)	Limit (ms)			
20	DH5	154.67	400ms			

## GFSK (1Mbps):

DH5 time slot = 2.9(ms) \* (800/6/20)\* 8 = 154.67 (ms)

**/4 -DQPSK (2Mbps):** 

2DH5 time slot = 2.9 (ms) \* (800/6/20) \* 8 = 154.67 (ms)

**8-DPSK** (**3Mbps**):

3DH5 time slot = 2.9 (ms) \* (800/6/20)154.67 (ms) \* 8 =

#### 13.6. Measurement Result

Note: Refer to next page for plots.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or apparation of this document is unapplied and effective may be prospected to the law pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 台灣檢驗科技股份有限公司 t (886-2) 2299-3279 www.tw.sgs.com


SGS Taiwan Ltd.



Report No.: E2/2015/70009 **Issue Date: Jul. 13, 2015** 

Page: 66 of 79

# CH-Low DH1



#### DH3



t (886-2) 2299-3279

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate of this document is undertiled and the produced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content of the low. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號


台灣檢驗科技股份有限公司

f (886-2) 2298-0488

Report No.: E2/2015/70009 **Issue Date: Jul. 13, 2015** 


Page: 67 of 79

#### DH5



#### CH-Mid

#### DH1



t (886-2) 2299-3279

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate of this document is understanded by the present of this document is understanded by the full per vertical to the full per pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司


f (886-2) 2298-0488




Report No.: E2/2015/70009 **Issue Date: Jul. 13, 2015** 

Page: 68 of 79

## DH3



#### DH5



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Onless otherwise stated the results shown in this less report reter only to the sample(s) sets darks out sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可可的複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate of this document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate of this document. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

Report No.: E2/2015/70009 **Issue Date: Jul. 13, 2015** 

Page: 69 of 79

# CH-High DH1



#### DH3



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate of this document is understanded by the present of this document is understanded by the full per vertical to the full per pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279



Report No.: E2/2015/70009 **Issue Date: Jul. 13, 2015** 

Page: 70 of 79

## DH5




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate of this document is undertiled and the produced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content of the low. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report No.: E2/2015/70009 **Issue Date: Jul. 13, 2015** 

Page: 71 of 79

# CH-Mid 2DH1



#### **2DH3**



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate of this document is undertiled and the produced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content of the low. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279


f (886-2) 2298-0488



Report No.: E2/2015/70009 **Issue Date: Jul. 13, 2015** 

Page: 72 of 79

#### 2DH5



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate of this document is undertiled and the produced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content of the low. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279


f (886-2) 2298-0488




Report No.: E2/2015/70009 **Issue Date: Jul. 13, 2015** 

Page: 73 of 79

# CH-Mid 3DH1



#### 3DH3



t (886-2) 2299-3279

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate of this document is undertiled and the produced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content of the low. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號


台灣檢驗科技股份有限公司



Report No.: E2/2015/70009 **Issue Date: Jul. 13, 2015** 

Page: 74 of 79

#### 3DH5



t (886-2) 2299-3279

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate of this document is undertiled and the produced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content of the low. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司



Report No.: E2/2015/70009 **Issue Date: Jul. 13, 2015** 

Page: 75 of 79

## 14. ANTENNA REQUIREMENT

## 14.1 Standard Applicable:

For intentional device, according to §15.203, an intentional radiator shall be designed to ensure that no antenna other than furnished by the responsible party shall be used with the device.

If the transmitting antenna is greater than 6dBi, the power shall be reduced by the same level in dB comparing to gain minus 6dBi.

In case of point-to-point operation, the power shall be reduced by the one dB for every 3 dB that the directional gain of antenna exceeds 6dBi.

## 14.2 Antenna Connected Construction:

An embedded-in antenna design is used.

The antenna connector is designed with unique type RF connector and no consideration of replacement. Please see EUT photo and antenna spec. for details.

The antenna gain is less than 6 dBi. Therefore, it is not necessary to reduce maximum output power limit.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

除非方有統則 に取合給水運資機以入株の具具 「四町地株の運味圏のストラ根市水準子のコロックス」では収入 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and within the limitation of the interval of the jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

SGS Taiwan Ltd. t (886-2) 2299-3279

f (886-2) 2298-0488