TEST REPORT

Reference No. : WTS19S12086775W003 V1

FCC ID : YETK03100100

Applicant....:: Nextivity Incorporated

92127, USA

Manufacturer: Nextivity Incorporated

92127, USA

Product.....: CEL FI COMPASS

Model(s). : K03-100-100

Standards.....: FCC CFR47 Part 15.247:2018

Date of Receipt sample : 2019-12-12

Date of Test : 2019-12-13 to 2019-12-17

Date of Issue : 2019-12-26

Test Result.....: Pass

Remarks:

The results shown in this test report refer only to the sample(s) tested, this test report cannot be reproduced, except in full, without prior written permission of the company. The report would be invalid without specific stamp of test institute and the signatures of compiler and approver.

Prepared By:

Waltek Services (Shenzhen) Co., Ltd.

Address: 1/F., Fukangtai Building, West Baima Road, Songgang Street, Baoan District, Shenzhen, Guangdong, China

Tel:+86-755-83551033 Fax:+86-755-83552400

Compiled by:

Ford Wang / Project Engineer

Approved by:

Nanager

Waltek Services (Shenzhen) Co.,Ltd. http://www.waltek.com.cn

Page 1 of 8

2 Contents

		Page
1	COVER PAGE	1
2		
3	REVISION HISTORY	3
4	GENERAL INFORMATION	4
	4.1 GENERAL DESCRIPTION OF E.U.T. 4.2 DETAILS OF E.U.T.	4
	4.3 CHANNEL LIST	
5	TEST SUMMARY	
6	ANTENNA REQUIREMENT	
7	RF EXPOSURE	8

Reference No.: WTS19S12086775W003 V1 Page 3 of 8

3 Revision History

Test report No.	Date of Receipt sample	Date of Test	Date of Issue	Purpose	Comment	Approved
WTS19S12086 775W003	2019-12-12	2019-12-13 to 2019-12-17	2019-12-19	original	-	Replaced
WTS19S12086 775W003 V1	2019-12-12	2019-12-13 to 2019-12-17	2019-12-26	Version 1	Updated	Valid

Reference No.: WTS19S12086775W003 V1 Page 4 of 8

4 **General Information**

General Description of E.U.T. 4.1

Product: **CEL FI COMPASS**

Model(s): K03-100-100

Model Description: N/A

FDD Band II/IV/V WCDMA Band(s):

FDD Band 2/4/5/7/12/13/25/26 LTE Band(s):

TDD Band 38/41

Bluetooth v4.0 with BLE Bluetooth Version:

Hardware Version: 591NK03NEXT1NEXT7M01r07

700N036-064-001 Software Version:

4.2 Details of E.U.T.

2402~2480MHz Operation Frequency:

0.34dBm Max. RF output power:

Type of Modulation: GFSK, Pi/4 DQPSK, 8DPSK

Dipole Antenna installation: Antenna Gain: 0dBi

Ratings: Battery DC 3.7V, 8000mAh

DC 5V, 3A, charging from adapter

(Adapter Input: 100-240V~50/60Hz 0.6A)

Adapter: Manufacturer: SHENZHEN UNIONTOP ELECTRONIC CO.,LTD

Model No.: UT20-050300W

4.3 Channel List

BLE

Channel No.	Frequency (MHz)	Channel No.	Frequency (MHz)	Channel No.	Frequency (MHz)	Channel No.	Frequency (MHz)
0	2402	1	2404	2	2406	3	2408
4	2410	5	2412	6	2414	7	2416
8	2418	9	2420	10	2422	11	2424
12	2426	13	2428	14	2430	15	2432
16	2434	17	2436	18	2438	19	2440
20	2442	21	2444	22	2446	23	2448
24	2450	25	2452	26	2454	27	2456
28	2458	29	2460	30	2462	31	2464
32	2466	33	2468	34	2470	35	2472
36	2474	37	2476	38	2478	39	2480

Reference No.: WTS19S12086775W003 V1 Page 6 of 8

5 Test Summary

Test Items	Test Requirement	Result
	15.247(d)	
Radiated Spurious Emissions	15.205(a)	PASS
	15.209(a)	
Conducted Spurious Emissions	15.247(d)	PASS
6dB Bandwidth	15.247(a)(2)	PASS
Maximum Peak Output Power	15.247(b)(3),(4)	PASS
Power Spectral Density	15.247(e)	PASS
Band Edge	15.247(d)	PASS
Antenna Requirement	15.203	PASS
Maximum Permissible Exposure (Exposure of Humans to RF Fields)	1.1307(b)(1)	PASS

Note1: All test were performed that the device transmit continue of the 100% duty cycle.

Note2: All radio test result refer to FCC ID: 2AATL-F23BDSM23, including Radiated Spurious Emissions, Conducted Spurious emissions, Band edge, 20dB Bandwidth, Maximum Peak Output Power, Frequency Separation, Number of Hopping Frequency and Dwell time. Because the antenna gain are less than the single modular test antenna gain.

6 Antenna Requirement

According to the FCC Part 15 Paragraph 15.203, an intentional radiator shall be designed to ensure that no antenna other than that furnished by the responsible party shall be used with the device. This product has an integral antenna with a specific size connector to fulfil the requirement of this section.

Reference No.: WTS19S12086775W003 V1 Page 8 of 8

7 RF Exposure

Remark: refer to SAR test report: WTS19S12086775W001.

====End of Report=====