TEST REPORT

Reference No. : WTS19S12086775W005

FCC ID: YETK03100100

Applicant.....: Nextivity Incorporated

Address...... 16550 West Bernardo Drive, Bldg. 5, Suite 550 San Diego, CA 92127,

USA

Manufacturer: Nextivity Incorporated

USA

Product.....: CEL FI COMPASS

Model(s). : K03-100-100

FCC CFR47 Part 22 Subpart H: 2019

Standards FCC CFR47 Part 24 Subpart E: 2019

FCC CFR47 Part 27: 2019 FCC CFR47 Part 90: 2019

Date of Receipt sample : 2019-12-12

Date of Test : 2019-12-13 to 2019-12-17

Date of Issue..... : 2019-12-19

Test Result.....: Pass

Remarks:

The results shown in this test report refer only to the sample(s) tested, this test report cannot be reproduced, except in full, without prior written permission of the company. The report would be invalid without specific stamp of test institute and the signatures of compiler and approver.

Prepared By:

Waltek Services (Shenzhen) Co., Ltd.

Address: 1/F., Fukangtai Building, West Baima Road, Songgang Street, Baoan District, Shenzhen, Guangdong, China

Tel:+86-755-83551033 Fax:+86-755-83552400

Compiled by:

Approved by:

Zhong / Manager

Ford Wang / Project Engineer

2 Contents

		Page		
1	COVER PAGE	1		
2	CONTENTS	2		
3	REVISION HISTORY			
4	GENERAL INFORMATION	4		
	4.1 GENERAL DESCRIPTION OF E.U.T. 4.2 DETAILS OF E.U.T.	4		
5	TEST SUMMARY	7		
6	RF EXPOSURE	9		

Reference No.: WTS19S08060794W005 Page 3 of 9

3 Revision History

Test report No.	Date of Receipt sample	Date of Test	Date of Issue	Purpose	Comment	Approved
WTS19S12086 775W005	2019-12-12	2019-12-13 to 2019-12-17	2019-12-19	original	-	Valid

Reference No.: WTS19S08060794W005 Page 4 of 9

4 **General Information**

4.1 **General Description of E.U.T.**

Product: **CEL FI COMPASS**

Model(s): K03-100-100

Model Description: N/A

FDD Band II/IV/V WCDMA Band(s):

FDD Band 2/4/5/7/12/13/25/26 LTE Band(s):

TDD Band 38/41

Bluetooth v4.0 with BLE Bluetooth Version:

Hardware Version: 591NK03NEXT1NEXT7M01r07

Software Version: 700N036-064-001

4.2 Details of E.U.T.

LTE Band 2: 1850~1910MHz Operation Frequency:

> LTE Band 4: 1710~1755MHz LTE Band 5: 824~849MHz LTE Band 7: 2500~2570MHz LTE Band 12: 699~716MHz LTE Band 13: 777~787MHz LTE Band 25 1850~1915MHz

LTE Band 26(Part 90): 814~824MHz LTE Band 26(Part 22): 824~849MHz

LTE Band 38: 2570~2620MHz LTE Band 41: 2496~2690MHz

LTE Band 2: 25dBm Max. RF output power:

> LTE Band 4: 25dBm LTE Band 5: 25dBm LTE Band 7: 25dBm LTE Band 12: 25dBm LTE Band 13: 25dBm LTE Band 25: 25dBm LTE Band 26: 25dBm LTE Band 38: 25dBm LTE Band 41: 25dBm

Type of Modulation: LTE: QPSK, 16QAM

Antenna installation: LTE: internal permanent antenna

LTE Band 2: 0dBi Antenna Gain:

> LTE Band 4: 0dBi LTE Band 5: 1dBi LTE Band 7: -5dBi

Reference No.: WTS19S08060794W005 Page 5 of 9

LTE Band 12: 1dBi LTE Band 13: 1dBi LTE Band 25: 0dBi LTE Band 26: 1dBi LTE Band 41: -5dBi

Ratings: Battery DC 3.7V, 8000mAh

DC 5V, 3A, charging from adapter

(Adapter Input: 100-240V~50/60Hz 0.6A)

Adapter: Manufacturer: SHENZHEN UNIONTOP ELECTRONIC CO.,LTD

Model No.: UT20-050300W

Type of Emission: LTE Band 2 1.4MHz: 1M09G7D(QPSK), 1M09W7D(16QAM)

LTE Band 2 3MHz: 2M70G7D(QPSK), 2M69W7D(16QAM)
LTE Band 2 5MHz: 4M48G7D(QPSK), 4M49W7D(16QAM)
LTE Band 2 10 MHz: 8M93G7D(QPSK), 8M93W7D(16QAM)

LTE Band 2 15MHz: 13M5G7D(QPSK), 13M5W7D(16QAM)
LTE Band 2 20MHz: 17M9G7D(QPSK), 17M9W7D(16QAM)

LTE Band 4 1.4MHz: 1M10G7D(QPSK), 1M09W7D(16QAM)

LTE Band 4 3MHz: 2M70G7D(QPSK), 2M69W7D(16QAM)

LTE Band 4 5MHz: 4M48G7D(QPSK), 4M49W7D(16QAM) LTE Band 4 10 MHz: 8M93G7D(QPSK), 8M91W7D(16QAM)

LTE Band 4 15MHz: 13M4G7D(QPSK), 13M4W7D(16QAM)

LTE Band 4 20MHz: 17M9G7D(QPSK), 17M9W7D(16QAM)

LTE Band 5 1.4MHz: 1M09G7D(QPSK), 1M09W7D(16QAM)

LTE Band 5 3MHz: 2M70G7D(QPSK), 2M69W7D(16QAM)

LTE Band 5 5MHz: 4M48G7D(QPSK), 4M49W7D(16QAM)

LTE Band 5 10 MHz: 8M93G7D(QPSK), 8M93W7D(16QAM)

LTE Band 7 5MHz: 4M48G7D(QPSK), 4M49W7D(16QAM)

LTE Band 7 10 MHz: 8M93G7D(QPSK), 8M91W7D(16QAM)

LTE Band 7 15MHz: 13M5G7D(QPSK), 13M4W7D(16QAM)

LTE Band 7 20MHz: 17M9G7D(QPSK), 17M9W7D(16QAM)

LTE Band 12 1.4MHz: 1M09G7D(QPSK), 1M09W7D(16QAM)

LTE Band 12 3MHz: 2M70G7D(QPSK), 2M69W7D(16QAM)

LTE Band 12 5MHz: 4M48G7D(QPSK), 4M50W7D(16QAM)

LTE Band 12 10MHz: 8M93G7D(QPSK), 8M93W7D(16QAM)

LTE Band 13 5MHz: 4M48G7D(QPSK), 4M49W7D(16QAM)

LTE Band 13 10 MHz: 8M91G7D(QPSK), 8M93W7D(16QAM)

LTE Band 25 1.4MHz: 1M09G7D(QPSK), 1M09W7D(16QAM)

LTE Band 25 3MHz: 2M70G7D(QPSK), 2M69W7D(16QAM)

LTE Band 25 5MHz: 4M47G7D(QPSK), 4M49W7D(16QAM)

LTE Band 25 10 MHz: 8M91G7D(QPSK), 8M95W7D(16QAM)

LTE Band 25 15MHz: 13M5G7D(QPSK), 13M4W7D(16QAM)

LTE Band 25 20MHz: 17M9G7D(QPSK), 17M9W7D(16QAM)

Reference No.: WTS19S08060794W005 Page 6 of 9

Band 26 Part 22H

LTE Band 26 1.4MHz: 1M09G7D(QPSK), 1M09W7D(16QAM) LTE Band 26 3MHz: 2M70G7D(QPSK), 2M69W7D(16QAM) LTE Band 26 5MHz: 4M48G7D(QPSK), 4M49W7D(16QAM) LTE Band 26 10 MHz: 8M95G7D(QPSK), 8M93W7D(16QAM) LTE Band 26 15MHz: 13M5G7D(QPSK), 13M4W7D(16QAM) Band 26 Part 90

Band 26 Part 90

LTE Band 26 1.4MHz: 1M09G7D(QPSK), 1M09W7D(16QAM)

LTE Band 26 3MHz: 2M70G7D(QPSK), 2M69W7D(16QAM)

LTE Band 26 5MHz: 4M48G7D(QPSK), 4M50W7D(16QAM)

LTE Band 26 10 MHz: 8M91G7D(QPSK), 8M91W7D(16QAM)

LTE Band 38 5MHz: 4M48G7D(QPSK), 4M49W7D(16QAM)

LTE Band 38 10 MHz: 8M91G7D(QPSK), 8M91W7D(16QAM)

LTE Band 38 15 MHz: 13M5G7D(QPSK), 13M5W7D(16QAM)

LTE Band 38 20 MHz: 17M8G7D(QPSK), 17M8W7D(16QAM)

LTE Band 41 5MHz: 4M48G7D(QPSK), 4M50W7D(16QAM)

LTE Band 41 10 MHz: 8M91G7D(QPSK), 8M91W7D(16QAM)

LTE Band 41 15 MHz: 13M5G7D(QPSK), 13M5W7D(16QAM)

LTE Band 41 20 MHz: 17M9G7D(QPSK), 17M9W7D(16QAM)

5 Test Summary

Test Items	Test Requirement	Result		
	2.1046			
	22.913 (a)			
DE Output Davier	24.232 (c)	PASS		
RF Output Power	27.50(h.2)			
	27.50(d.4)			
	90.635			
Dock to Average Datio	24.232 (d)	DASS		
Peak-to-Average Ratio	27.50(d)	PASS		
	2.1049			
	22.905			
Bandwidth	22.917	DA 66		
Bandwidth	24.238	PASS		
	27.53(a)			
	90.691			
	2.1051			
	22.917 (a)			
Out in a Farincian of Astrona Tanaisal	24.238 (a)	D400		
Spurious Emissions at Antenna Terminal	27.53(h)	PASS		
	27.53(m)(4)			
	90.691			
	2.1053			
	22.917 (a)			
Field Chromoth of Courieus Dodistion	24.238 (a)			
Field Strength of Spurious Radiation	27.53(h)	PASS		
	27.53(m)(4)			
	90.691			
	22.917 (a)			
	24.238 (a)			
Out of band emission	27.53(h)	PASS		
	27.53(m)(4)			
	90.691			
	2.1055			
	22.355	DACC		
Fraguesia e Ctab ilit	24.235			
Frequency Stability	27.5(h)	PASS		
	27.54			
	90.231			
Maximum Permissible Exposure	1.1307	DASS		
(SAR)	2.1093	PASS		

Reference No.: WTS19S08060794W005 Page 8 of 9

Note: All radio test result refer to FCC ID: XMR201903EG25G, including RF Output Power, Peak-to-Average Ratio, Bandwidth, Spurious Emissions at Antenna Terminal, Field Strength of Spurious Radiation, Out of band emission or Band Edge and Frequency Stability. Because the antenna gain are less than the single modular test antenna gain.

Reference No.: WTS19S08060794W005 Page 9 of 9

6 RF Exposure

Remark: refer to SAR test report: WTS19S12086775W001.

===== End of Report =====