

TEST REPORT

Covering the
DYNAMIC FREQUENCY SELECTION (DFS)
REQUIREMENTS
OF
FCC Part 15 Subpart E (UNII), RSS-210 Annex 9
Nextivity Inc.
Model(s): P34-2/4/5/12NU and P34-2/4/5/12CU

COMPANY: Nextivity Inc.

12230 World Trade Drive, Suite 250

San Diego, CA, 92128

TEST SITE: National Technical Systems - Silicon Valley

41039 Boyce Road Fremont, CA 94538

REPORT DATE: April 3, 2014

REISSUE DATE: August 1, 2014

FINAL TEST DATE: December 19, 23, 31, 2013 and January 2, 2014

TEST ENGINEER: Michael Findley

TOTAL NUMBER OF PAGES: 281



National Technical Systems - Silicon Valley is accredited by the A2LA, certificate number 0214.26, to perform the test(s) listed in this report, except where noted otherwise. This report and the information contained herein represent the results of testing test articles identified and selected by the client performed to specifications and/or procedures selected by the client. National Technical Systems (NTS) makes no representations, expressed or implied, that such testing is adequate (or inadequate) to demonstrate efficiency, performance, reliability, or any other characteristic of the articles being tested, or similar products. This report should not be relied upon as an endorsement or certification by NTS of the equipment tested, nor does it represent any statement whatsoever as to its merchantability or fitness of the test article, or similar products, for a particular purpose. This report shall not be reproduced except in full

File: R94497 Rev 3 Page 1 of 281

VALIDATING SIGNATORIES

PROGRAM MGR /

TECHNICAL REVIEWER:

David W. Bare Chief Engineer

REPORT PREPARER:

Michael Findley Senior Engineer

QUALITY ASSURANCE DELEGATE

David Guidotti

Senior Technical Writer

File: R94497 Rev 3 Page 2 of 281

REVISION HISTORY

Rev#	Date	Comments	Modified By
-	April 3, 2014	Initial Release	
1	April 9, 2014	Reissued to update model name to P34-2/4/5/12NU and P34-2/4/5/12CU from CU and NU	Dave Guidotti
2	May 7, 2014	Added statement about random selection with uniform distribution for each of the variable parameters on page 24. Added plot of SA noise floor during testing on page 25. Added additional information about radar generator radar pulse calibration on pages 26-31.	David Bare
3	August 1, 2014	Added statement concerning antenna polarization on pages 22 and 24, removed reference to EN 301 893 waveform on pages 268-270, added photo of radar generating equipment on page 280.	David Bare

File: R94497 Rev 3 Page 3 of 281

TABLE OF CONTENTS

TITLE PAGE	1
VALIDATING SIGNATORIES	2
REVISION HISTORY	3
TABLE OF CONTENTS	4
LIST OF TABLES	5
LIST OF FIGURES	9
SCOPE	11
OBJECTIVE	
STATEMENT OF COMPLIANCE	
DEVIATIONS FROM THE STANDARD	
TEST RESULTS	
TEST RESULTS SUMMARY – FCC PART 15, MASTER DEVICE	
MEASUREMENT UNCERTAINTIES	
EQUIPMENT UNDER TEST (EUT) DETAILS	
GENERAL	
ENCLOSURE	
MODIFICATIONSSUPPORT EQUIPMENT	
EUT INTERFACE PORTS	
EUT OPERATION	
RADAR WAVEFORMS	21
DFS TEST METHODS	
RADIATED TEST METHOD	
DFS MEASUREMENT INSTRUMENTATION	
RADAR GENERATION SYSTEM	
CHANNEL MONITORING SYSTEMRADAR GENERATOR PLOTS	
DFS MEASUREMENT METHODS	
DFS RADAR DETECTION BANDWIDTH	
DFS – CHANNEL CLOSING TRANSMISSION TIME AND CHANNEL MOVE TIME	
DFS - CHANNEL NON-OCCUPANCY AND VERIFICATION OF PASSIVE SCANNING	
DFS CHANNEL AVAILABILITY CHECK TIME	
UNIFORM LOADINGTRANSMIT POWER CONTROL (TPC)	
SAMPLE CALCULATIONS	
DETECTION PROBABILITY / SUCCESS RATE	
THRESHOLD LEVEL	
APPENDIX A TEST EQUIPMENT CALIBRATION DATA	35
APPENDIX B TEST DATA TABLES FOR RADAR DETECTION PROBABILITY	
NU STEADY STATE 40 MHZ HIGH BAND	
NU IN CU SYNC MODE HIGH BAND 5540 MHZ	
APPENDIX C TEST DATA TABLES AND PLOTS FOR CHANNEL CLOSING	
FCC PART 15 SUBPART E CHANNEL CLOSING MEASUREMENTS	
APPENDIX D TEST DATA - CHANNEL AVAILABILITY CHECK	
5250- 5350 MHZ, 5470 – 5725 MHZ	
APPENDIX F TEST CONFIGURATION PHOTOGRAPH(S)	
END OF REPORT	281

LIST OF TABLES

Table 1 - FCC Part 15 Subpart E, NU Steady State, 30 MHz Test Result Summary	12
Table 2 - FCC Part 15 Subpart E, NU Steady State 40 MHz Test Result Summary	13
Table 3 - FCC Part 15 Subpart E, NU in CU-Acquire Low Band Test Result Summary	14
Table 4 - FCC Part 15 Subpart E, NU in CU-Acquire High Band Test Result Summary	
Table 5 - FCC Part 15 Subpart E, CU Steady State 30 MHz Test Result Summary	16
Table 6 - FCC Part 15 Subpart E, CU Steady State 40 MHz Test Result Summary	
Table 7 - FCC Short Pulse Radar Test Waveforms	21
Table 8 - FCC Long Pulse Radar Test Waveforms	
Table 9 - FCC Frequency Hopping Radar Test Waveforms	21
Table 10 - Summary of All Results – NU 30 MHz Mode Steady State	21 36
Table 11 - Detection Bandwidth Measurements (Bandwidth: +18MHz /-18MHz) NU 30 MHz Mode	50
Steady State	26
Table 12 - FCC Short Pulse Radar (Type 1) Results - NU 30 MHz Mode Steady State	38
Table 13 - FCC Short Pulse Radar (Type 2) Results - NU 30 MHz Mode Steady State	
Table 14 - FCC Short Pulse Radar (Type 3) Results - NU 30 MHz Mode Steady State	
Table 15 - FCC Short Pulse Radar (Type 4) Results - NU 30 MHz Mode Steady State	
Table 16 - Long Sequence Waveform Summary - NU 30 MHz Mode Steady State	
Table 17 - Long Sequence Waveform Trial#1 (NOT Detected) - NU 30 MHz Mode Steady State	
Table 18 - Long Sequence Waveform Trial#2 (Detected) - NU 30 MHz Mode Steady State	
Table 19 - Long Sequence Waveform Trial#3 (Detected) - NU 30 MHz Mode Steady State	44
Table 20 - Long Sequence Waveform Trial#4 (Detected) - NU 30 MHz Mode Steady State	45
Table 21 - Long Sequence Waveform Trial#5 (Detected) - NU 30 MHz Mode Steady State	45
Table 22 - Long Sequence Waveform Trial#6 (Detected) - NU 30 MHz Mode Steady State	
Table 23 - Long Sequence Waveform Trial#7 (Detected) - NU 30 MHz Mode Steady State	
Table 24 - Long Sequence Waveform Trial#8 (Detected) - NU 30 MHz Mode Steady State	
Table 25 - Long Sequence Waveform Trial#9 (Detected) - NU 30 MHz Mode Steady State	
Table 26 - Long Sequence Waveform Trial#10 (Detected) - NU 30 MHz Mode Steady State	
Table 27 - Long Sequence Waveform Trial#11 (Detected) - NU 30 MHz Mode Steady State	
Table 28 - Long Sequence Waveform Trial#12 (Detected) - NU 30 MHz Mode Steady State	
Table 29 - Long Sequence Waveform Trial#13 (Detected) - NU 30 MHz Mode Steady State	
Table 30 - Long Sequence Waveform Trial#14 (Detected) - NU 30 MHz Mode Steady State	
Table 31 - Long Sequence Waveform Trial#15 (Detected) - NU 30 MHz Mode Steady State	
Table 32 - Long Sequence Waveform Trial#15 (Detected) - NU 30 MHz Mode Steady State	
Table 33 - Long Sequence Waveform Trial#17 (Detected) - NU 30 MHz Mode Steady State	
Table 34 - Long Sequence Waveform Trial#18 (Detected) - NU 30 MHz Mode Steady State	
Table 35 - Long Sequence Waveform Trial#19 (Detected) - NU 30 MHz Mode Steady State	
Table 36 - Long Sequence Waveform Trial#20 (NOT Detected) - NU 30 MHz Mode Steady State	
Table 37 - Long Sequence Waveform Trial#21 (NOT Detected) - NU 30 MHz Mode Steady State	
Table 38 - Long Sequence Waveform Trial#22 (Detected) - NU 30 MHz Mode Steady State	
Table 39 - Long Sequence Waveform Trial#23 (Detected) - NU 30 MHz Mode Steady State	
Table 40 - Long Sequence Waveform Trial#24 (Detected) - NU 30 MHz Mode Steady State	
Table 41 - Long Sequence Waveform Trial#25 (NOT Detected) - NU 30 MHz Mode Steady State	
Table 42 - Long Sequence Waveform Trial#26 (NOT Detected) - NU 30 MHz Mode Steady State	
Table 43 - Long Sequence Waveform Trial#27 (NOT Detected) - NU 30 MHz Mode Steady State	52
Table 44 - Long Sequence Waveform Trial#28 (Detected) - NU 30 MHz Mode Steady State	53
Table 45 - Long Sequence Waveform Trial#29 (Detected) - NU 30 MHz Mode Steady State	53
Table 46 - Long Sequence Waveform Trial#30 (Detected) - NU 30 MHz Mode Steady State	
Table 47 - FCC frequency hopping radar (Type 6) Results - NU 30 MHz Mode Steady State	
Table 48 - Summary of All Results - NU 40MHz Mode Steady State	
Table 49 - Detection Bandwidth Measurements (Bandwidth: +18MHz /-18MHz) - NU 40 MHz Mode	
Steady State	69
Table 50 - FCC Short Pulse Radar (Type 1) Results - NU 40 MHz Mode Steady State	

File: R94497 Rev 3 Page 5 of 281

Table 51 - FCC Short Pulse Radar (Type 2) Results - NU 40 MHz Mode Steady State	74
Table 52 - FCC Short Pulse Radar (Type 3) Results - NU 40 MHz Mode Steady State	75
Table 53 - FCC Short Pulse Radar (Type 4) Results - NU 40 MHz Mode Steady State	
Table 54 - Long Sequence Waveform Summary - NU 40 MHz Mode Steady State	78
Table 55 - Long Sequence Waveform Trial#1 (NOT Detected) - NU 40 MHz Mode Steady State	79
Table 56 - Long Sequence Waveform Trial#2 (NOT Detected) - NU 40 MHz Mode Steady State	79
Table 57 - Long Sequence Waveform Trial#3 (NOT Detected) - NU 40 MHz Mode Steady State	79
Table 58 - Long Sequence Waveform Trial#4 (Detected) - NU 40 MHz Mode Steady State	79
Table 59 - Long Sequence Waveform Trial#5 (Detected) - NU 40 MHz Mode Steady State	80
Table 60 - Long Sequence Waveform Trial#6 (Detected) - NU 40 MHz Mode Steady State	80
Table 61 - Long Sequence Waveform Trial#7 (Detected) - NU 40 MHz Mode Steady State	81
Table 62 - Long Sequence Waveform Trial#8 (Detected) - NU 40 MHz Mode Steady State	81
Table 63 - Long Sequence Waveform Trial#9 (Detected) - NU 40 MHz Mode Steady State	81
Table 64 - Long Sequence Waveform Trial#10 (Detected) - NU 40 MHz Mode Steady State	82
Table 65 - Long Sequence Waveform Trial#11 (Detected) - NU 40 MHz Mode Steady State	82
Table 66 - Long Sequence Waveform Trial#12 (Detected) - NU 40 MHz Mode Steady State	82
Table 67 - Long Sequence Waveform Trial#13 (Detected) - NU 40 MHz Mode Steady State	83
Table 68 - Long Sequence Waveform Trial#14 (Detected) - NU 40 MHz Mode Steady State	83
Table 69 - Long Sequence Waveform Trial#15 (Detected) - NU 40 MHz Mode Steady State	84
Table 70 - Long Sequence Waveform Trial#16 (Detected) - NU 40 MHz Mode Steady State	84
Table 71 - Long Sequence Waveform Trial#17 (Detected) - NU 40 MHz Mode Steady State	84
Table 72 - Long Sequence Waveform Trial#18 (Detected) - NU 40 MHz Mode Steady State	85
Table 73 - Long Sequence Waveform Trial#19 (Detected) - NU 40 MHz Mode Steady State	85
Table 74 - Long Sequence Waveform Trial#20 (Detected) - NU 40 MHz Mode Steady State	86
Table 75 - Long Sequence Waveform Trial#21 (Detected) - NU 40 MHz Mode Steady State	86
Table 76 - Long Sequence Waveform Trial#22 (Detected) - NU 40 MHz Mode Steady State	86
Table 77 - Long Sequence Waveform Trial#23 (Detected) - NU 40 MHz Mode Steady State	87
Table 78 - Long Sequence Waveform Trial#24 (NOT Detected) - NU 40 MHz Mode Steady State	87
Table 79 - Long Sequence Waveform Trial#25 (Detected) - NU 40 MHz Mode Steady State	87
Table 80 - Long Sequence Waveform Trial#26 (Detected) - NU 40 MHz Mode Steady State	88
Table 81 - Long Sequence Waveform Trial#27 (NOT Detected) - NU 40 MHz Mode Steady State	88
Table 82 - Long Sequence Waveform Trial#28 (Detected) - NU 40 MHz Mode Steady State	88
Table 83 - Long Sequence Waveform Trial#29 (Detected) - NU 40 MHz Mode Steady State	89
Table 84 - Long Sequence Waveform Trial#30 (NOT Detected) - NU 40 MHz Mode Steady State	89
Table 85 - FCC frequency hopping radar (Type 6) Results - NU 40 MHz Mode Steady State	89
Table 86 - Summary of All Results - NU in CU-Aquire, Low-band	. 105
Table 87 - Detection Bandwidth Measurements (Bandwidth: +18MHz /-18MHz) NU in CU-Aquire,	
Low-Band 5280MHz	
Table 88 - FCC Short Pulse Radar (Type 1) Results NU in CU-Aquire, Low-band	. 106
Table 89 - FCC Short Pulse Radar (Type 2) Results NU in CU-Aquire, Low-band	
Table 90 - FCC Short Pulse Radar (Type 3) Results NU in CU-Aquire, Low-band	
Table 91 - FCC Short Pulse Radar (Type 4) Results NU in CU-Aquire, Low-band	
Table 92 - Long Sequence Waveform Summary NU in CU-Aquire, Low-band	
Table 93 - Long Sequence Waveform Trial#1 (Detected) NU in CU-Aquire, Low-band	. 115
Table 94 - Long Sequence Waveform Trial#2 (Detected) NU in CU-Aquire, Low-band	. 115
Table 95 - Long Sequence Waveform Trial#3 (Detected) NU in CU-Aquire, Low-band	.116
Table 96 - Long Sequence Waveform Trial#4 (Detected) NU in CU-Aquire, Low-band	.116
Table 97 - Long Sequence Waveform Trial#5 (Detected) NU in CU-Aquire, Low-band	.116
Table 98 - Long Sequence Waveform Trial#6 (Detected) NU in CU-Aquire, Low-band	. 117
Table 99 - Long Sequence Waveform Trial#7 (Detected) NU in CU-Aquire, Low-band	
Table 100 - Long Sequence Waveform Trial#8 (Detected) NU in CU-Aquire, Low-band	.117
Table 101 - Long Sequence Waveform Trial#9 (Detected) NU in CU-Aquire, Low-band	
Table 102 - Long Sequence Waveform Trial#10 (Detected) NU in CU-Aquire, Low-band	
Table 103 - Long Sequence Waveform Trial#11 (Detected) NU in CU-Aquire, Low-band	
Table 104 - Long Sequence Waveform Trial#12 (Detected) NU in CU-Aquire, Low-band	119

File: R94497 Rev 3 Page 6 of 281

Test Report Reissue Date: August 1, 2014

Table 105 - Long Sequence Waveform Trial#13 (Detected) NU in CU-Aquire, Low-band	119
Table 106 - Long Sequence Waveform Trial#14 (NOT Detected) NU in CU-Aquire, Low-band	
Table 107 - Long Sequence Waveform Trial#15 (Detected) NU in CU-Aquire, Low-band	
Table 108 - Long Sequence Waveform Trial#16 (Detected) NU in CU-Aquire, Low-band	
Table 109 - Long Sequence Waveform Trial#17 (Detected) NU in CU-Aquire, Low-band	
Table 110 - Long Sequence Waveform Trial#18 (Detected) NU in CU-Aquire, Low-band	
Table 111 - Long Sequence Waveform Trial#19 (Detected) NU in CU-Aquire, Low-band	
Table 112 - Long Sequence Waveform Trial#20 (Detected) NU in CU-Aquire, Low-band	
Table 113 - Long Sequence Waveform Trial#21 (Detected) NU in CU-Aquire, Low-band	
Table 114 - Long Sequence Waveform Trial#22 (Detected) NU in CU-Aquire, Low-band	
Table 115 - Long Sequence Waveform Trial#23 (Detected) NU in CU-Aquire, Low-band	
Table 116 - Long Sequence Waveform Trial#24 (Detected) NU in CU-Aquire, Low-band	
Table 117 - Long Sequence Waveform Trial#25 (Detected) NU in CU-Aquire, Low-band	
Table 118 - Long Sequence Waveform Trial#26 (Detected) NU in CU-Aquire, Low-band	
Table 119 - Long Sequence Waveform Trial#27 (Detected) NU in CU-Aquire, Low-band	
Table 120 - Long Sequence Waveform Trial#28 (NOT Detected) NU in CU-Aquire, Low-band	124
Table 121 - Long Sequence Waveform Trial#29 (Detected) NU in CU-Aquire, Low-band	124
Table 122 - Long Sequence Waveform Trial#30 (Detected) NU in CU-Aquire, Low-band	125
Table 123 - FCC frequency hopping radar (Type 6) Results NU in CU-Aquire, Low-band	125
Table 124 - Summary of All Results NU in CU-Aquire High band	
Table 125 - Detection Bandwidth Measurements (Bandwidth: +18MHz /-18MHz) NU in CU-Aquire,	
High-band	
Table 126 - FCC Short Pulse Radar (Type 1) Results NU in CU-Aquire, High-band	
Table 127 - FCC Short Pulse Radar (Type 2) Results NU in CU-Aquire, High-band	
Table 128 - FCC Short Pulse Radar (Type 3) Results NU in CU-Aquire, High-band	
Table 129 - FCC Short Pulse Radar (Type 4) Results NU in CU-Aquire, High-band	
Table 130 - Long Sequence Waveform Summary NU in CU-Aquire, High-band	
Table 131 - Long Sequence Waveform Trial#1 (Detected) NU in CU-Aquire, High-band	
Table 132 - Long Sequence Waveform Trial#1 (Detected) NU in CU-Acquire, High-band	
Table 133 - Long Sequence Waveform Trial#3 (Detected) NU in CU-Acquire, High-band	
Table 134 - Long Sequence Waveform Trial#4 (Detected) NU in CU-Acquire, High-band	
Table 135 - Long Sequence Waveform Trial#5 (Detected) NU in CU-Acquire, High-band	
Table 136 - Long Sequence Waveform Trial#6 (Detected) NU in CU-Acquire, High-band	
Table 137 - Long Sequence Waveform Trial#7 (Detected) NU in CU-Acquire, High-band	
Table 138 - Long Sequence Waveform Trial#8 (Detected) NU in CU-Acquire, High-band	
Table 139 - Long Sequence Waveform Trial#9 (Detected) NU in CU-Acquire, High-band	
Table 140 - Long Sequence Waveform Trial#10 (Detected) NU in CU-Acquire, High-band	
Table 141 - Long Sequence Waveform Trial#11 (Detected) NU in CU-Acquire, High-band	
Table 142 - Long Sequence Waveform Trial#12 (NOT Detected) NU in CU-Acquire, High-band	
Table 143 - Long Sequence Waveform Trial#13 (Detected) NU in CU-Acquire, High-band	
Table 144 - Long Sequence Waveform Trial#14 (Detected) NU in CU-Acquire, High-band	153
Table 145 - Long Sequence Waveform Trial#15 (Detected) NU in CU-Acquire, High-band	153
Table 146 - Long Sequence Waveform Trial#16 (Detected) NU in CU-Acquire, High-band	153
Table 147 - Long Sequence Waveform Trial#17 (NOT Detected) NU in CU-Acquire, High-band	154
Table 148 - Long Sequence Waveform Trial#18 (Detected) NU in CU-Acquire, High-band	
Table 149 - Long Sequence Waveform Trial#19 (Detected) NU in CU-Acquire, High-band	
Table 150 - Long Sequence Waveform Trial#20 (Detected) NU in CU-Acquire, High-band	
Table 151 - Long Sequence Waveform Trial#21 (Detected) NU in CU-Acquire, High-band	
Table 152 - Long Sequence Waveform Trial#22 (Detected) NU in CU-Acquire, High-band	
Table 153 - Long Sequence Waveform Trial#22 (Detected) NU in CU-Acquire, High-band	
Table 154 - Long Sequence Waveform Trial#24 (NOT Detected) NU in CU-Acquire, High-band	
Table 155 - Long Sequence Waveform Trial#25 (Detected) NU in CU-Acquire, High-band	
Table 156 - Long Sequence Waveform Trial#26 (NOT Detected) NU in CU-Acquire, High-band	
Table 157 - Long Sequence Waveform Trial#27 (Detected) NU in CU-Acquire, High-band	
Table 158 - Long Sequence Waveform Trial#28 (Detected) NU in CU-Acquire, High-band	138

Page 7 of 281 File: R94497 Rev 3

Table 159 - Long Sequence Waveform Trial#29 (Detected) NU in CU-Acquire, High-band	158
Table 160 - Long Sequence Waveform Trial#30 (NOT Detected) NU in CU-Acquire, High-band	
Table 161 - FCC frequency hopping radar (Type 6) Results NU in CU-Acquire, High-band	159
Table 162 - Summary of All Results - CU, 30MHz Mode Steady State	174
Table 163 - Detection Bandwidth Measurements (Bandwidth: +19MHz /-19MHz) - CU, 30MHz Moo	de
Steady State	
Table 164 - FCC Short Pulse Radar (Type 1) Results - CU, 30MHz Mode Steady State	175
Table 165 - FCC Short Pulse Radar (Type 2) Results CU, 30MHz Mode Steady State	177
Table 166 - FCC Short Pulse Radar (Type 3) Results - CU, 30MHz Mode Steady State	178
Table 167 - FCC Short Pulse Radar (Type 4) Results - CU, 30MHz Mode Steady State	179
Table 168 - Long Sequence Waveform Summary - CU, 30MHz Mode Steady State	180
Table 169 - Long Sequence Waveform Trial#1 (NOT Detected) - CU, 30MHz Mode Steady State	181
Table 170 - Long Sequence Waveform Trial#2 (Detected) - CU, 30MHz Mode Steady State	182
Table 171 - Long Sequence Waveform Trial#3 (NOT Detected) - CU, 30MHz Mode Steady State	182
Table 172 - Long Sequence Waveform Trial#4 (Detected) - CU, 30MHz Mode Steady State	182
Table 173 - Long Sequence Waveform Trial#5 (Detected) - CU, 30MHz Mode Steady State	183
Table 174 - Long Sequence Waveform Trial#6 (Detected) - CU, 30MHz Mode Steady State	183
Table 175 - Long Sequence Waveform Trial#7 (Detected) - CU, 30MHz Mode Steady State	184
Table 176 - Long Sequence Waveform Trial#8 (Detected) - CU, 30MHz Mode Steady State	
Table 177 - Long Sequence Waveform Trial#9 (NOT Detected) - CU, 30MHz Mode Steady State	
Table 178 - Long Sequence Waveform Trial#10 (Detected) - CU, 30MHz Mode Steady State	
Table 179 - Long Sequence Waveform Trial#11 (Detected) - CU, 30MHz Mode Steady State	
Table 180 - Long Sequence Waveform Trial#12 (Detected) - CU, 30MHz Mode Steady State	
Table 181 - Long Sequence Waveform Trial#13 (Detected) - CU, 30MHz Mode Steady State	
Table 182 - Long Sequence Waveform Trial#14 (Detected) - CU, 30MHz Mode Steady State	
Table 183 - Long Sequence Waveform Trial#15 (Detected) - CU, 30MHz Mode Steady State	
Table 184 - Long Sequence Waveform Trial#16 (Detected) - CU, 30MHz Mode Steady State	
Table 185 - Long Sequence Waveform Trial#17 (Detected) - CU, 30MHz Mode Steady State	
Table 186 - Long Sequence Waveform Trial#18 (Detected) - CU, 30MHz Mode Steady State	
Table 187 - Long Sequence Waveform Trial#19 (Detected) - CU, 30MHz Mode Steady State	
Table 188 - Long Sequence Waveform Trial#20 (Detected) - CU, 30MHz Mode Steady State	
Table 189 - Long Sequence Waveform Trial#21 (Detected) - CU, 30MHz Mode Steady State	
Table 190 - Long Sequence Waveform Trial#22 (Detected) - CU, 30MHz Mode Steady State	
Table 191 - Long Sequence Waveform Trial#23 (Detected) - CU, 30MHz Mode Steady State	
Table 192 - Long Sequence Waveform Trial#24 (Detected) - CU, 30MHz Mode Steady State	
Table 193 - Long Sequence Waveform Trial#25 (Detected) - CU, 30MHz Mode Steady State	
Table 194 - Long Sequence Waveform Trial#26 (Detected) - CU, 30MHz Mode Steady State	
Table 195 - Long Sequence Waveform Trial#27 (Detected) - CU, 30MHz Mode Steady State	
Table 196 - Long Sequence Waveform Trial#28 (Detected) - CU, 30MHz Mode Steady State	
Table 197 - Long Sequence Waveform Trial#29 (Detected) - CU, 30MHz Mode Steady State	
Table 198 - Long Sequence Waveform Trial#30 (Detected) - CU, 30MHz Mode Steady State	
Table 199 - FCC frequency hopping radar (Type 6) Results - CU, 30MHz Mode Steady State	
Table 200 - Summary of All Results - CU, 40MHz Mode Steady State	
Steady State	
Table 202 - FCC Short Pulse Radar (Type 1) Results - CU, 40MHz Mode Steady State	
Table 203 - FCC Short Pulse Radar (Type 1) Results - CU, 40MHz Mode Steady State	
Table 204 - FCC Short Pulse Radar (Type 3) Results - CU, 40MHz Mode Steady State	
Table 205 - FCC Short Pulse Radar (Type 4) Results - CU, 40MHz Mode Steady State	
Table 206 - Long Sequence Waveform Summary - CU, 40MHz Mode Steady State	
Table 208 - Long Sequence Waveform Trial#1 (Detected) - CU, 40MHz Mode Steady State	
Table 209 - Long Sequence Waveform Trial#2 (Detected) - CU, 40MHz Mode Steady State	
Table 210 - Long Sequence Waveform Trial#4 (Detected) - CU, 40MHz Mode Steady State	
Table 211 - Long Sequence Waveform Trial#4 (Detected) - CU, 40MHz Mode Steady State	
Tuble 211 2016 Bequence Waveform Tham's (Detected) - Co, Town Iz Mode Steady State	21)

File: R94497 Rev 3 Page 8 of 281

4	Reissue	Date:	August	1,	2014
---	---------	-------	--------	----	------

Table 212 - Long Sequence Waveform Trial#6 (Detected) - CU, 40MHz Mode Steady State	
Table 213 - Long Sequence Waveform Trial#7 (Detected) - CU, 40MHz Mode Steady State	
Table 214 - Long Sequence Waveform Trial#8 (Detected) - CU, 40MHz Mode Steady State	220
Table 215 - Long Sequence Waveform Trial#9 (Detected) - CU, 40MHz Mode Steady State	220
Table 216 - Long Sequence Waveform Trial#10 (Detected) - CU, 40MHz Mode Steady State	221
Table 217 - Long Sequence Waveform Trial#11 (Detected) - CU, 40MHz Mode Steady State	221
Table 218 - Long Sequence Waveform Trial#12 (Detected) - CU, 40MHz Mode Steady State	221
Table 219 - Long Sequence Waveform Trial#13 (Detected) - CU, 40MHz Mode Steady State	222
Table 220 - Long Sequence Waveform Trial#14 (Detected) - CU, 40MHz Mode Steady State	222
Table 221 - Long Sequence Waveform Trial#15 (Detected) - CU, 40MHz Mode Steady State	222
Table 222 - Long Sequence Waveform Trial#16 (Detected) - CU, 40MHz Mode Steady State	
Table 223 - Long Sequence Waveform Trial#17 (Detected) - CU, 40MHz Mode Steady State	
Table 224 - Long Sequence Waveform Trial#18 (Detected) - CU, 40MHz Mode Steady State	
Table 225 - Long Sequence Waveform Trial#19 (Detected) - CU, 40MHz Mode Steady State	
Table 226 - Long Sequence Waveform Trial#20 (Detected) - CU, 40MHz Mode Steady State	
Table 227 - Long Sequence Waveform Trial#21 (Detected) - CU, 40MHz Mode Steady State	
Table 228 - Long Sequence Waveform Trial#22 (Detected) - CU, 40MHz Mode Steady State	
Table 229 - Long Sequence Waveform Trial#23 (Detected) - CU, 40MHz Mode Steady State	
Table 230 - Long Sequence Waveform Trial#24 (Detected) - CU, 40MHz Mode Steady State	
Table 231 - Long Sequence Waveform Trial#25 (NOT Detected) - CU, 40MHz Mode Steady State	
Table 232 - Long Sequence Waveform Trial#26 (Detected) - CU, 40MHz Mode Steady State	
Table 233 - Long Sequence Waveform Trial#27 (Detected) - CU, 40MHz Mode Steady State	
Table 234 - Long Sequence Waveform Trial#28 (NOT Detected) - CU, 40MHz Mode Steady State	
Table 235 - Long Sequence Waveform Trial#29 (Detected) - CU, 40MHz Mode Steady State	
Table 236 - Long Sequence Waveform Trial#30 (Detected) - CU, 40MHz Mode Steady State	
Table 237 - FCC frequency hopping radar (Type 6) Results - CU, 40MHz Mode Steady State	
Table 238 - FCC Part 15 Subpart E Channel Closing Test Results – NU SS 30 MHz	
Table 239 - FCC Part 15 Subpart E Channel Closing Test Results – NU SS 40 MHz	
Table 240 - FCC Part 15 Subpart E Channel Closing Test Results – NU in CU Acquire Low Band	
Table 241 - FCC Part 15 Subpart E Channel Closing Test Results – CU SS 30 MHz	
Table 242 - FCC Part 15 Subpart E Channel Closing Test Results – CU SS 40 MHz	
Tuble 2.12 Tee Tut 12 Support E chainer closing Test Results Ce 55 to Hill E	201
LIST OF FIGURES	
Figure 1	18
Figure 2 Test Configuration for radiated Measurement Method	
Figure 3 - SA Noise Floor During Testing (radar shown at 520 ms)	
Figure 4 - FCC Type 1 Radar (18 pulses)	
Figure 5 - FCC Type 2 Radar (24 pulses)	
Figure 6 - FCC Type 3 Radar (17 pulses)	
Figure 7 - FCC Type 4 Radar (16 pulses)	
Figure 8 - FCC Type 5 Radar (burst with three pulses, 1650 µs first period)	
Figure 9 - FCC Type 6 Radar (9 pulses in each burst)	
Figure 3 Channel Closing Time and Channel Move Time – 40 second plot, NU SS 30 MHz	
Figure 4 Close-Up of Transmissions Occurring More Than 200ms After The End of Radar	
Figure 5 Channel Closing Time and Channel Move Time – 40 second plot, NU SS 30 MHz	
Figure 6 Close-Up of Transmissions Occurring More Than 200ms After The End of Radar	
Figure 7 Channel Closing Time and Channel Move Time – 40 second plot, NU SS 40 MHz	
Figure 8 Close-Up of Transmissions Occurring More Than 200ms After The End of Radar	
Figure 9 Channel Closing Time and Channel Move Time – 40 second plot, NU SS 40 MHz	
Figure 10 Close-Up of Transmissions Occurring More Than 200ms After The End of Radar	
Figure 11 Channel Closing Time and Channel Move Time – 40 second plot, NU in CU Acquire Low	434
Band	253
	254
TIEGIO 14 OTODO OD OT TIGIDINIDOTORO OCCUITINE MICHO FRIGILECIONIS MIGH THE LINGUI WARAN	4.74

File: R94497 Rev 3 Page 9 of 281

Figure 13 Channel Closing Time and Channel Move Time – 40 second plot, NU in CU Acquire Low	
Band	255
Figure 14 Close-Up of Transmissions Occurring More Than 200ms After The End of Radar	256
Figure 15 Channel Closing Time and Channel Move Time – 40 second plot, CU SS 30 MHz	257
Figure 16 Close-Up of Transmissions Occurring More Than 200ms After The End of Radar	258
Figure 17 Channel Closing Time and Channel Move Time – 40 second plot, CU SS 30 MHz	259
Figure 18 Close-Up of Transmissions Occurring More Than 200ms After The End of Radar	260
Figure 19 Channel Closing Time and Channel Move Time – 40 second plot, CU SS 40 MHz	261
Figure 20 Close-Up of Transmissions Occurring More Than 200ms After The End of Radar	. 262
Figure 21 Channel Closing Time and Channel Move Time – 40 second plot, CU SS 40 MHz	263
Figure 22 Close-Up of Transmissions Occurring More Than 200ms After The End of Radar	264
Figure 23 Radar Channel Non-Occupancy Plot (NU Steady State 40 MHz)	265
Figure 24 Radar Channel Non-Occupancy Plot (CU Steady State 40 MHz)	265
Figure 25 Plot of EUT Start-Up After CAC, F _L	266
Figure 26 Plot of EUT Start-Up After CAC, F _H	267
Figure 27 Radar Applied At Start of CAC, F _H	268
Figure 28 Radar Applied At Start of CAC, F _L	268
Figure 29 Radar Applied At End of CAC, F _H	269
Figure 30 Radar Applied At End of CAC, F _L	270

File: R94497 Rev 3 Page 10 of 281 Test data has been taken pursuant to the relevant DFS requirements of the following standard(s):

- FCC Part 15 Subpart E Unlicensed National Information Infrastructure (U-NII)
 Devices
- RSS-210 Annex 9 Local Area Network Devices.

Tests were performed in accordance with these standards together with the current published versions of the basic standards referenced therein including FCC KDB 848637 and the appendix to FCC 06-96 MO&O as outlined in NTS Silicon Valley test procedures. The test results recorded herein are based on a single type test of the Nextivity Inc. model P34-2/4/5/12NU and P34-2/4/5/12CU and therefore apply only to the tested sample. The sample was selected and prepared by Chris Alford of Nextivity Inc.

OBJECTIVE

The objective of the manufacturer is to comply with the standards identified in the previous section. In order to demonstrate compliance, the manufacturer or a contracted laboratory makes measurements and takes the necessary steps to ensure that the equipment complies with the appropriate technical standards. Compliance with some DFS features is covered through a manufacturer statement or through observation of the device.

STATEMENT OF COMPLIANCE

The tested samples of the Nextivity Inc. model P34-2/4/5/12NU and P34-2/4/5/12CU complied with the DFS requirements of FCC Part 15.407(h)(2), RSS-210 Annex 9.3.

Maintenance of compliance is the responsibility of the manufacturer. Any modifications to the product should be assessed to determine their potential impact on the compliance status of the device with respect to the standards detailed in this test report.

DEVIATIONS FROM THE STANDARD

No deviations were made from the test methods and requirements covered by the scope of this report.

File: R94497 Rev 3 Page 11 of 281

TEST RESULTS

TEST RESULTS SUMMARY - FCC Part 15, MASTER DEVICE

Table 1 - FCC Part 15 Subpart E, NU Steady State, 30 MHz Test Result Summary							
Description	EUT Frequency	Measured Value	Requirement	Test Data	Status		
Channel Availability Check (CAC) Time	Type Type 1	5540 MHz	Note 4	≥ 60s	Appendix D	Pass	
CAC Detection Threshold	Type 1	5540 MHz	Note 4	-61dBm (See note 2)	Appendix D	Pass	
In-Service Monitoring Detection Threshold	Type 1 Type 2 Type 3 Type 4 Type 5 Type 6	5540 MHz	-61 dBm (note 2)	-61 dBm (See note 2)	Appendix B	Pass	
Bandwidth Detection	Type 1	5540 MHz	37 MHz	80% of the 99% BW	-	Pass	
Channel closing transmission time	Type 1 Type 5	5540 MHz	5.16 ms 0 ms	≤ 260ms	Appendix C	Pass	
Channel move time	Type 1 Type 5	5540 MHz	0.151 s 0 s	≤ 10s	Appendix C	Pass	
Non-occupancy period	Type 1	5540 MHz	Note 5	> 30 minutes	Appendix C	Pass	
Uniform Loading		-	-	Uniform Loading	Refer to operational description	Pass	

- 1) Tests were performed using the radiated test method.
- 2) The measured detection threshold is based on testing the master device using the radiated test method when connected to an antenna with a nominal gain of 6.0 dBi. The limit is based on an eirp of 22 dBm.
- 3) The in-service monitoring detection threshold and detection probability measurements were made with the device operating in the 5470-5725 MHz band.
- 4) CAC is not mode dependent. It assumes 40 MHz bandwidth.
- 5) Detection Bandwidths and channel frequencies are identical at 30 MHz and 40 MHz bandwidths. Non occupancy tests were only performed in 40 MHz bandwidth mode.

File: R94497 Rev 3 Page 12 of 281

·	1	Report Date: April 3, 2014	Reissue Date: August 1, 2014

Table 2 - FCC Part 15 Subpart E, NU Steady State 40 MHz Test Result Summary							
Description	Radar Type	EUT Frequency	Measured Value	Requirement	Test Data	Status	
Channel Availability Check (CAC) Time	Type 1	5540 MHz	60 s	≥ 60s	Appendix D	Pass	
CAC Detection Threshold	Type 1	5540 MHz	-61 dBm	-61 dBm (See note 2)	Appendix D	Pass	
In-Service Monitoring Detection Threshold	Type 1 Type 2 Type 3 Type 4 Type 5 Type 6	5540 MHz	-61 dBm (note 2)	-61 dBm (See note 2)	Appendix B	Pass	
Bandwidth Detection	Type 1	5540 MHz	37 MHz	80% of the 99% BW	-	Pass	
Channel closing transmission time	Type 1 Type 5	5540 MHz	0 ms 0 ms	≤ 260ms	Appendix C	Pass	
Channel move time	Type 1 Type 5	5540 MHz	0.156 s 0 s	≤ 10s	Appendix C	Pass	
Non-occupancy period	Type 1	5540 MHz	> 30 min	> 30 minutes	Appendix C	Pass	
Uniform Loading		-	-	Uniform Loading	Refer to operational description	Pass	

Tests were performed using the radiated test method.

File: R94497 Rev 3 Page 13 of 281

The measured detection threshold is based on testing the master device using the radiated test method when connected to an antenna with a nominal gain of 6 dBi. The limit is based on an eirp of 22 dBm.

The in-service monitoring detection threshold and detection probability measurements were made with the device operating in the 5470-5725 MHz band.

Table 3 - FCC Part 15 Subpart E, NU in CU-Acquire Low Band Test Result Summary								
Description	Radar Type	EUT Frequency	Measured Value	Requirement	Test Data	Status		
Channel Availability Check (CAC) Time	Type 1	5280 MHz	60 s	≥ 60s	Appendix D	Pass		
In-Service Monitoring Detection Threshold	Type 1 Type 2 Type 3 Type 4 Type 5 Type 6	5280 MHz	-61 dBm (note 2)	-61 dBm (See note 2)	Appendix B	Pass		
Bandwidth Detection	Type 1	5280 MHz	37 MHz	80% of the 99% BW	-	Pass		
Channel closing transmission time	Type 1 Type 5	5280 MHz	0 ms 0 ms	≤ 260ms	Appendix C	Pass		
Channel move time	Type 1 Type 5	5280 MHz	0 s 0 s	≤ 10s	Appendix C	Pass		
Non-occupancy period	Type 1	5280 MHz	Note 4	> 30 minutes	Appendix C	-		
Uniform Loading		-	-	Uniform Loading	Refer to operational description	Pass		

- 1) Tests were performed using the radiated test method.
- 2) The measured detection threshold is based on testing the master device using the radiated test method when connected to an antenna with a nominal gain of 6 dBi. The limit is based on an eirp of more than 22 dBm. 1 dB has been added to the amplitude of the test transmission waveforms to account for variations in measurement equipment per FCC KDB 905462.
- 3) The in-service monitoring detection threshold and detection probability measurements were made with the device operating in the 5250-5350 MHz band.
- 4) Covered in Steady State Mode

File: R94497 Rev 3 Page 14 of 281

Table 4 - FCC Part 15 Subpart E, NU in CU-Acquire High Band Test Result Summary								
Description	Radar Type	EUT Frequency	Measured Value	Requirement	Test Data	Status		
Channel Availability Check (CAC) Time	Type 1	5540 MHz	60 s	≥ 60s	Appendix D	Pass		
In-Service Monitoring Detection Threshold	Type 1 Type 2 Type 3 Type 4 Type 5 Type 6	5540 MHz	-61 dBm (note 2)	-61 dBm (See note 2)	Appendix B	Pass		
Bandwidth Detection	Type 1	5540 MHz	37 MHz	80% of the 99% BW	-	Pass		
Channel closing transmission time	Type 1 Type 5	5540 MHz	Note 5	≤ 260ms	Appendix C	-		
Channel move time	Type 1 Type 5	5540 MHz	Note 5	≤ 10s	Appendix C	-		
Non-occupancy period	-	5540 MHz	Note 4	> 30 minutes	Appendix C	-		
Uniform Loading		-	-	Uniform Loading	Refer to operational description	Pass		

- Tests were performed using the radiated test method.
- The measured detection threshold is based on testing the master device using the radiated test method when connected to an antenna with a nominal gain of 6 dBi. The limit is based on an eirp of more than 22 dBm. 1 dB has been added to the amplitude of the test transmission waveforms to account for variations in measurement equipment per FCC KDB 905462.
- The in-service monitoring detection threshold and detection probability measurements were made with the device operating in the 5500-5700 MHz band.
- Covered in Steady State Mode.
- Per the Nextivity DFS Implementation Proposal for Cel-Fi U-NII Link v07, tests for Channel Closing and Move Times are not required in the CU Acquire mode in the high band.

File: R94497 Rev 3 Page 15 of 281

Table 5 - FCC Part 15 Subpart E, CU Steady State 30 MHz Test Result Summary								
Description	Radar Type	EUT Frequency	Measured Value	Requirement	Test Data	Status		
In-Service Monitoring Detection Threshold	Type 1 Type 2 Type 3 Type 4 Type 5 Type 6	5280 MHz	-61 dBm (note 2)	-61dBm (See note 2)	I Annendix R			
Bandwidth Detection	Type 1	5280 MHz	39 MHz	80% of the 99% BW	-	Pass		
Channel closing transmission time	Type 1 Type 5	5280 MHz	153 ms 0 ms	≤ 260ms	Appendix C	Pass		
Channel move time	Type 1 Type 5	5280 MHz	0 s 0 s	≤ 10s	Appendix C	Pass		
Non-occupancy period	-		Note 4	> 30 minutes	Appendix C	Pass		
Uniform Loading		-	-	Uniform Loading	Refer to operational description	Pass		

- 1) Tests were performed using the radiated test method. The CU does not perform CAC
- 2) The measured detection threshold is based on testing the master device using the radiated test method when connected to an antenna with a nominal gain of 6 dBi. The limit is based on an eirp of more than 22 dBm. 1 dB has been added to the amplitude of the test transmission waveforms to account for variations in measurement equipment per FCC KDB 905462.
- 3) The in-service monitoring detection threshold and detection probability measurements were made with the device operating in the 5250-5350 MHz band.
- 4) Detection Bandwidths and channel frequencies are identical at 30 MHz and 40 MHz bandwidths. Non occupancy tests were only performed in 40 MHz bandwidth mode.

File: R94497 Rev 3 Page 16 of 281

Table 6 - FCC Part 15 Subpart E, CU Steady State 40 MHz Test Result Summary								
Description	Radar Type	EUT Frequency	Measured Value	Requirement	Test Data	Status		
In-Service Monitoring Detection Threshold	Type 1 Type 2 Type 3 Type 4 Type 5 Type 6	5280 MHz	-61 dBm (note 2)	-61dBm (See note 2)	Appendix B	Pass		
Bandwidth Detection	Type 1	5280 MHz	39 MHz	80% of the 99% BW	-	Pass		
Channel closing transmission time	Type 1 Type 5	5280 MHz	152 ms 0 ms	≤ 260ms	Appendix C	Pass		
Channel move time	Type 1 Type 5	5280 MHz	0 s 0 s	≤ 10s	Appendix C	Pass		
Non-occupancy period	-	5280 MHz	> 30 minutes	> 30 minutes	Appendix C	Pass		
Uniform Loading		-	-	Uniform Loading	Refer to operational description	Pass		

- 1) Tests were performed using the radiated test method. The CU does not perform CAC.
- 2) The measured detection threshold is based on testing the master device using the radiated test method when connected to an antenna with a nominal gain of 6 dBi. The limit is based on an eirp of more than 22 dBm.1 dB has been added to the amplitude of the test transmission waveforms to account for variations in measurement equipment per FCC KDB 905462.
- 3) The in-service monitoring detection threshold and detection probability measurements were made with the device operating in the 5250-5350 MHz band.

MEASUREMENT UNCERTAINTIES

ISO/IEC 17025 requires that an estimate of the measurement uncertainties associated with the emissions test results be included in the report. The measurement uncertainties given below are based on a 95% confidence level, with a coverage factor (k=2) and were calculated in accordance with UKAS document LAB 34.

Measurement	Measurement Unit	Expanded Uncertainty	
Timing (Channel move time, aggregate transmission time)	ms	Timing resolution +/- 0.24%	
Timing (non occupancy period)	seconds	5 seconds	
DFS Threshold (radiated)	dBm	1.6	
DFS Threshold (conducted)	dBm	1.2	

File: R94497 Rev 3 Page 17 of 281

EQUIPMENT UNDER TEST (EUT) DETAILS

GENERAL

The Nextivity Inc. model P34-2/4/5/12NU and P34-2/4/5/12CU is a WCDMA/LTE Cellular Repeater for indoor residential use. The system is composed of two units, the Network Unit (NU) and the Coverage Unit (CU) that connect wirelessly over a full-duplex wireless link in the RLAN band using a mixed OFDM and muxed cellular signal (up to three 5 MHz cellular channels) over a 30 MHz and 40 MHz channel in each direction.

The Cel-Fi system is for indoor residential use and is based on a split three-hop repeater concept designed to provide better indoor cellular coverage (Figure 1).




Figure 1

The NU is responsible for allocating the duplex channels for both the NU and CU. It performs the Channel Availability Check (CAC). To satisfy the uniform loading requirement, the NU scans all U-NII channels to perform a RSSI measurement prior to channel selection. The pair of selected channels are randomly chosen from among those whose RSSI value is below a specified threshold. Those channels whose nominal bandwidth occupies the 5600-5650 MHz band may be omitted from the list of usable channels during initial power up. Accordingly, the NU omits channels occupying 5600-5650 MHz during initial channel selection.

The sample was received on December 12, 2013 and tested on December 19, 23, 31, 2013 and January 2, 2014. The EUT consisted of the following component(s):

Manufacturer	Model	Description	Serial Number
Nextivity Inc.	P34-2/4/5/12NU	Network Unit	170341000011
Nextivity Inc.	P34-2/4/5/12CU	Coverage Unit	171341000100
Hon-Kwang	WRG20F-120A	AC Adapter	290N008-001
Hon-Kwang	WRG20F-120A	AC Adapter	290N009-001

File: R94497 Rev 3 Page 18 of 281

The manufacturer declared values for the EUT operational characteristics that affect DFS are as follows:

Operating Modes (5250 – 5350 MHz, 5470 – 5725 MHz) – NU

- Master Device 5250-5350MHz Note: The NU device acts as a Master in the 5250-5350MHz band only during CU Synchronization or Acquire mode.
- Master Device 5470-5725 MHz (excluding 5600-5650 MHz)

Operating Modes (5250 – 5350 MHz) –CU

Master Device 5250-5350 MHz

Antenna Gains / EIRP (5250 – 5725 MHz) – NU

	5250 – 5350 MHz	5470 – 5725 MHz
Lowest Antenna Gain (dBi)	6	6
Highest Antenna Gain (dBi)	6	6
EIRP Output Power (dBm)	22	22

Note – The NU does not transmit in the 5470-5725 MHz band but does receive in this band.

<u>Antenna Gains / EIRP (5250 – 5350 MHz, 5470 – 5725 MHz)</u>

	5250 – 5350 MHz	5470 – 5725 MHz
Lowest Antenna Gain (dBi)	6	6
Highest Antenna Gain (dBi)	6	6
EIRP Output Power (dBm)	Note	22

Note – The CU does not transmit in the 5250-5350 MHz band but does receive in this band.

DFS testing was performed with the EUT oriented in the direction of highest antenna gain.

Channel Protocol

☐ IP Based
☐ Frame Based

ENCLOSURE

The CU enclosure measures approximately 15.1 H by 14.8 W by 4.9 D centimeters. It is primarily constructed of uncoated plastic.

The NU enclosure measures approximately 20.7 H by 14.4 W by 14.4 D centimeters. It is primarily constructed of uncoated plastic.

File: R94497 Rev 3 Page 19 of 281

Reissue Date: August 1, 2014

The EUT did not require modifications during testing in order to comply with the requirements of the standard(s) referenced in this test report.

SUPPORT EQUIPMENT

The following equipment was used as local support equipment for testing:

Manufacturer	Model	Description	Serial Number	FCC ID
Nextivity Inc.	NU	Network Unit	170341000011	-
Nextivity Inc.	CU	Coverage Unit	171341000100	-
Dell	PP18L	Laptop Computer	7545212749	-
Agilent	E4438C	Vector Signal Generator	MY45093747	-

The NU and the CU are both Master devices during normal operation in their respective bands.

EUT INTERFACE PORTS

The I/O cabling configuration during testing was as follows:

		Cable(s)			
Port	Connected To	Description	Shielded or Unshielded	Length (m)	
AC Power	AC Mains (x2)	2 wire wall adaptor	NA	-	
DC Power	EUT (x2)	2 wire	unshielded	2	

EUT OPERATION

The EUT was operating with software version 5.0.12. The software is secured by encryption to prevent the user from disabling the DFS function.

The manufacturer provided special software that over-rode the non-occupancy mechanism (allowing return to the same channel) for the purposes of determining the probability of detection. This test feature was disabled and the normal operating software enabled for verifying the 30-minute non-occupancy period and channel move time.

The start of the Channel Availability Check was 5 seconds after the command to change channel was sent.

During the tests the system was configured as described in the Nextivity DFS Implementation Proposal v07 document for each of the modes tested. The signal generator was used to act like a Base Station for simulating a Cell signal to the NU during testing.

In the CU Synchronization or Acquire Mode, the NU traffic on the channel is set at 50% duty cycle in software. In Steady State mode, the traffic on the channel is continuous on F_L for the NU and on F_H for the CU. In Steady State mode, the NU is only receiving on F_H and the CU is only receiving on F_L . Refer to refer to Figure 3 in Appendix E .

File: R94497 Rev 3 Page 20 of 281

RADAR WAVEFORMS

Table 7 - FCC Short Pulse Radar Test Waveforms							
Radar Type	Pulse Width (µsec)	Pulses / burst	Minimum Detection Percentage	Minimum Number of Trials			
1	1	1428	18	60%	30		
2	1-5	150-230	23-29	60%	30		
3	6-10	200-500	16-18	60%	30		
4	11-20	200-500	12-16	60%	30		
Aggregate (Ra	adar Types 1-4)		80%	120			

Table 8 - FCC Long Pulse Radar Test Waveforms								
Radar Type	Pulse Width (µsec)	Chirp Width (MHz)	PRI (µsec)	Pulses / burst	Number of <i>Bursts</i>	Minimum Detection Percentage	Minimum Number of Trials	
5	50-100	5-20	1000- 2000	1-3	8-20	80%	30	

Table 9 - FCC Frequency Hopping Radar Test Waveforms							
Radar Type	Pulse Width (µsec)	PRI (µsec)	Pulses / hop	Hopping Rate (kHz)	Hopping Sequence Length (msec)	Minimum Detection Percentage	Minimum Number of Trials
6	1	333	9	0.333	300	70%	30

File: R94497 Rev 3 Page 21 of 281

DFS TEST METHODS

RADIATED TEST METHOD

The combination of master and slave devices is located in an anechoic chamber. The simulated radar waveform is transmitted from a directional horn antenna (typically an EMCO 3115) toward the unit performing the radar detection (radar detection device, RDD). Every effort is made to ensure that the main beam of the EUT's antenna is aligned with the radar-generating antenna which is oriented in vertical polarization.




Figure 2 Test Configuration for Radiated Measurement Method

File: R94497 Rev 3 Page 22 of 281

Reissue Date: August 1, 2014

The signal level of the simulated waveform is set to a reference level equal to the threshold level (plus 1dB if testing against FCC requirements). Lower levels may also be applied on request of the manufacturer. The level reported is the level at the RDD antenna and so it is not corrected for the RDD's antenna gain. The RDD is configured with the lowest gain antenna assembly intended for use with the device.

The signal level is verified by measuring the CW signal level from the radar generation system using a reference antenna of gain G_{REF} (dBi). The radar signal level is calculated from the measured level, R (dBm), and any cable loss, L (dB), between the reference antenna and the measuring instrument:

Applied level
$$(dBm) = R - G_{REF} + L$$

If both master and client devices have radar detection capability then the device not under test is positioned with absorbing material between its antenna and the radar generating antenna, and the radar level at the non RDD is verified to be at least 20dB below the threshold level to ensure that any responses are due to the RDD detecting radar.

The antenna connected to the channel monitoring subsystem is positioned to allow both master and client transmissions to be observed, with the level of the EUT's transmissions between 6 and 10dB higher than those from the other device.

File: R94497 Rev 3 Page 23 of 281

DFS MEASUREMENT INSTRUMENTATION

RADAR GENERATION SYSTEM

An Agilent PSG is used as the radar-generating source. The integral arbitrary waveform generators are programmed using Agilent's "Pulse Building" software and NTS Silicon Valley custom software to produce the required waveforms, with the capability to produce both un-modulated and modulated (FM Chirp) pulses. Where there are multiple values for a specific radar parameter then the software selects a value at random and, for FCC tests, the software verifies that the resulting waveform is truly unique.

With the exception of the hopping waveforms required by the FCC's rules (see below), the radar generator is set to a single frequency within the radar detection bandwidth of the EUT. The frequency is varied from trial to trial by stepping in 5MHz steps. For radar types with variable parameters, each detection probability trial is performed using a unique set of parameters obtained by a random selection with uniform distribution for each of the variable parameters.

Frequency hopping radar waveforms are simulated using a time domain model. A randomly hopping sequence algorithm (which uses each channel in the hopping radar's range once in a hopping sequence) generates a hop sequence. A segment of the first 100 elements of the hop sequence are then examined to determine if it contains one or more frequencies within the radar detection bandwidth of the EUT. If it does not then the first element of the segment is discarded and the next frequency in the sequence is added. The process repeats until a valid segment is produced. The radar system is then programmed to produce bursts at time slots coincident with the frequencies within the segment that fall in the detection bandwidth. The frequency of the generator is stepped in 1 MHz increments across the EUT's detection range.

The radar signal level is verified during testing using a CW signal with the AGC function switched on. Correction factors to account for the fact that pulses are generated with the AGC functions switched off are measured annually and an offset is used to account for this in the software.

The generator output is connected to the coupling port of the conducted set-up or to the radar-generating antenna. The radar generating antenna (when used) is oriented for vertical polarization.

File: R94497 Rev 3 Page 24 of 281

CHANNEL MONITORING SYSTEM

Channel monitoring is achieved using a spectrum analyzer and digital storage oscilloscope. The analyzer is configured in a zero-span mode, center frequency set to the radar waveform's frequency or the center frequency of the EUT's operating channel. The IF output of the analyzer is connected to one input of the oscilloscope.

A signal generator output is set to send either the modulating signal directly or a pulse gate with an output pulse co-incident with each radar pulse. This output is connected to a second input on the oscilloscope and the oscilloscope displays both the channel traffic (via the if input) and the radar pulses on its display.

For in service monitoring tests the analyzer sweep time is set to > 20 seconds and the oscilloscope is configured with a data record length of 10 seconds for the short duration and frequency hopping waveforms, 20 seconds for the long duration waveforms. Both instruments are set for a single acquisition sequence. The analyzer is triggered 500ms before the start of the waveform and the oscilloscope is triggered directly by the modulating pulse train. Timing measurements for aggregate channel transmission time and channel move time are made from the oscilloscope data, with the end of the waveform clearly identified by the pulse train on one trace. The analyzer trace data is used to confirm that the last transmission occurred within the 10-second record of the oscilloscope. If necessary the record length of the oscilloscope is expanded to capture the last transmission on the channel prior to the channel move.

Channel availability check time timing plots are made using the analyzer. The analyzer is triggered at start of the EUT's channel availability check and used to verify that the EUT does not transmit when radar is applied during the check time.

The analyzer detector and oscilloscope sampling mode is set to peak detect for all plots.




Figure 3 - SA Noise Floor During Testing (radar shown at 520 ms)

File: R94497 Rev 3 Page 25 of 281

RADAR GENERATOR PLOTS

The radar generator was connected to Spectrum Analyzer (SA) input, with the SA set to zero span, 3 MHz RBW, 3 MHz VBW. The SA IF output was connected to an oscilloscope to provide timing plots.




Figure 4 - FCC Type 1 Radar (18 pulses)

File: R94497 Rev 3 Page 26 of 281




Figure 5 - FCC Type 2 Radar (24 pulses)

File: R94497 Rev 3 Page 27 of 281




Figure 6 - FCC Type 3 Radar (17 pulses)

File: R94497 Rev 3 Page 28 of 281




Figure 7 - FCC Type 4 Radar (16 pulses)

File: R94497 Rev 3 Page 29 of 281



Figure 8 - FCC Type 5 Radar (burst with three pulses, 1650 µs first period)

The shape is round due to chirped frequency during pulse as the SA is in zero span with 3 MHz BW.

File: R94497 Rev 3 Page 30 of 281




Figure 9 - FCC Type 6 Radar (9 pulses in each burst)

File: R94497 Rev 3 Page 31 of 281

DFS MEASUREMENT METHODS

DFS RADAR DETECTION BANDWIDTH

The radar detection bandwidth is determined by using FCC radar waveform 1 and applying radar pulses at offsets from the center channel frequency by multiples of 1MHz. These bursts are applied with no traffic on the channel. The first frequencies above and below the center channel frequency that have a detection rate below 90% define the radar bandwidth, the actual range being 1MHz below the upper frequency and 1MHz above the lower frequency.

DFS - CHANNEL CLOSING TRANSMISSION TIME AND CHANNEL MOVE TIME

Channel clearing and closing times are measured by applying a burst of radar with the device configured to change channel and by observing the channel for transmissions. The time between the end of the applied radar waveform and the final transmission on the channel is the channel move time.

The aggregate transmission closing time is measured in one of two ways:

FCC - the total time of all individual transmissions from the EUT that are observed starting 200ms at the end of the last radar pulse in the waveform. This value is required to be less than 60ms.

DFS - CHANNEL NON-OCCUPANCY AND VERIFICATION OF PASSIVE SCANNING

The channel that was in use prior to radar detection by the master is additionally monitored for 30 minutes to ensure no transmissions on the vacated channel over the required non-occupancy period. This is achieved by tuning the spectrum analyzer to the vacated channel in zero-span mode and connecting the IF output to an oscilloscope. The oscilloscope is triggered by the radar pulse and set to provide a single sweep (in peak detect mode) that lasts for at least 30 minutes after the end of the channel move time.

File: R94497 Rev 3 Page 32 of 281

It is preferred that the EUT report when it starts the radar channel availability check. If the EUT does not report the start of the check time, then the time to start transmitting on a channel after switching the device on is measured to approximate the time from power-on to the end of the channel availability check. The start of the channel availability check is assumed to be 60 seconds prior to the first transmission on the channel.

To evaluate the channel availability check, a single burst of one radar type is applied within the first 2 seconds of the start of the channel availability check and it is verified that the device does not use the channel by continuing to monitor the channel for a period of at least 60 seconds. The test is repeated by applying a burst of radar in the last 2 seconds (i.e. between 58 and 60 seconds after the start of CAC when evaluating a 60-second CAC) of the channel availability check.

UNIFORM I OADING

Compliance with the FCC's channel loading requirement is demonstrated through the manufacturer's operational description for the device under test.

TRANSMIT POWER CONTROL (TPC)

Compliance with the transmit power control requirements for devices is demonstrated through measurements showing multiple power levels and manufacturer statements explaining how the power control is implemented.

File: R94497 Rev 3 Page 33 of 281

SAMPLE CALCULATIONS

DETECTION PROBABILITY / SUCCESS RATE

The detection probability, or success rate, for any one radar waveform equals the number of successful trials divided by the total number of trials for that waveform.

In the case of the FCC requirements, for radar waveform types 1 through 4 an additional calculation is made to determine the average detection probability over all four radar waveform types. This calculation is the arithmetic mean of the four individual probabilities.

THRESHOLD LEVEL

The threshold level is the level of the simulated radar waveform at the EUT's antenna. If the test is performed in a conducted fashion then the level at the RF input equals the level at the antenna plus the gain of the antenna assembly, in dBi. The gain of the antenna assembly equals the gain of the antenna minus the loss of the cabling between the RF input and the antenna. The lowest gain value for all antenna assemblies intended for use with the device is used when making this calculation.

If the test is performed using the radiated method then the threshold level is the level at the antenna.

File: R94497 Rev 3 Page 34 of 281

Appendix A Test Equipment Calibration Data

Manufacturer	<u>Description</u>	Model #	Asset #	Cal Due
Hewlett Packard	EMC Spectrum Analyzer, 9 kHz - 6.5 GHz	8595EM	787	20-Aug-14
EMCO	Antenna, Horn, 1-18 GHz	3117	1662	25-May-14
Agilent Technologies	PSG Vector Signal Generator (250kHz - 20GHz)	E8267C	1877	05-Jun-14
Tektronix	500MHz, 2CH, 5GS/s Scope	TDS5052B	2118	23-Oct-14
EMCO	Antenna, Horn, 1-18 GHz	3115	2732	12-Nov-14

File: R94497 Rev 3 Page 35 of 281

The traffic was generated by a Cell Phone signal generator.

Table 10 - Summary of All Results – NU 30 MHz Mode Steady State					
Waveform Name	Pd (%)	Pd Required (%)	Number of Trials	Status	
FCC Short Pulse Radar (Type 1)	93.3 %	60.0 %	30	PASSED	
FCC Short Pulse Radar (Type 2)	93.3 %	60.0 %	30	PASSED	
FCC Short Pulse Radar (Type 3)	90.0 %	60.0 %	30	PASSED	
FCC Short Pulse Radar (Type 4)	73.3 %	60.0 %	30	PASSED	
Aggregate of above results	87.5 %	80.0 %	120	PASSED	
Long Sequence	80.0 %	80.0 %	30	PASSED	
FCC frequency hopping radar (Type 6)	100.0 %	70.0 %	37	PASSED	

Table 11 - Detection Bandwidth Measurements (Bandwidth: +18MHz /-18MHz) NU 30 MHz Mode Steady State					
EUT Frequency	Radar Type	Radar Frequency	# Detected	# Not Detected	Success (%)
FCC Short Pulse Radar (Type 1)		5521.00 MHz	0	3	0
5540.00 MHz	FCC Short Pulse Radar (Type 1)	5522.00 MHz	9	1	90
5540.00 MHz	FCC Short Pulse Radar (Type 1)	5523.00 MHz	10	0	100
5540.00 MHz	FCC Short Pulse Radar (Type 1)	5524.00 MHz	10	0	100
5540.00 MHz	FCC Short Pulse Radar (Type 1)	5525.00 MHz	10	0	100
5540.00 MHz	FCC Short Pulse Radar (Type 1)	5526.00 MHz	10	0	100
5540.00 MHz	FCC Short Pulse Radar (Type 1)	5527.00 MHz	10	0	100
5540.00 MHz	FCC Short Pulse Radar (Type 1)	5528.00 MHz	10	0	100
5540.00 MHz	FCC Short Pulse Radar (Type 1)	5529.00 MHz	10	0	100
5540.00 MHz	FCC Short Pulse Radar (Type 1)	5530.00 MHz	10	0	100
5540.00 MHz	FCC Short Pulse Radar (Type 1)	5531.00 MHz	10	0	100
5540.00 MHz	FCC Short Pulse Radar (Type 1)	5532.00 MHz	10	0	100
5540.00 MHz	FCC Short Pulse Radar (Type 1)	5533.00 MHz	10	0	100
5540.00 MHz	FCC Short Pulse Radar (Type 1)	5534.00 MHz	10	0	100
5540.00 MHz	FCC Short Pulse Radar (Type 1)	5535.00 MHz	10	0	100
5540.00 MHz	FCC Short Pulse Radar (Type 1)	5536.00 MHz	10	0	100
5540.00 MHz	FCC Short Pulse Radar (Type 1)	5537.00 MHz	10	0	100
5540.00 MHz	FCC Short Pulse Radar (Type 1)	5538.00 MHz	10	0	100

File: R94497 Rev 3 Page 36 of 281

Table 11 - Detection Bandwidth Measurements (Bandwidth: +18MHz /-18MHz) NU 30 MHz Mode Steady State

State								
EUT Frequency	Radar Type	Radar Frequency	# Detected	# Not Detected	Success (%)			
5540.00 MHz	FCC Short Pulse Radar (Type 1)	5539.00 MHz	10	0	100			
5540.00 MHz	FCC Short Pulse Radar (Type 1)	5540.00 MHz	10	0	100			
5540.00 MHz	FCC Short Pulse Radar (Type 1)	5541.00 MHz	10	0	100			
5540.00 MHz	FCC Short Pulse Radar (Type 1)	5542.00 MHz	10	0	100			
5540.00 MHz	FCC Short Pulse Radar (Type 1)	5543.00 MHz	10	0	100			
5540.00 MHz	FCC Short Pulse Radar (Type 1)	5544.00 MHz	10	0	100			
5540.00 MHz	FCC Short Pulse Radar (Type 1)	5545.00 MHz	10	0	100			
5540.00 MHz	FCC Short Pulse Radar (Type 1)	5546.00 MHz	10	0	100			
5540.00 MHz	FCC Short Pulse Radar (Type 1)	5547.00 MHz	10	0	100			
5540.00 MHz	FCC Short Pulse Radar (Type 1)	5548.00 MHz	10	0	100			
5540.00 MHz	FCC Short Pulse Radar (Type 1)	5549.00 MHz	10	0	100			
5540.00 MHz	FCC Short Pulse Radar (Type 1)	5550.00 MHz	9	1	90			
5540.00 MHz	FCC Short Pulse Radar (Type 1)	5551.00 MHz	10	0	100			
5540.00 MHz	FCC Short Pulse Radar (Type 1)	5552.00 MHz	10	0	100			
5540.00 MHz	FCC Short Pulse Radar (Type 1)	5553.00 MHz	10	0	100			
5540.00 MHz	FCC Short Pulse Radar (Type 1)	5554.00 MHz	10	0	100			
5540.00 MHz	FCC Short Pulse Radar (Type 1)	5555.00 MHz	10	0	100			
5540.00 MHz	FCC Short Pulse Radar (Type 1)	5556.00 MHz	10	0	100			
5540.00 MHz	FCC Short Pulse Radar (Type 1)	5557.00 MHz	10	0	100			
5540.00 MHz	FCC Short Pulse Radar (Type 1)	5558.00 MHz	10	0	100			
5540.00 MHz	FCC Short Pulse Radar (Type 1)	5559.00 MHz	0	3	0			

File: R94497 Rev 3 Page 37 of 281

Table 12 - FCC Short Pulse Radar (Type 1) Results - NU 30 MHz Mode Steady State								
Trial #	Pulses/ Burst	Pulse Width (us)	PRI (us)	Detected	Fr (MHz) and level (dBm)	Burst Information		
1	18	1.0	1428.0	Yes	5540.0MHz, -68.0dBm	Single burst (12/20/2013 01:00:39 PM)		
2	18	1.0	1428.0	Yes	5535.0MHz, -62.0dBm	Single burst (12/20/2013 01:01:03 PM)		
3	18	1.0	1428.0	Yes	5530.0MHz, -62.0dBm	Single burst (12/20/2013 01:01:44 PM)		
4	18	1.0	1428.0	Yes	5550.0MHz, -62.0dBm	Single burst (12/20/2013 01:01:56 PM)		
5	18	1.0	1428.0	Yes	5545.0MHz, -62.0dBm	Single burst (12/20/2013 01:02:17 PM)		
6	18	1.0	1428.0	Yes	5540.0MHz, -62.0dBm	Single burst (12/20/2013 01:02:29 PM)		
7	18	1.0	1428.0	Yes	5535.0MHz, -62.0dBm	Single burst (12/20/2013 01:02:38 PM)		
8	18	1.0	1428.0	Yes	5530.0MHz, -62.0dBm	Single burst (12/20/2013 01:02:54 PM)		
9	18	1.0	1428.0	No	5550.0MHz, -62.0dBm	Single burst (12/20/2013 01:03:24 PM)		
10	18	1.0	1428.0	Yes	5545.0MHz, -62.0dBm	Single burst (12/20/2013 01:03:36 PM)		
11	18	1.0	1428.0	Yes	5540.0MHz, -62.0dBm	Single burst (12/20/2013 01:03:57 PM)		
12	18	1.0	1428.0	Yes	5535.0MHz, -62.0dBm	Single burst (12/20/2013 01:04:11 PM)		
13	18	1.0	1428.0	No	5530.0MHz, -62.0dBm	Single burst (12/20/2013 01:04:45 PM)		
14	18	1.0	1428.0	Yes	5550.0MHz, -62.0dBm	Single burst (12/20/2013 01:05:10 PM)		
15	18	1.0	1428.0	Yes	5545.0MHz, -62.0dBm	Single burst (12/20/2013 01:05:31 PM)		
16	18	1.0	1428.0	Yes	5540.0MHz, -62.0dBm	Single burst (12/20/2013 01:06:05 PM)		
17	18	1.0	1428.0	Yes	5535.0MHz, -62.0dBm	Single burst (12/20/2013 01:06:20 PM)		
18	18	1.0	1428.0	Yes	5530.0MHz, -62.0dBm	Single burst (12/20/2013 01:06:31 PM)		
19	18	1.0	1428.0	Yes	5550.0MHz, -62.0dBm	Single burst (12/20/2013 01:06:56 PM)		
20	18	1.0	1428.0	Yes	5545.0MHz, -62.0dBm	Single burst (12/20/2013 01:07:08 PM)		
21	18	1.0	1428.0	Yes	5540.0MHz, -62.0dBm	Single burst (12/20/2013 01:07:20 PM)		
22	18	1.0	1428.0	Yes	5535.0MHz, -62.0dBm	Single burst (12/20/2013 01:07:30 PM)		
23	18	1.0	1428.0	Yes	5530.0MHz, -62.0dBm	Single burst (12/20/2013 01:07:40 PM)		
24	18	1.0	1428.0	Yes	5550.0MHz, -62.0dBm	Single burst (12/20/2013 01:07:50 PM)		
25	18	1.0	1428.0	Yes	5545.0MHz, -62.0dBm	Single burst (12/20/2013 01:08:00 PM)		
26	18	1.0	1428.0	Yes	5540.0MHz, -62.0dBm	Single burst (12/20/2013 01:08:11 PM)		
27	18	1.0	1428.0	Yes	5535.0MHz,	Single burst (12/20/2013 01:08:20		

File: R94497 Rev 3 Page 38 of 281

	Table 12 - FCC Short Pulse Radar (Type 1) Results - NU 30 MHz Mode Steady State							
Trial #	Pulses/ Burst	Pulse Width (us)	PRI (us)	Detected	Fr (MHz) and level (dBm)	Burst Information		
					-62.0dBm	PM)		
28	18	1.0	1428.0	Yes	5530.0MHz, -62.0dBm	Single burst (12/20/2013 01:08:36 PM)		
29	18	1.0	1428.0	Yes	5550.0MHz, -62.0dBm	Single burst (12/20/2013 01:08:45 PM)		
30	18	1.0	1428.0	Yes	5545.0MHz, -62.0dBm	Single burst (12/20/2013 01:09:07 PM)		

	Table 13 - FCC Short Pulse Radar (Type 2) Results - NU 30 MHz Mode Steady State							
Trial #	Pulses/ Burst	Pulse Width (us)	PRI (us)	Detected	Fr (MHz) and level (dBm)	Burst Information		
1	24	4.4	157.0	Yes	5540.0MHz, -62.0dBm	Single burst (12/20/2013 01:13:35 PM)		
2	27	2.7	154.0	Yes	5535.0MHz, -62.0dBm	Single burst (12/20/2013 01:13:52 PM)		
3	28	2.4	219.0	Yes	5530.0MHz, -62.0dBm	Single burst (12/20/2013 01:14:07 PM)		
4	23	4.8	226.0	Yes	5550.0MHz, -62.0dBm	Single burst (12/20/2013 01:14:28 PM)		
5	25	1.0	216.0	Yes	5545.0MHz, -62.0dBm	Single burst (12/20/2013 01:14:40 PM)		
6	23	1.4	189.0	Yes	5540.0MHz, -62.0dBm	Single burst (12/20/2013 01:14:57 PM)		
7	28	3.9	153.0	Yes	5535.0MHz, -62.0dBm	Single burst (12/20/2013 01:15:07 PM)		
8	28	4.5	167.0	Yes	5530.0MHz, -62.0dBm	Single burst (12/20/2013 01:15:17 PM)		
9	26	1.7	155.0	Yes	5550.0MHz, -62.0dBm	Single burst (12/20/2013 01:15:38 PM)		
10	28	2.5	161.0	Yes	5545.0MHz, -62.0dBm	Single burst (12/20/2013 01:15:48 PM)		
11	24	3.3	230.0	Yes	5540.0MHz, -62.0dBm	Single burst (12/20/2013 01:15:58 PM)		
12	23	3.4	197.0	Yes	5535.0MHz, -62.0dBm	Single burst (12/20/2013 01:16:07 PM)		
13	26	3.5	201.0	Yes	5530.0MHz, -62.0dBm	Single burst (12/20/2013 01:16:15 PM)		
14	28	4.8	200.0	Yes	5550.0MHz, -62.0dBm	Single burst (12/20/2013 01:16:26 PM)		
15	27	2.4	193.0	Yes	5545.0MHz, -62.0dBm	Single burst (12/20/2013 01:16:43 PM)		
16	27	3.5	166.0	Yes	5540.0MHz, -62.0dBm	Single burst (12/20/2013 01:17:05 PM)		
17	25	4.1	206.0	Yes	5535.0MHz, -62.0dBm	Single burst (12/20/2013 01:17:19 PM)		
18	28	1.8	217.0	Yes	5530.0MHz, -62.0dBm	Single burst (12/20/2013 01:17:29 PM)		
19	27	4.1	175.0	Yes	5550.0MHz, -62.0dBm	Single burst (12/20/2013 01:18:04 PM)		
20	27	1.8	198.0	Yes	5545.0MHz,	Single burst (12/20/2013 01:18:20		
21	25	4.6	161.0	Yes	-62.0dBm 5540.0MHz, -62.0dBm	PM) Single burst (12/20/2013 01:18:43 PM)		

File: R94497 Rev 3 Page 39 of 281

	Table 13 - FCC Short Pulse Radar (Type 2) Results - NU 30 MHz Mode Steady State							
Trial #	Pulses/ Burst	Pulse Width (us)	PRI (us)	Detected	Fr (MHz) and level (dBm)	Burst Information		
22	23	2.7	164.0	Yes	5535.0MHz, -62.0dBm	Single burst (12/20/2013 01:18:58 PM)		
23	24	1.4	161.0	Yes	5530.0MHz, -62.0dBm	Single burst (12/20/2013 01:19:15 PM)		
24	25	4.2	222.0	Yes	5550.0MHz, -62.0dBm	Single burst (12/20/2013 01:19:34 PM)		
25	27	2.5	179.0	Yes	5545.0MHz, -62.0dBm	Single burst (12/20/2013 01:19:49 PM)		
26	28	2.8	186.0	Yes	5540.0MHz, -62.0dBm	Single burst (12/20/2013 01:19:59 PM)		
27	24	2.9	155.0	Yes	5535.0MHz, -62.0dBm	Single burst (12/20/2013 01:20:09 PM)		
28	27	2.6	218.0	No	5530.0MHz, -62.0dBm	Single burst (12/20/2013 01:20:24 PM)		
29	27	1.3	218.0	Yes	5550.0MHz, -62.0dBm	Single burst (12/20/2013 01:20:45 PM)		
30	26	3.3	196.0	No	5545.0MHz, -62.0dBm	Single burst (12/20/2013 01:21:01 PM)		

	Table 14 - FCC Short Pulse Radar (Type 3) Results - NU 30 MHz Mode Steady State								
Trial #	Pulses/ Burst	Pulse Width (us)	PRI (us)	Detected	Fr (MHz) and level (dBm)	Burst Information			
1	16	7.3	414.0	Yes	5540.0MHz, -62.0dBm	Single burst (12/20/2013 01:22:46 PM)			
2	17	8.3	203.0	Yes	5535.0MHz, -62.0dBm	Single burst (12/20/2013 01:22:57 PM)			
3	17	9.4	208.0	Yes	5530.0MHz, -62.0dBm	Single burst (12/20/2013 01:23:09 PM)			
4	17	7.9	318.0	Yes	5550.0MHz, -62.0dBm	Single burst (12/20/2013 01:23:19 PM)			
5	16	9.9	266.0	Yes	5545.0MHz, -62.0dBm	Single burst (12/20/2013 01:23:31 PM)			
6	17	8.2	449.0	Yes	5540.0MHz, -62.0dBm	Single burst (12/20/2013 01:23:44 PM)			
7	17	6.8	254.0	Yes	5535.0MHz, -62.0dBm	Single burst (12/20/2013 01:23:54 PM)			
8	18	9.2	430.0	Yes	5530.0MHz, -62.0dBm	Single burst (12/20/2013 01:24:08 PM)			
9	17	9.1	288.0	Yes	5550.0MHz, -62.0dBm	Single burst (12/20/2013 01:24:36 PM)			
10	18	7.6	288.0	No	5545.0MHz, -62.0dBm	Single burst (12/20/2013 01:24:49 PM)			
11	18	7.7	230.0	Yes	5540.0MHz, -62.0dBm	Single burst (12/20/2013 01:25:03 PM)			
12	17	8.0	307.0	Yes	5535.0MHz, -62.0dBm	Single burst (12/20/2013 01:25:13 PM)			
13	18	8.3	213.0	No	5530.0MHz, -62.0dBm	Single burst (12/20/2013 01:25:23 PM)			
14	16	7.1	209.0	Yes	5550.0MHz, -62.0dBm	Single burst (12/20/2013 01:25:54 PM)			
15	16	6.3	473.0	Yes	5545.0MHz, -62.0dBm	Single burst (12/20/2013 01:26:04 PM)			

File: R94497 Rev 3 Page 40 of 281

	Table 14 - FCC Short Pulse Radar (Type 3) Results - NU 30 MHz Mode Steady State							
Trial #	Pulses/ Burst	Pulse Width (us)	PRI (us)	Detected	Fr (MHz) and level (dBm)	Burst Information		
16	17	8.7	282.0	Yes	5540.0MHz, -62.0dBm	Single burst (12/20/2013 01:26:14 PM)		
17	16	7.7	314.0	Yes	5535.0MHz, -62.0dBm	Single burst (12/20/2013 01:26:24 PM)		
18	18	8.1	469.0	Yes	5530.0MHz, -62.0dBm	Single burst (12/20/2013 01:26:34 PM)		
19	16	6.8	498.0	Yes	5550.0MHz, -62.0dBm	Single burst (12/20/2013 01:26:45 PM)		
20	16	7.0	379.0	Yes	5545.0MHz, -62.0dBm	Single burst (12/20/2013 01:26:56 PM)		
21	18	8.2	287.0	Yes	5540.0MHz, -62.0dBm	Single burst (12/20/2013 01:27:06 PM)		
22	17	6.6	278.0	Yes	5535.0MHz, -62.0dBm	Single burst (12/20/2013 01:27:16 PM)		
23	17	6.7	366.0	Yes	5530.0MHz, -62.0dBm	Single burst (12/20/2013 01:27:27 PM)		
24	17	7.0	260.0	Yes	5550.0MHz, -62.0dBm	Single burst (12/20/2013 01:27:37 PM)		
25	16	6.8	227.0	Yes	5545.0MHz, -62.0dBm	Single burst (12/20/2013 01:27:46 PM)		
26	18	9.2	434.0	Yes	5540.0MHz, -62.0dBm	Single burst (12/20/2013 01:27:56 PM)		
27	17	9.6	262.0	No	5535.0MHz, -62.0dBm	Single burst (12/20/2013 01:28:06 PM)		
28	18	8.2	426.0	Yes	5530.0MHz, -62.0dBm	Single burst (12/20/2013 01:28:17 PM)		
29	18	9.6	259.0	Yes	5550.0MHz, -62.0dBm	Single burst (12/20/2013 01:28:26 PM)		
30	17	6.2	413.0	Yes	5545.0MHz, -62.0dBm	Single burst (12/20/2013 01:28:38 PM)		

	Table 15 - FCC Short Pulse Radar (Type 4) Results - NU 30 MHz Mode Steady State							
Trial #	Pulses/ Burst	Pulse Width (us)	PRI (us)	Detected	Fr (MHz) and level (dBm)	Burst Information		
1	15	17.3	452.0	Yes	5540.0MHz, -62.0dBm	Single burst (12/20/2013 01:29:31 PM)		
2	13	13.1	307.0	Yes	5535.0MHz, -62.0dBm	Single burst (12/20/2013 01:29:41 PM)		
3	13	15.9	314.0	No	5530.0MHz, -62.0dBm	Single burst (12/20/2013 01:29:50 PM)		
4	14	14.4	399.0	Yes	5550.0MHz, -62.0dBm	Single burst (12/20/2013 01:30:02 PM)		
5	13	12.4	481.0	Yes	5545.0MHz, -62.0dBm	Single burst (12/20/2013 01:30:12 PM)		
6	15	14.3	274.0	Yes	5540.0MHz, -62.0dBm	Single burst (12/20/2013 01:30:21 PM)		
7	13	11.7	418.0	Yes	5535.0MHz, -62.0dBm	Single burst (12/20/2013 01:30:31 PM)		
8	14	11.0	347.0	Yes	5530.0MHz, -62.0dBm	Single burst (12/20/2013 01:30:42 PM)		
9	14	12.3	261.0	Yes	5550.0MHz, -62.0dBm	Single burst (12/20/2013 01:30:58 PM)		

File: R94497 Rev 3 Page 41 of 281

Reissue Date: August 1, 2014	

	Table 15 - FCC Short Pulse Radar (Type 4) Results - NU 30 MHz Mode Steady State							
Trial #	Pulses/ Burst	Pulse Width (us)	PRI (us)	Detected	Fr (MHz) and level (dBm)	Burst Information		
10	16	12.6	250.0	Yes	5545.0MHz, -62.0dBm	Single burst (12/20/2013 01:31:08 PM)		
11	13	16.0	312.0	No	5540.0MHz, -62.0dBm	Single burst (12/20/2013 01:31:15 PM)		
12	16	11.1	401.0	No	5535.0MHz, -62.0dBm	Single burst (12/20/2013 01:31:24 PM)		
13	14	19.1	479.0	Yes	5530.0MHz, -62.0dBm	Single burst (12/20/2013 01:31:39 PM)		
14	14	15.0	444.0	Yes	5550.0MHz, -62.0dBm	Single burst (12/20/2013 01:31:52 PM)		
15	15	17.2	462.0	Yes	5545.0MHz, -62.0dBm	Single burst (12/20/2013 01:32:07 PM)		
16	16	17.1	271.0	Yes	5540.0MHz, -62.0dBm	Single burst (12/20/2013 01:32:15 PM)		
17	15	18.2	383.0	Yes	5535.0MHz, -62.0dBm	Single burst (12/20/2013 01:32:23 PM)		
18	14	15.6	339.0	No	5530.0MHz, -62.0dBm	Single burst (12/20/2013 01:32:31 PM)		
19	15	12.9	249.0	No	5550.0MHz, -62.0dBm	Single burst (12/20/2013 01:32:40 PM)		
20	14	13.9	471.0	Yes	5545.0MHz, -62.0dBm	Single burst (12/20/2013 01:32:51 PM)		
21	14	18.0	249.0	Yes	5540.0MHz, -62.0dBm	Single burst (12/20/2013 01:32:59 PM)		
22	16	14.4	286.0	Yes	5535.0MHz, -62.0dBm	Single burst (12/20/2013 01:33:07 PM)		
23	14	12.0	422.0	No	5530.0MHz, -62.0dBm	Single burst (12/20/2013 01:33:17 PM)		
24	15	18.7	398.0	Yes	5550.0MHz, -62.0dBm	Single burst (12/20/2013 01:33:36 PM)		
25	13	14.4	333.0	Yes	5545.0MHz, -62.0dBm	Single burst (12/20/2013 01:33:50 PM)		
26	13	17.8	408.0	No	5540.0MHz, -62.0dBm	Single burst (12/20/2013 01:33:59 PM)		
27	13	13.5	285.0	Yes	5535.0MHz, -62.0dBm	Single burst (12/20/2013 01:34:09 PM)		
28	13	18.3	299.0	No	5530.0MHz, -62.0dBm	Single burst (12/20/2013 01:34:17 PM)		
29	14	12.9	308.0	Yes	5550.0MHz, -62.0dBm	Single burst (12/20/2013 01:34:26 PM)		
30	14	15.1	445.0	Yes	5545.0MHz, -62.0dBm	Single burst (12/20/2013 01:34:38 PM)		

Table 16 - Long Sequence Waveform Summary - NU 30 MHz Mode Steady State								
Long Sequence Trial	Result	Radar Frequency / Amplitude						
Trial #1	NOT Detected	5540.0MHz,						
111ai #1	NOT Detected	-62.0dBm						
Trial #2	Detected	5535.0MHz,						
111a1 #2	Detected	-62.0dBm						
Trial #3	Detected	5530.0MHz,						
111at #5	Detected	-62.0dBm						
Trial #4	Detected	5550.0MHz,						
111a1 #4	Detected	-62.0dBm						

File: R94497 Rev 3 Page 42 of 281

Table 16 - Lor	ng Sequence Waveform Summary	- NU 30 MHz Mode Steady State
Long Sequence Trial	Result	Radar Frequency / Amplitude
Trial #5	Detected	5545.0MHz,
11141 #3	Detected	-62.0dBm
Trial #6	Detected	5540.0MHz,
Tital #10	Detected	-62.0dBm
Trial #7	Detected	5535.0MHz,
		-62.0dBm
Trial #8	Detected	5530.0MHz, -62.0dBm
		5550.0MHz,
Trial #9	Detected	-62.0dBm
		5545.0MHz,
Trial #10	Detected	-62.0dBm
T 2 .1 .4.1.1	Datastal	5540.0MHz,
Trial #11	Detected	-62.0dBm
Trial #12	Detected	5535.0MHz,
111α1 π12	Detected	-62.0dBm
Trial #13	Detected	5530.0MHz,
11101 1113	Detected	-62.0dBm
Trial #14	Detected	5550.0MHz,
	200000	-62.0dBm
Trial #15	Detected	5545.0MHz,
		-62.0dBm
Trial #16	Detected	5540.0MHz, -62.0dBm
		5535.0MHz,
Trial #17	Detected	-62.0dBm
		5530.0MHz,
Trial #18	Detected	-62.0dBm
T.: 1 #10	Datastal	5550.0MHz,
Trial #19	Detected	-62.0dBm
Trial #20	NOT Detected	5545.0MHz,
111a1 #20	NOT Detected	-62.0dBm
Trial #21	NOT Detected	5540.0MHz,
11141 1121	1101 Beleeted	-62.0dBm
Trial #22	Detected	5535.0MHz,
		-62.0dBm
Trial #23	Detected	5530.0MHz, -62.0dBm
		5550.0MHz,
Trial #24	Detected	-62.0dBm
		5545.0MHz,
Trial #25	NOT Detected	-62.0dBm
T : 1 1/2 c	NOTED	5540.0MHz,
Trial #26	NOT Detected	-62.0dBm
Trial #27	NOT Detected	5535.0MHz,
11141 #2/	NOT Detected	-62.0dBm
Trial #28	Detected	5530.0MHz,
	Detteted	-62.0dBm
Trial #29	Detected	5550.0MHz,
		-62.0dBm
Trial #30	Detected	5545.0MHz,
		-62.0dBm

Table 17 - Long Sequence Waveform Trial#1 (NOT Detected) - NU 30 MHz Mode Steady State

File: R94497 Rev 3 Page 43 of 281

Burst #	# Pulses	Pulse Width (us)	Chirp (MHz)	Interval 1 to 2 (us)	Interval 2 to 3 (us)	Start time (s)
1	2	69.3	17	1670.0	-	0.740410
2	1	71.1	18	-	-	1.667772
3	2	59.6	13	1763.0	-	2.727660
4	3	93.8	16	1199.0	1637.0	3.471782
5	2	84.0	16	1985.0	-	4.968166
6	1	83.2	19	-	=	5.891055
7	2	97.9	7	1572.0	=	7.040619
8	1	85.6	10	-	=	8.058613
9	2	84.3	17	1060.0	=	9.560395
10	3	67.9	13	1048.0	1727.0	10.426889
11	2	86.7	11	1119.0	-	11.226939

	Table 18 - Long Sequence Waveform Trial#2 (Detected) - NU 30 MHz Mode Steady State								
Burst #	# Pulses	Pulse Width (us)	Chirp (MHz)	Interval 1 to 2 (us)	Interval 2 to 3 (us)	Start time (s)			
1	2	73.0	12	1611.0	-	0.707823			
2	2	99.7	11	1771.0	-	1.197004			
3	1	70.0	19	-	-	1.541952			
4	2	76.0	20	1428.0	-	2.946383			
5	1	70.6	6	-	-	3.536890			
6	2	55.2	8	1834.0	-	4.113238			
7	1	84.4	14	-	-	4.824263			
8	3	58.7	8	1581.0	1790.0	5.461504			
9	2	62.3	16	1831.0	-	6.373228			
10	3	85.2	17	1511.0	1556.0	6.901692			
11	2	92.4	17	1711.0	-	8.052241			
12	3	57.4	11	1502.0	1706.0	8.457888			
13	1	60.1	16	-	-	9.589060			
14	3	51.9	11	1514.0	1444.0	10.463501			
15	2	93.8	13	1822.0	-	10.543225			
16	2	90.9	12	1346.0	-	11.632114			

	Table 19 - Long Sequence Waveform Trial#3 (Detected) - NU 30 MHz Mode Steady State								
Burst #	# Pulses	Pulse Width (us)	Chirp (MHz)	Interval 1 to 2 (us)	Interval 2 to 3 (us)	Start time (s)			
1	1	82.6	10	-	-	0.364827			
2	1	62.4	7	-	-	1.261604			
3	2	88.1	19	1881.0	-	1.537468			
4	3	78.4	15	1261.0	1841.0	2.332158			
5	2	71.3	19	1844.0	-	2.982027			
6	3	75.9	7	1163.0	1752.0	3.701194			
7	2	53.1	8	1899.0	-	3.896674			
8	2	89.9	5	1021.0	-	4.838798			
9	1	61.7	18	-	-	5.154526			
10	3	68.5	12	1020.0	1236.0	6.171368			
11	1	52.4	10	-	-	6.875750			
12	1	91.3	13	-	-	7.219781			
13	3	86.3	10	1928.0	1861.0	7.788319			
14	3	95.3	18	1634.0	1239.0	8.377061			
15	2	76.5	19	1852.0	-	9.228660			
16	1	81.4	12	-	-	9.997958			
17	2	94.7	14	1744.0	-	10.437256			

File: R94497 Rev 3 Page 44 of 281

	Table 19 - Long Sequence Waveform Trial#3 (Detected) - NU 30 MHz Mode Steady State							
Burst #	# Pulses	Pulse Width (us)	Chirp (MHz)	Interval 1 to 2 (us)	Interval 2 to 3 (us)	Start time (s)		
18	3	52.3	11	1551.0	1964.0	11.031432		
19	1	88.7	13	-	-	11.477655		

	Table 20 - Long Sequence Waveform Trial#4 (Detected) - NU 30 MHz Mode Steady State								
Burst #	# Pulses	Pulse Width (us)	Chirp (MHz)	Interval 1 to 2 (us)	Interval 2 to 3 (us)	Start time (s)			
1	2	86.9	13	1033.0	-	0.004234			
2	1	97.4	11	-	-	1.295383			
3	2	66.8	9	1582.0	-	1.874372			
4	3	72.3	13	1697.0	1935.0	3.141469			
5	1	77.2	13	-	-	3.415040			
6	1	82.6	16	-	-	4.417071			
7	3	60.6	6	1342.0	1356.0	5.334137			
8	3	65.7	14	1560.0	1039.0	6.365457			
9	2	77.2	18	1954.0	-	6.579199			
10	3	51.4	10	1897.0	1639.0	7.238024			
11	1	53.4	20	-	-	8.606222			
12	3	71.8	15	1322.0	1951.0	8.985897			
13	1	79.0	10	-	-	10.019636			
14	1	98.3	15	-	-	10.953718			
15	1	52.5	8	-	-	11.463374			

	Table 21 - Long Sequence Waveform Trial#5 (Detected) - NU 30 MHz Mode Steady State								
Burst #	# Pulses	Pulse Width (us)	Chirp (MHz)	Interval 1 to 2 (us)	Interval 2 to 3 (us)	Start time (s)			
1	1	69.0	10	-	-	0.408024			
2	1	81.6	17	-	-	0.998710			
3	2	50.4	12	1827.0	-	1.748777			
4	2	82.9	18	1715.0	-	2.798812			
5	2	50.4	13	1091.0	-	3.441572			
6	2	67.6	14	1115.0	-	4.626238			
7	1	51.2	17	-	-	5.054160			
8	1	77.8	18	-	-	6.081911			
9	2	62.6	9	1488.0	-	6.944602			
10	3	84.3	18	1849.0	1436.0	7.339357			
11	2	88.0	14	1141.0	-	8.435188			
12	2	97.2	17	1433.0	-	9.572623			
13	1	100.0	8	-	-	10.047788			
14	2	58.6	18	1221.0	-	11.163512			
15	3	59.1	7	1806.0	1124.0	11.446014			

Table 22 - Long Sequence Waveform Trial#6 (Detected) - NU 30 MHz Mode Steady State							
Burst #	# Pulses	Pulse Width (us)	Chirp (MHz)	Interval 1 to 2 (us)	Interval 2 to 3 (us)	Start time (s)	
1	3	68.4	7	1952.0	1269.0	0.537600	
2	1	75.2	8	-	-	1.002664	
3	3	85.2	8	1856.0	1317.0	1.854050	
4	3	64.9	6	1627.0	1708.0	2.449482	
5	2	98.9	11	1380.0	-	3.779097	

File: R94497 Rev 3 Page 45 of 281

Test Report Reissue Date: August 1, 2014

	Table 22 - Long Sequence Waveform Trial#6 (Detected) - NU 30 MHz Mode Steady State								
Burst #	# Pulses	Pulse Width (us)	Chirp (MHz)	Interval 1 to 2 (us)	Interval 2 to 3 (us)	Start time (s)			
6	2	96.2	15	1093.0	-	4.546080			
7	3	61.8	13	1137.0	1496.0	5.123707			
8	3	57.2	10	1153.0	1442.0	5.686086			
9	1	51.4	19	=	-	7.121710			
10	2	52.4	19	1017.0	-	7.438197			
11	2	84.4	9	1177.0	-	8.619848			
12	2	92.2	14	1933.0	-	8.968822			
13	2	93.5	18	1869.0	-	9.859466			
14	2	81.8	7	1583.0	-	10.549061			
15	3	61.9	18	1313.0	1424.0	11.416799			

	Table 23 - Long Sequence Waveform Trial#7 (Detected) - NU 30 MHz Mode Steady State								
Burst #	# Pulses	Pulse Width (us)	Chirp (MHz)	Interval 1 to 2 (us)	Interval 2 to 3 (us)	Start time (s)			
1	1	73.0	12	-	-	0.607172			
2	2	63.1	14	1242.0	-	0.776120			
3	1	54.7	6	=	-	1.502954			
4	1	69.4	18	=	-	2.005902			
5	2	52.6	18	1663.0	-	3.115093			
6	1	74.4	16	-	-	3.928310			
7	2	95.8	7	1421.0	-	4.017536			
8	1	56.8	20	=	-	5.030427			
9	2	97.9	15	1905.0	-	5.808663			
10	2	74.3	7	1927.0	-	6.362521			
11	2	56.3	7	1889.0	-	7.077045			
12	2	58.5	13	1599.0	-	7.604534			
13	1	56.9	14	=	-	8.038132			
14	1	60.4	14	-	-	9.173905			
15	3	67.0	7	1065.0	1697.0	9.604358			
16	2	77.4	11	1727.0	-	10.330490			
17	1	56.6	6	-	-	10.845121			
18	2	69.9	9	1475.0	-	11.871596			

	Table 24 - Long Sequence Waveform Trial#8 (Detected) - NU 30 MHz Mode Steady State									
Burst #	# Pulses	Pulse Width (us)	Chirp (MHz)	Interval 1 to 2 (us)	Interval 2 to 3 (us)	Start time (s)				
1	2	90.9	16	1804.0	-	0.231389				
2	2	81.8	16	1192.0	-	1.949722				
3	1	83.2	20	-	-	3.249423				
4	1	86.7	19	-	-	5.048846				
5	2	57.2	11	1668.0	-	6.366596				
6	1	93.3	15	-	-	7.863785				
7	2	79.3	15	1187.0	-	9.123177				
8	3	74.7	17	1948.0	1375.0	10.266598				
9	2	71.8	14	1398.0	-	11.360150				

	Table 25 -	Long Sequence	e Waveform	Trial#9 (Detected) -	NU 30 MHz Mode S	Steady State
Burst #	# Pulses	Pulse Width (us)	Chirp (MHz)	Interval 1 to 2 (us)	Interval 2 to 3 (us)	Start time (s)

File: R94497 Rev 3 Page 46 of 281 10

2

73.2

6

Reissue Date: August 1, 2014

11.980869

Table 25 - Long Sequence Waveform Trial#9 (Detected) - NU 30 MHz Mode Steady State Pulse Width Chirp Interval 2 to 3 (us) Start time (s) Burst # Interval 1 to 2 (us) Pulses (us) (MHz) 50.4 1678.0 1731.0 0.337485 3 11 2 2 50.3 13 1180.0 2.187699 3 1 64.4 16 2.848898 _ 4 2 20 4.257790 56.9 1462.0 5 2 97.2 18 1458.0 5.672293 3 6 70.7 9 1983.0 1326.0 6.603109 7 2 89.3 15 1349.0 7.547051 8 2 73.3 5 9.585057 1018.0 9.603342 9 1 75.1 6

1205.0

ı	Table 26 - Long Sequence Waveform Trial#10 (Detected) - NU 30 MHz Mode Steady State								
Burst #	# Pulses	Pulse Width (us)	Chirp (MHz)	Interval 1 to 2 (us)	Interval 2 to 3 (us)	Start time (s)			
1	2	85.6	16	1150.0	-	0.063925			
2	1	79.1	8	-	-	2.216427			
3	3	67.3	17	1537.0	1198.0	2.909860			
4	1	58.0	15	-	-	4.696457			
5	2	86.2	10	1847.0	-	5.721754			
6	2	86.0	5	1904.0	-	6.000773			
7	1	63.2	11	-	-	7.218501			
8	2	84.8	6	1251.0	-	9.185834			
9	1	50.9	8	-	-	10.047873			
10	2	88.7	19	1882.0	-	11.134388			

	Table 27 - Long Sequence Waveform Trial#11 (Detected) - NU 30 MHz Mode Steady State								
Burst #	# Pulses	Pulse Width (us)	Chirp (MHz)	Interval 1 to 2 (us)	Interval 2 to 3 (us)	Start time (s)			
1	3	55.6	12	1848.0	1949.0	0.508961			
2	2	63.5	18	1155.0	-	1.020805			
3	1	60.2	13	-	-	1.899560			
4	3	61.4	17	1117.0	1960.0	2.881868			
5	3	87.6	15	1569.0	1569.0	4.580581			
6	3	56.7	16	1398.0	1604.0	4.711310			
7	2	95.7	13	1297.0	-	5.724969			
8	1	51.6	8	-	-	6.700355			
9	2	53.2	9	1212.0	-	8.210376			
10	3	62.3	16	1794.0	1732.0	8.924048			
11	2	51.6	8	1112.0	-	9.876571			
12	1	73.1	15	-	-	10.459585			
13	3	76.8	16	1720.0	1917.0	11.606414			

ŗ	Table 28 - Long Sequence Waveform Trial#12 (Detected) - NU 30 MHz Mode Steady State							
Burst #	# Pulses	Pulse Width (us)	Chirp (MHz)	Interval 1 to 2 (us)	Interval 2 to 3 (us)	Start time (s)		
1	3	90.6	7	1586.0	1508.0	0.742749		
2	3	91.6	11	1510.0	1981.0	1.138928		
3	2	75.1	19	1671.0	=	1.813970		
4	2	62.4	18	1002.0	-	2.536399		

File: R94497 Rev 3 Page 47 of 281

Test Report Reissue Date: August 1, 2014

	Table 28 - Long Sequence Waveform Trial#12 (Detected) - NU 30 MHz Mode Steady State								
Burst #	# Pulses	Pulse Width (us)	Chirp (MHz)	Interval 1 to 2 (us)	Interval 2 to 3 (us)	Start time (s)			
5	3	68.8	8	1965.0	1562.0	3.404538			
6	1	74.7	19	-	-	3.894633			
7	1	69.0	9	-	-	5.089911			
8	2	90.4	5	1607.0	-	5.630353			
9	2	64.4	5	1440.0	-	6.545031			
10	2	89.1	9	1416.0	-	7.324902			
11	2	86.6	16	1019.0	-	7.985552			
12	3	78.6	13	1528.0	1894.0	8.827742			
13	2	93.1	18	1315.0	-	9.135287			
14	3	75.0	17	1669.0	1463.0	10.011448			
15	1	52.3	5	-	-	11.003794			
16	2	91.5	19	1638.0	-	11.795425			

	Table 29 - Long Sequence Waveform Trial#13 (Detected) - NU 30 MHz Mode Steady State								
Burst #	# Pulses	Pulse Width (us)	Chirp (MHz)	Interval 1 to 2 (us)	Interval 2 to 3 (us)	Start time (s)			
1	3	69.7	6	1713.0	1777.0	0.022622			
2	2	61.8	16	1485.0	-	1.429813			
3	3	59.3	9	1890.0	1312.0	2.474291			
4	3	52.7	15	1006.0	1955.0	3.398198			
5	1	81.9	10	-	-	4.873454			
6	1	68.1	13	-	-	6.310923			
7	1	72.2	6	-	-	6.977244			
8	2	97.9	9	1986.0	-	8.658624			
9	1	91.3	18	-	-	9.452353			
10	1	99.7	7	-	-	10.355732			
11	3	50.9	11	1102.0	1292.0	11.955617			

Table 30 - Long Sequence Waveform Trial#14 (Detected) - NU 30 MHz Mode Steady State							
Burst #	# Pulses	Pulse Width (us)	Chirp (MHz)	Interval 1 to 2 (us)	Interval 2 to 3 (us)	Start time (s)	
1	2	74.2	17	1940.0	-	1.402480	
2	2	88.5	9	1080.0	-	1.673167	
3	2	65.1	13	1610.0	-	3.938079	
4	3	87.3	5	1049.0	1400.0	4.807517	
5	2	55.3	16	1956.0	-	6.250056	
6	1	71.7	10	-	-	7.855392	
7	3	53.7	18	1182.0	1512.0	9.546780	
8	2	70.7	18	1857.0	-	11.938212	

,	Table 31 - Long Sequence Waveform Trial#15 (Detected) - NU 30 MHz Mode Steady State							
Burst #	# Pulses	Pulse Width (us)	Chirp (MHz)	Interval 1 to 2 (us)	Interval 2 to 3 (us)	Start time (s)		
1	3	76.5	6	1444.0	1492.0	0.375242		
2	1	96.7	14	-	-	1.038412		
3	3	87.5	16	1196.0	1609.0	1.658204		
4	2	93.9	15	1580.0	=	2.102422		
5	3	80.0	8	1711.0	1957.0	2.598970		
6	3	72.9	19	1231.0	1515.0	3.058003		

File: R94497 Rev 3 Page 48 of 281

Test Report Reissue Date: August 1, 2014

,	Table 31 - Long Sequence Waveform Trial#15 (Detected) - NU 30 MHz Mode Steady State								
Burst #	# Pulses	Pulse Width (us)	Chirp (MHz)	Interval 1 to 2 (us)	Interval 2 to 3 (us)	Start time (s)			
7	2	54.1	10	1252.0	-	4.186220			
8	1	53.8	19	-	-	4.321950			
9	2	62.8	13	1197.0	-	4.980567			
10	3	56.7	18	1362.0	1322.0	5.632391			
11	1	74.2	14	-	-	6.584042			
12	3	93.9	18	1936.0	1650.0	6.840073			
13	2	93.3	15	1735.0	-	7.288810			
14	3	83.4	5	1006.0	1278.0	8.338585			
15	2	97.9	19	1092.0	=	8.961683			
16	3	92.5	18	1067.0	1856.0	9.115319			
17	2	56.1	14	1363.0	-	10.135745			
18	2	95.6	10	1580.0	-	10.510727			
19	3	73.5	14	1363.0	1321.0	11.166356			
20	2	68.4	18	1219.0	-	11.484016			

	Table 32 - Long Sequence Waveform Trial#16 (Detected) - NU 30 MHz Mode Steady State								
Burst #	# Pulses	Pulse Width (us)	Chirp (MHz)	Interval 1 to 2 (us)	Interval 2 to 3 (us)	Start time (s)			
1	1	73.1	9	-	-	0.298034			
2	3	84.8	8	1408.0	1348.0	1.431330			
3	1	98.6	13	-	-	2.491880			
4	1	61.0	12	-	-	4.552870			
5	3	78.4	6	1528.0	1412.0	4.908394			
6	3	75.7	18	1217.0	1181.0	6.455323			
7	2	52.1	6	1731.0	-	7.544656			
8	3	53.2	19	1515.0	1256.0	8.958934			
9	2	52.9	16	1354.0	-	9.616353			
10	2	50.6	17	1379.0	-	11.753355			

1	Table 33 - Long Sequence Waveform Trial#17 (Detected) - NU 30 MHz Mode Steady State								
Burst #	# Pulses	Pulse Width (us)	Chirp (MHz)	Interval 1 to 2 (us)	Interval 2 to 3 (us)	Start time (s)			
1	1	56.0	7	-	-	0.679500			
2	2	87.6	8	1401.0	-	1.366360			
3	2	56.8	11	1588.0	-	1.802910			
4	3	88.0	17	1719.0	1770.0	2.692612			
5	2	97.4	12	1907.0	-	3.899965			
6	2	69.5	11	1550.0	-	4.047710			
7	1	52.8	9	-	-	5.242560			
8	1	71.7	6	-	-	5.653084			
9	2	94.1	10	1085.0	-	6.628361			
10	2	83.1	18	1300.0	-	7.337657			
11	2	77.5	14	1020.0	-	8.216822			
12	3	73.6	10	1758.0	1845.0	8.905015			
13	1	59.4	17	-	-	9.982239			
14	1	88.4	16	-	-	11.105094			
15	3	68.0	11	1671.0	1197.0	11.234453			

Table 34 - Long Sequence Waveform Trial#18 (Detected) - NU 30 MHz Mode Steady State

Page 49 of 281 File: R94497 Rev 3

Burst #	# Pulses	Pulse Width (us)	Chirp (MHz)	Interval 1 to 2 (us)	Interval 2 to 3 (us)	Start time (s)
1	2	66.7	17	1659.0	-	0.505230
2	3	68.9	14	1721.0	1331.0	1.021186
3	2	73.1	19	1157.0	-	1.634897
4	2	61.8	11	1489.0	-	2.253789
5	1	71.2	10	-	-	3.609966
6	2	55.3	14	1552.0	-	3.907448
7	2	65.9	12	1744.0	-	4.741542
8	2	81.9	13	1951.0	-	5.833963
9	2	66.2	20	1904.0	-	6.180826
10	1	87.3	18	-	-	7.312702
11	1	91.2	20	-	-	7.902493
12	1	51.0	15	-	-	8.457154
13	2	73.7	6	1529.0	-	9.118958
14	3	96.0	18	1571.0	1560.0	10.462061
15	2	86.0	8	1379.0	-	10.598698
16	2	75.6	15	1437.0	-	11.953535

,	Table 35 - Long Sequence Waveform Trial#19 (Detected) - NU 30 MHz Mode Steady State							
Burst #	# Pulses	Pulse Width (us)	Chirp (MHz)	Interval 1 to 2 (us)	Interval 2 to 3 (us)	Start time (s)		
1	2	61.5	15	1672.0	-	0.506726		
2	3	66.0	16	1678.0	1112.0	1.388836		
3	3	60.8	14	1495.0	1174.0	2.045480		
4	1	52.3	18	-	-	3.050719		
5	2	86.7	19	1287.0	-	4.375741		
6	2	54.1	12	1121.0	-	4.633635		
7	2	55.4	10	1461.0	-	5.985639		
8	2	93.5	7	1936.0	-	6.539078		
9	3	56.0	18	1732.0	1561.0	8.072992		
10	3	65.8	14	1933.0	1581.0	8.316399		
11	3	54.6	11	1112.0	1790.0	9.285187		
12	2	52.0	19	1464.0	-	10.649273		
13	1	83.1	12	-	-	11.936964		

Tal	Table 36 - Long Sequence Waveform Trial#20 (NOT Detected) - NU 30 MHz Mode Steady State								
Burst #	# Pulses	Pulse Width (us)	Chirp (MHz)	Interval 1 to 2 (us)	Interval 2 to 3 (us)	Start time (s)			
1	3	69.6	11	1819.0	1020.0	0.438890			
2	2	98.9	11	1748.0	-	1.855260			
3	1	52.9	20	-	-	2.047151			
4	2	91.7	18	1507.0	-	3.168621			
5	1	58.7	13	-	-	4.895598			
6	3	54.0	18	1909.0	1535.0	5.686566			
7	3	80.1	5	1230.0	1724.0	6.292408			
8	3	68.5	5	1158.0	1111.0	7.938270			
9	2	89.6	10	1766.0	-	8.727098			
10	3	61.2	6	1798.0	1000.0	9.550739			
11	2	66.3	11	1426.0	-	10.720037			
12	3	77.5	16	1870.0	1196.0	11.451231			

 $Table\ 37 - Long\ Sequence\ Waveform\ Trial \# 21\ (NOT\ Detected) - NU\ 30\ MHz\ Mode\ Steady\ State$

Page 50 of 281 File: R94497 Rev 3

Burst #	# Pulses	Pulse Width (us)	Chirp (MHz)	Interval 1 to 2 (us)	Interval 2 to 3 (us)	Start time (s)
1	2	73.8	15	1931.0	-	0.163877
2	1	52.1	19	-	-	0.981332
3	2	82.0	7	1139.0	-	2.487077
4	2	75.3	6	1132.0	-	3.659894
5	3	57.6	5	1897.0	1939.0	4.205569
6	1	96.1	6	-	-	5.421166
7	1	97.1	6	-	-	6.357023
8	3	79.4	12	1215.0	1637.0	7.012617
9	1	51.0	15	-	-	7.891999
10	2	57.8	8	1621.0	-	9.138201
11	1	51.7	17	-	-	10.008590
12	2	90.6	11	1173.0	-	10.201074
13	3	87.3	6	1453.0	1244.0	11.251933

,	Table 38 - Long Sequence Waveform Trial#22 (Detected) - NU 30 MHz Mode Steady State								
Burst #	# Pulses	Pulse Width (us)	Chirp (MHz)	Interval 1 to 2 (us)	Interval 2 to 3 (us)	Start time (s)			
1	3	52.6	11	1470.0	1276.0	0.580331			
2	2	62.6	13	1159.0	-	1.823691			
3	1	75.8	14	-	-	2.906360			
4	3	62.1	13	1345.0	1175.0	4.255646			
5	2	59.1	12	1257.0	-	4.802271			
6	2	97.5	6	1554.0	-	5.996973			
7	3	91.0	15	1281.0	1853.0	7.153865			
8	1	58.0	10	-	-	8.131615			
9	1	55.2	19	-	-	9.027338			
10	3	57.8	18	1769.0	1090.0	9.887541			
11	2	77.5	18	1896.0	-	11.459512			

,	Table 39 - Long Sequence Waveform Trial#23 (Detected) - NU 30 MHz Mode Steady State								
Burst #	# Pulses	Pulse Width (us)	Chirp (MHz)	Interval 1 to 2 (us)	Interval 2 to 3 (us)	Start time (s)			
1	2	84.7	13	1024.0	-	0.849216			
2	1	50.5	15	-	-	0.977679			
3	2	81.8	8	1466.0	-	2.732883			
4	2	64.4	9	1046.0	-	3.423914			
5	2	69.3	10	1425.0	-	4.105768			
6	1	57.1	19	-	-	5.360227			
7	3	78.6	15	1474.0	1289.0	5.614049			
8	2	56.0	6	1257.0	-	6.488542			
9	1	68.2	16	-	-	7.868486			
10	2	77.1	7	1109.0	-	8.925445			
11	3	50.9	8	1852.0	1479.0	9.717385			
12	2	82.3	9	1353.0	-	10.946361			
13	2	90.9	15	1590.0	-	11.137695			

	Table 40 - Long Sequence Waveform Trial#24 (Detected) - NU 30 MHz Mode Steady State							
Burst #	# Pulses	Pulse Width (us)	Chirp (MHz)	Interval 1 to 2 (us)	Interval 2 to 3 (us)	Start time (s)		
1	3	73.4	13	1913.0	1854.0	0.474043		
2	1	72.8	6	-	-	1.407366		

File: R94497 Rev 3 Page 51 of 281

Test Report Reissue Date: August 1, 2014

1	Table 40 - Long Sequence Waveform Trial#24 (Detected) - NU 30 MHz Mode Steady State								
Burst #	# Pulses	Pulse Width (us)	Chirp (MHz)	Interval 1 to 2 (us)	Interval 2 to 3 (us)	Start time (s)			
3	2	91.6	12	1318.0	-	1.954881			
4	2	76.4	19	1200.0	-	2.503041			
5	3	98.4	5	1608.0	1461.0	3.609962			
6	2	98.6	6	1657.0	-	4.602399			
7	2	66.7	5	1525.0	-	5.014696			
8	2	89.8	10	1004.0	-	6.166420			
9	1	66.6	7	-	-	7.014908			
10	1	54.6	7	-	-	7.949621			
11	1	94.6	13	-	-	8.341279			
12	1	76.0	16	-	-	8.905062			
13	2	65.0	5	1727.0	-	9.955472			
14	3	53.2	10	1427.0	1569.0	10.431290			
15	2	83.2	20	1402.0	-	11.840869			

Tal	Table 41 - Long Sequence Waveform Trial#25 (NOT Detected) - NU 30 MHz Mode Steady State								
Burst #	# Pulses	Pulse Width (us)	Chirp (MHz)	Interval 1 to 2 (us)	Interval 2 to 3 (us)	Start time (s)			
1	3	58.5	13	1347.0	1798.0	0.329691			
2	2	85.8	18	1429.0	-	2.278812			
3	2	72.0	7	1531.0	-	3.984644			
4	2	57.5	6	1559.0	-	4.656857			
5	2	80.8	16	1899.0	-	6.163658			
6	2	52.6	19	1536.0	-	7.251555			
7	2	99.9	17	1575.0	-	8.470028			
8	3	61.6	8	1968.0	1872.0	9.337788			
9	3	66.0	12	1364.0	1292.0	11.908612			

Tal	Table 42 - Long Sequence Waveform Trial#26 (NOT Detected) - NU 30 MHz Mode Steady State								
Burst #	# Pulses	Pulse Width (us)	Chirp (MHz)	Interval 1 to 2 (us)	Interval 2 to 3 (us)	Start time (s)			
1	2	63.2	15	1189.0	-	0.032156			
2	2	96.7	13	1097.0	-	1.315416			
3	2	59.0	5	1385.0	=	2.544256			
4	2	74.5	13	1015.0	-	4.321536			
5	2	68.0	14	1147.0	=	4.739356			
6	1	89.3	8	=	=	5.797984			
7	1	97.6	8	=	-	6.687361			
8	2	86.5	14	1540.0	=	8.419139			
9	3	87.3	10	1234.0	1357.0	9.618026			
10	2	59.3	11	1275.0	-	10.687434			
11	2	64.7	11	1241.0	-	10.993051			

Tal	Table 43 - Long Sequence Waveform Trial#27 (NOT Detected) - NU 30 MHz Mode Steady State									
Burst #	# Pulses	Pulse Width (us)	Chirp (MHz)	Interval 1 to 2 (us)	Interval 2 to 3 (us)	Start time (s)				
1	3	76.2	19	1739.0	1371.0	0.812867				
2	1	54.3	8	-	-	1.447359				
3	2	62.2	16	1052.0	=	1.894275				
4	2	89.0	8	1077.0	=	2.964639				

Page 52 of 281 File: R94497 Rev 3

Table 43 - Long Sequence Waveform Trial#27 (NOT Detected) - NU 30 MHz Mode Steady State								
Burst #	# Pulses	Pulse Width (us)	Chirp (MHz)	Interval 1 to 2 (us)	Interval 2 to 3 (us)	Start time (s)		
5	3	81.5	16	1961.0	1410.0	4.101270		
6	2	53.1	10	1903.0	-	5.081917		
7	1	84.0	7	-	-	6.181420		
8	1	73.3	11	-	-	6.983209		
9	3	72.1	10	1641.0	1625.0	7.574240		
10	2	88.6	18	1675.0	-	9.139464		
11	2	95.3	9	1599.0	-	9.470377		
12	2	59.9	8	1789.0	-	10.498762		
13	2	98.2	15	1568.0	-	11.319271		

	Table 44 - Long Sequence Waveform Trial#28 (Detected) - NU 30 MHz Mode Steady State								
Burst #	# Pulses	Pulse Width (us)	Chirp (MHz)	Interval 1 to 2 (us)	Interval 2 to 3 (us)	Start time (s)			
1	2	53.9	12	1399.0	-	0.120544			
2	2	54.1	12	1596.0	-	1.563713			
3	1	75.0	17	-	-	1.659017			
4	1	73.5	11	-	-	2.903703			
5	1	94.1	12	-	-	3.725020			
6	1	84.0	19	-	-	4.487513			
7	3	77.2	7	1177.0	1909.0	5.543442			
8	2	60.2	12	1061.0	-	6.189032			
9	2	68.4	6	1491.0	-	6.513268			
10	2	90.2	13	1946.0	-	7.435574			
11	2	63.1	17	1676.0	-	8.243916			
12	3	72.6	7	1363.0	1019.0	9.478215			
13	2	74.3	15	1555.0	-	9.878001			
14	1	98.4	16	-	-	10.879183			
15	3	88.2	12	1671.0	1637.0	11.434423			

	Table 45 - Long Sequence Waveform Trial#29 (Detected) - NU 30 MHz Mode Steady State								
Burst #	# Pulses	Pulse Width (us)	Chirp (MHz)	Interval 1 to 2 (us)	Interval 2 to 3 (us)	Start time (s)			
1	3	89.2	12	1316.0	1795.0	0.360784			
2	1	75.7	19	-	-	1.085937			
3	1	98.5	7	-	-	2.686968			
4	1	55.7	15	-	-	3.612877			
5	2	51.1	5	1000.0	-	4.198605			
6	1	72.8	10	-	-	5.107466			
7	1	87.9	11	-	-	6.959200			
8	2	91.4	18	1924.0	-	7.658747			
9	2	52.5	10	1044.0	-	8.949413			
10	3	55.6	18	1937.0	1063.0	9.125610			
11	2	95.5	7	1939.0	-	10.409619			
12	2	81.8	8	1819.0	-	11.372964			

Table 46 - Long Sequence Waveform Trial#30 (Detected) - NU 30 MHz Mode Steady State							
Burst #	# Pulses	Pulse Width (us)	Chirp (MHz)	Interval 1 to 2 (us)	Interval 2 to 3 (us)	Start time (s)	
1	2	88.5	20	1378.0	-	0.234348	

File: R94497 Rev 3 Page 53 of 281

	Table 46 - Long Sequence Waveform Trial#30 (Detected) - NU 30 MHz Mode Steady State									
Burst #	# Pulses	Pulse Width (us)	Chirp (MHz)	Interval 1 to 2 (us)	Interval 2 to 3 (us)	Start time (s)				
2	1	69.7	17	-	-	1.458275				
3	2	72.1	12	1543.0	-	1.761852				
4	3	66.5	11	1116.0	1553.0	3.170398				
5	3	99.4	6	1775.0	1099.0	3.574967				
6	2	97.1	15	1969.0	-	4.686841				
7	3	85.8	9	1221.0	1529.0	4.927227				
8	3	99.7	16	1255.0	1002.0	6.378853				
9	2	80.0	17	1470.0	-	6.827942				
10	3	53.9	19	1234.0	1513.0	7.890826				
11	2	78.1	16	1019.0	-	8.332815				
12	2	63.1	9	1377.0	-	9.311927				
13	2	85.7	14	1744.0	-	9.667381				
14	2	94.6	5	1920.0	-	10.882396				
15	2	57.6	16	1560.0	-	11.741704				

	Table 47 -	FCC frequen	cy hopping	g radar (Type	6) Results - NU	30 MHz Mode Steady State
Trial #	Pulses/ Burst	Pulse Width (us)	PRI (us)	Detected	Fr (MHz) and level (dBm)	Burst Information
1	9	1.0	333.0	Yes	5557.0MHz, -62.0dBm	Hop sequence: 5382, 5418, 5701, 5281, 5577, 5625, 5477, 5409, 5459, 5711, 5403, 5542, 5631, 5521, 5635, 5437, 5718, 5536, 5430, 5696, 5287, 5643, 5587, 5560, 5317, 5555, 5585, 5362, 5522, 5264, 5391, 5307, 5315, 5350, 5594, 5343, 5369, 5699, 5424, 5389, 5659, 5525, 5726, 5558, 5494, 5449, 5675, 5642, 5540, 5722, 5572, 5280, 5288, 5569, 5618, 5263, 5720, 5296, 5650, 5613, 5627, 5725, 5356, 5676, 5685, 5410, 5452, 5279, 5365, 5702, 5709, 5432, 5316, 5544, 5479, 5321, 5397, 5646, 5612, 5524, 5385, 5473, 5337, 5352, 5377, 5282, 5509, 5286, 5278, 5700, 5328, 5441, 5417, 5285, 5586, 5615, 5393, 5421, 5566, 5463 (9 hits) (12/20/2013 02:12:07 PM)

File: R94497 Rev 3 Page 54 of 281

Trial #	Pulses/ Burst	Pulse Width (us)	PRI (us)	Detected	Fr (MHz) and level (dBm)	Burst Information
2	9	1.0	333.0	Yes	5558.0MHz, -62.0dBm	Hop sequence: 5511, 5310, 5463, 5631, 5477, 5441, 5393, 5632, 5417, 5451, 5444, 5323, 5318, 5335, 5639, 5471, 5565, 5660, 5619, 5311, 5519, 5521, 5454, 5573, 5617, 5581, 5697, 5611, 5501, 5296, 5479, 5646, 5381, 5563, 5680, 5695, 5275, 5413, 5409, 5596, 5294, 5681, 5638, 5344, 5364, 5700, 5701, 5430, 5516, 5569, 5424, 5394, 5664, 5326, 5577, 5489, 5537, 5698, 5460, 5529, 5726, 5589, 5689, 5461, 5312, 5351, 5331, 5368, 5257, 5281, 5314, 5339, 5476, 5380, 5282, 5593, 5252, 5291, 5683, 5512, 5643, 5382, 5702, 5608, 5602, 5379, 5505, 5649, 5350, 5703, 5336, 5633, 5536, 5474, 5626, 5694, 5720, 5453, 5410, 5251 (3 hits) (12/20/2013 02:12:24 PM)
3	9	1.0	333.0	Yes	5522.0MHz, -62.0dBm	Hop sequence: 5589, 5480, 5563, 5310, 5605, 5342, 5278, 5624, 5291, 5320, 5670, 5566, 5653, 5672, 5626, 5474, 5510, 5384, 5404, 5471, 5448, 5352, 5645, 5488, 5570, 5463, 5358, 5712, 5388, 5484, 5681, 5409, 5402, 5318, 5621, 5690, 5699, 5706, 5430, 5551, 5705, 5543, 5374, 5444, 5334, 5710, 5379, 5640, 5473, 5597, 5453, 5344, 5652, 5369, 5623, 5434, 5464, 5573, 5598, 5628, 5433, 5265, 5519, 5381, 5292, 5622, 5493, 5704, 5308, 5662, 5450, 5405, 5697, 5357, 5332, 5333, 5306, 5347, 5659, 5636, 5255, 5421, 5263, 5455, 5296, 5288, 5302, 5603, 5254, 5625, 5339, 5483, 5537, 5346, 5709, 5637, 5424, 5612, 5552, 5436 (4 hits) (12/20/2013 02:12:41 PM)
4	9	1.0	333.0	Yes	5523.0MHz, -62.0dBm	Hop sequence: 5576, 5634, 5314, 5608, 5355, 5373, 5470, 5713, 5301, 5531, 5666, 5539, 5420, 5573, 5468, 5718, 5711, 5593, 5435, 5724, 5499, 5515, 5463, 5662, 5341, 5675, 5374, 5518, 5613, 5438, 5268, 5650, 5353, 5428, 5367, 5261, 5394, 5721, 5690, 5482, 5669, 5700, 5507, 5498, 5479, 5557, 5574, 5329, 5271, 5587, 5304, 5282, 5720,

File: R94497 Rev 3 Page 55 of 281

	Table 47	- FCC frequer	ncy hopping	g radar (Typ	e 6) Results - NU	30 MHz Mode Steady State
Trial #	Pulses/ Burst	Pulse Width (us)	PRI (us)	Detected	Fr (MHz) and level (dBm)	Burst Information
						5475, 5712, 5505, 5521, 5494, 5259, 5302, 5588, 5419, 5307, 5279, 5372, 5444, 5310, 5535, 5501, 5339, 5348, 5416, 5258, 5614, 5332, 5286, 5519, 5451, 5441, 5631, 5478, 5657, 5393, 5568, 5646, 5556, 5683, 5496, 5386, 5255, 5311, 5699, 5516, 5472, 5317, 5592, 5461, 5627, 5538, 5618 (6 hits) (12/20/2013 02:12:51 PM)
5	9	1.0	333.0	Yes	5524.0MHz, -62.0dBm	Hop sequence: 5610, 5287, 5504, 5557, 5586, 5286, 5401, 5717, 5642, 5416, 5320, 5538, 5627, 5458, 5468, 5290, 5460, 5596, 5600, 5514, 5327, 5263, 5682, 5554, 5453, 5332, 5708, 5516, 5583, 5620, 5293, 5454, 5534, 5641, 5639, 5647, 5294, 5721, 5495, 5365, 5282, 5440, 5686, 5636, 5601, 5525, 5279, 5565, 5274, 5262, 5340, 5697, 5608, 5570, 5486, 5483, 5669, 5403, 5352, 5670, 5457, 5411, 5531, 5550, 5652, 5271, 5373, 5552, 5462, 5355, 5326, 5285, 5568, 5723, 5363, 5526, 5588, 5407, 5313, 5295, 5530, 5397, 5677, 5379, 5276, 5296, 5663, 5336, 5594, 5353, 5500, 5598, 5380, 5637, 5506, 5323, 5707, 5501, 5664, 5579 (10 hits) (12/20/2013 02:13:02 PM)
6	9	1.0	333.0	Yes	5525.0MHz, -62.0dBm	Hop sequence: 5321, 5649, 5485, 5483, 5605, 5658, 5720, 5725, 5438, 5373, 5622, 5311, 5509, 5665, 5259, 5355, 5668, 5370, 5517, 5652, 5432, 5710, 5634, 5342, 5375, 5459, 5288, 5411, 5711, 5349, 5532, 5293, 5261, 5584, 5323, 5344, 5674, 5469, 5642, 5491, 5631, 5415, 5688, 5439, 5294, 5670, 5322, 5536, 5644, 5388, 5320, 5501, 5402, 5290, 5588, 5549, 5713, 5693, 5572, 5389, 5653, 5671, 5307, 5316, 5466, 5560, 5473, 5337, 5428, 5646, 5626, 5325, 5707, 5591, 5442, 5284, 5558, 5431, 5582, 5252, 5281, 5422, 5655, 5608, 5571, 5410, 5341, 5443, 5627, 5285, 5510, 5436, 5498, 5328, 5366, 5333, 5618, 5678, 5417, 5659 (4 hits) (12/20/2013 02:13:11 PM)

File: R94497 Rev 3 Page 56 of 281

Report Date: Ap	ril 3, 2014	Reissue Date:	August 1, 2014
	<u> </u>		

Trial #	Pulses/ Burst	Pulse Width (us)	PRI (us)	Detected	Fr (MHz) and level (dBm)	Burst Information
7	9	1.0	333.0	Yes	5526.0MHz, -62.0dBm	Hop sequence: 5381, 5303, 5538, 5473, 5476, 5405, 5365, 5579, 5497, 5478, 5647, 5562, 5464, 5261, 5657, 5575, 5611, 5658, 5421, 5524, 5317, 5477, 5670, 5425, 5514, 5540, 5507, 5550, 5255, 5442, 5253, 5380, 5350, 5462, 5669, 5595, 5342, 5619, 5521, 5610, 5472, 5624, 5403, 5340, 5488, 5454, 5700, 5400, 5457, 5483, 5475, 5675, 5272, 5307, 5359, 5685, 5271, 5316, 5591, 5596, 5408, 5276, 5288, 5620, 5415, 5404, 5386, 5511, 5710, 5557, 5302, 5706, 5613, 5367, 5262, 5446, 5655, 5466, 5366, 5552, 5504, 5305, 5362, 5339, 5343, 5458, 5565, 5605, 5455, 5519, 5444, 5251, 5587, 5615, 5331, 5392, 5556, 5265, 5559, 5479 (7 hits) (12/20/2013 02:13:19 PM)
8	9	1.0	333.0	Yes	5527.0MHz, -62.0dBm	Hop sequence: 5586, 5658, 5273, 5573, 5469, 5440, 5550, 5271, 5321, 5251, 5395, 5307, 5415, 5324, 5647, 5529, 5465, 5300, 5587, 5388, 5269, 5507, 5718, 5359, 5355, 5624, 5260, 5612, 5490, 5318, 5477, 5277, 5582, 5540, 5574, 5306, 5636, 5445, 5320, 5400, 5288, 5513, 5594, 5393, 5600, 5486, 5430, 5648, 5642, 5609, 5456, 5670, 5361, 5521, 5394, 5721, 5493, 5344, 5500, 5527, 5618, 5649, 5515, 5650, 5683, 5681, 5716, 5579, 5590, 5501, 5314, 5378, 5447, 5325, 5367, 5301, 5259, 5358, 5603, 5674, 5657, 5503, 5304, 5672, 5420, 5431, 5461, 5601, 5299, 5450, 5437, 5308, 5356, 5565, 5640, 5339, 5418, 5384, 5459, 5673 (4 hits) (12/20/2013 02:13:37 PM)
9	9	1.0	333.0	Yes	5528.0MHz, -62.0dBm	Hop sequence: 5278, 5369, 5394, 5449, 5395, 5422, 5286, 5682, 5325, 5666, 5486, 5383, 5353, 5680, 5450, 5574, 5650, 5515, 5504, 5460, 5596, 5323, 5258, 5595, 5313, 5709, 5523, 5469, 5456, 5713, 5688, 5522, 5477, 5675, 5379, 5542, 5668, 5588, 5586, 5555, 5517, 5592, 5299, 5565, 5723, 5687, 5503, 5560, 5558, 5638, 5501, 5662, 5367,

File: R94497 Rev 3 Page 57 of 281

Trial #	Pulses/ Burst	Pulse Width (us)	PRI (us)	Detected	Fr (MHz) and level (dBm)	Burst Information
	Buist	Widii (us)			lever (dibili)	5293, 5281, 5336, 5256, 5275, 5387, 5633, 5403, 5696, 5514, 5349, 5328, 5296, 5703, 5704, 5707, 5480, 5651, 5347, 5598, 5253, 5474, 5464, 5452, 5536, 5562, 5333, 5339, 5437, 5685, 5458, 5365, 5698, 5507, 5553, 5424, 5691, 5276, 5290, 5475, 5653, 5700, 5425, 5385, 5462, 5545, 5322 (8 hits) (12/20/2013 02:13:47 PM)
10	9	1.0	333.0	Yes	5529.0MHz, -62.0dBm	Hop sequence: 5527, 5482, 5546, 5470, 5403, 5394, 5691, 5664, 5705, 5447, 5580, 5388, 5595, 5326, 5553, 5415, 5598, 5521, 5493, 5638, 5661, 5711, 5625, 5458, 5456, 5406, 5305, 5702, 5574, 5337, 5393, 5533, 5688, 5273, 5725, 5556, 5342, 5689, 5333, 5263, 5347, 5684, 5290, 5496, 5473, 5313, 5316, 5582, 5292, 5558, 5407, 5311, 5321, 5330, 5698, 5524, 5704, 5468, 5459, 5398, 5356, 5358, 5466, 5488, 5444, 5254, 5687, 5526, 5672, 5318, 5368, 5355, 5532, 5387, 5557, 5545, 5469, 5276, 5522, 5259, 5596, 5634, 5297, 5530, 5585, 5341, 5567, 5389, 5265, 5668, 5713, 5563, 5370, 5507, 5540, 5489, 5380, 5315, 5251, 5422 (14 hits) (12/20/2013 02:13:58 PM)
11	9	1.0	333.0	Yes	5530.0MHz, -62.0dBm	Hop sequence: 5319, 5358, 5260, 5394, 5482, 5539, 5543, 5718, 5355, 5429, 5550, 5438, 5646, 5331, 5348, 5486, 5404, 5380, 5424, 5578, 5660, 5456, 5559, 5517, 5369, 5303, 5279, 5286, 5432, 5450, 5267, 5537, 5344, 5426, 5528, 5513, 5567, 5717, 5444, 5440, 5269, 5337, 5661, 5411, 5552, 5521, 5589, 5374, 5309, 5522, 5361, 5390, 5273, 5503, 5626, 5312, 5256, 5581, 5671, 5652, 5511, 5417, 5538, 5393, 5540, 5406, 5504, 5290, 5647, 5604, 5302, 5662, 5590, 5311, 5665, 5296, 5492, 5573, 5606, 5529, 5586, 5724, 5643, 5365, 5566, 5650, 5685, 5659, 5422, 5669, 5455, 5386, 5304, 5317, 5509, 5470, 5465, 5282, 5625, 5510 (10 hits) (12/20/2013 02:14:17 PM)

File: R94497 Rev 3 Page 58 of 281

|--|

	Table 47	- FCC frequer	ncy hopping	g radar (Typ	e 6) Results - NU	30 MHz Mode Steady State
Trial #	Pulses/ Burst	Pulse Width (us)	PRI (us)	Detected	Fr (MHz) and level (dBm)	Burst Information
12	9	1.0	333.0	Yes	5531.0MHz, -62.0dBm	Hop sequence: 5632, 5341, 5309, 5343, 5448, 5393, 5432, 5406, 5326, 5590, 5548, 5522, 5486, 5288, 5257, 5394, 5462, 5532, 5399, 5528, 5395, 5402, 5616, 5589, 5441, 5457, 5353, 5701, 5508, 5576, 5313, 5357, 5433, 5375, 5253, 5286, 5661, 5423, 5435, 5259, 5617, 5666, 5619, 5604, 5698, 5692, 5350, 5280, 5542, 5626, 5547, 5301, 5372, 5332, 5312, 5321, 5653, 5364, 5254, 5668, 5295, 5688, 5689, 5440, 5449, 5543, 5270, 5691, 5260, 5690, 5422, 5656, 5451, 5674, 5722, 5686, 5283, 5278, 5318, 5269, 5420, 5439, 5459, 5407, 5539, 5427, 5311, 5639, 5602, 5605, 5348, 5404, 5351, 5546, 5272, 5623, 5509, 5354, 5499, 5614 (9 hits) (12/20/2013 02:14:34 PM)
13	9	1.0	333.0	Yes	5532.0MHz, -62.0dBm	Hop sequence: 5466, 5436, 5329, 5513, 5509, 5601, 5676, 5503, 5521, 5359, 5666, 5552, 5622, 5563, 5338, 5496, 5504, 5570, 5606, 5539, 5679, 5370, 5355, 5592, 5272, 5487, 5371, 5304, 5538, 5532, 5599, 5293, 5604, 5499, 5318, 5616, 5533, 5340, 5550, 5282, 5688, 5633, 5426, 5275, 5449, 5517, 5348, 5412, 5286, 5546, 5323, 5573, 5367, 5648, 5312, 5423, 5713, 5544, 5368, 5605, 5438, 5388, 5494, 5611, 5310, 5270, 5427, 5661, 5447, 5621, 5712, 5634, 5492, 5333, 5482, 5625, 5358, 5326, 5703, 5548, 5257, 5682, 5653, 5519, 5471, 5460, 5483, 5448, 5295, 5366, 5414, 5662, 5409, 5263, 5297, 5291, 5508, 5470, 5440, 5357 (9 hits) (12/20/2013 02:14:54 PM)
14	9	1.0	333.0	Yes	5533.0MHz, -62.0dBm	Hop sequence: 5487, 5357, 5374, 5293, 5418, 5257, 5415, 5298, 5720, 5638, 5633, 5564, 5516, 5687, 5416, 5712, 5652, 5429, 5625, 5338, 5421, 5554, 5321, 5641, 5294, 5397, 5669, 5543, 5343, 5603, 5626, 5466, 5569, 5495, 5565, 5671, 5691, 5461, 5716, 5570, 5606, 5392, 5301, 5701, 5549, 5605, 5272, 5322, 5330, 5296, 5315, 5292, 5523,

Page 59 of 281 File: R94497 Rev 3

Trial #	Pulses/ Burst	Pulse Width (us)	PRI (us)	Detected	Fr (MHz) and level (dBm)	Burst Information
	Darist	w dan (us)			lever (abm)	5281, 5713, 5621, 5655, 5428, 5611, 5544, 5458, 5259, 5412, 5447, 5323, 5262, 5710, 5291, 5332, 5367, 5419, 5574, 5305, 5534, 5622, 5468, 5503, 5435, 5486, 5300, 5476, 5395, 5414, 5502, 5299, 5409, 5444, 5533, 5261, 5431, 5709, 5717, 5423, 5437, 5706, 5411, 5480, 5482, 5646, 5653 (7 hits) (12/20/2013 02:15:05 PM)
15	9	1.0	333.0	Yes	5534.0MHz, -62.0dBm	Hop sequence: 5255, 5681, 5401, 5335, 5351, 5448, 5618, 5509, 5447, 5371, 5630, 5415, 5322, 5660, 5477, 5546, 5662, 5627, 5569, 5599, 5392, 5452, 5594, 5358, 5503, 5265, 5663, 5542, 5363, 5435, 5450, 5539, 5669, 5290, 5349, 5273, 5427, 5406, 5711, 5607, 5413, 5576, 5409, 5700, 5724, 5574, 5370, 5419, 5348, 5657, 5639, 5399, 5426, 5466, 5462, 5619, 5515, 5296, 5624, 5321, 5372, 5319, 5457, 5345, 5305, 5547, 5423, 5303, 5709, 5526, 5324, 5317, 5294, 5410, 5495, 5551, 5602, 5716, 5412, 5284, 5453, 5356, 5719, 5469, 5374, 5658, 5398, 5377, 5400, 5411, 5565, 5488, 5320, 5545, 5531, 5613, 5649, 5646, 5725, 5579 (8 hits) (12/20/2013 02:15:17 PM)
16	9	1.0	333.0	Yes	5535.0MHz, -62.0dBm	Hop sequence: 5533, 5306, 5481, 5297, 5377, 5625, 5526, 5403, 5596, 5645, 5439, 5623, 5674, 5294, 5268, 5405, 5559, 5562, 5661, 5673, 5651, 5478, 5290, 5334, 5719, 5708, 5519, 5630, 5332, 5362, 5653, 5280, 5522, 5513, 5511, 5568, 5607, 5535, 5477, 5715, 5254, 5577, 5309, 5346, 5609, 5505, 5544, 5525, 5384, 5470, 5457, 5581, 5659, 5531, 5383, 5380, 5471, 5486, 5387, 5646, 5703, 5612, 5322, 5395, 5251, 5444, 5565, 5426, 5693, 5704, 5382, 5281, 5582, 5315, 5664, 5606, 5318, 5359, 5484, 5433, 5627, 5655, 5312, 5545, 5347, 5301, 5389, 5260, 5712, 5443, 5603, 5515, 5696, 5287, 5303, 5262, 5680, 5668, 5717, 5552 (9 hits) (12/20/2013 02:15:29 PM)

Page 60 of 281 File: R94497 Rev 3

	Table 47	- FCC frequer	ncy hopping	g radar (Typ	e 6) Results - NU	30 MHz Mode Steady State
Trial #	Pulses/ Burst	Pulse Width (us)	PRI (us)	Detected	Fr (MHz) and level (dBm)	Burst Information
17	9	1.0	333.0	Yes	5536.0MHz, -62.0dBm	Hop sequence: 5340, 5540, 5363, 5642, 5609, 5698, 5260, 5422, 5648, 5445, 5726, 5610, 5719, 5378, 5292, 5530, 5343, 5502, 5440, 5678, 5651, 5288, 5463, 5720, 5581, 5411, 5450, 5398, 5662, 5629, 5722, 5279, 5685, 5624, 5505, 5297, 5589, 5306, 5436, 5384, 5709, 5560, 5537, 5552, 5573, 5667, 5277, 5368, 5315, 5521, 5335, 5466, 5406, 5481, 5435, 5525, 5280, 5675, 5252, 5303, 5470, 5329, 5621, 5515, 5258, 5508, 5713, 5441, 5564, 5596, 5704, 5488, 5516, 5676, 5654, 5267, 5313, 5710, 5349, 5389, 5692, 5549, 5536, 5527, 5636, 5382, 5550, 5262, 5462, 5623, 5342, 5276, 5480, 5606, 5547, 5413, 5594, 5296, 5687, 5449 (10 hits) (12/20/2013 02:15:47 PM)
18	9	1.0	333.0	Yes	5537.0MHz, -62.0dBm	Hop sequence: 5619, 5717, 5557, 5558, 5523, 5604, 5585, 5330, 5466, 5564, 5441, 5493, 5487, 5572, 5612, 5527, 5448, 5483, 5609, 5412, 5551, 5353, 5541, 5578, 5384, 5337, 5276, 5364, 5499, 5601, 5400, 5695, 5562, 5539, 5392, 5713, 5254, 5334, 5615, 5389, 5598, 5550, 5683, 5664, 5457, 5278, 5582, 5290, 5657, 5587, 5565, 5639, 5363, 5271, 5488, 5360, 5697, 5423, 5529, 5436, 5279, 5610, 5686, 5665, 5338, 5430, 5258, 5505, 5396, 5341, 5663, 5349, 5724, 5723, 5716, 5555, 5536, 5680, 5406, 5581, 5470, 5409, 5379, 5671, 5642, 5554, 5464, 5579, 5568, 5606, 5528, 5376, 5682, 5644, 5726, 5447, 5708, 5672, 5303, 5463 (13 hits) (12/20/2013 02:16:01 PM)
19	9	1.0	333.0	Yes	5538.0MHz, -62.0dBm	Hop sequence: 5425, 5451, 5365, 5379, 5362, 5361, 5408, 5621, 5717, 5447, 5380, 5658, 5542, 5310, 5539, 5490, 5337, 5703, 5441, 5474, 5418, 5683, 5626, 5509, 5479, 5428, 5298, 5563, 5277, 5541, 5706, 5352, 5586, 5420, 5449, 5561, 5657, 5460, 5345, 5472, 5697, 5344, 5670, 5540, 5368, 5571, 5547, 5453, 5669, 5640, 5492, 5424, 5668,

File: R94497 Rev 3 Page 61 of 281

Trial #	Pulses/	Pulse	PRI (us)	Detected	Fr (MHz) and	Burst Information
11141 //	Burst	Width (us)	TH (us)	Betteeted	level (dBm)	5386, 5468, 5501, 5538, 5343, 5314, 5276, 5533, 5383, 5411, 5708, 5671, 5415, 5489, 5455, 5306, 5254, 5682, 5523, 5252, 5391, 5367, 5375, 5478, 5494, 5401, 5653, 5291, 5680, 5679, 5608, 5336, 5651, 5559, 5253, 5486, 5301, 5389, 5263, 5369, 5664, 5506, 5536, 5470, 5295, 5320, 5518 (9 hits) (12/20/2013 02:16:15 PM)
20	9	1.0	333.0	Yes	5539.0MHz, -62.0dBm	Hop sequence: 5696, 5677, 5495, 5486, 5454, 5628, 5477, 5382, 5582, 5694, 5712, 5611, 5335, 5437, 5537, 5305, 5304, 5490, 5466, 5315, 5253, 5654, 5513, 5591, 5650, 5435, 5527, 5356, 5475, 5699, 5372, 5342, 5256, 5509, 5573, 5282, 5261, 5669, 5390, 5722, 5354, 5632, 5413, 5462, 5254, 5265, 5299, 5411, 5443, 5616, 5312, 5380, 5255, 5458, 5392, 5528, 5301, 5686, 5374, 5389, 5444, 5460, 5701, 5703, 5587, 5461, 5499, 5630, 5297, 5350, 5469, 5586, 5709, 5345, 5645, 5487, 5288, 5644, 5574, 5456, 5689, 5360, 5585, 5518, 5577, 5595, 5371, 5452, 5367, 5351, 5474, 5559, 5387, 5471, 5563, 5529, 5579, 5430, 5512, 5538 (5 hits) (12/20/2013 02:16:25 PM)
21	9	1.0	333.0	Yes	5540.0MHz, -62.0dBm	Hop sequence: 5566, 5491, 5663, 5622, 5452, 5591, 5264, 5477, 5539, 5261, 5643, 5673, 5396, 5355, 5430, 5666, 5488, 5406, 5358, 5393, 5456, 5389, 5352, 5626, 5451, 5297, 5367, 5603, 5288, 5359, 5647, 5589, 5517, 5300, 5346, 5259, 5504, 5576, 5363, 5466, 5360, 5298, 5562, 5485, 5324, 5717, 5255, 5331, 5468, 5486, 5328, 5701, 5373, 5354, 5688, 5720, 5284, 5409, 5463, 5438, 5260, 5668, 5592, 5670, 5530, 5684, 5600, 5575, 5340, 5544, 5495, 5469, 5432, 5514, 5679, 5572, 5271, 5347, 5518, 5681, 5416, 5353, 5500, 5669, 5653, 5524, 5287, 5648, 5529, 5541, 5434, 5570, 5561, 5336, 5652, 5691, 5433, 5277, 5313, 5724 (6 hits) (12/20/2013 02:16:33 PM)

File: R94497 Rev 3 Page 62 of 281

Table 47 - FCC frequency hopping radar (Type 6) Results - NU 30 MHz Mode Steady State Trial # Pulses/ Pulse Width (us) PRI (us) Detected Fr (MHz) and lovel (dRm) Burst Information							
Trial #	Burst	Width (us)	PRI (us)	Detected	level (dBm)		
22	9	1.0	333.0	Yes	5541.0MHz, -62.0dBm	Hop sequence: 5531, 5672, 5483, 5527, 5254, 5622, 5270, 5555, 5273, 5543, 5299, 5670, 5314, 5463, 5465, 5700, 5470, 5522, 5565, 5327, 5371, 5552, 5514, 5450, 5423, 5276, 5374, 5455, 5574, 5454, 5265, 5320, 5489, 5539, 5368, 5335, 5296, 5530, 5315, 5507, 5393, 5431, 5617, 5586, 5609, 5523, 5261, 5506, 5412, 5726, 5380, 5342, 5662, 5588, 5652, 5686, 5391, 5345, 5641, 5346, 5585, 5606, 5715, 5644, 5414, 5384, 5275, 5379, 5280, 5516, 5399, 5349, 5621, 5547, 5348, 5298, 5634, 5504, 5575, 5524, 5598, 5661, 5678, 5295, 5294, 5697, 5331, 5614, 5353, 5592, 5532, 5618, 5692, 5375, 5558, 5471, 5703, 5445, 5526, 5721 (14 hits) (12/20/2013 02:16:43 PM)	
23	9	1.0	333.0	Yes	5542.0MHz, -62.0dBm	Hop sequence: 5433, 5264, 5668, 5497, 5407, 5568, 5467, 5395, 5338, 5721, 5596, 5390, 5509, 5698, 5593, 5645, 5352, 5317, 5670, 5341, 5549, 5443, 5726, 5513, 5699, 5375, 5351, 5691, 5536, 5531, 5476, 5483, 5575, 5359, 5566, 5439, 5325, 5448, 5688, 5285, 5408, 5539, 5510, 5411, 5702, 5546, 5440, 5717, 5647, 5356, 5597, 5550, 5397, 5368, 5618, 5463, 5572, 5554, 5632, 5316, 5370, 5284, 5423, 5413, 5326, 5545, 5678, 5621, 5663, 5388, 5595, 5303, 5530, 5386, 5504, 5348, 5676, 5273, 5343, 5551, 5417, 5683, 5682, 5422, 5276, 5505, 5548, 5464, 5529, 5287, 5301, 5606, 5610, 5657, 5379, 5517, 5574, 5634, 5383, 5320 (12 hits) (12/20/2013 02:16:54 PM)	
24	9	1.0	333.0	Yes	5543.0MHz, -62.0dBm	Hop sequence: 5674, 5724, 5495, 5404, 5578, 5570, 5565, 5366, 5607, 5543, 5312, 5561, 5569, 5693, 5580, 5331, 5317, 5285, 5577, 5630, 5474, 5530, 5274, 5566, 5545, 5260, 5631, 5436, 5298, 5377, 5611, 5688, 5374, 5485, 5332, 5514, 5649, 5692, 5725, 5697, 5582, 5677, 5432, 5369, 5410, 5254, 5269, 5538, 5549, 5617, 5672, 5715, 5451,	

File: R94497 Rev 3 Page 63 of 281

rt Date: April 3, 2014 Reissue Da	ate: August 1, 2014
-----------------------------------	---------------------

	Table 47 - FCC frequency hopping radar (Type 6) Results - NU 30 MHz Mode Steady State								
Trial #	Pulses/ Burst	Pulse Width (us)	PRI (us)	Detected	Fr (MHz) and level (dBm)	Burst Information			
						5648, 5714, 5372, 5345, 5447, 5546, 5685, 5253, 5636, 5401, 5287, 5690, 5279, 5531, 5309, 5267, 5563, 5302, 5708, 5534, 5475, 5700, 5313, 5657, 5412, 5354, 5691, 5472, 5486, 5702, 5455, 5643, 5453, 5661, 5605, 5526, 5646, 5386, 5716, 5503, 5623, 5642, 5315, 5594, 5347, 5501, 5520 (9 hits) (12/20/2013 02:17:05 PM)			
25	9	1.0	333.0	Yes	5544.0MHz, -62.0dBm	Hop sequence: 5466, 5400, 5701, 5625, 5380, 5511, 5521, 5275, 5722, 5717, 5658, 5305, 5278, 5559, 5443, 5298, 5413, 5582, 5568, 5635, 5482, 5409, 5705, 5491, 5712, 5379, 5563, 5435, 5320, 5261, 5631, 5630, 5681, 5423, 5505, 5404, 5533, 5488, 5325, 5302, 5653, 5347, 5306, 5555, 5374, 5434, 5567, 5504, 5393, 5612, 5424, 5390, 5613, 5459, 5333, 5276, 5391, 5292, 5637, 5554, 5394, 5408, 5585, 5685, 5396, 5600, 5650, 5358, 5480, 5622, 5686, 5610, 5470, 5383, 5314, 5398, 5619, 5412, 5710, 5556, 5595, 5329, 5645, 5714, 5531, 5573, 5513, 5541, 5296, 5417, 5336, 5614, 5608, 5542, 5508, 5670, 5666, 5355, 5704, 5662 (7 hits) (12/20/2013 02:17:27 PM)			
26	9	1.0	333.0	Yes	5545.0MHz, -62.0dBm	Hop sequence: 5518, 5340, 5524, 5642, 5652, 5672, 5676, 5671, 5400, 5292, 5577, 5575, 5685, 5561, 5269, 5338, 5721, 5424, 5462, 5385, 5308, 5597, 5503, 5423, 5472, 5336, 5425, 5326, 5399, 5441, 5565, 5381, 5557, 5635, 5541, 5392, 5486, 5282, 5362, 5628, 5251, 5590, 5703, 5329, 5259, 5310, 5507, 5270, 5687, 5272, 5520, 5500, 5502, 5327, 5550, 5661, 5460, 5474, 5443, 5255, 5663, 5432, 5337, 5444, 5647, 5333, 5302, 5484, 5699, 5477, 5701, 5408, 5711, 5496, 5418, 5364, 5320, 5285, 5564, 5318, 5483, 5627, 5608, 5275, 5515, 5448, 5620, 5325, 5313, 5456, 5678, 5580, 5572, 5571, 5482, 5271, 5353, 5604, 5562, 5312 (4 hits) (12/20/2013 02:17:41 PM)			

File: R94497 Rev 3 Page 64 of 281

	Table 47 - FCC frequency hopping radar (Type 6) Results - NU 30 MHz Mode Steady State								
Trial #	Pulses/ Burst	Pulse Width (us)	PRI (us)	Detected	Fr (MHz) and level (dBm)	Burst Information			
27	9	1.0	333.0	Yes	5546.0MHz, -62.0dBm	Hop sequence: 5664, 5662, 5396, 5547, 5267, 5511, 5591, 5621, 5374, 5340, 5595, 5584, 5380, 5273, 5389, 5667, 5617, 5399, 5372, 5292, 5611, 5407, 5387, 5536, 5388, 5724, 5471, 5339, 5551, 5701, 5661, 5599, 5690, 5552, 5262, 5302, 5469, 5253, 5424, 5605, 5290, 5688, 5572, 5458, 5435, 5696, 5306, 5447, 5580, 5620, 5695, 5528, 5550, 5294, 5359, 5486, 5336, 5665, 5556, 5673, 5324, 5474, 5624, 5525, 5429, 5642, 5713, 5700, 5639, 5369, 5351, 5375, 5325, 5354, 5521, 5360, 5509, 5660, 5527, 5347, 5623, 5703, 5251, 5256, 5257, 5271, 5303, 5479, 5427, 5300, 5392, 5348, 5641, 5412, 5441, 5505, 5397, 5283, 5655, 5484 (9 hits) (12/20/2013 02:17:52 PM)			
28	9	1.0	333.0	Yes	5547.0MHz, -62.0dBm	Hop sequence: 5282, 5593, 5256, 5278, 5378, 5644, 5630, 5362, 5551, 5555, 5500, 5725, 5281, 5359, 5507, 5540, 5333, 5710, 5387, 5651, 5423, 5657, 5283, 5426, 5581, 5363, 5296, 5520, 5453, 5513, 5506, 5656, 5690, 5511, 5433, 5606, 5542, 5722, 5607, 5494, 5486, 5484, 5369, 5502, 5574, 5565, 5368, 5342, 5410, 5584, 5446, 5332, 5285, 5713, 5304, 5568, 5586, 5698, 5552, 5301, 5573, 5636, 5539, 5546, 5422, 5263, 5464, 5374, 5430, 5367, 5393, 5275, 5474, 5457, 5407, 5572, 5454, 5510, 5626, 5257, 5592, 5476, 5291, 5305, 5604, 5399, 5279, 5702, 5709, 5492, 5482, 5686, 5498, 5401, 5372, 5272, 5341, 5418, 5325, 5518 (7 hits) (12/20/2013 02:18:02 PM)			
29	9	1.0	333.0	Yes	5548.0MHz, -62.0dBm	Hop sequence: 5545, 5426, 5378, 5630, 5459, 5708, 5347, 5303, 5465, 5553, 5287, 5672, 5668, 5267, 5685, 5709, 5273, 5260, 5573, 5642, 5410, 5712, 5348, 5324, 5648, 5665, 5300, 5431, 5667, 5422, 5634, 5481, 5457, 5331, 5332, 5446, 5352, 5272, 5647, 5449, 5659, 5705, 5400, 5597, 5595, 5462, 5333, 5503, 5517, 5362, 5369, 5594, 5368,			

File: R94497 Rev 3 Page 65 of 281

port Date: April 3, 2014	Reissue Date: August 1, 2014

	Table 47 - FCC frequency hopping radar (Type 6) Results - NU 30 MHz Mode Steady State								
Trial #	Pulses/ Burst	Pulse Width (us)	PRI (us)	Detected	Fr (MHz) and level (dBm)	Burst Information			
						5655, 5586, 5461, 5370, 5403, 5504, 5537, 5554, 5373, 5282, 5414, 5680, 5607, 5568, 5259, 5520, 5398, 5281, 5299, 5692, 5381, 5670, 5618, 5683, 5372, 5361, 5722, 5603, 5580, 5258, 5507, 5335, 5383, 5599, 5638, 5644, 5495, 5329, 5412, 5277, 5354, 5721, 5365, 5542, 5387, 5278, 5319 (5 hits) (12/20/2013) 02:18:11 PM)			
30	9	1.0	333.0	Yes	5549.0MHz, -62.0dBm	Hop sequence: 5319, 5313, 5318, 5662, 5390, 5549, 5667, 5559, 5278, 5288, 5444, 5710, 5427, 5286, 5470, 5316, 5257, 5361, 5472, 5343, 5268, 5664, 5255, 5396, 5615, 5345, 5394, 5461, 5310, 5434, 5285, 5406, 5265, 5460, 5336, 5689, 5548, 5421, 5477, 5439, 5440, 5484, 5302, 5663, 5386, 5272, 5691, 5256, 5632, 5503, 5253, 5724, 5267, 5633, 5498, 5314, 5626, 5432, 5597, 5282, 5397, 5500, 5332, 5350, 5647, 5586, 5482, 5510, 5519, 5644, 5507, 5309, 5518, 5388, 5617, 5553, 5295, 5620, 5277, 5374, 5690, 5627, 5517, 5485, 5438, 5607, 5320, 5408, 5723, 5423, 5258, 5389, 5468, 5604, 5543, 5508, 5493, 5551, 5523, 5514 (6 hits) (12/20/2013 02:18:27 PM)			
31	9	1.0	333.0	Yes	5550.0MHz, -62.0dBm	Hop sequence: 5519, 5724, 5614, 5362, 5623, 5433, 5502, 5416, 5360, 5522, 5392, 5636, 5683, 5526, 5333, 5329, 5452, 5557, 5454, 5685, 5511, 5680, 5689, 5677, 5439, 5498, 5312, 5411, 5676, 5351, 5289, 5630, 5491, 5273, 5375, 5525, 5366, 5444, 5651, 5698, 5279, 5300, 5479, 5437, 5322, 5465, 5590, 5505, 5346, 5467, 5436, 5678, 5438, 5463, 5701, 5251, 5650, 5599, 5613, 5415, 5356, 5546, 5516, 5566, 5610, 5253, 5703, 5629, 5709, 5648, 5493, 5441, 5691, 5328, 5609, 5357, 5606, 5313, 5594, 5447, 5556, 5640, 5296, 5524, 5555, 5260, 5431, 5506, 5424, 5499, 5542, 5573, 5466, 5396, 5282, 5363, 5494, 5656, 5719, 5497 (9 hits) (12/20/2013 02:19:34 PM)			

File: R94497 Rev 3 Page 66 of 281

Trial #	Pulses/ Burst	Pulse Width (us)	PRI (us)	Detected	Fr (MHz) and level (dBm)	Burst Information
32	9	1.0	333.0	Yes	5551.0MHz, -62.0dBm	Hop sequence: 5508, 5688, 5337, 5344, 5264, 5265, 5286, 5394, 5452, 5630, 5295, 5356, 5467, 5547, 5627, 5498, 5406, 5374, 5658, 5379, 5674, 5298, 5532, 5523, 5424, 5561, 5646, 5446, 5522, 5566, 5715, 5622, 5339, 5609, 5447, 5405, 5257, 5487, 5629, 5549, 5661, 5391, 5576, 5340, 5529, 5448, 5718, 5363, 5253, 5440, 5541, 5567, 5404, 5335, 5430, 5634, 5495, 5422, 5423, 5260, 5543, 5660, 5672, 5723, 5671, 5274, 5621, 5390, 5334, 5653, 5393, 5438, 5385, 5613, 5465, 5659, 5309, 5711, 5360, 5626, 5608, 5648, 5512, 5383, 5500, 5563, 5421, 5336, 5459, 5505, 5489, 5583, 5410, 5456, 5463, 5312, 5668, 5545, 5571, 5642 (9 hits) (12/20/2013 02:19:55 PM)
33	9	1.0	333.0	Yes	5552.0MHz, -62.0dBm	Hop sequence: 5341, 5317, 5494, 5380, 5436, 5548, 5257, 5591, 5685, 5423, 5389, 5381, 5390, 5314, 5588, 5544, 5525, 5535, 5653, 5523, 5333, 5345, 5319, 5293, 5519, 5549, 5466, 5325, 5478, 5379, 5261, 5596, 5455, 5370, 5668, 5562, 5449, 5382, 5401, 5367, 5290, 5343, 5609, 5288, 5664, 5464, 5721, 5526, 5585, 5482, 5274, 5680, 5665, 5711, 5451, 5378, 5712, 5517, 5396, 5540, 5511, 5515, 5407, 5489, 5613, 5294, 5718, 5406, 5469, 5722, 5475, 5642, 5366, 5334, 5400, 5647, 5615, 5495, 5310, 5296, 5473, 5352, 5628, 5275, 5513, 5641, 5373, 5413, 5554, 5530, 5701, 5600, 5574, 5415, 5695, 5456, 5362, 5426, 5417, 5559 (10 hits) (12/20/2013 02:20:09 PM)
34	9	1.0	333.0	Yes	5553.0MHz, -62.0dBm	Hop sequence: 5654, 5719, 5475, 5522, 5638, 5588, 5685, 5543, 5675, 5649, 5392, 5382, 5690, 5678, 5421, 5390, 5374, 5517, 5291, 5644, 5282, 5657, 5530, 5575, 5429, 5477, 5414, 5491, 5667, 5501, 5404, 5551, 5601, 5642, 5339, 5287, 5311, 5686, 5340, 5512, 5424, 5684, 5715, 5668, 5521, 5454, 5263, 5445, 5525, 5371, 5391, 5681, 5493,

File: R94497 Rev 3 Page 67 of 281

	Table 47 - FCC frequency hopping radar (Type 6) Results - NU 30 MHz Mode Steady State								
Trial #	Pulses/ Burst	Pulse Width (us)	PRI (us)	Detected	Fr (MHz) and level (dBm)	Burst Information			
						5292, 5636, 5372, 5301, 5327, 5548, 5693, 5578, 5726, 5413, 5555, 5680, 5698, 5361, 5262, 5342, 5595, 5302, 5626, 5720, 5268, 5627, 5508, 5412, 5592, 5700, 5316, 5581, 5344, 5598, 5479, 5688, 5486, 5376, 5509, 5264, 5651, 5417, 5440, 5425, 5687, 5596, 5505, 5523, 5694, 5343, 5427 (8 hits) (12/20/2013 02:20:43 PM)			
35	9	1.0	333.0	Yes	5554.0MHz, -62.0dBm	Hop sequence: 5355, 5571, 5384, 5553, 5582, 5281, 5673, 5272, 5721, 5477, 5414, 5594, 5695, 5479, 5418, 5604, 5526, 5301, 5468, 5525, 5585, 5261, 5606, 5296, 5332, 5440, 5267, 5375, 5436, 5376, 5533, 5634, 5697, 5333, 5426, 5285, 5515, 5339, 5537, 5561, 5720, 5312, 5522, 5628, 5494, 5435, 5685, 5373, 5401, 5430, 5389, 5543, 5423, 5551, 5268, 5254, 5700, 5410, 5257, 5516, 5646, 5689, 5686, 5308, 5618, 5662, 5654, 5570, 5472, 5390, 5330, 5274, 5452, 5336, 5590, 5455, 5717, 5328, 5617, 5282, 5402, 5343, 5536, 5303, 5361, 5676, 5661, 5610, 5708, 5636, 5635, 5448, 5354, 5725, 5554, 5497, 5310, 5680, 5538, 5311 (11 hits) (12/20/2013 02:21:00 PM)			
36	9	1.0	333.0	Yes	5555.0MHz, -62.0dBm	Hop sequence: 5504, 5531, 5662, 5444, 5434, 5607, 5535, 5395, 5546, 5525, 5543, 5501, 5474, 5724, 5643, 5683, 5433, 5603, 5656, 5318, 5520, 5393, 5671, 5343, 5532, 5559, 5404, 5672, 5711, 5478, 5692, 5705, 5359, 5510, 5659, 5355, 5459, 5622, 5275, 5383, 5503, 5303, 5300, 5447, 5372, 5314, 5507, 5461, 5419, 5282, 5592, 5366, 5294, 5673, 5725, 5311, 5481, 5644, 5539, 5566, 5382, 5583, 5631, 5595, 5340, 5397, 5522, 5417, 5580, 5665, 5493, 5293, 5484, 5589, 5721, 5708, 5554, 5509, 5455, 5284, 5677, 5722, 5576, 5575, 5411, 5706, 5409, 5467, 5636, 5268, 5445, 5396, 5325, 5591, 5429, 5472, 5304, 5310, 5557, 5286 (10 hits) (12/20/2013 02:21:14 PM)			

Page 68 of 281 File: R94497 Rev 3

Test Report Reissue Date: August 1, 2014

	Table 47 - FCC frequency hopping radar (Type 6) Results - NU 30 MHz Mode Steady State								
Trial #	Pulses/ Burst	Pulse Width (us)	PRI (us)	Detected	Fr (MHz) and level (dBm)	Burst Information			
37	9	1.0	333.0	Yes	5556.0MHz, -62.0dBm	Hop sequence: 5717, 5666, 5266, 5503, 5429, 5547, 5269, 5480, 5330, 5590, 5596, 5292, 5617, 5308, 5290, 5693, 5520, 5710, 5343, 5642, 5574, 5424, 5428, 5415, 5493, 5275, 5475, 5497, 5682, 5726, 5614, 5439, 5697, 5597, 5459, 5613, 5671, 5451, 5526, 5639, 5565, 5716, 5591, 5327, 5402, 5521, 5558, 5420, 5284, 5609, 5499, 5679, 5479, 5373, 5634, 5323, 5414, 5332, 5687, 5258, 5484, 5512, 5295, 5411, 5277, 5488, 5486, 5310, 5462, 5724, 5417, 5374, 5337, 5606, 5262, 5359, 5291, 5325, 5472, 5632, 5340, 5525, 5557, 5341, 5432, 5278, 5483, 5662, 5319, 5276, 5541, 5322, 5446, 5300, 5356, 5618, 5624, 5510, 5631, 5588 (6 hits) (12/20/2013 02:21:26 PM)			

NU Steady State 40 MHz High Band

Table 48 - Summary of All Results - NU 40MHz Mode Steady State								
Waveform Name	Pd (%)	Pd Required (%)	Number of Trials	Status				
FCC Short Pulse Radar (Type 1)	96.7 %	60.0 %	30	PASSED				
FCC Short Pulse Radar (Type 2)	100.0 %	60.0 %	30	PASSED				
FCC Short Pulse Radar (Type 3)	100.0 %	60.0 %	30	PASSED				
FCC Short Pulse Radar (Type 4)	93.3 %	60.0 %	30	PASSED				
Aggregate of above results	97.5 %	80.0 %	120	PASSED				
Long Sequence	80.0 %	80.0 %	30	PASSED				
FCC frequency hopping radar (Type 6)	100.0 %	70.0 %	37	PASSED				

Table 49 - Detection Bandwidth Measurements (Bandwidth: +18MHz /-18MHz) - NU 40 MHz Mode Steady State								
EUT Frequency	Radar Type	Radar Frequency	# Detected	# Not Detected	Success (%)			
5540.00 MHz	FCC Short Pulse Radar (Type 1)	5521.00 MHz	0	3	0			
5540.00 MHz	FCC Short Pulse Radar (Type 1)	5522.00 MHz	9	1	90			

Page 69 of 281 File: R94497 Rev 3

Table 49 - Detection Bandwidth Measurements (Bandwidth: +18MHz /-18MHz) - NU 40 MHz Mode Steady

Table 45 - Detec	tion Bandwidth Wi	easurements (Dand Sta	ate	10M112) - NO 40 N	IIIz Widde Steady
EUT Frequency	Radar Type	Radar Frequency	# Detected	# Not Detected	Success (%)
5540.00 MHz	FCC Short Pulse Radar (Type 1)	5523.00 MHz	10	0	100
5540.00 MHz	FCC Short Pulse Radar (Type 1)	5524.00 MHz	10	0	100
5540.00 MHz	FCC Short Pulse Radar (Type 1)	5525.00 MHz	10	0	100
5540.00 MHz	FCC Short Pulse Radar (Type 1)	5526.00 MHz	10	0	100
5540.00 MHz	FCC Short Pulse Radar (Type 1)	5527.00 MHz	10	0	100
5540.00 MHz	FCC Short Pulse Radar (Type 1)	5528.00 MHz	10	0	100
5540.00 MHz	FCC Short Pulse Radar (Type 1)	5529.00 MHz	10	0	100
5540.00 MHz	FCC Short Pulse Radar (Type 1)	5530.00 MHz	10	0	100
5540.00 MHz	FCC Short Pulse Radar (Type 1)	5531.00 MHz	10	0	100
5540.00 MHz	FCC Short Pulse Radar (Type 1)	5532.00 MHz	10	0	100
5540.00 MHz	FCC Short Pulse Radar (Type 1)	5533.00 MHz	10	0	100
5540.00 MHz	FCC Short Pulse Radar (Type 1)	5534.00 MHz	10	0	100
5540.00 MHz	FCC Short Pulse Radar (Type 1)	5535.00 MHz	10	0	100
5540.00 MHz	FCC Short Pulse Radar (Type 1)	5536.00 MHz	10	0	100
5540.00 MHz	FCC Short Pulse Radar (Type 1)	5537.00 MHz	10	0	100
5540.00 MHz	FCC Short Pulse Radar (Type 1)	5538.00 MHz	10	0	100
5540.00 MHz	FCC Short Pulse Radar (Type 1)	5539.00 MHz	10	0	100
5540.00 MHz	FCC Short Pulse Radar (Type 1)	5540.00 MHz	10	0	100
5540.00 MHz	FCC Short Pulse Radar (Type 1)	5541.00 MHz	10	0	100
5540.00 MHz	FCC Short Pulse Radar (Type 1)	5542.00 MHz	10	0	100
5540.00 MHz	FCC Short Pulse Radar (Type 1)	5543.00 MHz	10	0	100
5540.00 MHz	FCC Short Pulse Radar (Type 1)	5544.00 MHz	10	0	100
5540.00 MHz	FCC Short Pulse Radar (Type 1)	5545.00 MHz	10	0	100
5540.00 MHz	FCC Short Pulse Radar (Type 1)	5546.00 MHz	10	0	100
5540.00 MHz	FCC Short Pulse Radar (Type 1)	5547.00 MHz	10	0	100
5540.00 MHz	FCC Short Pulse Radar (Type 1)	5548.00 MHz	10	0	100
5540.00 MHz	FCC Short Pulse Radar (Type 1)	5549.00 MHz	10	0	100

File: R94497 Rev 3 Page 70 of 281

Table 49 - Detection Bandwidth Measurements (Bandwidth: +18MHz /-18MHz) - NU 40 MHz Mode Steady State

State								
EUT Frequency	Radar Type	Radar Frequency	# Detected	# Not Detected	Success (%)			
5540.00 MHz	FCC Short Pulse Radar (Type 1)	5550.00 MHz	9	1	90			
5540.00 MHz	FCC Short Pulse Radar (Type 1)	5551.00 MHz	10	0	100			
5540.00 MHz	FCC Short Pulse Radar (Type 1)	5552.00 MHz	10	0	100			
5540.00 MHz	FCC Short Pulse Radar (Type 1)	5553.00 MHz	10	0	100			
5540.00 MHz	FCC Short Pulse Radar (Type 1)	5554.00 MHz	10	0	100			
5540.00 MHz	FCC Short Pulse Radar (Type 1)	5555.00 MHz	10	0	100			
5540.00 MHz	FCC Short Pulse Radar (Type 1)	5556.00 MHz	10	0	100			
5540.00 MHz	FCC Short Pulse Radar (Type 1)	5557.00 MHz	10	0	100			
5540.00 MHz	FCC Short Pulse Radar (Type 1)	5558.00 MHz	10	0	100			
5540.00 MHz	FCC Short Pulse Radar (Type 1)	5559.00 MHz	0	3	0			

File: R94497 Rev 3 Page 71 of 281

Report Date: April 3, 2014	Reissue Date: August 1, 2014

Table 50 - FCC Short Pulse Radar (Type 1) Results - NU 40 MHz Mode Steady State								
Trial #	Pulses/ Burst	Pulse Width (us)	PRI (us)	Detected	Fr (MHz) and level (dBm)	Burst Information		
1	18	1.0	1428.0	Yes	5535.0MHz, -61.0dBm	Single burst (12/31/2013 11:18:39 AM)		
2	18	1.0	1428.0	Yes	5530.0MHz, -61.0dBm	Single burst (12/31/2013 11:18:54 AM)		
3	18	1.0	1428.0	No	5550.0MHz, -61.0dBm	Single burst (12/31/2013 11:19:34 AM)		
4	18	1.0	1428.0	Yes	5545.0MHz, -61.0dBm	Single burst (12/31/2013 11:19:50 AM)		
5	18	1.0	1428.0	Yes	5540.0MHz, -61.0dBm	Single burst (12/31/2013 11:20:10 AM)		
6	18	1.0	1428.0	Yes	5535.0MHz, -61.0dBm	Single burst (12/31/2013 11:20:38 AM)		
7	18	1.0	1428.0	Yes	5530.0MHz, -61.0dBm	Single burst (12/31/2013 11:21:03 AM)		
8	18	1.0	1428.0	Yes	5550.0MHz, -61.0dBm	Single burst (12/31/2013 11:21:35 AM)		
9	18	1.0	1428.0	Yes	5545.0MHz, -61.0dBm	Single burst (12/31/2013 11:22:13 AM)		
10	18	1.0	1428.0	Yes	5540.0MHz, -61.0dBm	Single burst (12/31/2013 11:22:34 AM)		
11	18	1.0	1428.0	Yes	5535.0MHz, -61.0dBm	Single burst (12/31/2013 11:22:46 AM)		
12	18	1.0	1428.0	Yes	5530.0MHz, -61.0dBm	Single burst (12/31/2013 11:23:06 AM)		
13	18	1.0	1428.0	Yes	5550.0MHz, -61.0dBm	Single burst (12/31/2013 11:23:22 AM)		

File: R94497 Rev 3 Page 72 of 281

Test Report Reissue Date: August 1, 2014 Report Date: April 3, 2014

Table	Table 49 - Detection Bandwidth Measurements (Bandwidth: +18MHz /-18MHz) - NU 40 MHz Mode Steady State									
EUT F	requency	Radar Type	Rada	ar Frequency	# Detected	# Not Detected Success (%)				
1.4	4 10 10		1.420.0	3 7	5545.0MHz,	Single burst (12/31/2013 11:23:32				
14	18	1.0	1428.0	Yes	-61.0dBm	AM)				
15	18	1.0	1428.0	Yes	5540.0MHz,	Single burst (12/31/2013 11:23:44				
15	10	1.0	1428.0	ies	-61.0dBm	AM)				
16	18	1.0	1428.0	Yes	5535.0MHz,	Single burst (12/31/2013 11:23:53				
10	10	1.0	1420.0	Tes	-61.0dBm	AM)				
17	18	1.0	1428.0	Yes	5530.0MHz,	Single burst (12/31/2013 11:24:06				
17	10	1.0	1426.0	168	-61.0dBm	AM)				
18	18	1.0	1428.0	Yes	5550.0MHz,	Single burst (12/31/2013 11:24:15				
10	10	1.0	1420.0	Tes	-61.0dBm	AM)				
19	18	1.0	1428.0	Yes	5545.0MHz,	Single burst (12/31/2013 11:24:24				
19	10	1.0	1420.0	Tes	-61.0dBm	AM)				
20	18	1.0	1428.0	Yes	5540.0MHz,	Single burst (12/31/2013 11:24:32				
	10	1.0	1120.0	103	-61.0dBm	AM)				
21	18	1.0	1428.0	Yes	5535.0MHz,	Single burst (12/31/2013 11:24:44				
	10	1.0	1120.0	105	-61.0dBm	AM)				
22	18	1.0	1428.0	Yes	5530.0MHz,	Single burst (12/31/2013 11:24:52				
		110	1.20.0		-61.0dBm	AM)				
23	18	1.0	1428.0	Yes	5550.0MHz,	Single burst (12/31/2013 11:25:00				
		110	1.20.0	100	-61.0dBm	AM)				
24	18	1.0	1428.0	Yes	5545.0MHz,	Single burst (12/31/2013 11:25:08				
			- 120.0		-61.0dBm	AM)				
25	18	1.0	1428.0	Yes	5540.0MHz,	Single burst (12/31/2013 11:25:17				
					-61.0dBm	AM)				
26	18	1.0	1428.0	Yes	5535.0MHz,	Single burst (12/31/2013 11:25:25				
_~			- 120.0		-61.0dBm	AM)				

Page 73 of 281 File: R94497 Rev 3

Test Report Reissue Date: August 1, 2014 Report Date: April 3, 2014

Table	Table 49 - Detection Bandwidth Measurements (Bandwidth: +18MHz /-18MHz) - NU 40 MHz Mode Steady State									
EUT Fr	equency	Radar Type	Rada	r Frequency	# Detected	# Not Detected	Success (%)			
27	18	1.0	1428 0	Vas	5530.0MHz,	Single burst (12/31	/2013 11:25:50			
21	10	1.0 1428.0 Yes	Tes	-61.0dBm	AM)					
28	18	1.0	1428.0	Yes	5550.0MHz,	Single burst (12/31	/2013 11:26:51			
20	16	1.0	1428.0	ies	-61.0dBm	AM)				
29	18	1.0	1428.0	Yes	5545.0MHz,	Single burst (12/31	/2013 11:27:00			
29	10	1.0	1426.0	Tes	-61.0dBm	AM)				
30	10 10 1100 0 W		Yes	5540.0MHz,	Single burst (12/31/2013 11:27:10					
30	18	1.0	1428.0	res	-61.0dBm	AM)				

	Table 51 - FCC Short Pulse Radar (Type 2) Results - NU 40 MHz Mode Steady State									
Trial #	Pulses/ Burst	Pulse Width (us)	PRI (us)	Detected	Fr (MHz) and level (dBm)	Burst Information				
1	27	2.8	210.0	Yes	5540.0MHz, -61.0dBm	Single burst (12/31/2013 12:02:56 PM)				
2	23	2.5	180.0	Yes	5535.0MHz, -61.0dBm	Single burst (12/31/2013 12:03:10 PM)				
3	25	2.8	168.0	Yes	5530.0MHz, -61.0dBm	Single burst (12/31/2013 12:04:00 PM)				
4	25	3.4	186.0	Yes	5550.0MHz, -61.0dBm	Single burst (12/31/2013 12:04:33 PM)				
5	23	2.9	158.0	Yes	5545.0MHz, -61.0dBm	Single burst (12/31/2013 12:04:47 PM)				
6	27	3.5	193.0	Yes	5540.0MHz, -61.0dBm	Single burst (12/31/2013 12:05:00 PM)				
7	27	3.0	183.0	Yes	5535.0MHz, -61.0dBm	Single burst (12/31/2013 12:05:28 PM)				
8	24	4.3	180.0	Yes	5530.0MHz, -61.0dBm	Single burst (12/31/2013 12:05:59 PM)				
9	24	3.5	179.0	Yes	5550.0MHz, -61.0dBm	Single burst (12/31/2013 12:06:21 PM)				
10	27	3.5	155.0	Yes	5545.0MHz, -61.0dBm	Single burst (12/31/2013 12:06:41 PM)				
11	28	1.8	156.0	Yes	5540.0MHz, -61.0dBm	Single burst (12/31/2013 12:07:04 PM)				
12	27	4.1	157.0	Yes	5535.0MHz, -61.0dBm	Single burst (12/31/2013 12:07:26 PM)				
13	27	3.7	193.0	Yes	5530.0MHz, -61.0dBm	Single burst (12/31/2013 12:07:57 PM)				
14	24	4.6	218.0	Yes	5550.0MHz, -61.0dBm	Single burst (12/31/2013 12:08:07 PM)				
15	27	2.9	184.0	Yes	5545.0MHz, -61.0dBm	Single burst (12/31/2013 12:08:21 PM)				

File: R94497 Rev 3 Page 74 of 281

	Table 51 - FCC Short Pulse Radar (Type 2) Results - NU 40 MHz Mode Steady State									
Trial #	Pulses/ Burst	Pulse Width (us)	PRI (us)	Detected	Fr (MHz) and level (dBm)	Burst Information				
16	25	1.8	218.0	Yes	5540.0MHz, -61.0dBm	Single burst (12/31/2013 12:08:43 PM)				
17	27	4.5	178.0	Yes	5535.0MHz, -61.0dBm	Single burst (12/31/2013 12:09:05 PM)				
18	25	4.8	156.0	Yes	5530.0MHz, -61.0dBm	Single burst (12/31/2013 12:09:33 PM)				
19	24	1.9	170.0	Yes	5550.0MHz, -61.0dBm	Single burst (12/31/2013 12:09:57 PM)				
20	28	4.7	164.0	Yes	5545.0MHz, -61.0dBm	Single burst (12/31/2013 12:10:08 PM)				
21	27	1.6	193.0	Yes	5540.0MHz, -61.0dBm	Single burst (12/31/2013 12:10:18 PM)				
22	28	1.4	177.0	Yes	5535.0MHz, -61.0dBm	Single burst (12/31/2013 12:10:33 PM)				
23	23	2.4	192.0	Yes	5530.0MHz, -61.0dBm	Single burst (12/31/2013 12:11:41 PM)				
24	28	4.0	188.0	Yes	5550.0MHz, -61.0dBm	Single burst (12/31/2013 12:11:53 PM)				
25	28	4.5	224.0	Yes	5545.0MHz, -61.0dBm	Single burst (12/31/2013 12:12:02 PM)				
26	26	5.0	190.0	Yes	5540.0MHz, -61.0dBm	Single burst (12/31/2013 12:12:36 PM)				
27	27	1.6	195.0	Yes	5535.0MHz, -61.0dBm	Single burst (12/31/2013 12:13:00 PM)				
28	29	1.1	155.0	Yes	5530.0MHz, -61.0dBm	Single burst (12/31/2013 12:13:30 PM)				
29	25	1.7	213.0	Yes	5550.0MHz, -61.0dBm	Single burst (12/31/2013 12:14:01 PM)				
30	25	2.8	221.0	Yes	5545.0MHz, -61.0dBm	Single burst (12/31/2013 12:14:12 PM)				

	Table 52 - FCC Short Pulse Radar (Type 3) Results - NU 40 MHz Mode Steady State								
Trial #	Pulses/ Burst	Pulse Width (us)	PRI (us)	Detected	Fr (MHz) and level (dBm)	Burst Information			
1	18	6.2	239.0	Yes	5540.0MHz, -61.0dBm	Single burst (12/31/2013 12:15:42 PM)			
2	18	9.9	399.0	Yes	5535.0MHz, -61.0dBm	Single burst (12/31/2013 12:16:45 PM)			
3	16	6.7	425.0	Yes	5530.0MHz, -61.0dBm	Single burst (12/31/2013 12:17:03 PM)			
4	17	6.9	264.0	Yes	5550.0MHz, -61.0dBm	Single burst (12/31/2013 12:17:20 PM)			
5	18	9.0	498.0	Yes	5545.0MHz, -61.0dBm	Single burst (12/31/2013 12:17:44 PM)			
6	18	6.1	393.0	Yes	5540.0MHz, -61.0dBm	Single burst (12/31/2013 12:18:00 PM)			
7	17	9.3	206.0	Yes	5535.0MHz, -61.0dBm	Single burst (12/31/2013 12:18:23 PM)			
8	17	7.6	490.0	Yes	5530.0MHz, -61.0dBm	Single burst (12/31/2013 12:18:47 PM)			
9	16	7.6	418.0	Yes	5550.0MHz, -61.0dBm	Single burst (12/31/2013 12:19:12 PM)			

File: R94497 Rev 3 Page 75 of 281

	Table 52 - FCC Short Pulse Radar (Type 3) Results - NU 40 MHz Mode Steady State									
Trial #	Pulses/ Burst	Pulse Width (us)	PRI (us)	Detected	Fr (MHz) and level (dBm)	Burst Information				
10	18	7.9	455.0	Yes	5545.0MHz, -61.0dBm	Single burst (12/31/2013 12:19:22 PM)				
11	17	9.8	265.0	Yes	5540.0MHz, -61.0dBm	Single burst (12/31/2013 12:19:51 PM)				
12	18	7.2	490.0	Yes	5535.0MHz, -61.0dBm	Single burst (12/31/2013 12:20:09 PM)				
13	18	7.2	415.0	Yes	5530.0MHz, -61.0dBm	Single burst (12/31/2013 12:20:27 PM)				
14	18	8.0	319.0	Yes	5550.0MHz, -61.0dBm	Single burst (12/31/2013 12:20:38 PM)				
15	17	6.9	361.0	Yes	5545.0MHz, -61.0dBm	Single burst (12/31/2013 12:20:48 PM)				
16	18	7.2	435.0	Yes	5540.0MHz, -61.0dBm	Single burst (12/31/2013 12:21:14 PM)				
17	17	6.2	239.0	Yes	5535.0MHz, -61.0dBm	Single burst (12/31/2013 12:21:40 PM)				
18	17	8.2	297.0	Yes	5530.0MHz, -61.0dBm	Single burst (12/31/2013 12:22:02 PM)				
19	18	7.5	454.0	Yes	5550.0MHz, -61.0dBm	Single burst (12/31/2013 12:22:26 PM)				
20	17	9.0	403.0	Yes	5545.0MHz, -61.0dBm	Single burst (12/31/2013 12:22:41 PM)				
21	17	6.8	297.0	Yes	5540.0MHz, -61.0dBm	Single burst (12/31/2013 12:23:06 PM)				
22	18	6.4	313.0	Yes	5535.0MHz, -61.0dBm	Single burst (12/31/2013 12:23:24 PM)				
23	16	7.1	397.0	Yes	5530.0MHz, -61.0dBm	Single burst (12/31/2013 12:23:36 PM)				
24	17	9.3	425.0	Yes	5550.0MHz, -61.0dBm	Single burst (12/31/2013 12:23:50 PM)				
25	17	7.8	247.0	Yes	5545.0MHz, -61.0dBm	Single burst (12/31/2013 12:24:01 PM)				
26	16	7.1	379.0	Yes	5540.0MHz, -61.0dBm	Single burst (12/31/2013 12:24:23 PM)				
27	16	8.9	224.0	Yes	5535.0MHz, -61.0dBm	Single burst (12/31/2013 12:24:39 PM)				
28	17	6.9	236.0	Yes	5530.0MHz, -61.0dBm	Single burst (12/31/2013 12:24:57 PM)				
29	17	6.4	400.0	Yes	5550.0MHz, -61.0dBm	Single burst (12/31/2013 12:25:08 PM)				
30	17	8.2	439.0	Yes	5545.0MHz, -61.0dBm	Single burst (12/31/2013 12:25:25 PM)				

	Table 53 - FCC Short Pulse Radar (Type 4) Results - NU 40 MHz Mode Steady State								
Trial #	Trial # Pulses/ Burst Pulse Width (us) PRI (us) Detected Fr (MHz) and level (dBm) Burst Information								
1	13	13.9	411.0	Yes	5540.0MHz, -61.0dBm	Single burst (12/31/2013 12:27:30 PM)			
2	5535 0MHz Single burst (12/31/2013 12:27:40								
3	12	11.3	246.0	Yes	5530.0MHz, -61.0dBm	Single burst (12/31/2013 12:27:53 PM)			

Page 76 of 281 File: R94497 Rev 3

	Table 53 - FCC Short Pulse Radar (Type 4) Results - NU 40 MHz Mode Steady State									
Trial #	Pulses/ Burst	Pulse Width (us)	PRI (us)	Detected	Fr (MHz) and level (dBm)	Burst Information				
4	15	16.4	361.0	Yes	5550.0MHz, -61.0dBm	Single burst (12/31/2013 12:28:04 PM)				
5	15	12.7	322.0	Yes	5545.0MHz, -61.0dBm	Single burst (12/31/2013 12:28:24 PM)				
6	15	19.5	206.0	No	5540.0MHz, -61.0dBm	Single burst (12/31/2013 12:28:36 PM)				
7	12	14.8	378.0	No	5535.0MHz, -61.0dBm	Single burst (12/31/2013 12:28:47 PM)				
8	12	18.0	268.0	Yes	5530.0MHz, -61.0dBm	Single burst (12/31/2013 12:50:07 PM)				
9	14	18.3	494.0	Yes	5550.0MHz, -61.0dBm	Single burst (12/31/2013 12:50:17 PM)				
10	16	17.0	433.0	Yes	5545.0MHz, -61.0dBm	Single burst (12/31/2013 12:50:24 PM)				
11	12	14.9	457.0	Yes	5540.0MHz, -61.0dBm	Single burst (12/31/2013 12:50:39 PM)				
12	16	19.0	232.0	Yes	5535.0MHz, -61.0dBm	Single burst (12/31/2013 12:53:25 PM)				
13	15	12.4	429.0	Yes	5530.0MHz, -61.0dBm	Single burst (12/31/2013 12:53:40 PM)				
14	12	18.5	465.0	Yes	5550.0MHz, -61.0dBm	Single burst (12/31/2013 12:53:51 PM)				
15	16	13.2	391.0	Yes	5545.0MHz, -61.0dBm	Single burst (12/31/2013 12:54:02 PM)				
16	13	15.0	473.0	Yes	5540.0MHz, -61.0dBm	Single burst (12/31/2013 12:54:16 PM)				
17	14	17.8	278.0	Yes	5535.0MHz, -61.0dBm	Single burst (12/31/2013 12:54:29 PM)				
18	13	15.8	457.0	Yes	5530.0MHz, -61.0dBm	Single burst (12/31/2013 12:54:38 PM)				
19	16	13.8	239.0	Yes	5550.0MHz, -61.0dBm	Single burst (12/31/2013 12:54:48 PM)				
20	12	15.6	438.0	Yes	5545.0MHz, -61.0dBm	Single burst (12/31/2013 12:54:56 PM)				
21	14	14.5	439.0	Yes	5540.0MHz, -61.0dBm	Single burst (12/31/2013 12:55:06 PM)				
22	12	15.9	361.0	Yes	5535.0MHz, -61.0dBm	Single burst (12/31/2013 12:55:18 PM)				
23	15	12.2	492.0	Yes	5530.0MHz, -61.0dBm	Single burst (12/31/2013 12:55:27 PM)				
24	14	13.9	456.0	Yes	5550.0MHz, -61.0dBm	Single burst (12/31/2013 12:55:37 PM)				
25	12	15.5	265.0	Yes	5545.0MHz, -61.0dBm	Single burst (12/31/2013 12:55:47 PM)				
26	14	17.4	401.0	Yes	5540.0MHz, -61.0dBm	Single burst (12/31/2013 12:56:03 PM)				
27	15	16.4	475.0	Yes	5535.0MHz, -61.0dBm	Single burst (12/31/2013 12:56:24 PM)				
28	15	19.5	257.0	Yes	5530.0MHz, -61.0dBm	Single burst (12/31/2013 12:56:33 PM)				
29	14	16.2	225.0	Yes	5550.0MHz, -61.0dBm	Single burst (12/31/2013 12:56:42 PM)				
30	14	16.5	390.0	Yes	5545.0MHz, -61.0dBm	Single burst (12/31/2013 12:56:51 PM)				

File: R94497 Rev 3 Page 77 of 281

Table 54 - Lo	ng Sequence Waveform Summary -	NU 40 MHz Mode Steady State
Long Sequence Trial	Result	Radar Frequency / Amplitude
Trial #1	NOT Detected	5540.0MHz,
1mai #1	NOT Detected	-61.0dBm
Trial #2	NOT Detected	5535.0MHz,
111a1 #2	NOT Detected	-61.0dBm
Trial #3	NOT Detected	5530.0MHz,
Παι π3	NOT Detected	-61.0dBm
Trial #4	Detected	5550.0MHz,
111a1 # -	Detected	-61.0dBm
Trial #5	Detected	5545.0MHz,
Tital #5	Bettetted	-61.0dBm
Trial #6	Detected	5540.0MHz,
	200000	-61.0dBm
Trial #7	Detected	5535.0MHz,
		-61.0dBm
Trial #8	Detected	5530.0MHz,
		-61.0dBm
Trial #9	Detected	5550.0MHz,
		-61.0dBm
Trial #10	Detected	5545.0MHz, -61.0dBm
		5540.0MHz,
Trial #11	Detected	-61.0dBm
		5535.0MHz,
Trial #12	Detected	-61.0dBm
		5530.0MHz,
Trial #13	Detected	-61.0dBm
		5550.0MHz,
Trial #14	Detected	-61.0dBm
		5545.0MHz,
Trial #15	Detected	-61.0dBm
		5540.0MHz,
Trial #16	Detected	-61.0dBm
m: 1 // 1 // 2	D I	5535.0MHz,
Trial #17	Detected	-61.0dBm
TE: 1 #10	D. C. I	5530.0MHz,
Trial #18	Detected	-61.0dBm
T-:-1 #10	Detected	5550.0MHz,
Trial #19	Detected	-61.0dBm
Trial #20	Datastad	5545.0MHz,
Trial #20	Detected	-61.0dBm
Trial #21	Detected	5540.0MHz,
111a1 #21	Detected	-61.0dBm
Trial #22	Detected	5535.0MHz,
111α1 πΔΔ	Detected	-61.0dBm
Trial #23	Detected	5530.0MHz,
11101 1120	Detected	-61.0dBm
Trial #24	NOT Detected	5550.0MHz,
	1.01 Detected	-61.0dBm
Trial #25	Detected	5545.0MHz,
		-61.0dBm
Trial #26	Detected	5540.0MHz,

File: R94497 Rev 3 Page 78 of 281

Table 54 - Long Sequence Waveform Summary - NU 40 MHz Mode Steady State							
Long Sequence Trial	Result	Radar Frequency / Amplitude					
		-61.0dBm					
Trial #27	NOT Detected	5535.0MHz,					
111a1 #27	NOT Detected	-61.0dBm					
Trial #28	Detected	5530.0MHz,					
111a1 #26	Detected	-61.0dBm					
Trial #29	Detected	5550.0MHz,					
111a1 #29	Detected	-61.0dBm					
Trial #30	NOT Detected	5545.0MHz,					
111a1 #30	NOT Detected	-61.0dBm					

Ta	Table 55 - Long Sequence Waveform Trial#1 (NOT Detected) - NU 40 MHz Mode Steady State									
Burst #	# Pulses	Pulse Width (us)	Chirp (MHz)	Interval 1 to 2 (us)	Interval 2 to 3 (us)	Start time (s)				
1	2	98.6	10	1765.0	-	0.800068				
2	1	63.6	16	-	-	1.964397				
3	3	76.4	18	1706.0	1037.0	4.393523				
4	1	78.0	10	-	-	4.858448				
5	2	62.5	9	1125.0	-	6.392241				
6	2	51.4	11	1399.0	-	8.764296				
7	2	55.4	19	1648.0	-	9.855036				
8	2	99.3	11	1333.0	-	10.918937				

Ta	Table 56 - Long Sequence Waveform Trial#2 (NOT Detected) - NU 40 MHz Mode Steady State									
Burst #	# Pulses	Pulse Width (us)	Chirp (MHz)	Interval 1 to 2 (us)	Interval 2 to 3 (us)	Start time (s)				
1	2	78.7	7	1620.0	-	0.884988				
2	1	66.7	18	-	-	2.285454				
3	3	86.5	14	1156.0	1023.0	3.724690				
4	1	57.2	11	-	-	4.448060				
5	1	70.0	14	-	-	5.357258				
6	3	69.6	9	1384.0	1399.0	7.267756				
7	3	75.0	20	1797.0	1645.0	8.087071				
8	2	75.4	18	1731.0	-	10.396490				
9	2	52.4	7	1874.0	-	11.970712				

Ta	Table 57 - Long Sequence Waveform Trial#3 (NOT Detected) - NU 40 MHz Mode Steady State								
Burst #	# Pulses	Pulse Width (us)	Chirp (MHz)	Interval 1 to 2 (us)	Interval 2 to 3 (us)	Start time (s)			
1	2	83.8	10	1738.0	-	0.073620			
2	3	68.7	5	1296.0	1658.0	2.364274			
3	2	64.6	15	1702.0	-	3.326092			
4	1	93.6	17	-	-	4.044255			
5	3	54.1	9	1404.0	1370.0	6.215139			
6	2	98.1	14	1472.0	-	7.837240			
7	2	93.2	18	1808.0	-	8.024464			
8	3	79.1	12	1479.0	1928.0	10.442590			
9	2	77.9	11	1558.0	-	11.014549			

Table 58 - Long Sequence Waveform Trial#4 (Detected) - NU 40 MHz Mode Steady State

File: R94497 Rev 3 Page 79 of 281

Burst #	# Pulses	Pulse Width (us)	Chirp (MHz)	Interval 1 to 2 (us)	Interval 2 to 3 (us)	Start time (s)
1	2	96.1	14	1233.0	-	0.370420
2	3	87.7	14	1301.0	1979.0	1.015188
3	1	68.8	16	-	-	1.822740
4	3	90.6	9	1959.0	1484.0	2.647939
5	2	87.9	13	1446.0	-	3.184055
6	1	94.5	5	-	-	3.957829
7	3	87.0	12	1236.0	1676.0	4.867482
8	1	87.5	10	-	-	5.778026
9	3	99.7	16	1240.0	1732.0	6.207210
10	1	89.2	14	-	-	6.759795
11	3	94.9	18	1665.0	1816.0	7.845519
12	2	62.6	16	1371.0	-	8.754733
13	3	55.5	14	1522.0	1825.0	9.256615
14	2	57.3	7	1043.0	-	10.418848
15	2	54.2	15	1490.0	-	11.012964
16	2	85.0	16	1832.0	-	11.743148

	Table 59 - Long Sequence Waveform Trial#5 (Detected) - NU 40 MHz Mode Steady State								
Burst #	# Pulses	Pulse Width (us)	Chirp (MHz)	Interval 1 to 2 (us)	Interval 2 to 3 (us)	Start time (s)			
1	3	91.3	10	1244.0	1582.0	0.748239			
2	3	77.4	11	1404.0	1589.0	1.885459			
3	1	95.3	20	-	-	2.763015			
4	3	51.2	7	1278.0	1709.0	4.295828			
5	2	80.5	14	1479.0	-	4.711153			
6	2	64.3	9	1871.0	-	5.931088			
7	2	70.4	10	1098.0	-	7.273071			
8	2	78.3	14	1272.0	-	7.997616			
9	1	76.2	10	-	-	9.615003			
10	1	55.1	8	-	-	10.782986			
11	1	74.2	7	-	-	11.580720			

	Table 60 - Long Sequence Waveform Trial#6 (Detected) - NU 40 MHz Mode Steady State								
Burst #	# Pulses	Pulse Width (us)	Chirp (MHz)	Interval 1 to 2 (us)	Interval 2 to 3 (us)	Start time (s)			
1	2	50.1	17	1217.0	-	0.579233			
2	3	86.4	17	1742.0	1258.0	1.214048			
3	2	62.2	5	1537.0	-	1.696429			
4	2	96.6	9	1861.0	-	2.711623			
5	1	65.2	10	-	-	3.662787			
6	1	91.2	15	-	-	4.374414			
7	3	51.3	14	1798.0	1884.0	4.984172			
8	2	59.7	10	1817.0	-	5.585301			
9	3	72.2	7	1484.0	1554.0	6.601937			
10	2	74.8	14	1291.0	-	7.146487			
11	2	82.7	19	1305.0	-	7.653918			
12	1	77.4	8	-	-	8.877098			
13	2	57.7	13	1684.0	-	9.707211			
14	2	78.8	15	1042.0	-	10.317400			
15	1	61.5	16	-	-	11.077317			
16	1	96.8	18	-	-	11.745182			

File: R94497 Rev 3 Page 80 of 281

	Table 61 - Long Sequence Waveform Trial#7 (Detected) - NU 40 MHz Mode Steady State							
Burst #	# Pulses	Pulse Width (us)	Chirp (MHz)	Interval 1 to 2 (us)	Interval 2 to 3 (us)	Start time (s)		
1	1	66.1	18	-	-	0.127496		
2	2	54.6	19	1826.0	-	1.256060		
3	2	67.9	9	1277.0	-	1.535315		
4	3	55.2	8	1037.0	1318.0	2.720009		
5	2	74.7	11	1763.0	-	3.209470		
6	2	77.0	13	1980.0	-	3.741938		
7	2	76.8	17	1097.0	-	4.620231		
8	2	88.3	9	1262.0	-	5.178929		
9	2	62.6	14	1036.0	-	6.073266		
10	1	97.9	19	-	-	6.462983		
11	2	92.5	7	1690.0	-	7.748897		
12	2	86.3	12	1656.0	-	8.376398		
13	1	67.0	12	-	-	9.152060		
14	2	77.2	15	1903.0	-	9.459334		
15	2	80.0	13	1663.0	-	9.885223		
16	2	99.4	8	1905.0	-	10.792197		
17	1	85.1	14	=	=	11.812071		

	Table 62 - Long Sequence Waveform Trial#8 (Detected) - NU 40 MHz Mode Steady State									
Burst #	# Pulses	Pulse Width (us)	Chirp (MHz)	Interval 1 to 2 (us)	Interval 2 to 3 (us)	Start time (s)				
1	3	96.7	12	1605.0	1303.0	0.323234				
2	1	77.8	8	-	-	1.061031				
3	2	74.8	15	1382.0	-	2.305685				
4	2	77.4	20	1239.0	-	2.411549				
5	3	93.1	13	1181.0	1782.0	3.217666				
6	2	53.6	19	1631.0	-	4.692931				
7	2	92.8	8	1779.0	-	5.280703				
8	1	99.0	19	-	-	6.341906				
9	2	64.6	9	1669.0	-	6.825464				
10	1	93.6	8	-	-	7.723095				
11	1	63.7	9	-	-	8.280742				
12	2	58.0	6	1718.0	-	9.385962				
13	2	57.1	15	1540.0	-	9.811925				
14	2	85.1	15	1346.0	-	11.036520				
15	3	80.1	14	1959.0	1489.0	11.696556				

	Table 63 - Long Sequence Waveform Trial#9 (Detected) - NU 40 MHz Mode Steady State									
Burst #	# Pulses	Pulse Width (us)	Chirp (MHz)	Interval 1 to 2 (us)	Interval 2 to 3 (us)	Start time (s)				
1	2	86.2	12	1407.0	-	0.529350				
2	1	61.0	16	-	-	1.635255				
3	1	83.9	5	-	-	2.699886				
4	2	63.5	10	1194.0	-	3.635939				
5	2	68.0	18	1872.0	-	5.059312				
6	3	95.6	20	1996.0	1553.0	6.238323				
7	2	76.2	19	1393.0	-	7.028157				
8	1	87.6	6	-	-	8.301259				
9	1	99.5	13	-	-	9.684572				
10	3	73.3	11	1805.0	1672.0	10.503107				

File: R94497 Rev 3 Page 81 of 281

Table 63 - Long Sequence Waveform Trial#9 (Detected) - NU 40 MHz Mode Steady State							
Burst #	# Pulses	Pulse Width (us)	Chirp (MHz)	Interval 1 to 2 (us)	Interval 2 to 3 (us)	Start time (s)	
11	2	72.9	18	1544.0	_	11.786975	

Burst #	# Pulses	Pulse Width (us)	Chirp (MHz)	Interval 1 to 2 (us)	Interval 2 to 3 (us)	Start time (s)
1	2	58.4	8	1465.0	-	0.537196
2	2	54.4	11	1307.0	-	1.857346
3	2	96.2	9	1938.0	-	2.461432
4	2	62.8	10	1419.0	-	3.504246
5	3	85.4	11	1199.0	1811.0	4.168289
6	3	92.0	15	1771.0	1532.0	5.706862
7	3	88.9	13	1638.0	1184.0	6.806212
8	2	51.6	6	1392.0	-	7.881092
9	3	82.8	18	1605.0	1965.0	8.514891
10	2	85.2	18	1608.0	-	9.696641
11	2	96.2	15	1978.0	-	10.904129
12	1	55.7	14	-	-	11.216788

7	Table 65 - Long Sequence Waveform Trial#11 (Detected) - NU 40 MHz Mode Steady State								
Burst #	# Pulses	Pulse Width (us)	Chirp (MHz)	Interval 1 to 2 (us)	Interval 2 to 3 (us)	Start time (s)			
1	2	63.9	13	1194.0	-	0.504889			
2	3	99.5	6	1159.0	1489.0	1.097975			
3	2	59.1	5	1571.0	-	1.358838			
4	1	86.4	19	-	-	2.039331			
5	2	79.0	11	1240.0	-	2.626440			
6	2	56.6	10	1445.0	-	3.260240			
7	1	97.0	16	-	-	3.736216			
8	2	86.1	12	1853.0	-	4.476691			
9	1	60.1	9	-	-	4.887856			
10	3	55.4	14	1121.0	1749.0	5.616176			
11	3	77.0	5	1601.0	1662.0	6.505861			
12	2	53.0	15	1122.0	-	6.987208			
13	2	87.2	17	1316.0	-	7.719729			
14	3	86.8	10	1528.0	1176.0	8.371172			
15	3	97.3	14	1947.0	1494.0	8.771565			
16	1	88.4	18	-	-	9.215287			
17	2	93.2	8	1182.0	-	9.679629			
18	3	74.2	7	1046.0	1795.0	10.600405			
19	2	59.7	8	1219.0	-	11.127622			
20	2	66.1	10	1576.0	-	11.712441			

,	Table 66 - Long Sequence Waveform Trial#12 (Detected) - NU 40 MHz Mode Steady State								
Burst #	Burst # # Pulse Width Chirp (MHz) Interval 1 to 2 (us) Interval 2 to 3 (us) Start time (s)								
1	2	54.1	19	1944.0	-	0.483036			
2	2	59.6	18	1928.0	=	1.076590			
3	2	74.5	9	1027.0	=	1.438271			
4	3	70.5	8	1830.0	1718.0	1.982592			

File: R94497 Rev 3 Page 82 of 281

Table 66 - Long Sequence Waveform Trial#12 (Detected) - NU 40 MHz Mode Steady State								
Burst #	# Pulses	Pulse Width (us)	Chirp (MHz)	Interval 1 to 2 (us)	Interval 2 to 3 (us)	Start time (s)		
5	1	59.0	13	-	-	2.971607		
6	3	50.8	9	1564.0	1144.0	3.463643		
7	2	63.1	19	1378.0	-	3.718133		
8	2	51.5	6	1407.0	-	4.497623		
9	1	84.8	13	-	-	5.035082		
10	1	75.2	9	-	-	5.790300		
11	2	77.4	17	1788.0	-	6.194373		
12	3	79.2	14	1951.0	1249.0	6.790395		
13	1	88.2	18	-	-	7.631368		
14	2	55.6	14	1502.0	-	8.135003		
15	2	65.9	13	1577.0	-	8.647947		
16	1	69.7	12	-	-	9.486435		
17	2	90.0	9	1180.0	-	9.850711		
18	2	61.4	17	1285.0	-	10.228337		
19	2	70.5	6	1653.0	-	11.154989		
20	2	69.7	9	1543.0	-	11.989577		

1	Table 67 - Long Sequence Waveform Trial#13 (Detected) - NU 40 MHz Mode Steady State								
Burst #	# Pulses	Pulse Width (us)	Chirp (MHz)	Interval 1 to 2 (us)	Interval 2 to 3 (us)	Start time (s)			
1	1	51.0	12	-	-	0.016483			
2	3	72.6	20	1260.0	1283.0	1.850141			
3	3	62.3	18	1575.0	1928.0	2.228672			
4	1	79.6	7	-	-	3.057622			
5	2	85.6	18	1284.0	-	4.764527			
6	3	99.1	14	1457.0	1558.0	5.973449			
7	2	54.1	10	1982.0	-	6.720928			
8	3	63.4	9	1907.0	1790.0	7.646591			
9	2	56.4	10	1814.0	-	8.676100			
10	1	97.3	9	-	-	9.086633			
11	1	63.6	16	-	-	10.388490			
12	1	57.9	14	-	-	11.703314			

	Table 68 - Long Sequence Waveform Trial#14 (Detected) - NU 40 MHz Mode Steady State								
Burst #	# Pulses	Pulse Width (us)	Chirp (MHz)	Interval 1 to 2 (us)	Interval 2 to 3 (us)	Start time (s)			
1	2	75.2	17	1971.0	-	0.130094			
2	3	71.3	7	1846.0	1247.0	1.075328			
3	3	53.2	8	1611.0	1230.0	2.444129			
4	2	71.5	9	1146.0	-	2.697128			
5	2	98.9	15	1447.0	-	3.486441			
6	3	93.6	19	1244.0	1808.0	4.895125			
7	3	69.0	10	1913.0	1134.0	5.441070			
8	2	77.2	12	1342.0	-	6.805014			
9	2	90.5	5	1063.0	-	7.017698			
10	2	77.0	10	1621.0	-	8.347430			
11	3	52.3	18	1179.0	1653.0	9.290882			
12	3	86.0	7	1057.0	1712.0	9.547841			
13	2	67.9	13	1144.0	-	10.921113			
14	3	60.0	11	1544.0	1763.0	11.485964			

File: R94497 Rev 3 Page 83 of 281

Burst #	# Pulses	Pulse Width (us)	Chirp (MHz)	Interval 1 to 2 (us)	Interval 2 to 3 (us)	Start time (s)
1	2	56.4	16	1012.0	-	0.142388
2	2	62.0	11	1838.0	-	0.648771
3	2	74.5	15	1381.0	-	1.330704
4	3	89.9	13	1568.0	1741.0	2.362215
5	3	76.1	13	1635.0	1066.0	2.977623
6	2	87.6	6	1238.0	-	3.159316
7	3	97.1	16	1062.0	1623.0	4.160341
8	1	83.7	8	-	-	4.655176
9	1	52.5	8	-	-	5.509936
10	2	54.2	8	1873.0	-	5.710197
11	2	66.0	18	1483.0	-	6.499176
12	2	51.7	7	1653.0	-	7.156170
13	3	78.5	9	1102.0	1874.0	7.977945
14	2	64.6	13	1530.0	-	8.499154
15	1	61.0	8	-	-	9.404527
16	3	99.1	11	1811.0	1680.0	10.003823
17	2	71.1	18	1317.0	-	10.467488
18	1	68.5	8	-	-	11.240244
19	2	64.3	18	1273.0	-	11.900080

Table 70 - Long Sequence Waveform Trial#16 (Detected) - NU 40 MHz Mode Steady State								
Burst #	# Pulses	Pulse Width (us)	Chirp (MHz)	Interval 1 to 2 (us)	Interval 2 to 3 (us)	Start time (s)		
1	3	51.3	18	1455.0	1758.0	0.147929		
2	2	64.0	14	1772.0	-	1.076570		
3	2	63.5	16	1684.0	-	1.912820		
4	3	96.5	11	1500.0	1939.0	2.646295		
5	2	60.4	7	1350.0	-	3.380815		
6	2	87.1	9	1825.0	-	4.123124		
7	1	81.4	20	-	-	5.099301		
8	2	80.3	11	1015.0	-	5.296331		
9	1	93.2	7	-	-	6.708687		
10	1	86.1	13	-	-	7.221451		
11	2	77.9	6	1969.0	-	8.042081		
12	2	89.6	20	1439.0	-	8.587636		
13	1	61.9	16	-	-	9.499359		
14	1	98.5	17	-	-	9.968135		
15	2	67.4	11	1959.0	-	10.968043		
16	3	63.5	9	1077.0	1012.0	11.324698		

7	Table 71 - Long Sequence Waveform Trial#17 (Detected) - NU 40 MHz Mode Steady State								
Burst #	# Pulses	Pulse Width (us)	Chirp (MHz)	Interval 1 to 2 (us)	Interval 2 to 3 (us)	Start time (s)			
1	2	88.8	8	1155.0	-	0.120174			
2	3	51.7	8	1930.0	1241.0	1.250565			
3	3	69.0	16	1785.0	1553.0	1.546274			
4	2	80.3	6	1387.0	=	2.490885			
5	2	63.5	14	1142.0	=	2.710828			
6	2	87.1	9	1672.0	=	3.752780			

File: R94497 Rev 3 Page 84 of 281

1	Table 71 -	Long Sequence	e Waveform	Trial#17 (Detected)	- NU 40 MHz Mode	Steady State
Burst #	# Pulses	Pulse Width (us)	Chirp (MHz)	Interval 1 to 2 (us)	Interval 2 to 3 (us)	Start time (s)
7	3	60.5	16	1305.0	1158.0	4.132211
8	2	95.8	18	1176.0	-	4.438547
9	3	72.0	8	1439.0	1565.0	5.258078
10	2	82.0	6	1049.0	-	5.689603
11	2	72.5	8	1906.0	-	6.850719
12	1	95.4	8	-	-	7.211715
13	1	68.5	12	-	-	8.095916
14	2	61.4	19	1267.0	-	8.596114
15	2	88.3	10	1245.0	-	9.396303
16	3	91.0	8	1411.0	1290.0	9.724090
17	2	81.1	9	1673.0	-	10.627035
18	3	64.9	10	1275.0	1206.0	11.350874
19	3	70.9	12	1199.0	1172.0	11.579965

Table 72 - Long Sequence Waveform Trial#18 (Detected) - NU 40 MHz Mode Steady State								
Burst #	# Pulses	Pulse Width (us)	Chirp (MHz)	Interval 1 to 2 (us)	Interval 2 to 3 (us)	Start time (s)		
1	3	83.2	8	1028.0	1140.0	0.370387		
2	1	96.3	15	-	-	0.857498		
3	2	72.7	20	1573.0	-	1.583572		
4	2	83.2	18	1393.0	-	2.245209		
5	3	76.9	19	1525.0	1658.0	2.618558		
6	2	53.1	11	1597.0	-	3.242823		
7	2	94.0	8	1121.0	-	4.208912		
8	3	74.9	10	1715.0	1932.0	4.995323		
9	2	56.6	16	1185.0	-	5.278811		
10	3	78.9	15	1730.0	1853.0	6.078800		
11	1	87.8	14	-	-	6.918639		
12	1	71.7	12	-	-	7.570933		
13	3	87.9	16	1408.0	1403.0	7.855791		
14	2	51.6	9	1976.0	-	8.649843		
15	2	92.7	17	1681.0	-	9.036065		
16	2	66.3	8	1179.0	-	9.995869		
17	2	81.2	7	1286.0	-	10.720090		
18	1	96.4	13	-	-	11.143819		
19	3	53.7	15	1324.0	1767.0	11.875694		

,	Table 73 - Long Sequence Waveform Trial#19 (Detected) - NU 40 MHz Mode Steady State								
Burst #	# Pulses	Pulse Width (us)	Chirp (MHz)	Interval 1 to 2 (us)	Interval 2 to 3 (us)	Start time (s)			
1	3	87.2	9	1998.0	1835.0	0.498037			
2	1	69.8	8	-	-	2.038171			
3	1	74.6	7	-	-	3.893172			
4	1	91.4	6	-	-	5.114642			
5	3	81.9	18	1654.0	1981.0	7.378101			
6	3	57.0	17	1540.0	1110.0	7.765039			
7	2	61.2	12	1410.0	-	9.396593			
8	1	97.9	20	-	-	11.212099			

Page 85 of 281 File: R94497 Rev 3

	Table 74 - Long Sequence Waveform Trial#20 (Detected) - NU 40 MHz Mode Steady State								
Burst #	# Pulses	Pulse Width (us)	Chirp (MHz)	Interval 1 to 2 (us)	Interval 2 to 3 (us)	Start time (s)			
1	3	59.1	6	1122.0	1914.0	0.060567			
2	2	51.6	14	1173.0	-	1.072049			
3	2	99.4	11	1743.0	-	2.138698			
4	3	95.0	10	1196.0	1628.0	3.254235			
5	2	61.0	7	1297.0	-	4.478361			
6	1	62.4	16	-	-	5.701684			
7	3	66.4	12	1254.0	1709.0	6.099310			
8	2	61.4	10	1876.0	-	7.575326			
9	1	56.2	13	-	-	8.911280			
10	1	91.2	8	-	-	9.413975			
11	2	98.3	12	1346.0	-	10.767603			
12	2	83.9	9	1039.0	-	11.672252			

	Table 75 - Long Sequence Waveform Trial#21 (Detected) - NU 40 MHz Mode Steady State								
Burst #	# Pulses	Pulse Width (us)	Chirp (MHz)	Interval 1 to 2 (us)	Interval 2 to 3 (us)	Start time (s)			
1	3	62.1	12	1395.0	1848.0	0.001334			
2	3	50.2	10	1542.0	1296.0	0.918555			
3	2	99.1	5	1191.0	-	2.528151			
4	2	82.1	8	1997.0	-	3.331340			
5	3	74.5	12	1000.0	1232.0	4.193726			
6	2	62.4	12	1835.0	-	4.562668			
7	1	56.5	10	-	-	5.682397			
8	3	73.7	14	1845.0	1339.0	6.089174			
9	1	50.4	8	-	-	7.087877			
10	2	60.5	15	1069.0	-	8.353176			
11	2	93.6	16	1397.0	-	8.735858			
12	1	58.5	7	-	-	10.051563			
13	2	86.4	15	1801.0	-	11.132511			
14	2	66.7	9	1946.0	-	11.310960			

ı	Table 76 - Long Sequence Waveform Trial#22 (Detected) - NU 40 MHz Mode Steady State								
Burst #	# Pulses	Pulse Width (us)	Chirp (MHz)	Interval 1 to 2 (us)	Interval 2 to 3 (us)	Start time (s)			
1	2	75.7	12	1398.0	-	0.623575			
2	3	61.6	18	1233.0	1486.0	0.990151			
3	1	82.6	13	-	-	1.673319			
4	1	69.2	12	-	-	2.615144			
5	3	86.4	5	1776.0	1698.0	3.367764			
6	1	95.9	18	-	-	4.065740			
7	2	82.9	15	1842.0	-	5.140140			
8	2	51.2	8	1846.0	-	5.704927			
9	3	67.2	12	1574.0	1742.0	7.033872			
10	3	88.1	15	1811.0	1596.0	7.642738			
11	2	81.8	8	1739.0	-	8.638423			
12	1	69.5	15	-	-	9.560689			
13	2	59.8	11	1416.0	-	10.378618			
14	2	66.2	19	1378.0	-	11.109446			
15	1	57.3	9	-	-	11.585358			

File: R94497 Rev 3 Page 86 of 281

63.9

90.4

56.8

85.7

55.7

62.3

92.9

97.4

76.5

72.4

75.7

98.5

51.0

7

15

8

12

20

7

16

10

10

10

11

14

19

7

8

9

10

11

12

13

14

15

16

17

18

19

2

1

3

1

2

3

2

1

1

3

3

3

2

3.918272

4.879170

5.474525

6.127389

6.609699

7.528019

7.662364

8.275238

8.936675

9.605350

10.204638

11.324287

11.376585

1897.0

1134.0

1151.0

1658.0

1878.0

		1		Report Date: Ap	ril 3, 2014 Reiss	sue Date: August 1, 201
ı	Table 77 -	Long Sequence	Waveform	Trial#23 (Detected)	- NU 40 MHz Mode	Steady State
Burst #	# Pulses	Pulse Width (us)	Chirp (MHz)	Interval 1 to 2 (us)	Interval 2 to 3 (us)	Start time (s)
1	2	94.3	14	1246.0	-	0.220819
2	2	51.5	13	1969.0	-	0.844544
3	2	86.4	7	1032.0	-	1.711445
4	2	76.5	20	1013.0	-	1.986358
5	3	71.1	7	1934.0	1829.0	2.960954
6	2	60.5	18	1203.0	-	3.584098

1852.0

1435.0

1200.0

1522.0

1992.0

1747.0

1341.0

1843.0

1493.0

Burst #	# Pulses	Pulse Width (us)	Chirp (MHz)	Interval 1 to 2 (us)	Interval 2 to 3 (us)	Start time (s)
1	2	100.0	6	1794.0	-	0.381406
2	2	69.4	5	1230.0	-	2.466409
3	2	88.3	19	1956.0	-	2.701734
4	2	79.9	8	1658.0	-	4.113453
5	3	69.9	19	1043.0	1268.0	6.499953
6	3	78.1	17	1546.0	1408.0	7.173371
7	2	54.0	16	1157.0	-	8.905428
8	1	85.6	14	-	-	10.015760
9	1	96.0	18	-	-	11.557149

Table 79 - Long Sequence Waveform Trial#25 (Detected) - NU 40 MHz Mode Steady State									
Burst #	# Pulses	Pulse Width (us)	Chirp (MHz)	Interval 1 to 2 (us)	Interval 2 to 3 (us)	Start time (s)			
1	3	50.0	13	1408.0	1374.0	0.631241			
2	2	51.7	7	1387.0	-	1.211210			
3	1	63.4	14	-	-	1.974220			
4	3	70.1	20	1274.0	1438.0	2.049506			
5	3	96.2	14	1663.0	1369.0	3.143846			
6	2	86.1	9	1724.0	-	3.934950			
7	2	66.2	18	1573.0	-	4.334901			
8	3	90.6	6	1978.0	1969.0	5.279670			
9	1	65.2	19	-	-	5.483555			
10	1	78.0	6	-	-	6.309122			
11	1	84.9	8		-	7.253209			
12	3	92.3	6	1097.0	1836.0	7.406610			
13	2	52.9	13	1281.0 -		8.597809			
14	3	50.8	12	1681.0	1658.0	9.063852			

File: R94497 Rev 3 Page 87 of 281

1	Table 79 - Long Sequence Waveform Trial#25 (Detected) - NU 40 MHz Mode Steady State								
Burst #	# Pulses	Pulse Width (us)	Chirp (MHz)	Interval 1 to 2 (us)	Interval 2 to 3 (us)	Start time (s)			
15	2	63.0	19	1488.0	-	9.638192			
16	1	75.8	15	-	-	10.633276			
17	2	75.7	16	1553.0	=	11.024222			
18	2	93.6	9	1720.0	_	11.552420			

1	Table 80 - Long Sequence Waveform Trial#26 (Detected) - NU 40 MHz Mode Steady State								
Burst #	# Pulses	Pulse Width (us)	Chirp (MHz)	Interval 1 to 2 (us)	Interval 2 to 3 (us)	Start time (s)			
1	2	87.4	18	1399.0	-	0.179498			
2	2	64.5	12	1809.0	-	0.765538			
3	1	75.5	15	-	-	1.728766			
4	3	56.1	18	1088.0	1933.0	2.517194			
5	2	82.3	9	1227.0	-	2.738438			
6	2	81.9	16	1753.0	-	3.765540			
7	2	50.2	8	1765.0	-	4.593776			
8	2	73.5	13	1234.0	-	4.905341			
9	3	92.5	13	1551.0	1234.0	5.622755			
10	2	64.0	18	1214.0	-	6.055382			
11	3	55.1	6	1672.0	1774.0	7.011808			
12	1	73.2	13	-	-	7.697576			
13	2	65.1	18	1815.0	-	8.135596			
14	1	62.7	19	-	-	9.232716			
15	2	68.7	6	1250.0	-	9.529351			
16	3	61.2	7	1689.0	1076.0	10.099349			
17	3	74.0	17	1729.0	1509.0	10.893309			
18	3	88.8	17	1978.0	1544.0	11.990514			

Table 81 - Long Sequence Waveform Trial#27 (NOT Detected) - NU 40 MHz Mode Steady State							
Burst #	# Pulses	Pulse Width (us)	Chirp (MHz)	Interval 1 to 2 (us)	Interval 2 to 3 (us)	Start time (s)	
1	2	51.8	15	1702.0	-	0.506031	
2	1	76.8	14	-	-	1.284907	
3	3	63.3	6	1788.0	1329.0	2.695259	
4	2	89.0	8	1302.0	-	3.654712	
5	2	60.1	8	1610.0	-	3.822401	
6	3	54.9	6	1409.0	1907.0	5.475410	
7	2	76.3	12	1153.0	-	6.343432	
8	3	97.7	8	1220.0	1387.0	6.921438	
9	3	88.2	9	1328.0	1552.0	7.983662	
10	2	99.1	17	1824.0	-	8.449765	
11	2	51.2	17	1080.0	-	9.880393	
12	2	77.0	10	1366.0	-	10.695170	
13	2	65.2	12	1203.0	-	11.488654	

7	Table 82 - Long Sequence Waveform Trial#28 (Detected) - NU 40 MHz Mode Steady State							
Burst #	# Pulses	Pulse Width (us)	Chirp (MHz)	Interval 1 to 2 (us)	Interval 2 to 3 (us)	Start time (s)		
1	2	59.1	14	1794.0	-	0.080859		
2	3	63.0	17	1819.0	1801.0	0.893146		

File: R94497 Rev 3 Page 88 of 281

Test Report Reissue Date: August 1, 2014

	Table 82 - Long Sequence Waveform Trial#28 (Detected) - NU 40 MHz Mode Steady State								
Burst #	# Pulses	Pulse Width (us)	Chirp (MHz)	Interval 1 to 2 (us)	Interval 2 to 3 (us)	Start time (s)			
3	3	67.6	15	1283.0	1142.0	1.634143			
4	2	86.5	10	1033.0	-	2.019524			
5	1	58.4	5	-	-	2.508899			
6	2	77.3	8	1171.0	-	3.040180			
7	2	85.7	13	1204.0	-	3.671485			
8	3	95.3	10	1317.0	1944.0	4.250113			
9	2	86.1	6	1217.0	-	4.920051			
10	3	76.9	14	1117.0	1221.0	5.804142			
11	3	94.3	6	1022.0	1581.0	6.035749			
12	2	84.8	9	1249.0	-	6.630493			
13	2	76.7	12	1299.0	-	7.437559			
14	1	81.1	7	-	-	7.911915			
15	3	62.7	15	1179.0	1817.0	8.603341			
16	3	60.2	8	1577.0	1517.0	9.265602			
17	2	72.5	19	1546.0	-	9.846791			
18	2	53.7	16	1223.0	-	10.378587			
19	3	69.6	8	1686.0	1306.0	11.198820			
20	2	82.1	7	1453.0	-	11.689284			

	Table 83 -	Long Sequence	e Waveforn	n Trial#29 (Detected)	- NU 40 MHz Mode	Steady State
Burst #	# Pulses	Pulse Width (us)	Chirp (MHz)	Interval 1 to 2 (us)	Interval 2 to 3 (us)	Start time (s)
1	1	54.2	14	-	-	0.356692
2	2	72.4	18	1179.0	-	2.123100
3	1	93.3	19	-	-	2.434608
4	3	55.0	12	1041.0	1216.0	4.063651
5	2	68.4	14	1334.0	-	4.741814
6	3	71.4	14	1253.0	1489.0	6.233741
7	3	88.5	13	1730.0	1201.0	7.250738
8	2	61.2	16	1114.0	-	8.042816
9	1	62.6	14	-	-	9.218358
10	1	84.9	5	-	-	10.073294
11	2	51.5	20	1425.0	-	11.425874

Tal	Table 84 - Long Sequence Waveform Trial#30 (NOT Detected) - NU 40 MHz Mode Steady State								
Burst #	# Pulses	Pulse Width (us)	Chirp (MHz)	Interval 1 to 2 (us)	Interval 2 to 3 (us)	Start time (s)			
1	1	95.5	6	-	-	0.317330			
2	1	70.7	16	-	-	2.329777			
3	3	95.7	6	1679.0	1459.0	2.702473			
4	2	94.9	17	1510.0	-	4.121560			
5	2	72.8	18	1888.0	-	6.143873			
6	1	93.5	12	-	-	7.997199			
7	3	57.4	8	1523.0	1808.0	8.174000			
8	3	96.7	13	1960.0	1935.0	9.765012			
9	2	74.5	20	1594.0	-	11.155788			

Table 85 - FCC frequency hopping radar (Type 6) Results - NU 40 MHz Mode Steady State

Page 89 of 281 File: R94497 Rev 3

Trial #	Pulses/ Burst	Pulse Width (us)	PRI (us)	Detected	Fr (MHz) and level (dBm)	Burst Information
1	9	1.0	333.0	Yes	5557.0MHz, -61.0dBm	Hop sequence: 5694, 5292, 5268, 5588, 5283, 5726, 5602, 5676, 5613, 5665, 5625, 5707, 5687, 5521, 5444, 5586, 5418, 5473, 5411, 5500, 5310, 5262, 5597, 5630, 5585, 5693, 5713, 5485, 5425, 5700, 5540, 5317, 5673, 5272, 5567, 5520, 5680, 5325, 5591, 5706, 5721, 5502, 5622, 5439, 5305, 5667, 5570, 5611, 5449, 5265, 5505, 5428, 5443, 5461, 5407, 5295, 5353, 5364, 5697, 5541, 5620, 5291, 5644, 5605, 5553, 5712, 5276, 5594, 5307, 5507, 5682, 5580, 5669, 5393, 5639, 5686, 5266, 5459, 5522, 5406, 5494, 5657, 5508, 5576, 5429, 5632, 5403, 5719, 5446, 5701, 5609, 5392, 5373, 5615, 5499, 5559, 5348, 5538, 5324, 5526 (6 hits) (12/31/2013 01:12:27 PM)
2	9	1.0	333.0	Yes	5558.0MHz, -61.0dBm	Hop sequence: 5427, 5687, 5645, 5590, 5592, 5623, 5643, 5270, 5312, 5337, 5509, 5671, 5541, 5568, 5487, 5308, 5305, 5653, 5654, 5349, 5411, 5281, 5682, 5669, 5713, 5438, 5495, 5543, 5668, 5680, 5636, 5295, 5377, 5471, 5525, 5422, 5261, 5428, 5419, 5483, 5486, 5600, 5362, 5717, 5519, 5646, 5661, 5291, 5579, 5722, 5554, 5556, 5637, 5370, 5255, 5442, 5566, 5387, 5293, 5686, 5369, 5585, 5553, 5573, 5374, 5271, 5289, 5299, 5601, 5651, 5535, 5667, 5516, 5445, 5431, 5632, 5688, 5287, 5705, 5639, 5569, 5547, 5375, 5406, 5296, 5356, 5346, 5335, 5518, 5338, 5451, 5679, 5277, 5710, 5683, 5607, 5625, 5514, 5384, 5536 (9 hits) (12/31/2013 01:12:51 PM)
3	9	1.0	333.0	Yes	5522.0MHz, -61.0dBm	Hop sequence: 5672, 5725, 5635, 5654, 5615, 5439, 5372, 5721, 5618, 5389, 5692, 5634, 5518, 5468, 5564, 5560, 5566, 5592, 5726, 5342, 5575, 5339, 5655, 5522, 5291, 5695, 5545, 5679, 5546, 5394, 5628, 5323, 5527, 5287, 5397, 5437, 5556, 5671, 5454, 5388, 5521, 5373, 5464, 5577, 5330, 5669, 5719, 5337, 5288, 5512, 5258, 5702, 5267, 5668, 5418, 5303, 5648, 5279, 5396, 5724, 5356, 5498, 5328,

File: R94497 Rev 3 Page 90 of 281

	Table 85 - FCC frequency hopping radar (Type 6) Results - NU 40 MHz Mode Steady State								
Trial #	Pulses/ Burst	Pulse Width (us)	PRI (us)	Detected	Fr (MHz) and level (dBm)	Burst Information			
						5477, 5604, 5595, 5260, 5501, 5514, 5346, 5626, 5631, 5470, 5467, 5482, 5442, 5420, 5616, 5649, 5386, 5344, 5711, 5646, 5707, 5608, 5435, 5553, 5662, 5537, 5348, 5582, 5565, 5368, 5663, 5441, 5484, 5683, 5699, 5405, 5384 (7 hits) (12/31/2013 01:13:13 PM)			
4	9	1.0	333.0	Yes	5523.0MHz, -61.0dBm	Hop sequence: 5415, 5391, 5456, 5489, 5318, 5643, 5293, 5580, 5406, 5425, 5532, 5474, 5509, 5384, 5518, 5476, 5651, 5502, 5505, 5368, 5458, 5577, 5380, 5719, 5709, 5339, 5470, 5710, 5263, 5334, 5622, 5373, 5493, 5656, 5271, 5267, 5708, 5329, 5254, 5315, 5455, 5471, 5287, 5398, 5515, 5715, 5479, 5525, 5556, 5633, 5282, 5636, 5336, 5638, 5544, 5582, 5678, 5722, 5572, 5701, 5330, 5616, 5414, 5571, 5566, 5721, 5333, 5600, 5277, 5564, 5272, 5687, 5500, 5517, 5447, 5411, 5305, 5666, 5660, 5390, 5402, 5385, 5547, 5454, 5639, 5323, 5591, 5523, 5655, 5612, 5680, 5417, 5294, 5444, 5355, 5281, 5393, 5451, 5625, 5720 (6 hits) (12/31/2013 01:13:26 PM)			
5	9	1.0	333.0	Yes	5524.0MHz, -61.0dBm	Hop sequence: 5664, 5646, 5718, 5536, 5556, 5717, 5377, 5538, 5402, 5704, 5355, 5502, 5409, 5393, 5315, 5571, 5560, 5633, 5477, 5342, 5305, 5661, 5461, 5652, 5683, 5569, 5322, 5254, 5334, 5554, 5609, 5580, 5283, 5275, 5438, 5686, 5360, 5553, 5277, 5586, 5533, 5302, 5579, 5602, 5350, 5337, 5390, 5607, 5345, 5290, 5398, 5313, 5516, 5663, 5582, 5367, 5492, 5482, 5570, 5405, 5404, 5284, 5598, 5269, 5386, 5684, 5668, 5419, 5471, 5530, 5518, 5499, 5689, 5568, 5380, 5314, 5384, 5496, 5488, 5539, 5282, 5489, 5642, 5592, 5356, 5597, 5587, 5327, 5616, 5701, 5697, 5271, 5599, 5521, 5338, 5584, 5535, 5332, 5268, 5281 (9 hits) (12/31/2013 01:13:36 PM)			
6	9	1.0	333.0	Yes	5525.0MHz, -61.0dBm	Hop sequence: 5353, 5648, 5302, 5350, 5611, 5596, 5546, 5515,			

File: R94497 Rev 3 Page 91 of 281

	Table 85 - FCC frequency hopping radar (Type 6) Results - NU 40 MHz Mode Steady State						
Trial #	Pulses/ Burst	Pulse Width (us)	PRI (us)	Detected	Fr (MHz) and level (dBm)	Burst Information	
						5410, 5599, 5359, 5323, 5286, 5672, 5555, 5572, 5500, 5367, 5445, 5338, 5639, 5392, 5693, 5715, 5411, 5426, 5294, 5706, 5549, 5432, 5282, 5613, 5270, 5437, 5258, 5688, 5542, 5304, 5635, 5322, 5548, 5586, 5264, 5684, 5262, 5260, 5381, 5425, 5253, 5722, 5307, 5453, 5387, 5696, 5659, 5429, 5482, 5373, 5371, 5499, 5348, 5681, 5461, 5267, 5627, 5315, 5254, 5557, 5490, 5568, 5370, 5501, 5677, 5406, 5711, 5504, 5275, 5678, 5714, 5369, 5399, 5393, 5443, 5386, 5362, 5344, 5720, 5721, 5529, 5576, 5424, 5723, 5505, 5306, 5547, 5682, 5385, 5512,	
						5382, 5293 (8 hits) (12/31/2013 01:13:43 PM) Hop sequence: 5721, 5579, 5281,	
7	9	1.0	333.0	Yes	5526.0MHz, -61.0dBm	5324, 5685, 5537, 5553, 5713, 5668, 5724, 5310, 5585, 5408, 5443, 5688, 5602, 5407, 5555, 5568, 5653, 5590, 5381, 5541, 5421, 5464, 5570, 5490, 5573, 5667, 5435, 5278, 5400, 5531, 5466, 5255, 5319, 5540, 5697, 5418, 5303, 5311, 5430, 5655, 5607, 5692, 5679, 5650, 5476, 5723, 5479, 5474, 5511, 5462, 5257, 5378, 5368, 5639, 5269, 5320, 5556, 5615, 5437, 5388, 5338, 5262, 5290, 5254, 5678, 5672, 5380, 5292, 5491, 5492, 5635, 5513, 5352, 5485, 5641, 5543, 5318, 5375, 5291, 5614, 5308, 5594, 5674, 5268, 5385, 5522, 5603, 5640, 5665, 5363, 5358, 5483, 5560, 5720, 5451, 5313, 5625 (9 hits) (12/31/2013 01:13:51 PM)	
8	9	1.0	333.0	Yes	5527.0MHz, -61.0dBm	Hop sequence: 5674, 5532, 5710, 5459, 5454, 5294, 5679, 5613, 5420, 5416, 5292, 5599, 5410, 5482, 5341, 5697, 5479, 5577, 5357, 5660, 5717, 5412, 5699, 5510, 5578, 5539, 5525, 5494, 5290, 5451, 5664, 5264, 5526, 5476, 5354, 5505, 5346, 5296, 5376, 5380, 5422, 5298, 5586, 5531, 5373, 5634, 5522, 5677, 5549, 5367, 5626, 5463, 5576, 5545, 5565, 5255, 5652, 5368, 5432, 5536, 5304, 5609, 5700,	

File: R94497 Rev 3 Page 92 of 281

	Table 85 - FCC frequency hopping radar (Type 6) Results - NU 40 MHz Mode Steady State							
Trial #	Pulses/ Burst	Pulse Width (us)	PRI (us)	Detected	Fr (MHz) and level (dBm)	Burst Information		
						5640, 5566, 5260, 5438, 5651, 5722, 5533, 5668, 5554, 5374, 5417, 5440, 5540, 5498, 5297, 5262, 5632, 5693, 5721, 5714, 5552, 5701, 5488, 5672, 5288, 5427, 5449, 5663, 5605, 5527, 5530, 5321, 5686, 5377, 5628, 5620, 5469 (15 hits) (12/31/2013 01:14:00 PM)		
9	9	1.0	333.0	Yes	5528.0MHz, -61.0dBm	Hop sequence: 5371, 5494, 5562, 5501, 5414, 5604, 5548, 5347, 5715, 5646, 5396, 5346, 5488, 5368, 5293, 5684, 5444, 5471, 5533, 5573, 5506, 5658, 5428, 5599, 5404, 5624, 5691, 5583, 5724, 5680, 5403, 5432, 5717, 5535, 5521, 5605, 5644, 5578, 5522, 5509, 5366, 5291, 5356, 5470, 5593, 5289, 5360, 5534, 5672, 5326, 5308, 5676, 5314, 5391, 5349, 5381, 5596, 5587, 5636, 5421, 5508, 5279, 5546, 5722, 5413, 5629, 5581, 5650, 5634, 5485, 5698, 5607, 5610, 5670, 5662, 5274, 5378, 5550, 5459, 5461, 5355, 5338, 5436, 5435, 5613, 5617, 5399, 5632, 5295, 5524, 5416, 5571, 5614, 5719, 5455, 5402, 5386, 5333, 5408, 5431 (8 hits) (12/31/2013 01:14:08 PM)		
10	9	1.0	333.0	Yes	5529.0MHz, -61.0dBm	Hop sequence: 5679, 5443, 5475, 5407, 5252, 5399, 5504, 5394, 5414, 5442, 5678, 5299, 5360, 5693, 5532, 5359, 5604, 5484, 5473, 5381, 5593, 5636, 5697, 5597, 5639, 5405, 5320, 5643, 5352, 5292, 5417, 5535, 5313, 5355, 5644, 5554, 5501, 5285, 5265, 5507, 5509, 5293, 5520, 5398, 5551, 5553, 5330, 5661, 5291, 5261, 5684, 5640, 5296, 5561, 5433, 5710, 5335, 5363, 5268, 5270, 5491, 5480, 5648, 5641, 5505, 5298, 5312, 5674, 5305, 5436, 5592, 5642, 5415, 5622, 5269, 5619, 5283, 5498, 5333, 5711, 5371, 5726, 5448, 5506, 5722, 5332, 5257, 5631, 5634, 5329, 5687, 5397, 5595, 5275, 5290, 5264, 5420, 5703, 5386, 5318 (5 hits) (12/31/2013 01:14:48 PM)		
11	9	1.0	333.0	Yes	5530.0MHz, -61.0dBm	Hop sequence: 5289, 5337, 5415, 5721, 5536, 5643, 5626, 5382,		

File: R94497 Rev 3 Page 93 of 281

Report Date: April 3, 2014	Reissue Date: August 1, 2014

	Table 85 - FCC frequency hopping radar (Type 6) Results - NU 40 MHz Mode Steady State						
Trial #	Pulses/ Burst	Pulse Width (us)	PRI (us)	Detected	Fr (MHz) and level (dBm)	Burst Information	
	Duist	widii (us)			level (dbm)	5394, 5637, 5414, 5290, 5447, 5327, 5401, 5358, 5265, 5345, 5469, 5526, 5490, 5524, 5286, 5553, 5672, 5387, 5654, 5499, 5631, 5708, 5369, 5295, 5657, 5319, 5602, 5559, 5367, 5716, 5580, 5512, 5308, 5691, 5558, 5313, 5338, 5475, 5533, 5514, 5257, 5294, 5496, 5272, 5593, 5370, 5288, 5549, 5688, 5656, 5704, 5312, 5592, 5278, 5413, 5346, 5667, 5267, 5538, 5568, 5455, 5679, 5310, 5303, 5550, 5510, 5516, 5690, 5280, 5276, 5336, 5476, 5298, 5318, 5282, 5520, 5448, 5307, 5683, 5603,	
						5402, 5588, 5485, 5660, 5695, 5646, 5621 (10 hits) (12/31/2013 01:15:00 PM)	
12	9	1.0	333.0	Yes	5531.0MHz, -61.0dBm	Hop sequence: 5580, 5356, 5392, 5643, 5575, 5493, 5522, 5617, 5462, 5375, 5574, 5517, 5505, 5552, 5488, 5560, 5681, 5507, 5724, 5640, 5710, 5410, 5698, 5364, 5471, 5470, 5579, 5373, 5417, 5257, 5464, 5610, 5390, 5674, 5398, 5325, 5329, 5309, 5544, 5292, 5642, 5714, 5307, 5319, 5538, 5478, 5350, 5533, 5284, 5606, 5487, 5707, 5341, 5283, 5673, 5440, 5713, 5636, 5359, 5666, 5684, 5541, 5449, 5420, 5277, 5323, 5524, 5647, 5435, 5300, 5484, 5453, 5627, 5457, 5658, 5275, 5469, 5452, 5607, 5508, 5299, 5473, 5461, 5443, 5313, 5306, 5619, 5648, 5694, 5259, 5388, 5357, 5590, 5383, 5281, 5289, 5513, 5269, 5650, 5717 (7 hits) (12/31/2013 01:15:12 PM)	
13	9	1.0	333.0	Yes	5532.0MHz, -61.0dBm	Hop sequence: 5256, 5390, 5445, 5512, 5651, 5528, 5506, 5628, 5373, 5693, 5623, 5448, 5483, 5497, 5276, 5457, 5548, 5258, 5377, 5392, 5314, 5682, 5680, 5681, 5572, 5494, 5501, 5438, 5705, 5402, 5301, 5265, 5495, 5713, 5272, 5441, 5696, 5295, 5287, 5350, 5480, 5516, 5560, 5502, 5633, 5720, 5613, 5490, 5428, 5453, 5586, 5570, 5308, 5488, 5673, 5281, 5697, 5255, 5541, 5675, 5463, 5585, 5306,	

File: R94497 Rev 3 Page 94 of 281

Test Report Reissue Date: August 1, 2014 Report Date: April 3, 2014

	Table 85	- FCC freque	ncy hopping	g radar (Typ	e 6) Results - NU	40 MHz Mode Steady State
Trial #	Pulses/ Burst	Pulse Width (us)	PRI (us)	Detected	Fr (MHz) and level (dBm)	Burst Information
					io.e. (ab.ii)	5566, 5399, 5508, 5588, 5513, 5343, 5716, 5393, 5620, 5646, 5533, 5535, 5383, 5431, 5670, 5260, 5414, 5471, 5580, 5310, 5684, 5708, 5539, 5319, 5416, 5525, 5326, 5672, 5475, 5577, 5568, 5668, 5437, 5442, 5650, 5280, 5573 (7 hits) (12/31/2013 01:15:19 PM)
14	9	1.0	333.0	Yes	5533.0MHz, -61.0dBm	Hop sequence: 5413, 5516, 5637, 5530, 5416, 5318, 5718, 5487, 5334, 5702, 5365, 5391, 5282, 5689, 5305, 5258, 5513, 5256, 5263, 5354, 5692, 5313, 5663, 5293, 5464, 5421, 5418, 5694, 5693, 5566, 5312, 5507, 5287, 5401, 5537, 5570, 5264, 5625, 5330, 5581, 5311, 5467, 5646, 5303, 5386, 5429, 5309, 5681, 5397, 5659, 5412, 5337, 5724, 5535, 5568, 5302, 5346, 5415, 5426, 5351, 5367, 5575, 5485, 5443, 5664, 5623, 5627, 5601, 5696, 5560, 5619, 5647, 5395, 5268, 5272, 5369, 5543, 5475, 5671, 5461, 5629, 5363, 5620, 5715, 5454, 5506, 5317, 5342, 5451, 5668, 5335, 5665, 5340, 5705, 5534, 5579, 5431, 5641, 5680, 5336 (5 hits) (12/31/2013 01:15:27 PM)
15	9	1.0	333.0	Yes	5534.0MHz, -61.0dBm	Hop sequence: 5387, 5282, 5377, 5442, 5432, 5607, 5337, 5565, 5571, 5436, 5686, 5534, 5330, 5475, 5635, 5648, 5323, 5254, 5430, 5542, 5477, 5550, 5410, 5369, 5417, 5349, 5471, 5447, 5638, 5426, 5320, 5413, 5295, 5265, 5707, 5392, 5657, 5502, 5725, 5630, 5309, 5267, 5601, 5586, 5671, 5698, 5281, 5360, 5549, 5272, 5552, 5270, 5598, 5509, 5420, 5726, 5341, 5326, 5690, 5493, 5705, 5504, 5535, 5522, 5521, 5283, 5683, 5316, 5329, 5394, 5704, 5352, 5615, 5699, 5511, 5359, 5310, 5368, 5662, 5305, 5670, 5363, 5331, 5303, 5399, 5454, 5277, 5649, 5519, 5425, 5419, 5462, 5306, 5716, 5259, 5719, 5302, 5576, 5599, 5609 (7 hits) (12/31/2013 01:15:38 PM)
16	9	1.0	333.0	Yes	5535.0MHz, -61.0dBm	Hop sequence: 5610, 5463, 5383, 5703, 5460, 5624, 5662, 5406,

File: R94497 Rev 3 Page 95 of 281

	Table 85 - FCC frequency hopping radar (Type 6) Results - NU 40 MHz Mode Steady State							
Trial #	Pulses/ Burst	Pulse Width (us)	PRI (us)	Detected	Fr (MHz) and level (dBm)	Burst Information		
	Buist	maar (us)			level (dibili)	5286, 5546, 5598, 5374, 5699, 5658, 5400, 5298, 5663, 5636, 5456, 5354, 5494, 5572, 5282, 5589, 5365, 5447, 5341, 5579, 5696, 5252, 5283, 5643, 5373, 5366, 5475, 5440, 5329, 5462, 5372, 5505, 5461, 5611, 5691, 5480, 5276, 5621, 5260, 5314, 5568, 5296, 5527, 5537, 5431, 5467, 5683, 5722, 5642, 5547, 5513, 5348, 5355, 5333, 5491, 5526, 5665, 5725, 5385, 5599, 5669, 5628, 5500, 5394, 5529, 5309, 5584, 5713, 5285, 5418, 5688, 5484, 5503, 5337, 5457, 5433, 5307, 5581, 5664, 5694, 5554, 5410, 5259, 5386, 5378,		
						5647, 5714, 5351, 5720, 5317, 5264, 5646 (7 hits) (12/31/2013 01:15:46 PM)		
17	9	1.0	333.0	Yes	5536.0MHz, -61.0dBm	Hop sequence: 5537, 5608, 5423, 5520, 5551, 5373, 5591, 5466, 5371, 5420, 5332, 5341, 5417, 5419, 5592, 5389, 5579, 5260, 5624, 5347, 5704, 5292, 5453, 5612, 5611, 5518, 5309, 5433, 5474, 5363, 5425, 5270, 5563, 5492, 5496, 5535, 5272, 5302, 5486, 5523, 5540, 5345, 5495, 5478, 5631, 5671, 5375, 5343, 5427, 5464, 5352, 5470, 5607, 5273, 5706, 5519, 5660, 5603, 5383, 5667, 5575, 5382, 5698, 5298, 5451, 5646, 5380, 5386, 5274, 5582, 5688, 5515, 5696, 5424, 5312, 5436, 5229, 5305, 5325, 5498, 5618, 5321, 5421, 5694, 5560, 5310, 5565, 5459, 5455, 5647, 5447, 5620, 5392, 5322, 5655, 5701, 5510, 5336, 5261, 5418 (5 hits) (12/31/2013 01:15:53 PM)		
18	9	1.0	333.0	Yes	5537.0MHz, -61.0dBm	Hop sequence: 5574, 5343, 5459, 5641, 5619, 5709, 5271, 5468, 5601, 5525, 5474, 5263, 5634, 5591, 5577, 5488, 5449, 5630, 5442, 5662, 5381, 5637, 5570, 5284, 5337, 5463, 5408, 5676, 5716, 5664, 5661, 5458, 5328, 5639, 5437, 5611, 5713, 5721, 5638, 5254, 5544, 5372, 5559, 5373, 5516, 5582, 5255, 5539, 5380, 5717, 5674, 5332, 5595, 5508, 5514, 5435, 5621, 5547, 5323, 5541, 5327, 5531, 5726,		

File: R94497 Rev 3 Page 96 of 281

Report Date: Ap	ril 3, 2014	Reissue Date:	August 1, 2014
	<u> </u>		

	Table 85 - FCC frequency hopping radar (Type 6) Results - NU 40 MHz Mode Steady State						
Trial #	Pulses/ Burst	Pulse Width (us)	PRI (us)	Detected	Fr (MHz) and level (dBm)	Burst Information	
						5572, 5703, 5365, 5303, 5422, 5715, 5406, 5608, 5338, 5430, 5522, 5331, 5367, 5415, 5571, 5356, 5355, 5602, 5620, 5481, 5279, 5700, 5457, 5585, 5654, 5520, 5652, 5615, 5597, 5625, 5447, 5276, 5296, 5622, 5270, 5635, 5362 (7 hits) (12/31/2013 01:16:01 PM)	
19	9	1.0	333.0	Yes	5538.0MHz, -61.0dBm	Hop sequence: 5556, 5511, 5458, 5518, 5540, 5624, 5628, 5469, 5321, 5569, 5717, 5592, 5543, 5587, 5517, 5577, 5626, 5541, 5598, 5386, 5427, 5292, 5405, 5562, 5653, 5555, 5302, 5631, 5512, 5423, 5503, 5331, 5442, 5343, 5418, 5460, 5336, 5261, 5325, 5490, 5347, 5380, 5281, 5617, 5594, 5266, 5513, 5704, 5288, 5454, 5487, 5625, 5499, 5330, 5269, 5581, 5312, 5464, 5306, 5667, 5585, 5563, 5451, 5640, 5700, 5301, 5431, 5539, 5553, 5526, 5498, 5568, 5318, 5359, 5332, 5296, 5387, 5277, 5620, 5364, 5516, 5698, 5623, 5662, 5346, 5396, 5467, 5344, 5612, 5345, 5267, 5549, 5333, 5477, 5699, 5583, 5670, 5509, 5666, 5274 (9 hits) (12/31/2013 01:16:08 PM)	
20	9	1.0	333.0	Yes	5539.0MHz, -61.0dBm	Hop sequence: 5548, 5656, 5410, 5283, 5357, 5420, 5566, 5564, 5324, 5365, 5479, 5634, 5660, 5688, 5682, 5671, 5524, 5668, 5389, 5705, 5615, 5376, 5507, 5277, 5710, 5556, 5694, 5363, 5488, 5323, 5264, 5373, 5464, 5318, 5406, 5281, 5513, 5409, 5559, 5570, 5258, 5296, 5416, 5680, 5664, 5311, 5683, 5374, 5304, 5697, 5465, 5725, 5539, 5522, 5592, 5303, 5686, 5298, 5581, 5345, 5499, 5294, 5467, 5421, 5604, 5521, 5372, 5641, 5466, 5618, 5309, 5595, 5462, 5442, 5300, 5471, 5719, 5418, 5472, 5670, 5565, 5675, 5698, 5455, 5661, 5380, 5354, 5347, 5396, 5426, 5436, 5567, 5538, 5649, 5525, 5557, 5720, 5723, 5495, 5381 (8 hits) (12/31/2013 01:16:16 PM)	
21	9	1.0	333.0	Yes	5540.0MHz, -61.0dBm	Hop sequence: 5661, 5508, 5431, 5370, 5650, 5376, 5639, 5611,	

File: R94497 Rev 3 Page 97 of 281

Test Report Reissue Date: August 1, 2014

	Table 85 - FCC frequency hopping radar (Type 6) Results - NU 40 MHz Mode Steady State						
Trial #	Pulses/ Burst	Pulse Width (us)	PRI (us)	Detected	Fr (MHz) and level (dBm)	Burst Information	
	Buist	Width (us)			iever (dibin)	5496, 5393, 5391, 5389, 5339, 5470, 5560, 5469, 5409, 5380, 5447, 5344, 5656, 5360, 5307, 5398, 5696, 5660, 5364, 5504, 5343, 5481, 5463, 5576, 5356, 5570, 5403, 5558, 5573, 5704, 5410, 5526, 5628, 5670, 5640, 5252, 5608, 5527, 5433, 5562, 5302, 5556, 5626, 5712, 5254, 5336, 5357, 5582, 5535, 5719, 5288, 5422, 5279, 5363, 5554, 5437, 5270, 5305, 5571, 5654, 5664, 5311, 5707, 5466, 5274, 5580, 5371, 5396, 5272, 5632, 5641, 5529, 5273, 5502, 5493, 5271, 5428, 5278, 5510, 5303, 5525, 5367, 5599, 5452, 5568, 5259, 5404, 5505, 5666, 5420, 5324, 5280 (8 hits) (12/31/2013	
22	9	1.0	333.0	Yes	5541.0MHz, -61.0dBm	01:16:22 PM) Hop sequence: 5711, 5622, 5431, 5607, 5664, 5682, 5574, 5379, 5560, 5422, 5306, 5302, 5632, 5346, 5554, 5566, 5282, 5299, 5618, 5252, 5363, 5418, 5376, 5599, 5492, 5289, 5545, 5382, 5652, 5668, 5623, 5364, 5280, 5259, 5491, 5446, 5292, 5628, 5541, 5692, 5679, 5423, 5556, 5452, 5725, 5315, 5404, 5529, 5564, 5374, 5356, 5329, 5689, 5497, 5458, 5467, 5386, 5639, 5415, 5511, 5420, 5590, 5647, 5516, 5361, 5608, 5440, 5257, 5293, 5263, 5281, 5706, 5255, 5648, 5620, 5558, 5393, 5614, 5584, 5573, 5433, 5521, 5406, 5580, 5678, 5705, 5528, 5506, 5384, 5344, 5718, 5296, 5702, 5701, 5644, 5500, 5371, 5680, 5641, 5326 (7 hits) (12/31/2013 01:16:29 PM)	
23	9	1.0	333.0	Yes	5542.0MHz, -61.0dBm	Hop sequence: 5378, 5390, 5643, 5427, 5269, 5472, 5726, 5280, 5563, 5673, 5618, 5622, 5436, 5648, 5483, 5569, 5683, 5456, 5270, 5646, 5633, 5410, 5461, 5363, 5316, 5628, 5300, 5447, 5550, 5305, 5262, 5674, 5275, 5556, 5464, 5706, 5557, 5420, 5571, 5290, 5700, 5684, 5459, 5333, 5660, 5542, 5400, 5252, 5714, 5595, 5341, 5663, 5469, 5386, 5439, 5308, 5599, 5658, 5705, 5545, 5452, 5296, 5639,	

File: R94497 Rev 3 Page 98 of 281

	Table 85 - FCC frequency hopping radar (Type 6) Results - NU 40 MHz Mode Steady State						
Trial #	Pulses/ Burst	Pulse Width (us)	PRI (us)	Detected	Fr (MHz) and level (dBm)	Burst Information	
						5664, 5261, 5709, 5413, 5329, 5334, 5722, 5340, 5319, 5582, 5548, 5493, 5395, 5539, 5620, 5380, 5670, 5271, 5716, 5432, 5314, 5419, 5310, 5451, 5559, 5555, 5448, 5480, 5369, 5360, 5337, 5392, 5254, 5367, 5353, 5702, 5478 (8 hits) (12/31/2013 01:16:36 PM)	
24	9	1.0	333.0	Yes	5543.0MHz, -61.0dBm	Hop sequence: 5346, 5452, 5351, 5533, 5650, 5630, 5651, 5642, 5695, 5637, 5435, 5580, 5672, 5590, 5453, 5719, 5473, 5341, 5349, 5344, 5379, 5310, 5502, 5306, 5557, 5312, 5381, 5474, 5405, 5395, 5655, 5512, 5398, 5524, 5606, 5559, 5501, 5639, 5417, 5289, 5666, 5618, 5609, 5725, 5698, 5423, 5279, 5292, 5583, 5323, 5638, 5574, 5388, 5564, 5620, 5658, 5268, 5570, 5667, 5487, 5434, 5307, 5431, 5430, 5514, 5463, 5425, 5319, 5280, 5382, 5629, 5445, 5263, 5414, 5309, 5540, 5385, 5608, 5490, 5599, 5492, 5257, 5302, 5716, 5690, 5476, 5348, 5654, 5277, 5711, 5517, 5290, 5675, 5584, 5442, 5372, 5335, 5437, 5374, 5648 (4 hits) (12/31/2013 01:16:43 PM)	
25	9	1.0	333.0	Yes	5544.0MHz, -61.0dBm	Hop sequence: 5491, 5624, 5261, 5573, 5467, 5498, 5626, 5310, 5699, 5307, 5326, 5414, 5668, 5449, 5545, 5634, 5649, 5581, 5646, 5355, 5571, 5338, 5447, 5587, 5402, 5472, 5475, 5455, 5679, 5440, 5722, 5363, 5397, 5482, 5594, 5546, 5342, 5558, 5661, 5565, 5424, 5484, 5300, 5253, 5515, 5701, 5648, 5521, 5529, 5551, 5539, 5272, 5434, 5360, 5337, 5633, 5642, 5380, 5369, 5276, 5643, 5405, 5708, 5705, 5387, 5404, 5344, 5540, 5550, 5675, 5536, 5325, 5277, 5433, 5275, 5567, 5428, 5559, 5288, 5489, 5464, 5578, 5293, 5361, 5479, 5710, 5721, 5505, 5274, 5663, 5506, 5379, 5259, 5716, 5513, 5329, 5522, 5319, 5538, 5676 (11 hits) (12/31/2013 01:16:50 PM)	
26	9	1.0	333.0	Yes	5545.0MHz, -61.0dBm	Hop sequence: 5373, 5519, 5395, 5641, 5454, 5571, 5503, 5393,	

File: R94497 Rev 3 Page 99 of 281

rt Date: April 3, 2014	Reissue Date: August 1, 2014

Trial # Pulses/ Pulse PRI (us) Detected Fr (MHz) and Burst Information						
Trial #	Burst	Width (us)	PRI (us)	Detected	level (dBm)	Burst Information
						5349, 5269, 5583, 5615, 5521,
						5274, 5276, 5449, 5254, 5689,
						5372, 5327, 5592, 5297, 5463,
						5648, 5553, 5405, 5672, 5688,
						5524, 5370, 5275, 5386, 5277,
						5465, 5346, 5391, 5556, 5364,
						5296, 5282, 5273, 5415, 5596,
						5453, 5485, 5358, 5309, 5588,
						5418, 5642, 5604, 5622, 5312,
						5557, 5262, 5669, 5299, 5501,
						5363, 5608, 5487, 5413, 5638,
						5591, 5509, 5613, 5725, 5462,
						5621, 5329, 5718, 5280, 5313,
						5367, 5423, 5339, 5261, 5551,
				1		5427, 5659, 5438, 5525, 5278,
						5335, 5640, 5375, 5431, 5558,
						5601, 5337, 5448, 5323, 5468,
						5419, 5369, 5360, 5390, 5425,
						5528, 5716 (8 hits) (12/31/2013
						01:17:00 PM)
						Hop sequence: 5597, 5326, 5301,
						5525, 5280, 5352, 5657, 5355,
						5371, 5509, 5261, 5279, 5562,
						5544, 5316, 5270, 5423, 5545,
						5260, 5625, 5285, 5665, 5335, 5324, 5532, 5506, 5532, 5604
						5334, 5532, 5596, 5523, 5604,
						5478, 5273, 5566, 5722, 5529,
						5611, 5388, 5333, 5370, 5605,
						5540, 5358, 5654, 5620, 5456,
					554COMIL	5552, 5386, 5589, 5464, 5582,
27	9	1.0	333.0	Yes	5546.0MHz,	5271, 5387, 5258, 5609, 5288,
					-61.0dBm	5677, 5441, 5346, 5610, 5711,
						5398, 5310, 5564, 5329, 5500,
						5567, 5541, 5401, 5660, 5708,
						5380, 5312, 5617, 5642, 5516,
						5539, 5266, 5426, 5289, 5565,
						5691, 5382, 5679, 5384, 5499,
						5422, 5472, 5419, 5571, 5317, 5615, 5594, 5473, 5296, 5511,
						5339, 5614, 5678, 5504, 5536,
						5703, 5501 (11 hits) (12/31/2013
						01:17:09 PM)
		1	+	1		Hop sequence: 5663, 5382, 5333,
				1		Hop sequence: 5663, 5382, 5333, 5265, 5494, 5431, 5574, 5277,
				1		
						5472, 5460, 5318, 5626, 5334,
				1		5374, 5449, 5261, 5483, 5299,
				1		5679, 5692, 5365, 5614, 5608, 5344, 5463, 5501, 5551, 5554
,	9	1.0	222.0	Vos	5547.0MHz,	5344, 5463, 5591, 5551, 5554,
28	9	1.0	333.0	Yes	-61.0dBm	5415, 5619, 5443, 5595, 5685, 5250, 5504, 5566, 5657, 5200
						5359, 5594, 5566, 5657, 5290,
						5658, 5284, 5523, 5580, 5510,
						5373, 5545, 5262, 5633, 5311,
						5255, 5620, 5309, 5294, 5508,
			1		1	5681, 5319, 5325, 5395, 5655,

File: R94497 Rev 3 Page 100 of 281

	Table 85 - FCC frequency hopping radar (Type 6) Results - NU 40 MHz Mode Steady State								
Trial #	Pulses/ Burst	Pulse Width (us)	PRI (us)	Detected	Fr (MHz) and level (dBm)	Burst Information			
						5524, 5709, 5381, 5675, 5308, 5724, 5562, 5469, 5573, 5343, 5711, 5302, 5712, 5613, 5253, 5539, 5668, 5389, 5607, 5458, 5331, 5691, 5470, 5268, 5446, 5291, 5379, 5489, 5317, 5584, 5719, 5366, 5426, 5413, 5347, 5548, 5327 (7 hits) (12/31/2013 01:17:27 PM)			
29	9	1.0	333.0	Yes	5548.0MHz, -61.0dBm	Hop sequence: 5578, 5484, 5692, 5699, 5448, 5499, 5266, 5650, 5433, 5696, 5653, 5490, 5411, 5338, 5442, 5487, 5602, 5511, 5504, 5722, 5525, 5679, 5501, 5422, 5289, 5322, 5351, 5687, 5304, 5626, 5418, 5495, 5300, 5633, 5298, 5702, 5587, 5273, 5364, 5359, 5388, 5606, 5608, 5423, 5721, 5498, 5365, 5467, 5583, 5412, 5557, 5408, 5389, 5469, 5680, 5400, 5474, 5382, 5402, 5346, 5368, 5369, 5347, 5438, 5559, 5656, 5555, 5317, 5438, 5420, 5383, 5614, 5538, 5705, 5363, 5460, 5440, 5629, 5715, 5647, 5528, 5681, 5398, 5599, 5529, 5451, 5719, 5519, 5652, 5432, 5370, 5660, 5350, 5658, 5598, 5331, 5324, 5403, 5553, 5436 (7 hits) (12/31/2013 01:17:37 PM)			
30	9	1.0	333.0	Yes	5549.0MHz, -61.0dBm	Hop sequence: 5326, 5421, 5689, 5486, 5381, 5313, 5499, 5539, 5357, 5259, 5386, 5334, 5312, 5494, 5611, 5493, 5556, 5434, 5374, 5339, 5482, 5284, 5566, 5610, 5253, 5613, 5653, 5382, 5710, 5617, 5295, 5703, 5355, 5449, 5417, 5461, 5302, 5464, 5348, 5529, 5564, 5311, 5316, 5487, 5512, 5510, 5489, 5282, 5484, 5678, 5644, 5347, 5565, 5639, 5677, 5500, 5319, 5513, 5373, 5676, 5608, 5534, 5258, 5429, 5714, 5380, 5437, 5649, 5444, 5594, 5425, 5468, 5352, 5391, 5625, 5548, 5634, 5573, 5256, 5301, 5595, 5393, 5280, 5532, 5706, 5443, 5363, 5602, 5278, 5569, 5290, 5604, 5329, 5623, 5415, 5575, 5483, 5365, 5568, 5364 (6 hits) (12/31/2013 01:17:45 PM)			
31	9	1.0	333.0	Yes	5550.0MHz, -61.0dBm	Hop sequence: 5402, 5488, 5603, 5409, 5387, 5309, 5497, 5535,			

File: R94497 Rev 3 Page 101 of 281

	Table 85 - FCC frequency hopping radar (Type 6) Results - NU 40 MHz Mode Steady State								
Trial #	Pulses/ Burst	Pulse Width (us)	PRI (us)	Detected	Fr (MHz) and level (dBm)	Burst Information			
	Burst	rium (us)			rever (dbiii)	5271, 5454, 5690, 5363, 5462, 5382, 5514, 5658, 5383, 5596, 5427, 5676, 5463, 5507, 5642, 5626, 5500, 5598, 5711, 5265, 5533, 5710, 5373, 5460, 5393, 5616, 5671, 5636, 5575, 5389, 5315, 5494, 5457, 5586, 5471, 5348, 5652, 5717, 5437, 5449, 5288, 5638, 5704, 5336, 5478, 5254, 5293, 5459, 5670, 5421, 5394, 5520, 5406, 5510, 5633, 5655, 5519, 5434, 5301, 5645, 5609, 5261, 5666, 5505, 5277, 5687, 5635, 5661, 5326, 5504, 5506, 5715, 5689, 5664, 5295, 5531, 5276, 5653, 5585, 5370, 5307, 5264, 5366, 5377, 5259, 5621, 5306, 5571, 5269, 5551, 5276, 5653, 5585, 5370, 5307, 5264, 5366, 5377, 5259, 5621, 5306, 5571, 5269, 5551, 5276, 5552,			
						5621, 5396, 5502, 5555, 5359, 5304, 5615 (4 hits) (12/31/2013 01:17:53 PM)			
32	9	1.0	333.0	Yes	5551.0MHz, -61.0dBm	Hop sequence: 5280, 5329, 5482, 5655, 5648, 5279, 5435, 5676, 5450, 5411, 5265, 5438, 5513, 5290, 5503, 5407, 5671, 5479, 5597, 5410, 5696, 5444, 5611, 5419, 5261, 5496, 5307, 5321, 5459, 5703, 5547, 5250, 5412, 5628, 5692, 5715, 5694, 5549, 5661, 5639, 5286, 5376, 5705, 5396, 5647, 5313, 5328, 5604, 5427, 5505, 5493, 5535, 5252, 5622, 5359, 5341, 5406, 5585, 5494, 5353, 5515, 5633, 5361, 5675, 5614, 5506, 5342, 5510, 5599, 5327, 5634, 5262, 5523, 5500, 5433, 5403, 5389, 5690, 5684, 5528, 5709, 5640, 5337, 5495, 5719, 5651, 5476, 5339, 5275, 5716, 5714, 5362, 5364, 5718, 5682, 5346, 5299, 5271, 5707, 5490 (5 hits) (12/31/2013 01:18:10 PM)			
33	9	1.0	333.0	Yes	5552.0MHz, -61.0dBm	Hop sequence: 5427, 5333, 5673, 5662, 5635, 5391, 5283, 5346, 5523, 5602, 5487, 5629, 5390, 5650, 5403, 5287, 5641, 5339, 5596, 5353, 5495, 5284, 5666, 5269, 5518, 5324, 5494, 5589, 5296, 5534, 5552, 5670, 5562, 5404, 5361, 5600, 5542, 5363, 5719, 5300, 5440, 5569, 5575, 5474, 5318, 5370, 5550, 5632, 5630, 5386, 5344, 5711, 5595, 5520, 5655, 5568, 5702, 5574, 5354, 5509, 5554, 5647, 5252,			

File: R94497 Rev 3 Page 102 of 281

Report Date: April 3, 2014	Reissue Date: August 1, 2014

	Table 85 - FCC frequency hopping radar (Type 6) Results - NU 40 MHz Mode Steady State								
Trial #	Pulses/ Burst	Pulse Width (us)	PRI (us)	Detected	Fr (MHz) and level (dBm)	Burst Information			
						5438, 5274, 5591, 5426, 5382, 5528, 5644, 5536, 5309, 5376, 5377, 5272, 5424, 5350, 5593, 5338, 5379, 5308, 5504, 5507, 5433, 5608, 5364, 5675, 5375, 5477, 5612, 5533, 5623, 5401, 5633, 5412, 5672, 5322, 5514, 5692, 5709 (9 hits) (12/31/2013 01:18:26 PM) Hop sequence: 5445, 5632, 5370,			
34	9	1.0	333.0	Yes	5553.0MHz, -61.0dBm	5435, 5256, 5650, 5364, 5387, 5592, 5604, 5554, 5430, 5369, 5513, 5564, 5354, 5321, 5332, 5571, 5472, 5616, 5584, 5594, 5280, 5339, 5265, 5723, 5643, 5590, 5320, 5349, 5413, 5340, 5589, 5683, 5536, 5497, 5719, 5484, 5464, 5460, 5260, 5475, 5651, 5397, 5479, 5698, 5598, 5658, 5550, 5293, 5414, 5271, 5439, 5482, 5313, 5601, 5614, 5568, 5486, 5477, 5269, 5440, 5385, 5365, 5657, 5402, 5253, 5583, 5358, 5356, 5396, 5526, 5427, 5675, 5577, 5362, 5434, 5520, 5442, 5357, 5262, 5587, 5429, 5502, 5392, 5622, 5581, 5680, 5473, 5512, 5705, 5515, 5447, 5410, 5407, 5492, 5677, 5299, 5282 (4 hits) (12/31/2013 01:18:39 PM)			
35	9	1.0	333.0	Yes	5554.0MHz, -61.0dBm	Hop sequence: 5683, 5664, 5656, 5488, 5640, 5722, 5620, 5715, 5292, 5283, 5462, 5585, 5502, 5581, 5522, 5521, 5613, 5459, 5487, 5641, 5353, 5555, 5600, 5261, 5639, 5682, 5351, 5282, 5660, 5450, 5714, 5352, 5305, 5657, 5572, 5534, 5438, 5308, 5360, 5677, 5520, 5394, 5604, 5643, 5421, 5701, 5377, 5317, 5432, 5689, 5347, 5605, 5465, 5265, 5501, 5331, 5723, 5280, 5532, 5388, 5430, 5673, 5642, 5705, 5414, 5293, 5398, 5659, 5291, 5720, 5407, 5511, 5710, 5313, 5445, 5589, 5708, 5694, 5550, 5542, 5339, 5558, 5610, 5579, 5562, 5580, 5275, 5314, 5721, 5400, 5489, 5279, 5468, 5342, 5336, 5565, 5401, 5271, 5382, 5431 (7 hits) (12/31/2013 01:18:49 PM)			
36	9	1.0	333.0	Yes	5555.0MHz, -61.0dBm	Hop sequence: 5554, 5351, 5708, 5444, 5555, 5274, 5352, 5478,			

File: R94497 Rev 3 Page 103 of 281

Report Date: April 3, 2014	Reissue Date: August 1, 2014

	Table 85 - FCC frequency hopping radar (Type 6) Results - NU 40 MHz Mode Steady State								
Trial #	Pulses/ Burst	Pulse Width (us)	PRI (us)	Detected	Fr (MHz) and level (dBm)	Burst Information			
						5309, 5251, 5317, 5590, 5338, 5295, 5532, 5399, 5594, 5536, 5385, 5294, 5506, 5328, 5253, 5636, 5305, 5346, 5284, 5491, 5537, 5573, 5387, 5546, 5558, 5404, 5697, 5431, 5458, 5638, 5521, 5457, 5723, 5415, 5318, 5360, 5269, 5622, 5396, 5460, 5649, 5268, 5426, 5391, 5422, 5666, 5373, 5257, 5641, 5549, 5428, 5298, 5278, 5448, 5651, 5613, 5296, 5700, 5691, 5421, 5569, 5321, 5646, 5356, 5698, 5414, 5632, 5566, 5678, 5461, 5578, 5647, 5266, 5455, 5358, 5329, 5388, 5701, 5412, 5662, 5254, 5334, 5609, 5267, 5297, 5293, 5361, 5354, 5390, 5326, 5289, 5291 (8 hits) (12/31/2013) 01:19:05 PM)			
37	9	1.0	333.0	Yes	5556.0MHz, -61.0dBm	Hop sequence: 5699, 5515, 5636, 5390, 5368, 5287, 5573, 5723, 5642, 5498, 5645, 5293, 5579, 5339, 5714, 5725, 5343, 5391, 5432, 5665, 5471, 5535, 5593, 5724, 5620, 5710, 5641, 5300, 5610, 5505, 5497, 5295, 5282, 5306, 5659, 5477, 5672, 5357, 5472, 5469, 5591, 5553, 5574, 5690, 5562, 5292, 5487, 5550, 5324, 5637, 5703, 5696, 5325, 5322, 5428, 5656, 5461, 5655, 5652, 5278, 5380, 5305, 5333, 5457, 5722, 5584, 5712, 5628, 5681, 5664, 5336, 5545, 5321, 5454, 5289, 5383, 5370, 5353, 5548, 5698, 5389, 5424, 5299, 5281, 5566, 5627, 5426, 5719, 5377, 5683, 5661, 5467, 5468, 5407, 5671, 5585, 5387, 5639, 5385, 5378 (5 hits) (12/31/2013 01:19:14 PM)			

File: R94497 Rev 3 Page 104 of 281

Table 86 - Summary of All Results - NU in CU-Aquire, Low-band								
Waveform Name	Pd (%)	Pd Required (%)	Number of Trials	Status				
FCC Short Pulse Radar (Type 1)	100.0 %	60.0 %	30	PASSED				
FCC Short Pulse Radar (Type 2)	86.7 %	60.0 %	30	PASSED				
FCC Short Pulse Radar (Type 3)	76.7 %	60.0 %	30	PASSED				
FCC Short Pulse Radar (Type 4)	62.0 %	60.0 %	100	PASSED				
Aggregate of above results	81.3 %	80.0 %	190	PASSED				
Long Sequence	93.3 %	80.0 %	30	PASSED				
FCC frequency hopping radar (Type 6)	94.6 %	70.0 %	37	PASSED				

Table 87 - Detection Bandwidth Measurements (Bandwidth: +18MHz /-18MHz) NU in CU-Aquire, Low-Band 5280MHz									
EUT Frequency	Radar Type	Radar Frequency	# Detected	# Not Detected	Success (%)				
5280.00 MHz	FCC Short Pulse Radar (Type 1)	5261.00 MHz	0	3	0				
5280.00 MHz	FCC Short Pulse Radar (Type 1)	5262.00 MHz	10	0	100				
5280.00 MHz	FCC Short Pulse Radar (Type 1)	5263.00 MHz	10	0	100				
5280.00 MHz	FCC Short Pulse Radar (Type 1)	5264.00 MHz	10	0	100				
5280.00 MHz	FCC Short Pulse Radar (Type 1)	5265.00 MHz	10	0	100				
5280.00 MHz	FCC Short Pulse Radar (Type 1)	5266.00 MHz	10	0	100				
5280.00 MHz	FCC Short Pulse Radar (Type 1)	5267.00 MHz	10	0	100				
5280.00 MHz	FCC Short Pulse Radar (Type 1)	5268.00 MHz	10	0	100				
5280.00 MHz	FCC Short Pulse Radar (Type 1)	5269.00 MHz	10	0	100				
5280.00 MHz	FCC Short Pulse Radar (Type 1)	5270.00 MHz	10	0	100				
5280.00 MHz	FCC Short Pulse Radar (Type 1)	5271.00 MHz	10	0	100				
5280.00 MHz	FCC Short Pulse Radar (Type 1)	5272.00 MHz	10	0	100				
5280.00 MHz	FCC Short Pulse Radar (Type 1)	5273.00 MHz	10	0	100				
5280.00 MHz	FCC Short Pulse Radar (Type 1)	5274.00 MHz	10	0	100				
5280.00 MHz	FCC Short Pulse Radar (Type 1)	5275.00 MHz	10	0	100				
5280.00 MHz	FCC Short Pulse Radar (Type 1)	5276.00 MHz	10	0	100				
5280.00 MHz	FCC Short Pulse Radar (Type 1)	5277.00 MHz	10	0	100				
5280.00 MHz	FCC Short Pulse Radar (Type 1)	5278.00 MHz	10	0	100				
5280.00 MHz	FCC Short Pulse	5279.00 MHz	10	0	100				

File: R94497 Rev 3 Page 105 of 281

		•	•		
	Radar (Type 1)				
5280.00 MHz	FCC Short Pulse Radar (Type 1)	5280.00 MHz	9	1	90
5280.00 MHz	FCC Short Pulse Radar (Type 1)	5281.00 MHz	10	0	100
5280.00 MHz	FCC Short Pulse Radar (Type 1)	5282.00 MHz	10	0	100
5280.00 MHz	FCC Short Pulse Radar (Type 1)	5283.00 MHz	10	0	100
5280.00 MHz	FCC Short Pulse Radar (Type 1)	5284.00 MHz	10	0	100
5280.00 MHz	FCC Short Pulse Radar (Type 1)	5285.00 MHz	10	0	100
5280.00 MHz	FCC Short Pulse Radar (Type 1)	5286.00 MHz	10	0	100
5280.00 MHz	FCC Short Pulse Radar (Type 1)	5287.00 MHz	10	0	100
5280.00 MHz	FCC Short Pulse Radar (Type 1)	5288.00 MHz	10	0	100
5280.00 MHz	FCC Short Pulse Radar (Type 1)	5289.00 MHz	10	0	100
5280.00 MHz	FCC Short Pulse Radar (Type 1)	5290.00 MHz	10	0	100
5280.00 MHz	FCC Short Pulse Radar (Type 1)	5291.00 MHz	10	0	100
5280.00 MHz	FCC Short Pulse Radar (Type 1)	5292.00 MHz	10	0	100
5280.00 MHz	FCC Short Pulse Radar (Type 1)	5293.00 MHz	10	0	100
5280.00 MHz	FCC Short Pulse Radar (Type 1)	5294.00 MHz	10	0	100
5280.00 MHz	FCC Short Pulse Radar (Type 1)	5295.00 MHz	10	0	100
5280.00 MHz	FCC Short Pulse Radar (Type 1)	5296.00 MHz	10	0	100
5280.00 MHz	FCC Short Pulse Radar (Type 1)	5297.00 MHz	10	0	100
5280.00 MHz	FCC Short Pulse Radar (Type 1)	5298.00 MHz	10	0	100
5280.00 MHz	FCC Short Pulse Radar (Type 1)	5299.00 MHz	0	3	0

Table 88 - FCC Short Pulse Radar (Type 1) Results NU in CU-Aquire, Low-band									
Trial #	Pulses/ Burst	Pulse Width (us)	PRI (us)	Detected	Fr (MHz) and level (dBm)	Burst Information			
1	18	1.0	1428.0	Yes	5280.0MHz, -61.0dBm	Single burst (01/03/2014 08:50:05 AM)			
2	18	1.0	1428.0	Yes	5275.0MHz, -61.0dBm	Single burst (01/03/2014 08:50:15 AM)			
3	18	1.0	1428.0	Yes	5270.0MHz, -61.0dBm	Single burst (01/03/2014 08:50:23 AM)			
4	18	1.0	1428.0	Yes	5290.0MHz, -61.0dBm	Single burst (01/03/2014 08:50:42 AM)			

Page 106 of 281 File: R94497 Rev 3

	Table 88 - FCC Short Pulse Radar (Type 1) Results NU in CU-Aquire, Low-band								
Trial #	Pulses/ Burst	Pulse Width (us)	PRI (us)	Detected	Fr (MHz) and level (dBm)	Burst Information			
5	18	1.0	1428.0	Yes	5285.0MHz, -61.0dBm	Single burst (01/03/2014 08:50:50 AM)			
6	18	1.0	1428.0	Yes	5280.0MHz, -61.0dBm	Single burst (01/03/2014 08:50:57 AM)			
7	18	1.0	1428.0	Yes	5275.0MHz, -61.0dBm	Single burst (01/03/2014 08:51:05 AM)			
8	18	1.0	1428.0	Yes	5270.0MHz, -61.0dBm	Single burst (01/03/2014 08:51:12 AM)			
9	18	1.0	1428.0	Yes	5290.0MHz, -61.0dBm	Single burst (01/03/2014 08:51:20 AM)			
10	18	1.0	1428.0	Yes	5285.0MHz, -61.0dBm	Single burst (01/03/2014 08:51:27 AM)			
11	18	1.0	1428.0	Yes	5280.0MHz, -61.0dBm	Single burst (01/03/2014 08:51:34 AM)			
12	18	1.0	1428.0	Yes	5275.0MHz, -61.0dBm	Single burst (01/03/2014 08:51:41 AM)			
13	18	1.0	1428.0	Yes	5270.0MHz, -61.0dBm	Single burst (01/03/2014 08:51:48 AM)			
14	18	1.0	1428.0	Yes	5290.0MHz, -61.0dBm	Single burst (01/03/2014 08:51:56 AM)			
15	18	1.0	1428.0	Yes	5285.0MHz, -61.0dBm	Single burst (01/03/2014 08:52:04 AM)			
16	18	1.0	1428.0	Yes	5280.0MHz, -61.0dBm	Single burst (01/03/2014 08:52:12 AM)			
17	18	1.0	1428.0	Yes	5275.0MHz, -61.0dBm	Single burst (01/03/2014 08:52:19 AM)			
18	18	1.0	1428.0	Yes	5270.0MHz, -61.0dBm	Single burst (01/03/2014 08:52:26 AM)			
19	18	1.0	1428.0	Yes	5290.0MHz, -61.0dBm	Single burst (01/03/2014 08:52:33 AM)			
20	18	1.0	1428.0	Yes	5285.0MHz, -61.0dBm	Single burst (01/03/2014 08:52:40 AM)			
21	18	1.0	1428.0	Yes	5280.0MHz, -61.0dBm	Single burst (01/03/2014 08:52:47 AM)			
22	18	1.0	1428.0	Yes	5275.0MHz, -61.0dBm	Single burst (01/03/2014 08:52:55 AM)			
23	18	1.0	1428.0	Yes	5270.0MHz, -61.0dBm	Single burst (01/03/2014 08:53:03 AM)			
24	18	1.0	1428.0	Yes	5290.0MHz, -61.0dBm	Single burst (01/03/2014 08:53:10 AM)			
25	18	1.0	1428.0	Yes	5285.0MHz, -61.0dBm	Single burst (01/03/2014 08:53:18 AM)			
26	18	1.0	1428.0	Yes	5280.0MHz, -61.0dBm	Single burst (01/03/2014 08:53:26 AM)			
27	18	1.0	1428.0	Yes	5275.0MHz, -61.0dBm	Single burst (01/03/2014 08:53:34 AM)			
28	18	1.0	1428.0	Yes	5270.0MHz, -61.0dBm	Single burst (01/03/2014 08:53:44 AM)			
29	18	1.0	1428.0	Yes	5290.0MHz, -61.0dBm	Single burst (01/03/2014 08:53:52 AM)			
30	18	1.0	1428.0	Yes	5285.0MHz, -61.0dBm	Single burst (01/03/2014 08:54:00 AM)			

File: R94497 Rev 3 Page 107 of 281

Table 89 - FCC Short Pulse Radar (Type 2) Results NU in CU-Aquire, Low-band						
Trial #	Pulses/ Burst	Pulse Width (us)	PRI (us)	Detected	Fr (MHz) and level (dBm)	Burst Information
1	29	1.8	152.0	Yes	5280.0MHz, -61.0dBm	Single burst (01/03/2014 08:54:48 AM)
2	28	1.2	174.0	No	5275.0MHz, -61.0dBm	Single burst (01/03/2014 08:55:16 AM)
3	29	2.8	170.0	No	5270.0MHz, -61.0dBm	Single burst (01/03/2014 08:55:28 AM)
4	29	2.9	164.0	Yes	5290.0MHz, -61.0dBm	Single burst (01/03/2014 08:55:45 AM)
5	27	2.7	170.0	Yes	5285.0MHz, -61.0dBm	Single burst (01/03/2014 08:55:53 AM)
6	28	2.2	221.0	Yes	5280.0MHz, -61.0dBm	Single burst (01/03/2014 08:56:01 AM)
7	25	2.6	151.0	No	5275.0MHz, -61.0dBm	Single burst (01/03/2014 08:56:12 AM)
8	29	1.4	192.0	Yes	5270.0MHz, -61.0dBm	Single burst (01/03/2014 08:56:20 AM)
9	28	1.2	187.0	Yes	5290.0MHz, -61.0dBm	Single burst (01/03/2014 08:56:28 AM)
10	26	2.4	187.0	No	5285.0MHz, -61.0dBm	Single burst (01/03/2014 08:56:37 AM)
11	27	2.2	152.0	Yes	5280.0MHz, -61.0dBm	Single burst (01/03/2014 08:56:48 AM)
12	27	1.5	150.0	Yes	5275.0MHz, -61.0dBm	Single burst (01/03/2014 08:56:56 AM)
13	26	3.3	200.0	Yes	5270.0MHz, -61.0dBm	Single burst (01/03/2014 08:57:03 AM)
14	29	3.1	182.0	Yes	5290.0MHz, -61.0dBm	Single burst (01/03/2014 08:57:09 AM)
15	26	2.3	211.0	Yes	5285.0MHz, -61.0dBm	Single burst (01/03/2014 08:57:16 AM)
16	24	4.0	179.0	Yes	5280.0MHz, -61.0dBm	Single burst (01/03/2014 08:57:23 AM)
17	28	3.2	207.0	Yes	5275.0MHz, -61.0dBm	Single burst (01/03/2014 08:57:29 AM)
18	24	2.0	228.0	Yes	5270.0MHz, -61.0dBm	Single burst (01/03/2014 08:57:35 AM)
19	25	3.8	188.0	Yes	5290.0MHz, -61.0dBm	Single burst (01/03/2014 08:57:41 AM)
20	29	2.0	192.0	Yes	5285.0MHz, -61.0dBm	Single burst (01/03/2014 08:57:48 AM)
21	28	4.4	175.0	Yes	5280.0MHz, -61.0dBm	Single burst (01/03/2014 08:57:54 AM)
22	29	3.7	164.0	Yes	5275.0MHz, -61.0dBm	Single burst (01/03/2014 08:58:01 AM)
23	25	1.2	207.0	Yes	5270.0MHz, -61.0dBm	Single burst (01/03/2014 08:58:09 AM)
24	28	3.5	215.0	Yes	5290.0MHz, -61.0dBm	Single burst (01/03/2014 08:58:16 AM)
25	28	3.8	201.0	Yes	5285.0MHz, -61.0dBm	Single burst (01/03/2014 08:58:24 AM)
26	23	2.5	228.0	Yes	5280.0MHz, -61.0dBm	Single burst (01/03/2014 08:58:30 AM)
27	26	2.1	223.0	Yes	5275.0MHz, -61.0dBm	Single burst (01/03/2014 08:58:37 AM)

File: R94497 Rev 3 Page 108 of 281

	Table 89 - FCC Short Pulse Radar (Type 2) Results NU in CU-Aquire, Low-band								
Trial #	Trial # Pulses/ Burst Width (us) PRI (us) Detected Fr (MHz) and level (dBm) Burst Information								
28	23	4.7	210.0 Yes 5270.0MHz, Single burst (01/03/2014 (AM)						
29	5290 0MHz Single burst (01/03/2014 08:58:5					Single burst (01/03/2014 08:58:50 AM)			
30	27	4.0	219.0	Yes	5285.0MHz, -61.0dBm	Single burst (01/03/2014 08:58:58 AM)			

	Table 90 - FCC Short Pulse Radar (Type 3) Results NU in CU-Aquire, Low-band									
Trial #	Pulses/ Burst	Pulse Width (us)	PRI (us)	Detected	Fr (MHz) and level (dBm)	Burst Information				
1	16	9.3	312.0	Yes	5280.0MHz, -61.0dBm	Single burst (01/03/2014 09:00:01 AM)				
2	18	9.6	310.0	Yes	5275.0MHz, -61.0dBm	Single burst (01/03/2014 09:00:08 AM)				
3	17	6.8	203.0	Yes	5270.0MHz, -61.0dBm	Single burst (01/03/2014 09:00:14 AM)				
4	16	7.3	256.0	Yes	5290.0MHz, -61.0dBm	Single burst (01/03/2014 09:00:20 AM)				
5	16	9.6	305.0	Yes	5285.0MHz, -61.0dBm	Single burst (01/03/2014 09:00:27 AM)				
6	17	8.4	407.0	Yes	5280.0MHz, -61.0dBm	Single burst (01/03/2014 09:00:33 AM)				
7	16	9.5	350.0	No	5275.0MHz, -61.0dBm	Single burst (01/03/2014 09:00:40 AM)				
8	17	8.1	209.0	No	5270.0MHz, -61.0dBm	Single burst (01/03/2014 09:00:48 AM)				
9	17	9.5	393.0	No	5290.0MHz, -61.0dBm	Single burst (01/03/2014 09:00:56 AM)				
10	18	8.1	442.0	Yes	5285.0MHz, -61.0dBm	Single burst (01/03/2014 09:01:07 AM)				
11	18	6.7	475.0	No	5280.0MHz, -61.0dBm	Single burst (01/03/2014 09:01:14 AM)				
12	17	8.1	379.0	Yes	5275.0MHz, -61.0dBm	Single burst (01/03/2014 09:01:22 AM)				
13	16	9.3	338.0	No	5270.0MHz, -61.0dBm	Single burst (01/03/2014 09:01:36 AM)				
14	18	9.8	425.0	Yes	5290.0MHz, -61.0dBm	Single burst (01/03/2014 09:01:45 AM)				
15	18	6.7	208.0	Yes	5285.0MHz, -61.0dBm	Single burst (01/03/2014 09:01:52 AM)				
16	17	7.9	421.0	Yes	5280.0MHz, -61.0dBm	Single burst (01/03/2014 09:02:00 AM)				
17	17	9.8	214.0	Yes	5275.0MHz, -61.0dBm	Single burst (01/03/2014 09:02:06 AM)				
18	18	8.8	297.0	Yes	5270.0MHz, -61.0dBm	Single burst (01/03/2014 09:02:13 AM)				
19	17	9.7	236.0	Yes	5290.0MHz, -61.0dBm	Single burst (01/03/2014 09:02:20 AM)				
20	17	9.3	470.0	Yes	5285.0MHz, -61.0dBm	Single burst (01/03/2014 09:02:27 AM)				
21	17	9.2	320.0	Yes	5280.0MHz, -61.0dBm	Single burst (01/03/2014 09:02:36 AM)				
22	17	9.7	421.0	Yes	5275.0MHz,	Single burst (01/03/2014 09:02:43				

File: R94497 Rev 3 Page 109 of 281

	Table 90 - FCC Short Pulse Radar (Type 3) Results NU in CU-Aquire, Low-band									
Trial #	Pulses/ Burst	Pulse Width (us)	PRI (us)	Detected	Fr (MHz) and level (dBm)	Burst Information				
					-61.0dBm	AM)				
23	18	9.7	350.0	Yes	5270.0MHz, -61.0dBm	Single burst (01/03/2014 09:02:50 AM)				
24	18	7.3	487.0	Yes	5290.0MHz, -61.0dBm	Single burst (01/03/2014 09:02:56 AM)				
25	16	6.6	345.0	Yes	5285.0MHz, -61.0dBm	Single burst (01/03/2014 09:03:03 AM)				
26	18	7.0	411.0	Yes	5280.0MHz, -61.0dBm	Single burst (01/03/2014 09:03:10 AM)				
27	16	6.6	340.0	No	5275.0MHz, -61.0dBm	Single burst (01/03/2014 09:03:16 AM)				
28	18	9.5	482.0	Yes	5270.0MHz, -61.0dBm	Single burst (01/03/2014 09:03:24 AM)				
29	17	9.5	209.0	Yes	5290.0MHz, -61.0dBm	Single burst (01/03/2014 09:03:33 AM)				
30	17	9.8	362.0	No	5285.0MHz, -61.0dBm	Single burst (01/03/2014 09:03:40 AM)				

	Table 91 - FCC Short Pulse Radar (Type 4) Results NU in CU-Aquire, Low-band									
Trial #	Pulses/ Burst	Pulse Width (us)	PRI (us)	Detected	Fr (MHz) and level (dBm)	Burst Information				
1	14	18.7	350.0	No	5280.0MHz, -61.0dBm	Single burst (01/03/2014 09:04:34 AM)				
2	13	17.4	299.0	Yes	5275.0MHz, -61.0dBm	Single burst (01/03/2014 09:04:43 AM)				
3	15	12.2	420.0	Yes	5270.0MHz, -61.0dBm	Single burst (01/03/2014 09:04:50 AM)				
4	12	18.0	235.0	Yes	5290.0MHz, -61.0dBm	Single burst (01/03/2014 09:05:00 AM)				
5	14	17.4	463.0	Yes	5285.0MHz, -61.0dBm	Single burst (01/03/2014 09:05:07 AM)				
6	12	12.8	246.0	Yes	5280.0MHz, -61.0dBm	Single burst (01/03/2014 09:05:14 AM)				
7	12	16.7	370.0	Yes	5275.0MHz, -61.0dBm	Single burst (01/03/2014 09:05:21 AM)				
8	15	18.8	481.0	No	5270.0MHz, -61.0dBm	Single burst (01/03/2014 09:05:29 AM)				
9	13	11.6	482.0	No	5290.0MHz, -61.0dBm	Single burst (01/03/2014 09:05:37 AM)				
10	13	17.7	365.0	No	5285.0MHz, -61.0dBm	Single burst (01/03/2014 09:05:46 AM)				
11	14	17.6	499.0	No	5280.0MHz, -61.0dBm	Single burst (01/03/2014 09:05:57 AM)				
12	13	17.2	355.0	Yes	5275.0MHz, -61.0dBm	Single burst (01/03/2014 09:06:07 AM)				
13	14	14.9	348.0	Yes	5270.0MHz, -61.0dBm	Single burst (01/03/2014 09:06:15 AM)				
14	12	13.6	228.0	Yes	5290.0MHz, -61.0dBm	Single burst (01/03/2014 09:06:22 AM)				
15	13	11.6	376.0	No	5285.0MHz, -61.0dBm	Single burst (01/03/2014 09:06:32 AM)				
16	13	17.2	496.0	No	5280.0MHz, -61.0dBm	Single burst (01/03/2014 09:06:40 AM)				

File: R94497 Rev 3 Page 110 of 281

	Table 91 - FCC Short Pulse Radar (Type 4) Results NU in CU-Aquire, Low-band									
Trial #	Pulses/ Burst	Pulse Width (us)	PRI (us)	Detected	Fr (MHz) and level (dBm)	Burst Information				
17	13	18.5	418.0	Yes	5275.0MHz, -61.0dBm	Single burst (01/03/2014 09:06:49 AM)				
1.0	4.4	12.2	400.0	**	5270.0MHz,	Single burst (01/03/2014 09:07:00				
18	14	13.3	488.0	Yes	-61.0dBm	AM)				
19	14	12.9	259.0	Yes	5290.0MHz, -61.0dBm	Single burst (01/03/2014 09:07:07 AM)				
20	14	19.6	480.0	Yes	5285.0MHz, -61.0dBm	Single burst (01/03/2014 09:07:15 AM)				
21	13	19.2	396.0	No	5280.0MHz, -61.0dBm	Single burst (01/03/2014 09:07:21 AM)				
22	16	15.1	381.0	Yes	5275.0MHz, -61.0dBm	Single burst (01/03/2014 09:07:30 AM)				
23	15	17.2	278.0	No	5270.0MHz, -61.0dBm	Single burst (01/03/2014 09:07:38 AM)				
24	15	19.1	217.0	No	5290.0MHz,	Single burst (01/03/2014 09:07:52				
2.5	10	10.0	44.1.0	**	-61.0dBm 5285.0MHz,	AM) Single burst (01/03/2014 09:08:03				
25	13	13.3	411.0	Yes	-61.0dBm	AM)				
26	13	19.6	325.0	No	5280.0MHz, -61.0dBm	Single burst (01/03/2014 09:08:22 AM)				
27	13	16.0	477.0	No	5275.0MHz, -61.0dBm	Single burst (01/03/2014 09:08:32 AM)				
28	13	16.8	328.0	Yes	5270.0MHz, -61.0dBm	Single burst (01/03/2014 09:08:42 AM)				
29	13	19.7	367.0	No	5290.0MHz, -61.0dBm	Single burst (01/03/2014 09:08:49 AM)				
30	13	17.5	318.0	Yes	5285.0MHz,	Single burst (01/03/2014 09:08:59				
31	16	12.5	489.0	Yes	-61.0dBm 5280.0MHz,	AM) Single burst (01/03/2014 09:10:33				
32	16	19.3	267.0	Yes	-61.0dBm 5275.0MHz,	AM) Single burst (01/03/2014 09:10:44				
					-61.0dBm 5270.0MHz,	AM) Single burst (01/03/2014 09:10:51				
33	15	11.7	352.0	No	-61.0dBm	AM)				
34	15	14.0	308.0	Yes	5290.0MHz, -61.0dBm	Single burst (01/03/2014 09:10:59 AM)				
35	16	12.0	463.0	Yes	5285.0MHz, -61.0dBm	Single burst (01/03/2014 09:11:07 AM)				
36	14	17.5	384.0	Yes	5280.0MHz, -61.0dBm	Single burst (01/03/2014 09:11:14 AM)				
37	14	11.7	275.0	Yes	5275.0MHz, -61.0dBm	Single burst (01/03/2014 09:11:21 AM)				
38	14	18.5	312.0	Yes	5270.0MHz,	Single burst (01/03/2014 09:11:28				
39	16	11.6	281.0	No	-61.0dBm 5290.0MHz,	AM) Single burst (01/03/2014 09:11:35				
					-61.0dBm 5285.0MHz,	AM) Single burst (01/03/2014 09:11:42				
40	14	18.0	362.0	Yes	-61.0dBm	AM)				
41	14	12.6	476.0	Yes	5280.0MHz, -61.0dBm	Single burst (01/03/2014 09:11:49 AM)				
42	12	15.8	383.0	No	5275.0MHz, -61.0dBm	Single burst (01/03/2014 09:11:56 AM)				
43	14	11.9	483.0	Yes	5270.0MHz, -61.0dBm	Single burst (01/03/2014 09:12:05 AM)				

File: R94497 Rev 3 Page 111 of 281

	Table 91 - FCC Short Pulse Radar (Type 4) Results NU in CU-Aquire, Low-band									
Trial #	Pulses/ Burst	Pulse Width (us)	PRI (us)	Detected	Fr (MHz) and level (dBm)	Burst Information				
44	15	11.0	297.0	Yes	5290.0MHz, -61.0dBm	Single burst (01/03/2014 09:12:12 AM)				
					5285.0MHz,	Single burst (01/03/2014 09:12:20				
45	13	14.8	329.0	No	-61.0dBm	AM)				
					5280.0MHz,	Single burst (01/03/2014 09:12:27				
46	13	11.2	421.0	Yes	-61.0dBm	AM)				
47	12	19.8	420.0	Vac	5275.0MHz,	Single burst (01/03/2014 09:12:34				
47	13	19.8	420.0	Yes	-61.0dBm	AM)				
48	14	15.8	498.0	Yes	5270.0MHz,	Single burst (01/03/2014 09:12:42				
	1	13.0	170.0	105	-61.0dBm	AM)				
49	14	16.8	349.0	No	5290.0MHz,	Single burst (01/03/2014 09:12:49				
					-61.0dBm 5285.0MHz,	AM) Single burst (01/03/2014 09:12:58				
50	12	18.8	455.0	No	-61.0dBm	AM)				
					5280.0MHz,	Single burst (01/03/2014 09:13:07				
51	13	19.9	282.0	No	-61.0dBm	AM)				
	1.5	11.0	404.0		5275.0MHz,	Single burst (01/03/2014 09:13:17				
52	16	11.9	491.0	No	-61.0dBm	AM)				
53	16	17.8	311.0	Yes	5270.0MHz,	Single burst (01/03/2014 09:13:28				
33	10	17.8	311.0	ies	-61.0dBm	AM)				
54	15	15.7	272.0	No	5290.0MHz,	Single burst (01/03/2014 09:13:36				
34	13	13.7	272.0	110	-61.0dBm	AM)				
55	13	18.7	490.0	No	5285.0MHz,	Single burst (01/03/2014 09:13:44				
					-61.0dBm	AM)				
56	16	15.9	304.0	Yes	5280.0MHz, -61.0dBm	Single burst (01/03/2014 09:13:53				
					5275.0MHz,	AM) Single burst (01/03/2014 09:14:04				
57	13	12.4	462.0	Yes	-61.0dBm	AM)				
					5270.0MHz,	Single burst (01/03/2014 09:14:12				
58	12	11.1	392.0	Yes	-61.0dBm	AM)				
59	15	17.7	456.0	Vac	5290.0MHz,	Single burst (01/03/2014 09:14:24				
39	13	17.7	430.0	Yes	-61.0dBm	AM)				
60	16	13.5	291.0	Yes	5285.0MHz,	Single burst (01/03/2014 09:14:35				
	10	13.5	271.0	105	-61.0dBm	AM)				
61	15	13.3	378.0	No	5280.0MHz,	Single burst (01/03/2014 09:14:46				
					-61.0dBm 5275.0MHz,	AM) Single burst (01/03/2014 09:14:54				
62	12	16.1	414.0	No	-61.0dBm	AM)				
					5270.0MHz,	Single burst (01/03/2014 09:15:05				
63	16	19.5	389.0	Yes	-61.0dBm	AM)				
<i>C</i> 4	1.6	12.0	401.0	37	5290.0MHz,	Single burst (01/03/2014 09:15:13				
64	16	13.0	491.0	Yes	-61.0dBm	AM)				
65	13	17.1	311.0	Vac	5285.0MHz,	Single burst (01/03/2014 09:15:20				
0.5	13	1/.1	311.0	Yes	-61.0dBm	AM)				
66	16	15.4	372.0	Yes	5280.0MHz,	Single burst (01/03/2014 09:15:28				
		10	2.2.0	1 10	-61.0dBm	AM)				
67	13	19.2	201.0	Yes	5275.0MHz,	Single burst (01/03/2014 09:15:35				
					-61.0dBm 5270.0MHz,	AM) Single burst (01/03/2014 09:15:42				
68	13	19.4	262.0	No	-61.0dBm	AM)				
					5290.0MHz,	Single burst (01/03/2014 09:16:12				
69	14	19.3	307.0	No	-61.0dBm	AM)				
70	1.6	10.4	220.0	37	5285.0MHz,	Single burst (01/03/2014 09:16:24				
70	16	18.4	329.0	Yes	-61.0dBm	AM)				

File: R94497 Rev 3 Page 112 of 281

	Table 91 - FCC Short Pulse Radar (Type 4) Results NU in CU-Aquire, Low-band									
Trial #	Pulses/ Burst	Pulse Width (us)	PRI (us)	Detected	Fr (MHz) and level (dBm)	Burst Information				
71	14	16.9	308.0	Yes	5280.0MHz, -61.0dBm	Single burst (01/03/2014 09:16:32 AM)				
72	15	18.1	335.0	No	5275.0MHz,	Single burst (01/03/2014 09:16:39				
					-61.0dBm 5270.0MHz,	AM) Single burst (01/03/2014 09:16:48				
73	12	14.6	202.0	No	-61.0dBm	AM)				
74	14	14.6	223.0	No	5290.0MHz, -61.0dBm	Single burst (01/03/2014 09:16:59 AM)				
75	16	13.1	292.0	Yes	5285.0MHz, -61.0dBm	Single burst (01/03/2014 09:17:13 AM)				
76	14	15.8	307.0	No	5280.0MHz,	Single burst (01/03/2014 09:17:22				
77	14	17.2	435.0	No	-61.0dBm 5275.0MHz,	AM) Single burst (01/03/2014 09:17:49				
11	14	17.2	433.0	NO	-61.0dBm	AM) Single burst (01/03/2014 09:18:04				
78	13	16.7	483.0	Yes	5270.0MHz, -61.0dBm	AM)				
79	16	16.4	209.0	Yes	5290.0MHz, -61.0dBm	Single burst (01/03/2014 09:18:29				
80	14	11.2	379.0	Yes	5285.0MHz,	AM) Single burst (01/03/2014 09:18:40				
00	14	11,2	317.0	103	-61.0dBm 5280.0MHz,	AM) Single burst (01/03/2014 09:18:53				
81	12	16.9	479.0	No	-61.0dBm	AM)				
82	12	19.3	286.0	No	5275.0MHz, -61.0dBm	Single burst (01/03/2014 09:19:16 AM)				
83	14	11.1	441.0	Yes	5270.0MHz,	Single burst (01/03/2014 09:19:38				
84	16	16.3	411.0	No	-61.0dBm 5290.0MHz,	AM) Single burst (01/03/2014 09:19:52				
04	10	10.3	411.0	110	-61.0dBm 5285.0MHz,	AM) Single burst (01/03/2014 09:20:04				
85	13	17.4	253.0	Yes	-61.0dBm	AM)				
86	13	12.7	432.0	Yes	5280.0MHz, -61.0dBm	Single burst (01/03/2014 09:20:12 AM)				
87	14	14.6	438.0	Yes	5275.0MHz, -61.0dBm	Single burst (01/03/2014 09:20:19 AM)				
88	14	16.5	275.0	No	5270.0MHz,	Single burst (01/03/2014 09:20:26				
					-61.0dBm 5290.0MHz,	AM) Single burst (01/03/2014 09:20:34				
89	15	15.2	498.0	Yes	-61.0dBm	AM)				
90	14	18.3	281.0	Yes	5285.0MHz, -61.0dBm	Single burst (01/03/2014 09:20:41 AM)				
91	14	16.1	462.0	Yes	5280.0MHz, -61.0dBm	Single burst (01/03/2014 09:20:50 AM)				
92	15	14.6	237.0	Yes	5275.0MHz,	Single burst (01/03/2014 09:20:57				
93	13	18.4			-61.0dBm 5270.0MHz,	AM) Single burst (01/03/2014 09:21:04				
			209.0	No	-61.0dBm 5290.0MHz,	AM) Single burst (01/03/2014 09:21:12				
94	14	18.0	207.0	No	-61.0dBm	AM)				
95	13	18.8	401.0	Yes	5285.0MHz, -61.0dBm	Single burst (01/03/2014 09:21:20 AM)				
96	14	13.1	250.0	Yes	5280.0MHz, -61.0dBm	Single burst (01/03/2014 09:21:28 AM)				
97	15	15.4	327.0	Yes	5275.0MHz, -61.0dBm	Single burst (01/03/2014 09:21:35 AM)				

File: R94497 Rev 3 Page 113 of 281

	Table 91 - FCC Short Pulse Radar (Type 4) Results NU in CU-Aquire, Low-band								
Trial #	Trial # Pulses/ Burst Pulse Width (us) PRI (us) Detected Fr (MHz) and level (dBm) Burst Information								
98	14	14.3	431.0	Yes	5270.0MHz, -61.0dBm	Single burst (01/03/2014 09:21:42 AM)			
99	5290 0MHz Single burst (01/03/2014 09·21·49								
100	12	13.4	206.0	Yes	5285.0MHz, -61.0dBm	Single burst (01/03/2014 09:21:56 AM)			

Table 92 - Long Sequence Waveform Summary NU in CU-Aquire, Low-band								
Long Sequence Trial	Result	Radar Frequency / Amplitude						
T.:: a1 #1	Datastad	5280.0MHz,						
Trial #1	Detected	-61.0dBm						
Trial #2	Datastad	5275.0MHz,						
Trial #2	Detected	-61.0dBm						
Trial #3	Detected	5270.0MHz,						
111a1 #3	Detected	-61.0dBm						
Trial #4	Detected	5290.0MHz,						
11141 #4	Detected	-61.0dBm						
Trial #5	Detected	5285.0MHz,						
111a1 #3	Detected	-61.0dBm						
Trial #6	Detected	5280.0MHz,						
111a1 #O	Beteeted	-61.0dBm						
Trial #7	Detected	5275.0MHz,						
111α1 π /	Detected	-61.0dBm						
Trial #8	Detected	5270.0MHz,						
111α1 πο	Detected	-61.0dBm						
Trial #9	Detected	5290.0MHz,						
That my	Beteeted	-61.0dBm						
Trial #10	Detected	5285.0MHz,						
Πιαι π10	Detected	-61.0dBm						
Trial #11	Detected	5280.0MHz,						
11141 #11	Beteeted	-61.0dBm						
Trial #12	Detected	5275.0MHz,						
111α1 π12	Beteeted	-61.0dBm						
Trial #13	Detected	5270.0MHz,						
11101 1113	Beteeted	-61.0dBm						
Trial #14	NOT Detected	5290.0MHz,						
11101 // 1	Trof Betered	-61.0dBm						
Trial #15	Detected	5285.0MHz,						
11141 1110	Bettetted	-61.0dBm						
Trial #16	Detected	5280.0MHz,						
11141 10	200000	-61.0dBm						
Trial #17	Detected	5275.0MHz,						
	200000	-61.0dBm						
Trial #18	Detected	5270.0MHz,						
		-61.0dBm						
Trial #19	Detected	5290.0MHz,						
		-61.0dBm						
Trial #20	Detected	5285.0MHz,						
-		-61.0dBm						
Trial #21	Detected	5280.0MHz,						
		-61.0dBm						

File: R94497 Rev 3 Page 114 of 281

Table 92 - Long Sequence Waveform Summary NU in CU-Aquire, Low-band							
Long Sequence Trial	Result	Radar Frequency / Amplitude					
Trial #22	Detected	5275.0MHz,					
111a1 #22	Detected	-61.0dBm					
Trial #23	Detected	5270.0MHz,					
111at #23	Detected	-61.0dBm					
Trial #24	Detected	5290.0MHz,					
111a1 #24	Detected	-61.0dBm					
Trial #25	Detected	5285.0MHz,					
111a1 #23	Detected	-61.0dBm					
Trial #26	Detected	5280.0MHz,					
111a1 #20	Detected	-61.0dBm					
Trial #27	Detected	5275.0MHz,					
111a1 #27	Detected	-61.0dBm					
Trial #28	NOT Detected	5270.0MHz,					
111a1 #28	NOT Detected	-61.0dBm					
Trial #29	Detected	5290.0MHz,					
111α1 πΔ7	Detected	-61.0dBm					
Trial #30	Detected	5285.0MHz,					
11141 #30	Detected	-61.0dBm					

	Table 93 - Long Sequence Waveform Trial#1 (Detected) NU in CU-Aquire, Low-band									
Burst #	# Pulses	Pulse Width (us)	Chirp (MHz)	Interval 1 to 2 (us)	Interval 2 to 3 (us)	Start time (s)				
1	2	70.3	7	1575.0	-	0.156019				
2	2	68.0	13	1457.0	-	1.062167				
3	1	76.0	15	-	-	1.864072				
4	3	98.8	19	1926.0	1023.0	2.296830				
5	1	77.2	8	-	-	3.743779				
6	1	81.7	18	-	-	4.047353				
7	2	50.3	15	1314.0	-	5.027183				
8	1	63.6	19	-	-	5.671039				
9	2	52.3	6	1037.0	-	6.678283				
10	2	62.2	8	1955.0	-	7.328834				
11	2	90.8	11	1383.0	-	7.999351				
12	3	64.1	9	1943.0	1079.0	8.795222				
13	3	83.0	10	1967.0	1938.0	9.009891				
14	3	51.3	6	1842.0	1310.0	10.026348				
15	2	98.5	18	1257.0	-	10.942304				
16	2	76.4	20	1808.0	-	11.572238				

	Table 94 - Long Sequence Waveform Trial#2 (Detected) NU in CU-Aquire, Low-band										
Burst #	#	Pulse Width	Chirp	Interval 1 to 2 (us)	Interval 2 to 3 (us)	Start time (s)					
Duist #	Pulses	(us)	(MHz)	intervar i to 2 (as)	intervar 2 to 5 (us)	Start time (s)					
1	3	72.2	14	1506.0	1410.0	0.995600					
2	1	55.8	8	-	-	1.902743					
3	2	75.7	8	1827.0	-	4.315271					
4	2	99.5	19	1140.0	-	5.367725					
5	3	99.7	15	1461.0	1594.0	6.707410					
6	1	50.1	16	-	-	7.691863					
7	1	90.8	15	-	-	9.876432					
8	3	92.3	5	1193.0	1982.0	10.640239					

File: R94497 Rev 3 Page 115 of 281

	Table 95 - Long Sequence Waveform Trial#3 (Detected) NU in CU-Aquire, Low-band							
Burst #	# Pulses	Pulse Width (us)	Chirp (MHz)	Interval 1 to 2 (us)	Interval 2 to 3 (us)	Start time (s)		
1	2	78.1	18	1734.0	-	0.120902		
2	1	71.6	12	-	-	1.030265		
3	2	78.4	20	1366.0	-	2.209753		
4	1	98.4	19	-	-	3.627773		
5	2	72.7	8	1286.0	-	4.566944		
6	3	71.1	14	1213.0	1153.0	5.514712		
7	1	82.5	17	-	-	6.568649		
8	1	66.3	16	-	-	7.060846		
9	3	91.6	17	1196.0	1067.0	8.153560		
10	1	63.9	7	-	-	9.443227		
11	3	74.1	14	1835.0	1669.0	10.760304		
12	1	77.5	10	_	-	11.207221		

	Table 96 - Long Sequence Waveform Trial#4 (Detected) NU in CU-Aquire, Low-band							
Burst #	# Pulses	Pulse Width (us)	Chirp (MHz)	Interval 1 to 2 (us)	Interval 2 to 3 (us)	Start time (s)		
1	1	83.8	14	-	-	0.275512		
2	1	82.3	7	-	-	1.137606		
3	2	85.4	15	1058.0	-	1.676232		
4	2	66.7	9	1760.0	-	2.765955		
5	2	76.0	15	1705.0	-	3.052685		
6	1	97.4	8	-	-	3.970114		
7	2	84.2	13	1432.0	-	4.620000		
8	2	64.5	12	1296.0	-	5.267106		
9	1	78.9	5	-	-	5.938535		
10	1	97.8	19	=	-	6.503596		
11	2	70.9	12	1999.0	-	7.188998		
12	3	69.0	14	1123.0	1022.0	8.366737		
13	3	95.9	18	1179.0	1849.0	8.538673		
14	2	52.6	17	1127.0	-	9.840726		
15	1	83.5	7	-	-	10.114853		
16	2	56.6	9	1120.0	-	11.026280		
17	3	64.3	19	1414.0	1005.0	11.942698		

	Table 97 - Long Sequence Waveform Trial#5 (Detected) NU in CU-Aquire, Low-band							
Burst #	# Pulses	Pulse Width (us)	Chirp (MHz)	Interval 1 to 2 (us)	Interval 2 to 3 (us)	Start time (s)		
1	1	71.6	15	-	-	0.524324		
2	3	85.5	7	1187.0	1747.0	1.348267		
3	1	95.4	10	-	-	1.636694		
4	2	85.1	11	1409.0	-	3.159881		
5	3	93.8	7	1477.0	1084.0	3.737505		
6	2	81.9	13	1714.0	-	4.160619		
7	1	53.7	20	-	-	5.283316		
8	1	97.5	13	-	-	5.743172		
9	2	67.0	19	1905.0	-	7.137729		
10	3	59.3	17	1239.0	1759.0	7.759442		
11	2	71.9	8	1576.0	-	8.703392		
12	3	94.0	18	1152.0	1773.0	9.271233		
13	1	85.4	8	-	-	10.228322		

File: R94497 Rev 3 Page 116 of 281

Table 97 - Long Sequence Waveform Trial#5 (Detected) NU in CU-Aquire, Low-band							
Burst #	# Pulses	Pulse Width (us)	Chirp (MHz)	Interval 1 to 2 (us)	Interval 2 to 3 (us)	Start time (s)	
14	2	95.7	6	1154.0	-	10.728997	
15	3	89.3	9	1794.0	1557.0	11.402248	

	Table 98 - Long Sequence Waveform Trial#6 (Detected) NU in CU-Aquire, Low-band						
Burst #	# Pulses	Pulse Width (us)	Chirp (MHz)	Interval 1 to 2 (us)	Interval 2 to 3 (us)	Start time (s)	
1	1	50.0	7	-	-	0.100995	
2	3	78.4	16	1789.0	1729.0	1.471134	
3	1	70.9	15	-	-	2.441895	
4	2	88.8	7	1031.0	-	4.731030	
5	1	73.7	11	-	-	5.754072	
6	3	83.0	14	1706.0	1280.0	6.403750	
7	2	55.7	16	1325.0	-	7.786167	
8	2	79.2	8	1426.0	-	8.689779	
9	1	92.7	18	-	-	10.018551	
10	1	77.2	19	-	-	10.895885	

	Table 99 - Long Sequence Waveform Trial#7 (Detected) NU in CU-Aquire, Low-band								
Burst #	# Pulses	Pulse Width (us)	Chirp (MHz)	Interval 1 to 2 (us)	Interval 2 to 3 (us)	Start time (s)			
1	1	79.9	9	-	-	0.586077			
2	2	85.0	9	1696.0	-	0.935586			
3	2	73.1	14	1726.0	-	1.261747			
4	2	83.9	14	1832.0	-	2.047544			
5	2	77.7	18	1708.0	-	2.508737			
6	2	55.7	16	1637.0	-	3.356946			
7	2	81.2	18	1164.0	-	3.838396			
8	2	71.8	20	1978.0	-	4.601843			
9	3	97.5	6	1528.0	1017.0	4.877548			
10	2	65.6	16	1489.0	-	5.647437			
11	2	79.8	7	1253.0	-	6.447216			
12	3	87.4	12	1498.0	1269.0	6.604663			
13	2	72.2	16	1817.0	-	7.619455			
14	3	71.4	6	1034.0	1563.0	8.349789			
15	2	58.5	19	1272.0	-	8.609670			
16	3	67.7	16	1118.0	1572.0	9.458868			
17	2	83.9	14	1343.0	-	10.151565			
18	3	51.3	8	1216.0	1714.0	10.477775			
19	1	70.1	18	-	-	10.982372			
20	2	57.2	12	1118.0	-	11.897537			

	Table 100 - Long Sequence Waveform Trial#8 (Detected) NU in CU-Aquire, Low-band								
Burst #	# Pulses	Pulse Width (us)	Chirp (MHz)	Interval 1 to 2 (us)	Interval 2 to 3 (us)	Start time (s)			
1	2	99.4	19	1504.0	-	0.396364			
2	2	59.8	13	1307.0	-	2.591235			
3	2	79.5	15	1139.0	-	3.579795			
4	1	80.8	6	-	-	4.568306			
5	2	52.0	6	1871.0	-	5.811682			

File: R94497 Rev 3 Page 117 of 281

Table 100 - Long Sequence Waveform Trial#8 (Detected) NU in CU-Aquire, Low-band							
Burst #	# Pulses	Pulse Width (us)	Chirp (MHz)	Interval 1 to 2 (us)	Interval 2 to 3 (us)	Start time (s)	
6	3	52.1	5	1339.0	1307.0	7.382880	
7	2	98.9	10	1118.0	-	8.121954	
8	3	65.8	11	1474.0	1056.0	10.640467	
9	2	81.4	14	1437.0	-	11.374198	

	Table 101 - Long Sequence Waveform Trial#9 (Detected) NU in CU-Aquire, Low-band							
Burst #	# Pulses	Pulse Width (us)	Chirp (MHz)	Interval 1 to 2 (us)	Interval 2 to 3 (us)	Start time (s)		
1	2	96.5	10	1732.0	-	0.669006		
2	3	64.4	17	1113.0	1306.0	1.238308		
3	1	59.6	10	-	-	2.109481		
4	3	87.4	16	1570.0	1674.0	2.515910		
5	2	55.7	15	1768.0	-	3.615427		
6	2	94.6	15	1040.0	-	3.991916		
7	1	69.5	12	-	-	5.043703		
8	2	82.4	6	1519.0	-	5.621188		
9	1	70.3	14	-	-	6.280419		
10	2	74.5	9	1713.0	-	7.171494		
11	2	90.2	19	1907.0	-	7.922470		
12	1	73.6	5	-	-	8.940784		
13	2	66.2	5	1583.0	-	9.124694		
14	1	82.9	9	-	-	9.978500		
15	1	71.2	6	-	-	10.696711		
16	1	73.0	19	-	-	11.484109		

	Table 10	2 - Long Seque	ice Wavefo	orm Trial#10 (Detecte	d) NU in CU-Aquire	, Low-band
Burst #	# Pulses	Pulse Width (us)	Chirp (MHz)	Interval 1 to 2 (us)	Interval 2 to 3 (us)	Start time (s)
1	3	50.1	12	1867.0	1419.0	0.736849
2	2	91.0	8	1766.0	-	1.327031
3	2	77.8	19	1315.0	-	1.754679
4	2	81.2	7	1503.0	-	2.922291
5	3	93.6	16	1346.0	1581.0	3.431052
6	1	54.5	11	-	-	4.256910
7	3	60.6	12	1997.0	1955.0	4.530715
8	3	53.9	19	1134.0	1300.0	5.906943
9	3	55.7	9	1009.0	1809.0	6.439243
10	2	80.4	19	1028.0	-	7.228478
11	3	64.5	9	1473.0	1660.0	7.568154
12	3	83.4	18	1491.0	1373.0	8.905555
13	1	87.4	9	-	-	9.612854
14	1	70.6	17	-	-	9.938368
15	1	52.9	16	-	-	10.904417
16	2	68.6	17	1781.0	-	11.983298

Table 103 - Long Sequence Waveform Trial#11 (Detected) NU in CU-Aquire, Low-band							
Burst #	# Pulses	Pulse Width (us)	Chirp (MHz)	Interval 1 to 2 (us)	Interval 2 to 3 (us)	Start time (s)	
1	2	98.9	18	1818.0	-	0.157220	

File: R94497 Rev 3 Page 118 of 281

Reissue	Date:	August	1,	2014	

	Table 103 - Long Sequence Waveform Trial#11 (Detected) NU in CU-Aquire, Low-band							
Burst #	# Pulses	Pulse Width (us)	Chirp (MHz)	Interval 1 to 2 (us)	Interval 2 to 3 (us)	Start time (s)		
2	3	50.1	13	1178.0	1030.0	1.093439		
3	3	56.8	11	1652.0	1903.0	2.098557		
4	2	66.2	20	1277.0	-	3.037618		
5	1	53.0	9	-	-	4.189554		
6	1	95.2	16	-	-	4.576953		
7	2	94.6	18	1709.0	-	5.903847		
8	1	52.8	13	-	-	6.007522		
9	2	58.4	16	1001.0	-	6.926375		
10	3	60.0	6	1512.0	1444.0	8.449424		
11	3	85.7	15	1267.0	1941.0	9.285503		
12	3	98.5	6	1161.0	1544.0	9.923855		
13	1	76.7	19	-	-	10.806909		
14	1	94.7	16	-	-	11.478188		

	Table 104 - Long Sequence Waveform Trial#12 (Detected) NU in CU-Aquire, Low-band							
Burst #	# Pulses	Pulse Width (us)	Chirp (MHz)	Interval 1 to 2 (us)	Interval 2 to 3 (us)	Start time (s)		
1	1	81.7	10	-	-	0.481645		
2	3	68.9	8	1032.0	1323.0	2.173655		
3	2	70.9	15	1476.0	-	2.579431		
4	3	69.0	13	1900.0	1833.0	3.310126		
5	3	55.2	8	1156.0	1727.0	4.465493		
6	1	93.1	14	-	-	6.165652		
7	2	86.0	14	1720.0	-	7.175287		
8	3	70.4	16	1866.0	1864.0	8.696856		
9	3	68.5	10	1391.0	1243.0	9.726795		
10	1	69.2	12	-	-	10.474967		
11	3	53.3	7	1209.0	1091.0	11.522276		

	Table 105 - Long Sequence Waveform Trial#13 (Detected) NU in CU-Aquire, Low-band							
Burst #	# Pulses	Pulse Width (us)	Chirp (MHz)	Interval 1 to 2 (us)	Interval 2 to 3 (us)	Start time (s)		
1	2	51.6	17	1279.0	-	0.602821		
2	1	50.9	13	-	-	1.085445		
3	2	58.5	13	1394.0	-	1.927466		
4	1	84.9	16	-	-	2.963713		
5	3	51.7	20	1209.0	1873.0	3.517354		
6	1	90.5	15	-	-	4.502440		
7	2	88.1	8	1931.0	-	5.200264		
8	2	97.5	14	1438.0	-	6.034570		
9	1	98.1	18	-	-	7.632550		
10	2	70.0	13	1377.0	-	8.448215		
11	1	83.3	14	-	-	8.620780		
12	3	64.1	19	1226.0	1463.0	10.055883		
13	1	95.4	13	-	-	11.004218		
14	2	56.1	17	1519.0	=	11.143367		

Table~106-Long~Sequence~Waveform~Trial #14~(NOT~Detected)~NU~in~CU-Aquire,~Low-band

File: R94497 Rev 3 Page 119 of 281

Burst #	# Pulses	Pulse Width (us)	Chirp (MHz)	Interval 1 to 2 (us)	Interval 2 to 3 (us)	Start time (s)
1	1	62.2	11	-	-	0.705165
2	2	86.6	19	1640.0	-	2.054899
3	2	99.9	6	1384.0	-	2.704467
4	2	65.6	18	1381.0	-	4.429504
5	2	82.8	8	1901.0	=	5.338595
6	1	79.1	18	-	-	6.896538
7	1	55.8	7	-	-	8.285437
8	2	91.6	16	1694.0	-	8.764531
9	2	55.8	19	1799.0	-	10.472083
10	1	94.7	7	-	-	11.076464

	Table 107 - Long Sequence Waveform Trial#15 (Detected) NU in CU-Aquire, Low-band							
Burst #	# Pulses	Pulse Width (us)	Chirp (MHz)	Interval 1 to 2 (us)	Interval 2 to 3 (us)	Start time (s)		
1	3	60.7	14	1522.0	1213.0	0.833577		
2	2	62.7	11	1581.0	-	2.167757		
3	3	86.1	7	1710.0	1864.0	3.494282		
4	3	79.3	13	1527.0	1009.0	4.046629		
5	3	93.7	12	1123.0	1340.0	6.471374		
6	1	82.7	15	-	-	7.846278		
7	3	56.6	6	1545.0	1380.0	9.037720		
8	2	60.8	14	1331.0	-	9.643952		
9	2	91.5	15	1310.0	-	10.873688		

	Table 108 - Long Sequence Waveform Trial#16 (Detected) NU in CU-Aquire, Low-band							
Burst #	# Pulses	Pulse Width (us)	Chirp (MHz)	Interval 1 to 2 (us)	Interval 2 to 3 (us)	Start time (s)		
1	1	60.7	17	-	-	0.512891		
2	1	98.1	16	-	-	0.786098		
3	1	50.4	11	-	-	2.084401		
4	2	74.2	7	1137.0	-	2.590771		
5	1	51.8	15	-	-	3.264375		
6	3	87.8	10	1116.0	1461.0	4.274248		
7	2	91.6	16	1024.0	-	4.528548		
8	1	55.6	11	-	-	5.859698		
9	1	63.9	13	-	-	6.229033		
10	2	72.5	19	1533.0	-	7.042661		
11	1	57.9	19	-	-	8.140710		
12	2	54.5	19	1140.0	-	8.753635		
13	2	68.1	8	1770.0	-	9.011322		
14	1	80.1	16	-	-	10.139495		
15	2	91.6	7	1216.0	-	11.191834		
16	1	77.4	10	-	-	11.976694		

Table 109 - Long Sequence Waveform Trial#17 (Detected) NU in CU-Aquire, Low-band						
Burst #	# Pulses	Pulse Width (us)	Chirp (MHz)	Interval 1 to 2 (us)	Interval 2 to 3 (us)	Start time (s)
1	1	65.9	14	-	-	0.029930
2	1	67.1	12	-	-	0.770030
3	2	75.2	12	1059.0	-	1.420592
4	2	91.1	9	1361.0	-	2.585482

File: R94497 Rev 3 Page 120 of 281

	Table 109 - Long Sequence Waveform Trial#17 (Detected) NU in CU-Aquire, Low-band							
Burst #	# Pulses	Pulse Width (us)	Chirp (MHz)	Interval 1 to 2 (us)	Interval 2 to 3 (us)	Start time (s)		
5	2	99.6	10	1541.0	-	2.712871		
6	3	87.2	20	1567.0	1189.0	3.867737		
7	1	66.1	9	-	-	4.359775		
8	2	64.3	17	1386.0	-	5.042789		
9	2	66.6	7	1377.0	-	5.760232		
10	1	63.0	18	-	-	6.216451		
11	2	53.9	13	1292.0	-	7.318723		
12	1	58.2	13	-	-	7.730046		
13	1	89.1	8	-	-	8.182650		
14	2	85.7	15	1068.0	-	9.048681		
15	2	90.3	19	1521.0	-	9.780110		
16	2	70.3	15	1843.0	-	10.116742		
17	2	91.5	11	1487.0	-	11.178201		
18	2	53.2	17	1963.0	-	11.398108		

	Table 110 - Long Sequence Waveform Trial#18 (Detected) NU in CU-Aquire, Low-band							
Burst #	# Pulses	Pulse Width (us)	Chirp (MHz)	Interval 1 to 2 (us)	Interval 2 to 3 (us)	Start time (s)		
1	2	54.6	15	1385.0	-	0.161249		
2	2	54.3	11	1037.0	-	1.354581		
3	1	85.0	7	-	-	1.924378		
4	1	77.3	6	-	-	2.424677		
5	1	71.2	14	-	-	3.224374		
6	2	79.9	13	1843.0	-	3.591430		
7	2	98.0	15	1663.0	-	4.352259		
8	3	82.8	9	1626.0	1987.0	5.084808		
9	2	55.6	14	1814.0	-	5.908420		
10	3	99.4	11	1107.0	1702.0	6.397098		
11	1	95.2	18	-	-	7.752361		
12	2	79.4	18	1589.0	-	7.892274		
13	2	93.5	16	1175.0	-	9.100214		
14	2	92.4	18	1043.0	-	9.880674		
15	2	64.7	14	1489.0	-	10.475402		
16	3	80.1	11	1661.0	1370.0	10.741301		
17	3	51.8	6	1708.0	1978.0	11.469753		

	Table 11	1 - Long Seque	nce Wavefo	orm Trial#19 (Detecte	d) NU in CU-Aquire	, Low-band
Burst #	# Pulses	Pulse Width (us)	Chirp (MHz)	Interval 1 to 2 (us)	Interval 2 to 3 (us)	Start time (s)
1	3	92.9	11	1748.0	1469.0	0.419593
2	1	51.0	12	-	-	1.357877
3	2	98.1	16	1545.0	-	3.114947
4	3	62.9	14	1542.0	1887.0	3.444420
5	2	67.9	5	1803.0	-	5.335054
6	1	76.5	18	-	-	6.176189
7	2	50.1	5	1505.0	-	6.804861
8	2	70.0	7	1213.0	-	8.718411
9	1	66.8	19	-	-	8.956092
10	1	64.6	13	-	-	10.518639
11	2	51.5	5	1232.0	-	11.529405

File: R94497 Rev 3 Page 121 of 281

rt Date: April 3, 2014	Reissue Date: August 1, 2014

	Table 112 - Long Sequence Waveform Trial#20 (Detected) NU in CU-Aquire, Low-band							
Burst #	# Pulses	Pulse Width (us)	Chirp (MHz)	Interval 1 to 2 (us)	Interval 2 to 3 (us)	Start time (s)		
1	2	53.3	9	1509.0	-	0.385976		
2	3	89.8	14	1490.0	1536.0	1.636077		
3	2	78.8	14	1577.0	-	2.907927		
4	2	91.2	13	1796.0	-	3.851268		
5	1	88.6	6	-	-	5.861128		
6	3	88.3	16	1747.0	1334.0	6.223222		
7	1	95.8	16	-	-	7.461656		
8	1	96.8	16	-	-	8.804005		
9	2	91.2	12	1659.0	-	10.317366		
10	3	94.3	6	1143.0	1575.0	11.149070		

	Table 113 - Long Sequence Waveform Trial#21 (Detected) NU in CU-Aquire, Low-band								
Burst #	# Pulses	Pulse Width (us)	Chirp (MHz)	Interval 1 to 2 (us)	Interval 2 to 3 (us)	Start time (s)			
1	2	53.8	7	1636.0	-	0.305099			
2	2	56.3	16	1028.0	-	2.350256			
3	3	97.1	16	1241.0	1548.0	3.951000			
4	3	88.3	11	1267.0	1142.0	5.788655			
5	1	68.6	13	-	-	6.361459			
6	1	80.9	8	-	-	7.687387			
7	3	98.7	6	1582.0	1235.0	10.469038			
8	3	62.6	18	1039.0	1626.0	10.654983			

	Table 114 - Long Sequence Waveform Trial#22 (Detected) NU in CU-Aquire, Low-band									
Burst #	# Pulses	Pulse Width (us)	Chirp (MHz)	Interval 1 to 2 (us)	Interval 2 to 3 (us)	Start time (s)				
1	2	72.4	7	1212.0	-	0.464600				
2	2	74.6	9	1157.0	-	1.437438				
3	2	86.2	11	1903.0	-	2.834611				
4	1	61.2	8	-	-	3.275394				
5	1	64.1	8	-	-	4.738948				
6	2	84.1	19	1455.0	-	6.180960				
7	2	79.9	12	1330.0	-	6.696528				
8	2	66.6	7	1656.0	-	8.317147				
9	2	87.3	14	1846.0	-	9.714735				
10	2	91.5	8	1492.0	-	10.180508				
11	1	68.4	18	-	-	11.185521				

	Table 115 - Long Sequence Waveform Trial#23 (Detected) NU in CU-Aquire, Low-band									
Burst #	# Pulses	Pulse Width (us)	Chirp (MHz)	Interval 1 to 2 (us)	Interval 2 to 3 (us)	Start time (s)				
1	2	59.3	20	1722.0	-	0.466024				
2	1	80.2	12	=	=	2.200243				
3	2	91.0	12	1235.0	=	2.944254				
4	2	91.1	19	1482.0	=	4.928397				
5	2	57.2	17	1637.0	=	5.955918				
6	3	98.7	7	1894.0	1233.0	7.487307				
7	2	75.6	8	1916.0	=	8.394031				

File: R94497 Rev 3 Page 122 of 281

Table 115 - Long Sequence Waveform Trial#23 (Detected) NU in CU-Aquire, Low-band								
Burst #	# Pulses	Pulse Width (us)	Chirp (MHz)	Interval 1 to 2 (us)	Interval 2 to 3 (us)	Start time (s)		
8	2	55.3	17	1618.0	-	10.562146		
9	1	99.2	19	-	-	11.642502		

	Table 116 - Long Sequence Waveform Trial#24 (Detected) NU in CU-Aquire, Low-band								
Burst #	# Pulses	Pulse Width (us)	Chirp (MHz)	Interval 1 to 2 (us)	Interval 2 to 3 (us)	Start time (s)			
1	2	75.1	8	1814.0	-	0.831248			
2	3	92.1	11	1318.0	1133.0	2.143430			
3	2	89.3	12	1067.0	-	3.363470			
4	1	95.8	14	-	-	4.484753			
5	2	88.9	15	1398.0	-	5.892480			
6	2	98.6	13	1307.0	-	7.998148			
7	3	80.7	14	1248.0	1110.0	8.864404			
8	1	56.2	10	-	-	9.591281			
9	3	56.5	15	1577.0	1245.0	10.671096			

	Table 117 - Long Sequence Waveform Trial#25 (Detected) NU in CU-Aquire, Low-band									
Burst #	# Pulses	Pulse Width (us)	Chirp (MHz)	Interval 1 to 2 (us)	Interval 2 to 3 (us)	Start time (s)				
1	2	81.6	10	1444.0	-	0.294576				
2	3	55.1	17	1236.0	1295.0	1.150033				
3	2	71.1	8	1501.0	-	1.701425				
4	2	88.9	13	1711.0	-	2.288258				
5	3	96.4	6	1000.0	1179.0	2.514371				
6	2	75.7	7	1468.0	-	3.348946				
7	3	75.2	14	1245.0	1279.0	3.748788				
8	1	93.9	16	-	-	4.746065				
9	2	91.1	13	1239.0	-	5.041463				
10	2	93.3	8	1516.0	-	5.970276				
11	1	92.3	12	-	-	6.437014				
12	3	63.0	16	1682.0	1213.0	6.713735				
13	2	97.9	6	1359.0	-	7.552432				
14	1	93.0	16	=	-	8.032782				
15	2	83.8	17	1293.0	-	8.713164				
16	2	60.8	17	1775.0	-	9.576320				
17	2	96.6	16	1863.0	-	9.696364				
18	2	58.5	15	1906.0	-	10.719054				
19	3	62.8	9	1175.0	1442.0	11.246197				
20	3	78.7	19	1655.0	1690.0	11.524493				

	Table 118 - Long Sequence Waveform Trial#26 (Detected) NU in CU-Aquire, Low-band								
Burst #	# Pulses	Pulse Width (us)	Chirp (MHz)	Interval 1 to 2 (us)	Interval 2 to 3 (us)	Start time (s)			
1	1	82.5	6	-	-	0.305731			
2	2	62.4	15	1904.0	-	0.907598			
3	2	51.2	18	1189.0	-	2.244911			
4	2	58.9	20	1334.0	-	2.580150			
5	3	69.6	8	1901.0	1230.0	3.271898			
6	2	51.8	8	1338.0	-	4.773000			

File: R94497 Rev 3 Page 123 of 281

Table 118 - Long Sequence Waveform Trial#26 (Detected) NU in CU-Aquire, Low-band								
# Pulses	Pulse Width (us)	Chirp (MHz)	Interval 1 to 2 (us)	Interval 2 to 3 (us)	Start time (s)			

Burst #	# Pulses	Pulse Width (us)	Chirp (MHz)	Interval 1 to 2 (us)	Interval 2 to 3 (us)	Start time (s)
7	2	53.0	8	1347.0	-	5.170100
8	2	98.6	16	1473.0	-	6.325753
9	2	97.4	13	1828.0	-	6.532563
10	2	78.6	6	1513.0	-	7.709942
11	1	53.7	12	-	-	8.701073
12	3	85.7	10	1882.0	1903.0	8.875714
13	2	81.7	5	1944.0	-	9.684997
14	1	81.9	18	-	-	10.827041
15	2	75.5	16	1263.0	-	11.725148

	Table 119 - Long Sequence Waveform Trial#27 (Detected) NU in CU-Aquire, Low-band								
Burst #	# Pulses	Pulse Width (us)	Chirp (MHz)	Interval 1 to 2 (us)	Interval 2 to 3 (us)	Start time (s)			
1	2	85.9	7	1900.0	-	0.655349			
2	1	63.5	13	-	-	1.327967			
3	3	85.0	18	1656.0	1082.0	2.527764			
4	2	89.8	13	1474.0	=	3.631492			
5	1	82.1	16	-	-	4.380861			
6	1	64.4	9	-	=	4.975334			
7	2	83.8	13	1363.0	-	6.098877			
8	1	94.4	18	-	-	6.743546			
9	3	87.2	13	1060.0	1420.0	8.045988			
10	1	90.2	8	-	-	9.112542			
11	1	56.6	16	-	-	9.551123			
12	3	69.2	8	1093.0	1343.0	10.758492			
13	3	69.2	13	1981.0	1600.0	11.583865			

T	Table 120 - Long Sequence Waveform Trial#28 (NOT Detected) NU in CU-Aquire, Low-band								
Burst #	# Pulses	Pulse Width (us)	Chirp (MHz)	Interval 1 to 2 (us)	Interval 2 to 3 (us)	Start time (s)			
1	3	99.1	13	1501.0	1146.0	0.669270			
2	2	66.3	14	1404.0	-	1.554367			
3	1	83.2	13	-	-	3.624804			
4	3	53.5	18	1033.0	1632.0	4.718951			
5	2	75.1	12	1242.0	-	6.399189			
6	1	78.2	12	-	-	7.291173			
7	2	69.4	11	1177.0	-	9.190761			
8	2	62.7	12	1123.0	-	10.309713			
9	1	91.2	20	-	-	11.738463			

Table 121 - Long Sequence Waveform Trial#29 (Detected) NU in CU-Aquire, Low-band								
Burst #	# Pulses	Pulse Width (us)	Chirp (MHz)	Interval 1 to 2 (us)	Interval 2 to 3 (us)	Start time (s)		
1	2	68.9	10	1478.0	-	1.077627		
2	3	99.3	11	1410.0	1316.0	1.947876		
3	2	59.2	11	1068.0	-	2.931829		
4	3	53.7	13	1040.0	1892.0	3.702952		
5	2	87.9	8	1687.0	-	5.117620		
6	1	74.5	12	-	-	5.490484		

File: R94497 Rev 3 Page 124 of 281

Table 121 - Long Sequence Waveform Trial#29 (Detected) NU in CU-Aquire, Low-band									
Burst #	# Pulses	Pulse Width (us)	Chirp (MHz)	Interval 1 to 2 (us)	Interval 2 to 3 (us)	Start time (s)			
7	3	65.7	16	1389.0	1309.0	7.215759			
8	3	87.4	11	1363.0	1312.0	8.032028			
9	3	88.7	19	1060.0	1429.0	8.927789			
10	2	91.7	12	1935.0	-	10.416069			
11	2	68.6	20	1109.0	-	11.715196			

Burst #	# Pulses	Pulse Width (us)	Chirp (MHz)	Interval 1 to 2 (us)	Interval 2 to 3 (us)	Start time (s)
1	2	95.7	12	1045.0	-	0.235525
2	3	50.1	11	1710.0	1578.0	1.005884
3	3	62.1	6	1128.0	1314.0	2.177660
4	2	51.6	17	1653.0	-	2.315670
5	2	81.2	10	1054.0	-	3.484647
6	2	90.1	10	1551.0	-	4.021884
7	2	83.1	6	1806.0	-	4.813969
8	2	77.0	18	1895.0	-	5.483895
9	3	96.3	11	1075.0	1791.0	6.170211
10	1	72.0	17	-	-	7.123605
11	1	62.6	8	-	-	8.167745
12	2	63.7	13	1492.0	-	8.465083
13	3	67.6	11	1814.0	1493.0	9.293667
14	1	95.4	8	-	-	10.393718
15	2	64.9	12	1864.0	-	11.200229
16	2	53.3	6	1298.0	-	11.773552

	Table 123 - FCC frequency hopping radar (Type 6) Results NU in CU-Aquire, Low-band							
Trial #	Pulses/ Burst	Pulse Width (us)	PRI (us)	Detected	Fr (MHz) and level (dBm)	Burst Information		

File: R94497 Rev 3 Page 125 of 281

	Table 123 - FCC frequency hopping radar (Type 6) Results NU in CU-Aquire, Low-band									
Trial #	Pulses/ Burst	Pulse Width (us)	PRI (us)	Detected	Fr (MHz) and level (dBm)	Burst Information				
1	9	1.0	333.0	Yes	5297.0MHz, -61.0dBm	Hop sequence: 5679, 5706, 5441, 5366, 5386, 5689, 5430, 5481, 5388, 5436, 5609, 5569, 5460, 5285, 5336, 5656, 5637, 5663, 5257, 5328, 5518, 5374, 5331, 5619, 5264, 5542, 5554, 5265, 5308, 5685, 5464, 5357, 5521, 5717, 5682, 5614, 5486, 5537, 5416, 5299, 5379, 5620, 5590, 5576, 5497, 5565, 5506, 5511, 5478, 5672, 5539, 5529, 5364, 5393, 5556, 5666, 5655, 5671, 5417, 5359, 5622, 5319, 5724, 5354, 5558, 5524, 5339, 5543, 5648, 5323, 5445, 5410, 5722, 5530, 5665, 5459, 5584, 5557, 5290, 5527, 5250, 5488, 5517, 5482, 5380, 5288, 5431, 5588, 5526, 5427, 5422, 5528, 5495, 5303, 5544, 5376, 5634, 5382, 5400, 5719 (5 hits) (01/03/2014 09:37:16 AM)				
2	9	1.0	333.0	No	5298.0MHz, -61.0dBm	Hop sequence: 5591, 5610, 5609, 5722, 5664, 5653, 5393, 5548, 5466, 5409, 5362, 5534, 5352, 5453, 5377, 5325, 5353, 5623, 5670, 5557, 5553, 5613, 5600, 5413, 5388, 5648, 5410, 5554, 5518, 5335, 5568, 5321, 5660, 5345, 5689, 5319, 5334, 5691, 5631, 5460, 5564, 5433, 5665, 5348, 5387, 5668, 5366, 5309, 5435, 5535, 5638, 5450, 5662, 5661, 5517, 5533, 5385, 5646, 5482, 5545, 5596, 5645, 5344, 5585, 5635, 5510, 5365, 5368, 5280, 5598, 5306, 5642, 5521, 5432, 5333, 5427, 5476, 5615, 5703, 5303, 5302, 5284, 5395, 5583, 5677, 5520, 5513, 5479, 5418, 5602, 5581, 5524, 5514, 5516, 5447, 5572, 5550, 5566, 5605, 5360 (2 hits) (01/03/2014 09:37:23 AM)				
3	9	1.0	333.0	Yes	5262.0MHz, -61.0dBm	Hop sequence: 5352, 5622, 5432, 5284, 5641, 5571, 5495, 5535, 5597, 5586, 5703, 5538, 5321, 5320, 5593, 5666, 5445, 5509, 5588, 5288, 5658, 5705, 5429, 5336, 5625, 5662, 5656, 5300, 5536, 5296, 5591, 5350, 5291, 5502, 5507, 5513, 5329, 5334, 5278, 5559, 5512, 5290, 5484, 5681, 5257, 5267, 5644, 5402, 5444, 5695, 5326, 5451, 5253,				

File: R94497 Rev 3 Page 126 of 281

	Table 123 - FCC frequency hopping radar (Type 6) Results NU in CU-Aquire, Low-band								
Trial #	Pulses/ Burst	Pulse Width (us)	PRI (us)	Detected	Fr (MHz) and level (dBm)	Burst Information			
	2 00.00					5608, 5490, 5663, 5501, 5646, 5548, 5414, 5719, 5648, 5645, 5500, 5322, 5324, 5448, 5612, 5377, 5524, 5649, 5439, 5362, 5274, 5494, 5319, 5545, 5462, 5472, 5498, 5623, 5631, 5610, 5477, 5314, 5397, 5547, 5349, 5582, 5289, 5437, 5696, 5269, 5533, 5636, 5549, 5616, 5613, 5415, 5460 (10 hits) (01/03/2014 09:37:34 AM)			
4	9	1.0	333.0	Yes	5263.0MHz, -61.0dBm	Hop sequence: 5296, 5501, 5456, 5673, 5348, 5649, 5623, 5705, 5325, 5271, 5585, 5502, 5536, 5593, 5678, 5259, 5487, 5341, 5318, 5500, 5253, 5666, 5578, 5595, 5616, 5419, 5550, 5565, 5721, 5590, 5279, 5334, 5380, 5335, 5477, 5608, 5712, 5701, 5555, 5426, 5627, 5630, 5371, 5368, 5425, 5581, 5251, 5480, 5702, 5263, 5315, 5602, 5283, 5274, 5510, 5610, 5272, 5542, 5309, 5442, 5707, 5276, 5621, 5431, 5554, 5282, 5295, 5642, 5529, 5420, 5422, 5663, 5697, 5681, 5373, 5683, 5339, 5713, 5499, 5304, 5533, 5572, 5482, 5424, 5310, 5349, 5320, 5361, 5392, 5281, 5483, 5484, 5613, 5546, 5726, 5307, 5553, 5430, 5528, 5576 (11 hits) (01/03/2014 09:37:42 AM)			
5	9	1.0	333.0	Yes	5264.0MHz, -61.0dBm	Hop sequence: 5592, 5368, 5300, 5590, 5682, 5308, 5258, 5523, 5559, 5721, 5448, 5725, 5717, 5704, 5429, 5669, 5290, 5358, 5609, 5351, 5614, 5458, 5280, 5651, 5425, 5452, 5355, 5475, 5313, 5575, 5273, 5417, 5724, 5544, 5512, 5328, 5250, 5683, 5457, 5395, 5712, 5723, 5357, 5600, 5500, 5307, 5297, 5438, 5461, 5507, 5579, 5508, 5531, 5634, 5440, 5471, 5502, 5379, 5421, 5561, 5583, 5615, 5414, 5545, 5262, 5499, 5432, 5341, 5322, 5635, 5479, 5277, 5680, 5352, 5338, 5350, 5413, 5254, 5442, 5441, 5503, 5407, 5506, 5311, 5522, 5569, 5364, 5626, 5326, 5650, 5255, 5455, 5494, 5369, 5526, 5363, 5332, 5493, 5546, 5643 (6 hits) (01/03/2014 09:37:49 AM)			

File: R94497 Rev 3 Page 127 of 281

	Table 123 - FCC frequency hopping radar (Type 6) Results NU in CU-Aquire, Low-band									
Trial #	Pulses/ Burst	Pulse Width (us)	PRI (us)	Detected	Fr (MHz) and level (dBm)	Burst Information				
6	9	1.0	333.0	Yes	5265.0MHz, -61.0dBm	Hop sequence: 5340, 5686, 5628, 5570, 5672, 5598, 5350, 5461, 5360, 5491, 5725, 5447, 5501, 5279, 5651, 5344, 5544, 5384, 5257, 5298, 5341, 5575, 5548, 5430, 5650, 5496, 5346, 5495, 5289, 5621, 5294, 5266, 5605, 5693, 5328, 5596, 5304, 5655, 5510, 5723, 5573, 5531, 5718, 5647, 5405, 5721, 5448, 5369, 5586, 5390, 5562, 5616, 5551, 5414, 5418, 5251, 5678, 5679, 5682, 5283, 5627, 5538, 5258, 5488, 5459, 5413, 5267, 5377, 5590, 5398, 5305, 5470, 5500, 5608, 5539, 5583, 5580, 5392, 5380, 5676, 5371, 5252, 5406, 5292, 5452, 5633, 5636, 5520, 5364, 5458, 5498, 5497, 5681, 5326, 5578, 5558 (8 hits) (01/03/2014 09:37:56 AM)				
7	9	1.0	333.0	Yes	5266.0MHz, -61.0dBm	Hop sequence: 5607, 5565, 5305, 5470, 5600, 5626, 5699, 5485, 5690, 5709, 5380, 5618, 5680, 5274, 5648, 5468, 5526, 5572, 5337, 5621, 5670, 5669, 5457, 5298, 5472, 5349, 5492, 5266, 5673, 5566, 5257, 5455, 5684, 5639, 5312, 5325, 5617, 5708, 5501, 5610, 5377, 5592, 5601, 5412, 5447, 5303, 5711, 5441, 5411, 5719, 5313, 5324, 5365, 5281, 5724, 5615, 5716, 5675, 5396, 5323, 5471, 5410, 5683, 5384, 5491, 5509, 5292, 5660, 5461, 5288, 5582, 5674, 5488, 5385, 5387, 5481, 5595, 5424, 5682, 5589, 5309, 5696, 5286, 5379, 5454, 5545, 5490, 5558, 5335, 5503, 5320, 5512, 5304, 5568, 5502, 5477, 5449, 5445, 5294, 5345 (8 hits) (01/03/2014 09:38:03 AM)				
8	9	1.0	333.0	Yes	5267.0MHz, -61.0dBm	Hop sequence: 5615, 5385, 5330, 5450, 5310, 5514, 5708, 5419, 5357, 5443, 5662, 5725, 5447, 5588, 5626, 5418, 5653, 5441, 5458, 5646, 5451, 5329, 5674, 5593, 5271, 5424, 5655, 5573, 5693, 5558, 5324, 5348, 5473, 5431, 5389, 5442, 5402, 5710, 5370, 5480, 5612, 5543, 5337, 5478, 5325, 5505, 5433, 5484, 5681, 5539, 5477, 5383, 5670,				

File: R94497 Rev 3 Page 128 of 281

	Table 12	3 - FCC frequ	iency hopp	ing radar (Ty	pe 6) Results NU	in CU-Aquire, Low-band
Trial #	Pulses/ Burst	Pulse Width (us)	PRI (us)	Detected	Fr (MHz) and level (dBm)	Burst Information
						5571, 5631, 5705, 5290, 5679, 5358, 5545, 5252, 5361, 5288, 5426, 5665, 5486, 5651, 5393, 5395, 5420, 5704, 5427, 5500, 5294, 5527, 5280, 5611, 5658, 5423, 5472, 5654, 5425, 5671, 5518, 5440, 5536, 5307, 5678, 5398, 5721, 5587, 5647, 5509, 5265, 5481 (6 hits) (01/03/2014 09:38:09 AM)
9	9	1.0	333.0	No	5268.0MHz, -61.0dBm	Hop sequence: 5392, 5313, 5422, 5283, 5583, 5457, 5591, 5452, 5619, 5599, 5518, 5647, 5572, 5493, 5472, 5705, 5318, 5379, 5314, 5380, 5352, 5554, 5587, 5334, 5255, 5680, 5382, 5558, 5512, 5605, 5565, 5466, 5477, 5388, 5618, 5684, 5533, 5574, 5254, 5353, 5487, 5394, 5648, 5442, 5351, 5590, 5475, 5687, 5611, 5300, 5520, 5481, 5414, 5592, 5681, 5704, 5630, 5354, 5425, 5306, 5293, 5708, 5473, 5272, 5663, 5344, 5679, 5289, 5650, 5482, 5297, 5342, 5367, 5345, 5396, 5372, 5256, 5296, 5722, 5610, 5480, 5282, 5337, 5529, 5690, 5627, 5550, 5490, 5511, 5724, 5468, 5456, 5459, 5541, 5696, 5444, 5521, 5655, 5267, 5253 (8 hits) (01/03/2014 09:38:16 AM)
10	9	1.0	333.0	Yes	5269.0MHz, -61.0dBm	Hop sequence: 5321, 5362, 5352, 5450, 5647, 5602, 5400, 5605, 5719, 5354, 5575, 5501, 5626, 5536, 5487, 5606, 5494, 5604, 5304, 5442, 5671, 5667, 5425, 5507, 5266, 5330, 5675, 5409, 5630, 5315, 5355, 5670, 5679, 5690, 5517, 5535, 5423, 5599, 5645, 5703, 5632, 5557, 5656, 5483, 5503, 5295, 5317, 5566, 5578, 5461, 5669, 5263, 5549, 5651, 5709, 5677, 5306, 5631, 5532, 5378, 5380, 5406, 5281, 5463, 5267, 5364, 5453, 5390, 5510, 5363, 5415, 5683, 5336, 5444, 5405, 5418, 5328, 5255, 5474, 5384, 5554, 5377, 5708, 5659, 5640, 5512, 5319, 5264, 5505, 5404, 5563, 5564, 5643, 5493, 5410, 5466, 5323, 5680, 5421, 5434 (6 hits) (01/03/2014 09:38:24 AM)

File: R94497 Rev 3 Page 129 of 281

	Table 123 - FCC frequency hopping radar (Type 6) Results NU in CU-Aquire, Low-band									
Trial #	Pulses/ Burst	Pulse Width (us)	PRI (us)	Detected	Fr (MHz) and level (dBm)	Burst Information				
11	9	1.0	333.0	Yes	5270.0MHz, -61.0dBm	Hop sequence: 5403, 5338, 5437, 5643, 5638, 5655, 5568, 5551, 5507, 5600, 5589, 5572, 5628, 5569, 5700, 5636, 5517, 5468, 5366, 5538, 5542, 5504, 5657, 5515, 5288, 5576, 5372, 5632, 5296, 5465, 5580, 5550, 5567, 5553, 5310, 5392, 5261, 5412, 5427, 5499, 5303, 5612, 5620, 5724, 5268, 5301, 5265, 5641, 5272, 5278, 5690, 5707, 5419, 5327, 5455, 5718, 5263, 5332, 5489, 5573, 5661, 5508, 5592, 5585, 5548, 5424, 5334, 5259, 5467, 5368, 5429, 5472, 5388, 5454, 5420, 5404, 5675, 5485, 5669, 5438, 5587, 5653, 5520, 5434, 5651, 5622, 5497, 5339, 5461, 5473, 5685, 5330, 5406, 5582, 5362, 5377, 5663, 5460, 5293, 5433 (8 hits) (01/03/2014 09:38:30 AM)				
12	9	1.0	333.0	Yes	5271.0MHz, -61.0dBm	Hop sequence: 5655, 5515, 5705, 5505, 5498, 5283, 5710, 5368, 5644, 5512, 5444, 5653, 5257, 5600, 5594, 5279, 5396, 5253, 5680, 5384, 5426, 5350, 5431, 5719, 5544, 5693, 5633, 5288, 5551, 5410, 5485, 5307, 5365, 5352, 5531, 5266, 5354, 5508, 5718, 5663, 5281, 5459, 5331, 5298, 5310, 5501, 5284, 5587, 5503, 5516, 5513, 5716, 5296, 5265, 5621, 5404, 5584, 5539, 5465, 5377, 5581, 5439, 5316, 5624, 5326, 5254, 5712, 5553, 5353, 5394, 5286, 5606, 5671, 5670, 5638, 5679, 5452, 5647, 5476, 5676, 5642, 5322, 5548, 5341, 5409, 5541, 5455, 5580, 5345, 5289, 5347, 5626, 5250, 5643, 5622, 5385, 5658, 5433, 5301, 5434 (11 hits) (01/03/2014 09:38:37 AM)				
13	9	1.0	333.0	Yes	5272.0MHz, -61.0dBm	Hop sequence: 5554, 5505, 5569, 5367, 5681, 5267, 5420, 5451, 5465, 5327, 5332, 5517, 5629, 5378, 5634, 5563, 5298, 5635, 5352, 5512, 5604, 5711, 5467, 5284, 5261, 5296, 5573, 5722, 5677, 5463, 5615, 5333, 5646, 5257, 5383, 5688, 5639, 5311, 5576, 5482, 5272, 5303, 5631, 5250, 5655, 5251, 5462, 5719, 5697, 5397, 5558, 5297, 5347,				

File: R94497 Rev 3 Page 130 of 281

	Table 123 - FCC frequency hopping radar (Type 6) Results NU in CU-Aquire, Low-band								
Trial #	Pulses/ Burst	Pulse Width (us)	PRI (us)	Detected	Fr (MHz) and level (dBm)	Burst Information			
						5616, 5693, 5379, 5260, 5404, 5713, 5567, 5591, 5660, 5585, 5373, 5488, 5494, 5700, 5614, 5571, 5433, 5254, 5498, 5448, 5417, 5368, 5323, 5401, 5584, 5641, 5386, 5476, 5455, 5459, 5322, 5487, 5483, 5380, 5442, 5620, 5531, 5466, 5607, 5438, 5682, 5456, 5509, 5589, 5593, 5575, 5496 (6 hits) (01/03/2014 09:38:44 AM)			
14	9	1.0	333.0	Yes	5273.0MHz, -61.0dBm	Hop sequence: 5677, 5471, 5391, 5373, 5562, 5510, 5452, 5663, 5494, 5606, 5581, 5252, 5433, 5674, 5506, 5408, 5458, 5338, 5335, 5332, 5531, 5639, 5426, 5438, 5618, 5697, 5569, 5501, 5424, 5585, 5296, 5624, 5598, 5724, 5587, 5367, 5616, 5690, 5280, 5559, 5370, 5541, 5540, 5330, 5489, 5670, 5648, 5645, 5474, 5425, 5272, 5294, 5420, 5722, 5614, 5683, 5481, 5650, 5553, 5575, 5495, 5400, 5432, 5360, 5545, 5356, 5428, 5251, 5342, 5353, 5679, 5628, 5440, 5633, 5487, 5659, 5632, 5365, 5274, 5260, 5601, 5684, 5462, 5382, 5321, 5358, 5610, 5398, 5447, 5572, 5359, 5600, 5254, 5490, 5344, 5363, 5293, 5626, 5466, 5719 (6 hits) (01/03/2014 09:38:50 AM)			
15	9	1.0	333.0	Yes	5274.0MHz, -61.0dBm	Hop sequence: 5490, 5574, 5477, 5456, 5455, 5394, 5444, 5272, 5460, 5592, 5397, 5392, 5664, 5300, 5512, 5527, 5712, 5622, 5691, 5545, 5584, 5428, 5672, 5539, 5450, 5402, 5554, 5720, 5393, 5439, 5262, 5323, 5510, 5537, 5635, 5557, 5384, 5497, 5682, 5438, 5642, 5276, 5251, 5431, 5725, 5667, 5576, 5632, 5486, 5479, 5260, 5547, 5459, 5295, 5613, 5291, 5623, 5708, 5462, 5663, 5404, 5341, 5718, 5472, 5363, 5350, 5458, 5280, 5387, 5413, 5590, 5401, 5551, 5626, 5312, 5484, 5558, 5286, 5711, 5368, 5580, 5602, 5436, 5645, 5649, 5264, 5564, 5556, 5453, 5565, 5607, 5256, 5614, 5577, 5542, 5678, 5669, 5660, 5302, 5269 (9 hits) (01/03/2014 09:38:57 AM)			

File: R94497 Rev 3 Page 131 of 281

	Table 123 - FCC frequency hopping radar (Type 6) Results NU in CU-Aquire, Low-band									
Trial #	Pulses/ Burst	Pulse Width (us)	PRI (us)	Detected	Fr (MHz) and level (dBm)	Burst Information				
16	9	1.0	333.0	Yes	5275.0MHz, -61.0dBm	Hop sequence: 5457, 5640, 5354, 5642, 5433, 5710, 5422, 5707, 5458, 5371, 5340, 5546, 5610, 5357, 5501, 5562, 5597, 5409, 5488, 5681, 5274, 5670, 5399, 5539, 5439, 5609, 5721, 5260, 5393, 5364, 5428, 5518, 5625, 5524, 5355, 5586, 5377, 5589, 5335, 5298, 5624, 5561, 5583, 5449, 5316, 5618, 5304, 5575, 5483, 5619, 5352, 5682, 5574, 5474, 5250, 5268, 5485, 5319, 5309, 5470, 5672, 5605, 5573, 5285, 5705, 5584, 5299, 5414, 5692, 5421, 5604, 5405, 5558, 5407, 5423, 5638, 5690, 5435, 5420, 5513, 5412, 5564, 5308, 5559, 5438, 5639, 5718, 5317, 5621, 5427, 5542, 5550, 5284, 5396, 5660, 5607, 5390, 5404, 5270, 5594 (6 hits) (01/03/2014 09:39:04 AM)				
17	9	1.0	333.0	Yes	5276.0MHz, -61.0dBm	Hop sequence: 5329, 5464, 5311, 5314, 5280, 5445, 5383, 5589, 5614, 5598, 5519, 5721, 5650, 5443, 5279, 5374, 5456, 5361, 5419, 5299, 5565, 5356, 5367, 5450, 5553, 5494, 5661, 5312, 5373, 5610, 5569, 5657, 5724, 5434, 5696, 5680, 5452, 5332, 5654, 5712, 5498, 5297, 5253, 5651, 5527, 5359, 5649, 5660, 5376, 5624, 5586, 5386, 5704, 5418, 5605, 5437, 5403, 5689, 5261, 5701, 5502, 5702, 5372, 5438, 5393, 5370, 5364, 5298, 5664, 5396, 5255, 5615, 5663, 5582, 5466, 5573, 5576, 5473, 5673, 5410, 5416, 5618, 5698, 5360, 5289, 5637, 5323, 5536, 5616, 5349, 5545, 5548, 5596, 5350, 5513, 5676, 5263, 5500, 5440, 5424 (6 hits) (01/03/2014 09:39:11 AM)				
18	9	1.0	333.0	Yes	5277.0MHz, -61.0dBm	Hop sequence: 5559, 5646, 5306, 5534, 5701, 5543, 5267, 5659, 5668, 5549, 5602, 5672, 5632, 5599, 5520, 5259, 5363, 5621, 5359, 5287, 5615, 5395, 5425, 5482, 5295, 5579, 5487, 5410, 5282, 5702, 5580, 5393, 5353, 5254, 5352, 5349, 5547, 5270, 5375, 5392, 5530, 5684, 5691, 5475, 5591, 5592, 5344, 5436, 5434, 5428, 5511, 5584, 5704,				

File: R94497 Rev 3 Page 132 of 281

	Table 123 - FCC frequency hopping radar (Type 6) Results NU in CU-Aquire, Low-band									
Trial #	Pulses/ Burst	Pulse Width (us)	PRI (us)	Detected	Fr (MHz) and level (dBm)	Burst Information				
						5723, 5489, 5538, 5304, 5355, 5373, 5713, 5281, 5504, 5527, 5447, 5715, 5401, 5448, 5494, 5608, 5676, 5560, 5493, 5465, 5409, 5435, 5491, 5305, 5617, 5581, 5607, 5417, 5616, 5717, 5553, 5565, 5682, 5256, 5284, 5272, 5648, 5350, 5665, 5720, 5544, 5303, 5503, 5508, 5725, 5590, 5325 (8 hits) (01/03/2014 09:39:18 AM)				
19	9	1.0	333.0	Yes	5278.0MHz, -61.0dBm	Hop sequence: 5710, 5415, 5464, 5492, 5579, 5705, 5711, 5535, 5589, 5570, 5419, 5461, 5317, 5549, 5299, 5537, 5659, 5389, 5437, 5321, 5657, 5582, 5715, 5365, 5690, 5316, 5500, 5716, 5564, 5357, 5702, 5257, 5385, 5523, 5252, 5273, 5709, 5447, 5266, 5426, 5501, 5396, 5591, 5686, 5510, 5604, 5469, 5509, 5482, 5648, 5599, 5581, 5663, 5645, 5380, 5720, 5477, 5685, 5378, 5296, 5370, 5635, 5670, 5465, 5569, 5688, 5399, 5556, 5675, 5485, 5562, 5724, 5403, 5374, 5360, 5358, 5522, 5684, 5305, 5483, 5322, 5708, 5603, 5355, 5520, 5320, 5312, 5656, 5318, 5287, 5700, 5302, 5534, 5633, 5615, 5624, 5654, 5265, 5452, 5427 (5 hits) (01/03/2014 09:39:26 AM)				
20	9	1.0	333.0	Yes	5279.0MHz, -61.0dBm	Hop sequence: 5723, 5507, 5421, 5393, 5368, 5340, 5299, 5400, 5287, 5426, 5550, 5682, 5615, 5428, 5320, 5584, 5697, 5253, 5307, 5455, 5283, 5587, 5458, 5386, 5331, 5310, 5376, 5261, 5698, 5715, 5493, 5513, 5318, 5535, 5367, 5377, 5271, 5724, 5613, 5596, 5576, 5342, 5725, 5275, 5501, 5591, 5714, 5478, 5420, 5251, 5375, 5557, 5277, 5281, 5497, 5309, 5490, 5707, 5685, 5312, 5379, 5354, 5658, 5537, 5355, 5487, 5343, 5289, 5573, 5678, 5666, 5656, 5563, 5416, 5502, 5434, 5407, 5480, 5654, 5528, 5436, 5440, 5719, 5583, 5273, 5296, 5460, 5566, 5689, 5610, 5687, 5370, 5668, 5476, 5294, 5466, 5352, 5604, 5288, 5337 (11 hits) (01/03/2014 09:39:34 AM)				

File: R94497 Rev 3 Page 133 of 281

	Table 123 - FCC frequency hopping radar (Type 6) Results NU in CU-Aquire, Low-band									
Trial #	Pulses/ Burst	Pulse Width (us)	PRI (us)	Detected	Fr (MHz) and level (dBm)	Burst Information				
21	9	1.0	333.0	Yes	5280.0MHz, -61.0dBm	Hop sequence: 5290, 5512, 5419, 5494, 5490, 5542, 5412, 5672, 5668, 5544, 5439, 5696, 5548, 5607, 5707, 5706, 5560, 5702, 5605, 5384, 5639, 5284, 5559, 5365, 5551, 5616, 5306, 5345, 5699, 5382, 5646, 5714, 5591, 5276, 5515, 5377, 5637, 5691, 5700, 5452, 5498, 5337, 5539, 5652, 5506, 5355, 5297, 5556, 5450, 5640, 5429, 5393, 5481, 5520, 5650, 5543, 5546, 5294, 5372, 5444, 5279, 5319, 5574, 5659, 5619, 5425, 5335, 5575, 5695, 5679, 5693, 5540, 5456, 5518, 5288, 5266, 5390, 5585, 5656, 5251, 5305, 5398, 5354, 5565, 5448, 5688, 5531, 5717, 5385, 5392, 5346, 5627, 5285, 5598, 5499, 5310, 5253, 5705, 5606, 5400 (9 hits) (01/03/2014 09:39:42 AM)				
22	9	1.0	333.0	Yes	5281.0MHz, -61.0dBm	Hop sequence: 5595, 5410, 5415, 5516, 5356, 5370, 5602, 5373, 5421, 5709, 5623, 5438, 5702, 5463, 5620, 5624, 5703, 5418, 5478, 5635, 5485, 5588, 5524, 5578, 5455, 5434, 5666, 5526, 5632, 5256, 569, 5653, 5401, 5315, 5344, 5692, 5691, 5436, 5459, 5425, 5361, 5327, 5294, 5628, 5448, 5456, 5529, 5657, 5293, 5673, 5442, 5351, 5656, 5659, 5377, 5287, 5322, 5257, 5267, 5601, 5629, 5369, 5261, 5363, 5368, 5424, 5515, 5612, 5386, 5553, 5330, 5395, 5491, 5690, 5636, 5677, 5695, 5665, 5428, 5518, 5563, 5452, 5530, 5475, 5591, 5332, 5581, 5449, 5536, 5606, 5503, 5314, 5403, 5347, 5407, 5507, 5348, 5283, 5723, 5559 (5 hits) (01/03/2014 09:39:50 AM)				
23	9	1.0	333.0	Yes	5282.0MHz, -61.0dBm	Hop sequence: 5611, 5340, 5267, 5628, 5362, 5627, 5259, 5484, 5622, 5620, 5404, 5614, 5511, 5480, 5295, 5606, 5630, 5688, 5666, 5437, 5513, 5530, 5424, 5574, 5637, 5677, 5661, 5709, 5714, 5325, 5442, 5260, 5498, 5469, 5343, 5363, 5251, 5481, 5642, 5299, 5635, 5674, 5258, 5431, 5665, 5662, 5427, 5575, 5551, 5713, 5316, 5678, 5401,				

File: R94497 Rev 3 Page 134 of 281

	Table 12	3 - FCC frequ	iency hopp	ing radar (Ty	pe 6) Results NU	in CU-Aquire, Low-band
Trial #	Pulses/ Burst	Pulse Width (us)	PRI (us)	Detected	Fr (MHz) and level (dBm)	Burst Information
						5722, 5610, 5699, 5403, 5257, 5537, 5640, 5382, 5466, 5545, 5314, 5292, 5596, 5717, 5350, 5601, 5436, 5334, 5626, 5634, 5250, 5552, 5368, 5540, 5615, 5413, 5698, 5660, 5542, 5397, 5459, 5454, 5376, 5320, 5353, 5410, 5389, 5651, 5723, 5335, 5516, 5478, 5453, 5555, 5534, 5443, 5402 (3 hits) (01/03/2014 09:39:57 AM)
24	9	1.0	333.0	Yes	5283.0MHz, -61.0dBm	Hop sequence: 5453, 5402, 5256, 5544, 5485, 5321, 5606, 5409, 5397, 5651, 5599, 5670, 5433, 5552, 5633, 5309, 5717, 5406, 5289, 5250, 5539, 5641, 5560, 5395, 5571, 5411, 5585, 5302, 5382, 5514, 5259, 5389, 5533, 5342, 5655, 5675, 5454, 5432, 5603, 5705, 5332, 5495, 5661, 5496, 5269, 5475, 5660, 5590, 5470, 5426, 5561, 5439, 5343, 5388, 5303, 5462, 5508, 5663, 5584, 5580, 5271, 5695, 5710, 5273, 5469, 5336, 5689, 5532, 5254, 5690, 5291, 5616, 5360, 5683, 5326, 5299, 5374, 5694, 5393, 5459, 5592, 5639, 5551, 5386, 5575, 5664, 5665, 5715, 5457, 5316, 5466, 5604, 5376, 5658, 5698 (6 hits) (01/03/2014 09:40:06 AM)
25	9	1.0	333.0	Yes	5284.0MHz, -61.0dBm	Hop sequence: 5704, 5539, 5515, 5311, 5502, 5664, 5486, 5586, 5343, 5589, 5405, 5333, 5361, 5423, 5549, 5407, 5458, 5578, 5710, 5692, 5590, 5697, 5308, 5717, 5413, 5365, 5599, 5345, 5638, 5377, 5656, 5648, 5682, 5671, 5432, 5359, 5370, 5474, 5560, 5652, 5603, 5550, 5496, 5382, 5681, 5347, 5384, 5541, 5538, 5686, 5501, 5426, 5395, 5548, 5680, 5683, 5411, 5324, 5535, 5288, 5290, 5400, 5276, 5721, 5457, 5512, 5337, 5340, 5441, 5715, 5462, 5289, 5587, 5422, 5445, 5534, 5427, 5420, 5421, 5372, 5328, 5492, 5670, 5259, 5556, 5251, 5341, 5536, 5437, 5304, 5573, 5597, 5387, 5353, 5283, 5317, 5566, 5494, 5562, 5356 (5 hits) (01/03/2014 09:40:13 AM)

File: R94497 Rev 3 Page 135 of 281

	Table 123 - FCC frequency hopping radar (Type 6) Results NU in CU-Aquire, Low-band								
Trial #	Pulses/ Burst	Pulse Width (us)	PRI (us)	Detected	Fr (MHz) and level (dBm)	Burst Information			
26	9	1.0	333.0	Yes	5285.0MHz, -61.0dBm	Hop sequence: 5577, 5544, 5713, 5411, 5322, 5575, 5493, 5256, 5490, 5685, 5262, 5550, 5607, 5489, 5271, 5497, 5375, 5371, 5624, 5354, 5263, 5509, 5315, 5519, 5339, 5723, 5443, 5498, 5630, 5474, 5718, 5709, 5442, 5335, 5516, 5494, 5617, 5278, 5347, 5338, 5653, 5364, 5275, 5674, 5576, 5677, 5724, 5578, 5563, 5618, 5300, 5632, 5582, 5311, 5692, 5273, 5441, 5429, 5417, 5634, 5305, 5628, 5286, 5287, 5540, 5434, 5571, 5374, 5505, 5638, 5253, 5670, 5537, 5422, 5280, 5451, 5693, 5688, 5566, 5627, 5409, 5308, 5352, 5491, 5295, 5715, 5397, 5647, 5440, 5602, 5682, 5475, 5625, 5725, 5469, 5564, 5358, 5376, 5504, 5620 (10 hits) (01/03/2014 09:40:20 AM)			
27	9	1.0	333.0	Yes	5286.0MHz, -61.0dBm	Hop sequence: 5614, 5540, 5408, 5264, 5690, 5333, 5363, 5677, 5256, 5667, 5360, 5424, 5331, 5455, 5265, 5251, 5361, 5335, 5450, 5654, 5548, 5573, 5444, 5621, 5268, 5528, 5274, 5657, 5644, 5527, 5530, 5489, 5262, 5478, 5347, 5407, 5427, 5310, 5285, 5709, 5593, 5726, 5287, 5305, 5415, 5428, 5514, 5501, 5325, 5718, 5646, 5420, 5619, 5488, 5568, 5367, 5286, 5588, 5377, 5725, 5304, 5259, 5536, 5369, 5404, 5275, 5627, 5467, 5378, 5269, 5498, 5672, 5504, 5507, 5403, 5626, 5594, 5584, 5365, 5552, 5457, 5645, 5641, 5384, 5543, 5711, 5334, 5550, 5405, 5439, 5376, 5495, 5307, 5592, 5723 (11 hits) (01/03/2014 09:40:27 AM)			
28	9	1.0	333.0	Yes	5287.0MHz, -61.0dBm	Hop sequence: 5515, 5324, 5633, 5684, 5447, 5254, 5403, 5581, 5321, 5669, 5457, 5281, 5591, 5272, 5556, 5665, 5585, 5532, 5356, 5369, 5566, 5580, 5717, 5423, 5572, 5305, 5368, 5455, 5544, 5351, 5289, 5416, 5658, 5301, 5626, 5689, 5441, 5574, 5442, 5363, 5295, 5370, 5688, 5330, 5490, 5420, 5274, 5521, 5469, 5651, 5478, 5705, 5266,			

File: R94497 Rev 3 Page 136 of 281

	Table 123 - FCC frequency hopping radar (Type 6) Results NU in CU-Aquire, Low-band								
Trial #	Pulses/ Burst	Pulse Width (us)	PRI (us)	Detected	Fr (MHz) and level (dBm)	Burst Information			
						5661, 5696, 5399, 5488, 5326, 5657, 5381, 5450, 5434, 5471, 5616, 5458, 5461, 5569, 5361, 5711, 5621, 5259, 5433, 5315, 5712, 5623, 5264, 5344, 5256, 5265, 5422, 5683, 5439, 5545, 5505, 5487, 5303, 5408, 5258, 5655, 5332, 5501, 5412, 5565, 5646, 5495, 5719, 5631, 5252, 5329, 5707 (8 hits) (01/03/2014 09:40:34 AM)			
29	9	1.0	333.0	Yes	5288.0MHz, -61.0dBm	Hop sequence: 5254, 5652, 5718, 5523, 5716, 5371, 5337, 5536, 5495, 5695, 5401, 5449, 5622, 5322, 5319, 5450, 5372, 5393, 5557, 5455, 5407, 5706, 5253, 5265, 5511, 5476, 5553, 5624, 5468, 5593, 5704, 5516, 5674, 5284, 5617, 5549, 5276, 5484, 5513, 5656, 5506, 5394, 5252, 5639, 5702, 5693, 5339, 5700, 5616, 5273, 5428, 5335, 5569, 5582, 5724, 5345, 5367, 5620, 5343, 5256, 5713, 5719, 5419, 5437, 5698, 5683, 5258, 5412, 5384, 5662, 5261, 5672, 5395, 5278, 5526, 5625, 5483, 5563, 5532, 5423, 5307, 5404, 5399, 5623, 5489, 5712, 5566, 5281, 5682, 5520, 5298, 5539, 5277, 5688, 5452, 5283, 5572, 5390, 5350, 5515 (9 hits) (01/03/2014 09:40:40 AM)			
30	9	1.0	333.0	Yes	5289.0MHz, -61.0dBm	Hop sequence: 5668, 5595, 5590, 5355, 5724, 5686, 5631, 5257, 5713, 5466, 5564, 5725, 5462, 5394, 5563, 5469, 5325, 5336, 5480, 5533, 5608, 5425, 5441, 5524, 5328, 5407, 5418, 5496, 5450, 5542, 5636, 5465, 5349, 5309, 5695, 5592, 5687, 5381, 5456, 5593, 5405, 5648, 5284, 5340, 5252, 5681, 5251, 5482, 5505, 5538, 5710, 5269, 5642, 5651, 5341, 5653, 5667, 5546, 5649, 5553, 5316, 5696, 5329, 5490, 5692, 5662, 5265, 5492, 5313, 5530, 5624, 5348, 5396, 5369, 5273, 5580, 5463, 5639, 5484, 5598, 5473, 5599, 5312, 5646, 5677, 5367, 5707, 5611, 5559, 5635, 5430, 5554, 5280, 5277, 5556, 5619, 5557, 5392, 5298, 5410 (7 hits) (01/03/2014 09:40:47 AM)			

File: R94497 Rev 3 Page 137 of 281

	Table 12	3 - FCC frequ	iency hopp	ing radar (Ty	pe 6) Results NU	in CU-Aquire, Low-band
Trial #	Pulses/ Burst	Pulse Width (us)	PRI (us)	Detected	Fr (MHz) and level (dBm)	Burst Information
31	9	1.0	333.0	Yes	5290.0MHz, -61.0dBm	Hop sequence: 5593, 5338, 5283, 5516, 5269, 5494, 5310, 5309, 5533, 5277, 5483, 5263, 5489, 5492, 5724, 5535, 5619, 5372, 5333, 5254, 5710, 5652, 5282, 5528, 5647, 5706, 5341, 5444, 5715, 5425, 5564, 5635, 5501, 5543, 5460, 5317, 5332, 5435, 5256, 5276, 5605, 5286, 5452, 5694, 5387, 5672, 5551, 5612, 5603, 5336, 5323, 5447, 5292, 5653, 5359, 5351, 5592, 5595, 5465, 5374, 5709, 5255, 5591, 5601, 5692, 5337, 5617, 5463, 5719, 5541, 5589, 5623, 5299, 5665, 5638, 5573, 5356, 5392, 5707, 5563, 5666, 5711, 5704, 5450, 5524, 5499, 5571, 5285, 5626, 5554, 5414, 5581, 5667, 5507, 5687, 5522, 5430, 5334, 5327, 5689 (9 hits) (01/03/2014 09:40:53 AM)
32	9	1.0	333.0	Yes	5291.0MHz, -61.0dBm	Hop sequence: 5568, 5294, 5622, 5387, 5516, 5310, 5716, 5678, 5605, 5570, 5257, 5486, 5710, 5494, 5712, 5266, 5541, 5448, 5652, 5561, 5463, 5350, 5665, 5481, 5455, 5328, 5572, 5284, 5368, 5312, 5617, 5585, 5655, 5482, 5333, 5275, 5511, 5298, 5529, 5563, 5447, 5706, 5423, 5470, 5694, 5377, 5680, 5251, 5611, 5567, 5695, 5346, 5557, 5445, 5676, 5594, 5496, 5588, 5530, 5261, 5509, 5381, 5390, 5271, 5675, 5538, 5551, 5468, 5518, 5318, 5285, 5456, 5457, 5633, 5623, 5295, 5587, 5268, 5621, 5532, 5418, 5432, 5478, 5569, 5270, 5303, 5372, 5464, 5578, 5707, 5698, 5550, 5280, 5391, 5367, 5358, 5645, 5719, 5638, 5615 (11 hits) (01/03/2014 09:41:00 AM)
33	9	1.0	333.0	Yes	5292.0MHz, -61.0dBm	Hop sequence: 5310, 5588, 5689, 5554, 5383, 5687, 5315, 5682, 5267, 5263, 5508, 5418, 5324, 5344, 5269, 5489, 5691, 5709, 5587, 5254, 5533, 5318, 5595, 5430, 5527, 5448, 5445, 5467, 5456, 5386, 5504, 5492, 5573, 5255, 5423, 5540, 5388, 5351, 5477, 5529, 5465, 5257, 5517, 5720, 5626, 5503, 5581, 5551, 5592, 5718, 5470, 5589, 5416,

File: R94497 Rev 3 Page 138 of 281

	Table 123 - FCC frequency hopping radar (Type 6) Results NU in CU-Aquire, Low-band								
Trial #	Pulses/ Burst	Pulse Width (us)	PRI (us)	Detected	Fr (MHz) and level (dBm)	Burst Information			
						5406, 5462, 5511, 5434, 5698, 5664, 5457, 5420, 5348, 5364, 5481, 5723, 5636, 5390, 5347, 5304, 5338, 5301, 5407, 5647, 5712, 5331, 5552, 5252, 5693, 5370, 5495, 5476, 5658, 5292, 5632, 5537, 5512, 5615, 5435, 5513, 5612, 5631, 5535, 5334, 5598, 5544, 5625, 5591, 5253, 5621, 5572 (4 hits) (01/03/2014 09:41:07 AM)			
34	9	1.0	333.0	Yes	5293.0MHz, -61.0dBm	Hop sequence: 5653, 5645, 5552, 5329, 5508, 5608, 5506, 5392, 5477, 5483, 5275, 5466, 5582, 5478, 5672, 5377, 5445, 5658, 5378, 5595, 5606, 5523, 5314, 5675, 5422, 5614, 5673, 5706, 5315, 5538, 5714, 5342, 5340, 5318, 5406, 5522, 5655, 5467, 5432, 5510, 5677, 5411, 5531, 5462, 5583, 5665, 5712, 5278, 5431, 5638, 5566, 5394, 5442, 5643, 5453, 5610, 5501, 5527, 5457, 5699, 5308, 5363, 5685, 5713, 5408, 5632, 5700, 5263, 5509, 5592, 5619, 5450, 5404, 5671, 5517, 5547, 5352, 5723, 5273, 5605, 5471, 5399, 5684, 5530, 5562, 5289, 5666, 5265, 5603, 5480, 5704, 5497, 5641, 5599, 5304, 5633, 5381, 5690, 5319, 5479 (6 hits) (01/03/2014 09:41:14 AM)			
35	9	1.0	333.0	Yes	5294.0MHz, -61.0dBm	Hop sequence: 5478, 5416, 5415, 5725, 5702, 5346, 5481, 5389, 5459, 5664, 5313, 5455, 5376, 5689, 5685, 5294, 5561, 5650, 5344, 5486, 5442, 5527, 5309, 5488, 5360, 5543, 5632, 5553, 5385, 5596, 5491, 5282, 5492, 5646, 5619, 5336, 5573, 5391, 5606, 5489, 5587, 5659, 5273, 5688, 5565, 5472, 5267, 5662, 5513, 5302, 5253, 5533, 5450, 5345, 5463, 5311, 5320, 5620, 5460, 5263, 5582, 5695, 5503, 5257, 5530, 5657, 5421, 5404, 5699, 5312, 5351, 5633, 5402, 5549, 5583, 5715, 5473, 5724, 5428, 5501, 5287, 5645, 5462, 5251, 5379, 5413, 5420, 5576, 5383, 5512, 5661, 5418, 5394, 5284, 5353, 5676, 5634, 5599, 5577, 5691 (7 hits) (01/03/2014 09:41:21 AM)			

File: R94497 Rev 3 Page 139 of 281

	Table 12	3 - FCC frequ	ency hopp	ing radar (Ty	pe 6) Results NU	in CU-Aquire, Low-band
Trial #	Pulses/ Burst	Pulse Width (us)	PRI (us)	Detected	Fr (MHz) and level (dBm)	Burst Information
36	9	1.0	333.0	Yes	5295.0MHz, -61.0dBm	Hop sequence: 5444, 5335, 5483, 5417, 5292, 5711, 5569, 5353, 5405, 5436, 5670, 5710, 5456, 5596, 5515, 5663, 5504, 5410, 5577, 5650, 5396, 5655, 5270, 5721, 5397, 5599, 5343, 5310, 5691, 5618, 5662, 5521, 5529, 5363, 5681, 5500, 5656, 5546, 5489, 5447, 5464, 5505, 5666, 5565, 5712, 5553, 5306, 5323, 5693, 5510, 5418, 5626, 5297, 5612, 5573, 5688, 5600, 5571, 5508, 5507, 5597, 5309, 5527, 5639, 5484, 5280, 5254, 5684, 5355, 5490, 5683, 5492, 5709, 5360, 5283, 5525, 5275, 5414, 5608, 5516, 5675, 5488, 5542, 5251, 5686, 5312, 5466, 5511, 5614, 5669, 5419, 5678, 5674, 5260, 5578, 5501, 5378, 5347, 5455, 5350 (6 hits) (01/03/2014 09:41:27 AM)
37	9	1.0	333.0	Yes	5296.0MHz, -61.0dBm	Hop sequence: 5418, 5295, 5462, 5286, 5455, 5274, 5598, 5523, 5690, 5472, 5431, 5519, 5494, 5652, 5268, 5660, 5299, 5420, 5358, 5558, 5292, 5638, 5703, 5618, 5380, 5495, 5693, 5710, 5489, 5388, 5413, 5654, 5303, 5630, 5623, 5361, 5701, 5411, 5723, 5301, 5469, 5470, 5436, 5683, 5360, 5376, 5571, 5599, 5517, 5687, 5377, 5501, 5346, 5397, 5427, 5601, 5288, 5642, 5385, 5343, 5371, 5482, 5281, 5538, 5595, 5667, 5378, 5516, 5565, 5548, 5452, 5498, 5349, 5560, 5626, 5254, 5646, 5255, 5373, 5720, 5609, 5717, 5563, 5309, 5435, 5615, 5316, 5706, 5252, 5456, 5297, 5569, 5533, 5671, 5485, 5507, 5369, 5363, 5332, 5526 (8 hits) (01/03/2014 09:41:35 AM)

File: R94497 Rev 3 Page 140 of 281

NU in CU Sync Mode High Band 5540 MHz

Table 124 - Summary of All Results NU in CU-Aquire High band								
Waveform Name	Pd (%)	Pd Required (%)	Number of Trials	Status				
FCC Short Pulse Radar (Type 1)	96.7 %	60.0 %	30	PASSED				
FCC Short Pulse Radar (Type 2)	100.0 %	60.0 %	30	PASSED				
FCC Short Pulse Radar (Type 3)	90.0 %	60.0 %	30	PASSED				
FCC Short Pulse Radar (Type 4)	90.0 %	60.0 %	30	PASSED				
Aggregate of above results	94.2 %	80.0 %	120	PASSED				
Long Sequence	83.3 %	80.0 %	30	PASSED				
FCC frequency hopping radar (Type 6)	97.3 %	70.0 %	37	PASSED				

Table 125 - Detection Bandwidth Measurements (Bandwidth: +18MHz /-18MHz) NU in CU-Aquire, Highband								
EUT Frequency	Radar Type	Radar Frequency	# Detected	# Not Detected	Success (%)			
5540.00 MHz	FCC Short Pulse Radar (Type 1)	5521.00 MHz	0	3	0			
5540.00 MHz	FCC Short Pulse Radar (Type 1)	5522.00 MHz	9	1	90			
5540.00 MHz	FCC Short Pulse Radar (Type 1)	5523.00 MHz	10	0	100			
5540.00 MHz	FCC Short Pulse Radar (Type 1)	5524.00 MHz	10	0	100			
5540.00 MHz	FCC Short Pulse Radar (Type 1)	5525.00 MHz	10	0	100			
5540.00 MHz	FCC Short Pulse Radar (Type 1)	5526.00 MHz	10	0	100			
5540.00 MHz	FCC Short Pulse Radar (Type 1)	5527.00 MHz	10	0	100			
5540.00 MHz	FCC Short Pulse Radar (Type 1)	5528.00 MHz	10	0	100			
5540.00 MHz	FCC Short Pulse Radar (Type 1)	5529.00 MHz	10	0	100			
5540.00 MHz	FCC Short Pulse Radar (Type 1)	5530.00 MHz	10	0	100			
5540.00 MHz	FCC Short Pulse Radar (Type 1)	5531.00 MHz	10	0	100			
5540.00 MHz	FCC Short Pulse Radar (Type 1)	5532.00 MHz	10	0	100			
5540.00 MHz	FCC Short Pulse Radar (Type 1)	5533.00 MHz	10	0	100			
5540.00 MHz	FCC Short Pulse Radar (Type 1)	5534.00 MHz	10	0	100			
5540.00 MHz	FCC Short Pulse Radar (Type 1)	5535.00 MHz	10	0	100			
5540.00 MHz	FCC Short Pulse Radar (Type 1)	5536.00 MHz	10	0	100			
5540.00 MHz	FCC Short Pulse Radar (Type 1)	5537.00 MHz	10	0	100			
5540.00 MHz	FCC Short Pulse Radar (Type 1)	5538.00 MHz	10	0	100			
5540.00 MHz	FCC Short Pulse Radar (Type 1)	5539.00 MHz	10	0	100			

File: R94497 Rev 3 Page 141 of 281

Table 125 - Detection Bandwidth Measurements (Bandwidth: +18MHz /-18MHz) NU in CU-Aquire, Highband

band									
EUT Frequency	Radar Type	Radar Frequency	# Detected	# Not Detected	Success (%)				
5540.00 MHz	FCC Short Pulse Radar (Type 1)	5540.00 MHz	10	0	100				
5540.00 MHz	FCC Short Pulse Radar (Type 1)	5541.00 MHz	10	0	100				
5540.00 MHz	FCC Short Pulse Radar (Type 1)	5542.00 MHz	10	0	100				
5540.00 MHz	FCC Short Pulse Radar (Type 1)	5543.00 MHz	10	0	100				
5540.00 MHz	FCC Short Pulse Radar (Type 1)	5544.00 MHz	10	0	100				
5540.00 MHz	FCC Short Pulse Radar (Type 1)	5545.00 MHz	10	0	100				
5540.00 MHz	FCC Short Pulse Radar (Type 1)	5546.00 MHz	10	0	100				
5540.00 MHz	FCC Short Pulse Radar (Type 1)	5547.00 MHz	10	0	100				
5540.00 MHz	FCC Short Pulse Radar (Type 1)	5548.00 MHz	10	0	100				
5540.00 MHz	FCC Short Pulse Radar (Type 1)	5549.00 MHz	10	0	100				
5540.00 MHz	FCC Short Pulse Radar (Type 1)	5550.00 MHz	9	1	90				
5540.00 MHz	FCC Short Pulse Radar (Type 1)	5551.00 MHz	10	0	100				
5540.00 MHz	FCC Short Pulse Radar (Type 1)	5552.00 MHz	10	0	100				
5540.00 MHz	FCC Short Pulse Radar (Type 1)	5553.00 MHz	10	0	100				
5540.00 MHz	FCC Short Pulse Radar (Type 1)	5554.00 MHz	10	0	100				
5540.00 MHz	FCC Short Pulse Radar (Type 1)	5555.00 MHz	10	0	100				
5540.00 MHz	FCC Short Pulse Radar (Type 1)	5556.00 MHz	10	0	100				
5540.00 MHz	FCC Short Pulse Radar (Type 1)	5557.00 MHz	10	0	100				
5540.00 MHz	FCC Short Pulse Radar (Type 1)	5558.00 MHz	10	0	100				
5540.00 MHz	FCC Short Pulse Radar (Type 1)	5559.00 MHz	0	3	0				

	Table 126 - FCC Short Pulse Radar (Type 1) Results NU in CU-Aquire, High-band								
Trial #	Pulses/ Burst	Pulse Width (us)	PRI (us)	Detected	Fr (MHz) and level (dBm)	Burst Information			
1	18	1.0	1428.0	Yes	5545.0MHz, -61.0dBm	Single burst (12/20/2013 04:04:18 PM)			
2	18	1.0	1428.0	Yes	5540.0MHz, -61.0dBm	Single burst (12/20/2013 04:04:30 PM)			

File: R94497 Rev 3 Page 142 of 281

	Table 126 - FCC Short Pulse Radar (Type 1) Results NU in CU-Aquire, High-band								
Trial #	Pulses/ Burst	Pulse Width (us)	PRI (us)	Detected	Fr (MHz) and level (dBm)	Burst Information			
3	18	1.0	1428.0	Yes	5535.0MHz, -61.0dBm	Single burst (12/20/2013 04:04:40 PM)			
4	18	1.0	1428.0	Yes	5530.0MHz, -61.0dBm	Single burst (12/20/2013 04:04:49 PM)			
5	18	1.0	1428.0	Yes	5550.0MHz, -61.0dBm	Single burst (12/20/2013 04:04:58 PM)			
6	18	1.0	1428.0	Yes	5545.0MHz, -61.0dBm	Single burst (12/20/2013 04:05:18 PM)			
7	18	1.0	1428.0	Yes	5540.0MHz, -61.0dBm	Single burst (12/20/2013 04:05:29 PM)			
8	18	1.0	1428.0	No	5535.0MHz, -61.0dBm	Single burst (12/20/2013 04:05:38 PM)			
9	18	1.0	1428.0	Yes	5530.0MHz, -61.0dBm	Single burst (12/20/2013 04:05:53 PM)			
10	18	1.0	1428.0	Yes	5550.0MHz, -61.0dBm	Single burst (12/20/2013 04:06:03 PM)			
11	18	1.0	1428.0	Yes	5545.0MHz, -61.0dBm	Single burst (12/20/2013 04:06:13 PM)			
12	18	1.0	1428.0	Yes	5540.0MHz, -61.0dBm	Single burst (12/20/2013 04:06:24 PM)			
13	18	1.0	1428.0	Yes	5535.0MHz, -61.0dBm	Single burst (12/20/2013 04:06:37 PM)			
14	18	1.0	1428.0	Yes	5530.0MHz, -61.0dBm	Single burst (12/20/2013 04:06:46 PM)			
15	18	1.0	1428.0	Yes	5550.0MHz, -61.0dBm	Single burst (12/20/2013 04:06:55 PM)			
16	18	1.0	1428.0	Yes	5545.0MHz, -61.0dBm	Single burst (12/20/2013 04:07:05 PM)			
17	18	1.0	1428.0	Yes	5540.0MHz, -61.0dBm	Single burst (12/20/2013 04:07:23 PM)			
18	18	1.0	1428.0	Yes	5535.0MHz, -61.0dBm	Single burst (12/20/2013 04:07:33 PM)			
19	18	1.0	1428.0	Yes	5530.0MHz, -61.0dBm	Single burst (12/20/2013 04:07:42 PM)			
20	18	1.0	1428.0	Yes	5550.0MHz, -61.0dBm	Single burst (12/20/2013 04:07:51 PM)			
21	18	1.0	1428.0	Yes	5545.0MHz, -61.0dBm	Single burst (12/20/2013 04:08:03 PM)			
22	18	1.0	1428.0	Yes	5540.0MHz, -61.0dBm	Single burst (12/20/2013 04:08:12 PM)			
23	18	1.0	1428.0	Yes	5535.0MHz, -61.0dBm	Single burst (12/20/2013 04:08:26 PM)			
24	18	1.0	1428.0	Yes	5530.0MHz, -61.0dBm	Single burst (12/20/2013 04:08:37 PM)			
25	18	1.0	1428.0	Yes	5550.0MHz, -61.0dBm	Single burst (12/20/2013 04:08:50 PM)			
26	18	1.0	1428.0	Yes	5545.0MHz, -61.0dBm	Single burst (12/20/2013 04:09:05 PM)			
27	18	1.0	1428.0	Yes	5540.0MHz, -61.0dBm	Single burst (12/20/2013 04:09:18 PM)			
28	18	1.0	1428.0	Yes	5535.0MHz, -61.0dBm	Single burst (12/20/2013 04:09:31 PM)			
29	18	1.0	1428.0	Yes	5530.0MHz, -61.0dBm	Single burst (12/20/2013 04:11:50 PM)			

File: R94497 Rev 3 Page 143 of 281

Table 126 - FCC Short Pulse Radar (Type 1) Results NU in CU-Aquire, High-band							
Trial #	Pulses/ Burst	Pulse Width (us)	PRI (us)	Detected	Fr (MHz) and level (dBm)	Burst Information	
30	18	1.0	1428.0	Yes	5550.0MHz, -61.0dBm	Single burst (12/20/2013 04:11:59 PM)	

Table 127 - FCC Short Pulse Radar (Type 2) Results NU in CU-Aquire, High-band						
Trial #	Pulses/ Burst	Pulse Width (us)	PRI (us)	Detected	Fr (MHz) and level (dBm)	Burst Information
1	26	4.0	212.0	Yes	5540.0MHz, -61.0dBm	Single burst (12/20/2013 04:12:52 PM)
2	24	3.8	159.0	Yes	5535.0MHz, -61.0dBm	Single burst (12/20/2013 04:13:05 PM)
3	26	2.9	213.0	Yes	5530.0MHz, -61.0dBm	Single burst (12/20/2013 04:13:13 PM)
4	27	4.5	201.0	Yes	5550.0MHz, -61.0dBm	Single burst (12/20/2013 04:13:19 PM)
5	27	3.5	197.0	Yes	5545.0MHz, -61.0dBm	Single burst (12/20/2013 04:13:26 PM)
6	27	1.6	184.0	Yes	5540.0MHz, -61.0dBm	Single burst (12/20/2013 04:13:33 PM)
7	28	1.9	155.0	Yes	5535.0MHz, -61.0dBm	Single burst (12/20/2013 04:13:40 PM)
8	29	4.9	151.0	Yes	5530.0MHz, -61.0dBm	Single burst (12/20/2013 04:13:53 PM)
9	26	4.2	193.0	Yes	5550.0MHz, -61.0dBm	Single burst (12/20/2013 04:14:03 PM)
10	28	1.2	189.0	Yes	5545.0MHz, -61.0dBm	Single burst (12/20/2013 04:14:20 PM)
11	28	1.8	179.0	Yes	5540.0MHz, -61.0dBm	Single burst (12/20/2013 04:14:30 PM)
12	27	2.7	176.0	Yes	5535.0MHz, -61.0dBm	Single burst (12/20/2013 04:14:43 PM)
13	25	3.5	216.0	Yes	5530.0MHz, -61.0dBm	Single burst (12/20/2013 04:14:54 PM)
14	25	3.7	163.0	Yes	5550.0MHz, -61.0dBm	Single burst (12/20/2013 04:15:02 PM)
15	27	4.4	163.0	Yes	5545.0MHz, -61.0dBm	Single burst (12/20/2013 04:15:09 PM)
16	28	1.2	214.0	Yes	5540.0MHz, -61.0dBm	Single burst (12/20/2013 04:15:17 PM)
17	24	3.5	214.0	Yes	5535.0MHz, -61.0dBm	Single burst (12/20/2013 04:15:37 PM)
18	24	3.4	229.0	Yes	5530.0MHz, -61.0dBm	Single burst (12/20/2013 04:15:48 PM)
19	25	2.9	223.0	Yes	5550.0MHz, -61.0dBm	Single burst (12/20/2013 04:15:56 PM)
20	29	4.2	170.0	Yes	5545.0MHz, -61.0dBm	Single burst (12/20/2013 04:16:04 PM)
21	25	2.7	215.0	Yes	5540.0MHz, -61.0dBm	Single burst (12/20/2013 04:17:01 PM)
22	28	1.0	185.0	Yes	5535.0MHz, -61.0dBm	Single burst (12/20/2013 04:17:13 PM)
23	28	4.2	198.0	Yes	5530.0MHz, -61.0dBm	Single burst (12/20/2013 04:17:20 PM)
24	25	1.8	174.0	Yes	5550.0MHz,	Single burst (12/20/2013 04:17:27

File: R94497 Rev 3 Page 144 of 281

-61.0dBm

PM)

	Table 127 - FCC Short Pulse Radar (Type 2) Results NU in CU-Aquire, High-band									
Trial #	Pulses/ Burst	Pulse Width (us)	PRI (us)	Detected	Fr (MHz) and level (dBm)	Burst Information				
					-61.0dBm	PM)				
25	28	4.6	161.0	Yes	5545.0MHz, -61.0dBm	Single burst (12/20/2013 04:18:03 PM)				
26	25	3.7	204.0	Yes	5540.0MHz, -61.0dBm	Single burst (12/20/2013 04:18:09 PM)				
27	25	1.2	215.0	Yes	5535.0MHz, -61.0dBm	Single burst (12/20/2013 04:18:16 PM)				
28	28	1.4	169.0	Yes	5530.0MHz, -61.0dBm	Single burst (12/20/2013 04:18:24 PM)				
29	29	4.0	218.0	Yes	5550.0MHz, -61.0dBm	Single burst (12/20/2013 04:18:31 PM)				
30	25	3.6	221.0	Yes	5545.0MHz, -61.0dBm	Single burst (12/20/2013 04:18:37 PM)				

	Table 128 - FCC Short Pulse Radar (Type 3) Results NU in CU-Aquire, High-band									
Trial #	Pulses/ Burst	Pulse Width (us)	PRI (us)	Detected	Fr (MHz) and level (dBm)	Burst Information				
1	18	7.1	471.0	No	5540.0MHz, -61.0dBm	Single burst (12/20/2013 04:19:17 PM)				
2	18	9.4	376.0	Yes	5535.0MHz, -61.0dBm	Single burst (12/20/2013 04:19:28 PM)				
3	18	6.9	253.0	Yes	5530.0MHz, -61.0dBm	Single burst (12/20/2013 04:19:37 PM)				
4	18	6.3	405.0	Yes	5550.0MHz, -61.0dBm	Single burst (12/20/2013 04:19:45 PM)				
5	17	6.5	429.0	Yes	5545.0MHz, -61.0dBm	Single burst (12/20/2013 04:19:51 PM)				
6	17	8.1	211.0	No	5540.0MHz, -61.0dBm	Single burst (12/20/2013 04:19:58 PM)				
7	16	7.1	419.0	Yes	5535.0MHz, -61.0dBm	Single burst (12/20/2013 04:20:05 PM)				
8	17	9.2	235.0	Yes	5530.0MHz, -61.0dBm	Single burst (12/20/2013 04:20:12 PM)				
9	17	6.1	312.0	Yes	5550.0MHz, -61.0dBm	Single burst (12/20/2013 04:20:19 PM)				
10	17	9.8	370.0	Yes	5545.0MHz, -61.0dBm	Single burst (12/20/2013 04:20:26 PM)				
11	16	9.7	272.0	No	5540.0MHz, -61.0dBm	Single burst (12/20/2013 04:20:34 PM)				
12	16	9.7	209.0	Yes	5535.0MHz, -61.0dBm	Single burst (12/20/2013 04:20:42 PM)				
13	18	9.6	295.0	Yes	5530.0MHz, -61.0dBm	Single burst (12/20/2013 04:20:49 PM)				
14	17	8.0	243.0	Yes	5550.0MHz, -61.0dBm	Single burst (12/20/2013 04:20:56 PM)				
15	17	8.0	461.0	Yes	5545.0MHz, -61.0dBm	Single burst (12/20/2013 04:21:03 PM)				
16	17	6.3	329.0	Yes	5540.0MHz, -61.0dBm	Single burst (12/20/2013 04:21:10 PM)				
17	17	8.0	287.0	Yes	5535.0MHz, -61.0dBm	Single burst (12/20/2013 04:21:16 PM)				
18	17	8.8	316.0	Yes	5530.0MHz, -61.0dBm	Single burst (12/20/2013 04:21:24 PM)				

File: R94497 Rev 3 Page 145 of 281

	Table 128 - FCC Short Pulse Radar (Type 3) Results NU in CU-Aquire, High-band									
Trial #	Pulses/ Burst	Pulse Width (us)	PRI (us)	Detected	Fr (MHz) and level (dBm)	Burst Information				
19	17	6.9	443.0	Yes	5550.0MHz, -61.0dBm	Single burst (12/20/2013 04:21:31 PM)				
20	18	7.3	387.0	Yes	5545.0MHz, -61.0dBm	Single burst (12/20/2013 04:21:38 PM)				
21	16	6.7	208.0	Yes	5540.0MHz, -61.0dBm	Single burst (12/20/2013 04:21:45 PM)				
22	17	9.4	365.0	Yes	5535.0MHz, -61.0dBm	Single burst (12/20/2013 04:21:51 PM)				
23	17	6.7	272.0	Yes	5530.0MHz, -61.0dBm	Single burst (12/20/2013 04:21:58 PM)				
24	16	7.6	262.0	Yes	5550.0MHz, -61.0dBm	Single burst (12/20/2013 04:22:04 PM)				
25	16	8.7	490.0	Yes	5545.0MHz, -61.0dBm	Single burst (12/20/2013 04:22:11 PM)				
26	18	7.3	320.0	Yes	5540.0MHz, -61.0dBm	Single burst (12/20/2013 04:22:17 PM)				
27	18	9.3	230.0	Yes	5535.0MHz, -61.0dBm	Single burst (12/20/2013 04:22:24 PM)				
28	17	7.9	464.0	Yes	5530.0MHz, -61.0dBm	Single burst (12/20/2013 04:22:30 PM)				
29	16	9.9	307.0	Yes	5550.0MHz, -61.0dBm	Single burst (12/20/2013 04:22:38 PM)				
30	16	8.4	330.0	Yes	5545.0MHz, -61.0dBm	Single burst (12/20/2013 04:22:46 PM)				

	Table 129 - FCC Short Pulse Radar (Type 4) Results NU in CU-Aquire, High-band									
Trial #	Pulses/ Burst	Pulse Width (us)	PRI (us)	Detected	Fr (MHz) and level (dBm)	Burst Information				
1	14	13.8	485.0	Yes	5540.0MHz, -61.0dBm	Single burst (12/20/2013 04:23:26 PM)				
2	12	19.9	416.0	Yes	5535.0MHz, -61.0dBm	Single burst (12/20/2013 04:23:33 PM)				
3	15	17.9	436.0	No	5530.0MHz, -61.0dBm	Single burst (12/20/2013 04:23:39 PM)				
4	15	11.1	204.0	Yes	5550.0MHz, -61.0dBm	Single burst (12/20/2013 04:23:48 PM)				
5	14	15.6	367.0	Yes	5545.0MHz, -61.0dBm	Single burst (12/20/2013 04:23:55 PM)				
6	15	11.3	285.0	No	5540.0MHz, -61.0dBm	Single burst (12/20/2013 04:24:04 PM)				
7	14	13.8	475.0	Yes	5535.0MHz, -61.0dBm	Single burst (12/20/2013 04:24:13 PM)				
8	13	13.6	404.0	Yes	5530.0MHz, -61.0dBm	Single burst (12/20/2013 04:24:24 PM)				
9	15	15.3	273.0	Yes	5550.0MHz, -61.0dBm	Single burst (12/20/2013 04:24:35 PM)				
10	15	12.0	435.0	Yes	5545.0MHz, -61.0dBm	Single burst (12/20/2013 04:24:42 PM)				
11	13	19.1	213.0	Yes	5540.0MHz, -61.0dBm	Single burst (12/20/2013 04:24:50 PM)				
12	15	13.8	399.0	Yes	5535.0MHz, -61.0dBm	Single burst (12/20/2013 04:25:06 PM)				

File: R94497 Rev 3 Page 146 of 281

	Table 129 - FCC Short Pulse Radar (Type 4) Results NU in CU-Aquire, High-band									
Trial #	Pulses/ Burst	Pulse Width (us)	PRI (us)	Detected	Fr (MHz) and level (dBm)	Burst Information				
13	13	11.3	366.0	Yes	5530.0MHz, -61.0dBm	Single burst (12/20/2013 04:25:12 PM)				
14	13	18.2	455.0	Yes	5550.0MHz, -61.0dBm	Single burst (12/20/2013 04:25:19 PM)				
15	12	15.8	499.0	Yes	5545.0MHz, -61.0dBm	Single burst (12/20/2013 04:25:25 PM)				
16	14	13.3	424.0	Yes	5540.0MHz, -61.0dBm	Single burst (12/20/2013 04:25:33 PM)				
17	16	14.1	398.0	Yes	5535.0MHz, -61.0dBm	Single burst (12/20/2013 04:25:40 PM)				
18	13	14.0	329.0	Yes	5530.0MHz, -61.0dBm	Single burst (12/20/2013 04:25:46 PM)				
19	13	13.0	270.0	Yes	5550.0MHz, -61.0dBm	Single burst (12/20/2013 04:25:55 PM)				
20	12	17.3	443.0	Yes	5545.0MHz, -61.0dBm	Single burst (12/20/2013 04:26:10 PM)				
21	14	14.0	451.0	Yes	5540.0MHz, -61.0dBm	Single burst (12/20/2013 04:26:16 PM)				
22	16	12.4	308.0	No	5535.0MHz, -61.0dBm	Single burst (12/20/2013 04:26:22 PM)				
23	14	16.7	398.0	Yes	5530.0MHz, -61.0dBm	Single burst (12/20/2013 04:26:30 PM)				
24	15	18.7	261.0	Yes	5550.0MHz, -61.0dBm	Single burst (12/20/2013 04:26:37 PM)				
25	13	11.8	485.0	Yes	5545.0MHz, -61.0dBm	Single burst (12/20/2013 04:26:43 PM)				
26	15	17.5	429.0	Yes	5540.0MHz, -61.0dBm	Single burst (12/20/2013 04:26:50 PM)				
27	13	13.1	246.0	Yes	5535.0MHz, -61.0dBm	Single burst (12/20/2013 04:26:57 PM)				
28	14	14.5	349.0	Yes	5530.0MHz, -61.0dBm	Single burst (12/20/2013 04:27:05 PM)				
29	13	18.5	302.0	Yes	5550.0MHz, -61.0dBm	Single burst (12/20/2013 04:27:12 PM)				
30	13	19.4	409.0	Yes	5545.0MHz, -61.0dBm	Single burst (12/20/2013 04:27:19 PM)				

Table 130 - Long Sequence Waveform Summary NU in CU-Aquire, High-band							
Long Sequence Trial	Result	Radar Frequency / Amplitude					
Trial #1	Detected	5540.0MHz,					
11141#1	Detected	-62.0dBm					
Trial #2	Detected	5536.0MHz,					
111a1 #2	Detected	-62.0dBm					
Trial #3	Detected	5531.0MHz,					
111a1 #3	Detected	-62.0dBm					
Trial #4	Detected	5526.0MHz,					
11141 #4	Detected	-62.0dBm					
Trial #5	Detected	5551.0MHz,					
11101 #3	Detected	-62.0dBm					

-61.0dBm

PM)

Page 147 of 281 File: R94497 Rev 3

Table 130 - Long Sequence Waveform Summary NU in CU-Aquire, High-band							
Long Sequence Trial	Result	Radar Frequency / Amplitude					
	D. C. I	5546.0MHz,					
Trial #6	Detected	-62.0dBm					
TD: 1 #7	D 1	5541.0MHz,					
Trial #7	Detected	-62.0dBm					
m: 1 110	D. C. I	5536.0MHz,					
Trial #8	Detected	-62.0dBm					
T.:-1.#0	Data da I	5531.0MHz,					
Trial #9	Detected	-62.0dBm					
Trial #10	Detected	5526.0MHz,					
111a1 #10	Detected	-62.0dBm					
Trial #11	Detected	5551.0MHz,					
111a1 #11	Detected	-62.0dBm					
Trial #12	NOT Detected	5546.0MHz,					
111a1 #12	NOT Detected	-62.0dBm					
Trial #13	Detected	5541.0MHz,					
Παι π13	Detected	-62.0dBm					
Trial #14	Detected	5536.0MHz,					
111α1 π14	Detected	-62.0dBm					
Trial #15	Detected	5531.0MHz,					
111a1 #15	Beteeted	-62.0dBm					
Trial #16	Detected	5526.0MHz,					
111a1 #10	Beteeted	-62.0dBm					
Trial #17	NOT Detected	5551.0MHz,					
111α1 π1 /	NOT Detected	-62.0dBm					
Trial #18	Detected	5546.0MHz,					
11141 1110	Beteeted	-62.0dBm					
Trial #19	Detected	5541.0MHz,					
11141 1117	Bettetted	-62.0dBm					
Trial #20	Detected	5536.0MHz,					
	200000	-62.0dBm					
Trial #21	Detected	5531.0MHz,					
	200000	-62.0dBm					
Trial #22	Detected	5526.0MHz,					
		-62.0dBm					
Trial #23	Detected	5551.0MHz,					
		-62.0dBm					
Trial #24	NOT Detected	5546.0MHz,					
		-62.0dBm					
Trial #25	Detected	5541.0MHz,					
		-62.0dBm					
Trial #26	NOT Detected	5536.0MHz, -62.0dBm					
Trial #27	Detected	5531.0MHz,					
		-62.0dBm 5526.0MHz,					
Trial #28	Detected	-62.0dBm					
		5551.0MHz,					
Trial #29	Detected	-62.0dBm					
		5546.0MHz,					
Trial #30	NOT Detected	-62.0dBm					
		-02.0 u DIII					

	Table 131 - Long Sequence Waveform Trial#1 (Detected) NU in CU-Aquire, High-band								
Burst #	# Pulses	Pulse Width (us)	Chirp (MHz)	Interval 1 to 2 (us)	Interval 2 to 3 (us)	Start time (s)			

File: R94497 Rev 3 Page 148 of 281

Burst #	# Pulses	Pulse Width (us)	Chirp (MHz)	Interval 1 to 2 (us)	Interval 2 to 3 (us)	Start time (s)
1	3	82.8	5	1615.0	1936.0	0.390633
2	2	88.6	15	1332.0	-	0.941901
3	2	70.2	18	1975.0	-	2.508338
4	3	65.1	14	1291.0	1584.0	3.521060
5	2	68.2	15	1668.0	-	4.613289
6	3	69.4	8	1628.0	1513.0	5.095187
7	3	72.9	13	1698.0	1786.0	6.002174
8	3	81.7	18	1545.0	1579.0	7.378224
9	2	87.8	10	1305.0	-	8.011316
10	2	83.3	17	1402.0	-	8.798086
11	2	74.7	16	1425.0	-	9.484938
12	1	68.4	19	-	-	10.948221
13	2	50.2	6	1859.0	-	11.631265

	Table 132 - Long Sequence Waveform Trial#2 (Detected) NU in CU-Acquire, High-band									
Burst #	# Pulses	Pulse Width (us)	Chirp (MHz)	Interval 1 to 2 (us)	Interval 2 to 3 (us)	Start time (s)				
1	2	75.5	14	1765.0	-	0.430175				
2	2	57.1	10	1014.0	-	0.993864				
3	2	93.4	8	1697.0	-	1.360137				
4	1	57.1	6	-	-	2.087184				
5	2	70.2	17	1201.0	-	2.819721				
6	1	69.5	12	-	-	3.387364				
7	2	73.4	16	1056.0	-	4.329889				
8	3	77.8	13	1300.0	1038.0	4.525850				
9	2	88.3	11	1369.0	-	5.441233				
10	3	81.7	19	1089.0	1151.0	6.134180				
11	2	64.6	10	1108.0	-	6.723691				
12	2	83.4	7	1467.0	-	6.990286				
13	3	57.1	14	1083.0	1890.0	7.784590				
14	3	60.5	15	1528.0	1776.0	8.805760				
15	2	82.6	14	1745.0	-	9.216152				
16	1	61.2	7	-	-	9.986621				
17	2	63.6	6	1735.0	-	10.657134				
18	3	84.7	8	1583.0	1134.0	10.919506				
19	2	54.1	19	1372.0	-	11.415936				

	Table 133 - Long Sequence Waveform Trial#3 (Detected) NU in CU-Acquire, High-band										
Burst #	# Pulses	Pulse Width (us)	Chirp (MHz)	Interval 1 to 2 (us)	Interval 2 to 3 (us)	Start time (s)					
1	3	73.6	13	1075.0	1139.0	0.157180					
2	2	75.4	13	1728.0	-	1.509660					
3	2	65.5	8	1626.0	-	2.780916					
4	1	53.6	19	-	-	4.382601					
5	2	82.8	6	1382.0	-	5.645757					
6	2	91.0	17	1543.0	-	6.600340					
7	1	60.5	15	-	-	7.272696					
8	3	84.1	7	1453.0	1047.0	8.814161					
9	3	67.7	9	1581.0	1479.0	9.845632					
10	1	71.3	7	-	-	11.165526					

File: R94497 Rev 3 Page 149 of 281

	Table 134 - Long Sequence Waveform Trial#4 (Detected) NU in CU-Acquire, High-band									
Burst #	# Pulses	Pulse Width (us)	Chirp (MHz)	Interval 1 to 2 (us)	Interval 2 to 3 (us)	Start time (s)				
1	3	88.7	7	1911.0	1852.0	0.718537				
2	1	64.0	7	-	-	1.246551				
3	3	57.2	15	1200.0	1567.0	2.196918				
4	2	96.8	17	1104.0	-	2.453552				
5	2	73.5	18	1845.0	-	3.675019				
6	2	63.9	7	1688.0	-	4.410902				
7	2	73.7	16	1560.0	-	5.032150				
8	3	70.4	19	1086.0	1641.0	6.312248				
9	2	74.9	8	1500.0	-	6.664872				
10	2	65.7	14	1247.0	-	7.270880				
11	2	59.9	9	1050.0	-	8.237877				
12	2	86.3	16	1350.0	-	9.034186				
13	2	98.0	15	1350.0	-	9.731788				
14	3	56.2	16	1401.0	1724.0	10.465108				
15	3	54.0	17	1896.0	1882.0	11.483935				

	Table 135 - Long Sequence Waveform Trial#5 (Detected) NU in CU-Acquire, High-band									
Burst #	# Pulses	Pulse Width (us)	Chirp (MHz)	Interval 1 to 2 (us)	Interval 2 to 3 (us)	Start time (s)				
1	3	65.4	19	1212.0	1034.0	0.542496				
2	3	81.6	12	1464.0	1909.0	1.922227				
3	2	62.6	6	1151.0	-	3.398225				
4	3	61.1	7	1085.0	1278.0	5.059883				
5	3	53.1	16	1447.0	1665.0	5.761337				
6	1	59.4	5	-	-	6.932695				
7	3	58.1	17	1621.0	1309.0	8.696691				
8	2	83.0	10	1528.0	-	10.419926				
9	1	74.0	15	-	-	10.800451				

	Table 136 - Long Sequence Waveform Trial#6 (Detected) NU in CU-Acquire, High-band								
Burst #	# Pulses	Pulse Width (us)	Chirp (MHz)	Interval 1 to 2 (us)	Interval 2 to 3 (us)	Start time (s)			
1	2	74.4	15	1058.0	-	0.171518			
2	3	99.0	15	1837.0	1873.0	1.260132			
3	3	71.5	12	1092.0	1679.0	2.360924			
4	1	72.5	12	-	-	3.367775			
5	2	99.4	5	1051.0	-	3.649588			
6	3	53.6	18	1149.0	1484.0	4.554836			
7	2	78.6	14	1177.0	-	5.776771			
8	2	93.3	16	1951.0	-	6.686422			
9	3	60.4	6	1500.0	1080.0	7.128001			
10	2	63.8	8	1083.0	-	7.741496			
11	3	75.5	19	1126.0	1902.0	9.223683			
12	2	56.2	19	1330.0	-	10.216214			
13	3	83.4	7	1214.0	1794.0	10.780646			
14	1	89.9	19	-	-	11.920518			

Table 137 - Long Sequence Waveform Trial#7 (Detected) NU in CU-Acquire, High-band

File: R94497 Rev 3 Page 150 of 281

Burst #	# Pulses	Pulse Width (us)	Chirp (MHz)	Interval 1 to 2 (us)	Interval 2 to 3 (us)	Start time (s)
1	2	66.9	10	1018.0	-	0.402404
2	1	70.2	17	-	-	1.230342
3	1	63.0	16	-	-	1.561397
4	2	79.2	6	1626.0	-	2.985918
5	2	55.5	8	1030.0	-	3.679850
6	3	97.0	9	1437.0	1349.0	4.461144
7	2	58.7	12	1918.0	-	5.216626
8	1	73.3	5	-	=	5.689794
9	3	78.0	20	1399.0	1096.0	6.143986
10	3	73.8	18	1113.0	1329.0	7.254293
11	3	57.1	17	1788.0	1584.0	7.804262
12	2	88.1	20	1642.0	-	8.911666
13	1	97.8	8	-	-	9.267053
14	2	66.8	15	1753.0	-	9.912666
15	3	97.0	15	1584.0	1802.0	10.970330
16	2	62.7	6	1326.0	-	11.691120

	Table 138 - Long Sequence Waveform Trial#8 (Detected) NU in CU-Acquire, High-band							
Burst #	# Pulses	Pulse Width (us)	Chirp (MHz)	Interval 1 to 2 (us)	Interval 2 to 3 (us)	Start time (s)		
1	2	95.1	17	1909.0	-	0.598096		
2	3	84.1	5	1959.0	1162.0	1.502414		
3	3	67.6	15	1394.0	1308.0	1.961418		
4	2	84.2	12	1593.0	-	2.816944		
5	2	85.5	6	1993.0	-	3.798064		
6	2	53.9	14	1252.0	-	4.543370		
7	2	89.9	9	1427.0	-	5.728246		
8	2	66.9	14	1097.0	-	6.736218		
9	2	61.2	6	1192.0	-	7.020533		
10	3	68.4	18	1158.0	1506.0	8.433236		
11	2	53.2	15	1654.0	-	8.642360		
12	1	52.5	18	-	-	9.979152		
13	1	88.6	7	-	-	10.377474		
14	2	79.3	6	1211.0	-	11.990518		

	Table 139 - Long Sequence Waveform Trial#9 (Detected) NU in CU-Acquire, High-band							
Burst #	# Pulses	Pulse Width (us)	Chirp (MHz)	Interval 1 to 2 (us)	Interval 2 to 3 (us)	Start time (s)		
1	2	89.1	14	1130.0	-	0.238775		
2	2	96.3	5	1176.0	-	1.445966		
3	2	99.2	6	1274.0	-	2.349568		
4	2	68.9	15	1178.0	-	2.990316		
5	1	79.4	19	-	-	3.362497		
6	2	87.3	16	1989.0	-	4.228175		
7	2	54.6	10	1759.0	=	5.015110		
8	2	67.9	14	1582.0	=	5.979469		
9	1	56.2	12	-	=	7.020544		
10	3	90.9	12	1244.0	1680.0	7.990443		
11	2	80.1	5	1545.0	=	8.079946		
12	2	70.1	8	1804.0	=	9.353377		
13	2	57.3	13	1521.0	-	9.925854		
14	3	57.2	18	1629.0	1136.0	10.669823		

Page 151 of 281 File: R94497 Rev 3

Table 139 - Long Sequence Waveform Trial#9 (Detected) NU in CU-Acquire, High-band							
Burst #	# Pulses	Pulse Width (us)	Chirp (MHz)	Interval 1 to 2 (us)	Interval 2 to 3 (us)	Start time (s)	
15	2	76.3	7	1422.0	_	11.773844	

Table 140 - Long Sequence Waveform Trial#10 (Detected) NU in CU-Acquire, High-band							
Burst #	# Pulses	Pulse Width (us)	Chirp (MHz)	Interval 1 to 2 (us)	Interval 2 to 3 (us)	Start time (s)	
1	2	96.6	7	1811.0	-	1.189983	
2	2	83.1	8	1031.0	-	2.382034	
3	2	86.4	10	1576.0	-	2.633098	
4	2	67.6	14	1134.0	-	4.631593	
5	2	65.8	11	1423.0	-	5.371920	
6	3	78.8	8	1483.0	1160.0	7.165943	
7	2	78.4	9	1881.0	-	7.600737	
8	3	86.5	17	1202.0	1750.0	8.664351	
9	2	73.3	17	1452.0	-	9.938950	
10	1	93.4	17	-	-	11.980442	

Table 141 - Long Sequence Waveform Trial#11 (Detected) NU in CU-Acquire, High-band									
Burst #	# Pulses	Pulse Width (us)	Chirp (MHz)	Interval 1 to 2 (us)	Interval 2 to 3 (us)	Start time (s)			
1	1	65.7	16	-	-	0.500889			
2	2	89.5	8	1178.0	-	1.113953			
3	1	69.8	17	-	-	1.752477			
4	3	99.2	10	1690.0	1017.0	1.900168			
5	2	91.3	6	1669.0	-	2.802884			
6	2	73.4	9	1495.0	-	3.173658			
7	2	91.0	12	1097.0	-	3.881156			
8	3	93.5	6	1826.0	1745.0	4.825481			
9	2	70.4	15	1727.0	-	5.575709			
10	2	81.4	6	1783.0	-	6.155028			
11	3	92.2	18	1909.0	1991.0	6.935493			
12	3	87.0	11	1979.0	1632.0	7.368830			
13	3	88.6	16	1895.0	1508.0	7.717932			
14	3	88.6	10	1034.0	1233.0	8.583398			
15	2	68.0	13	1732.0	-	8.846229			
16	1	94.7	13	-	-	9.626549			
17	1	74.1	10	-	-	10.694869			
18	2	96.9	13	1714.0	-	10.943799			
19	1	89.7	17	-	-	11.580062			

Ta	Table 142 - Long Sequence Waveform Trial#12 (NOT Detected) NU in CU-Acquire, High-band									
Burst #	# Pulses	Pulse Width (us)	Chirp (MHz)	Interval 1 to 2 (us)	Interval 2 to 3 (us)	Start time (s)				
1	3	55.8	6	1404.0	1168.0	0.825589				
2	2	99.9	9	1763.0	-	1.487837				
3	2	55.5	13	1006.0	-	3.505428				
4	1	68.8	8	-	-	4.052829				
5	3	87.3	20	1505.0	1016.0	5.253505				
6	2	57.6	19	1809.0	-	6.267241				
7	2	63.6	8	1255.0	-	8.165873				

File: R94497 Rev 3 Page 152 of 281

Table 142 - Long Sequence Waveform Trial#12 (NOT Detected) NU in CU-Acquire, High-band								
Burst # Pulses Pulse Width (us) Interval 1 to 2 (us) Interval 2 to 3 (us) Start time (s)								
8	1	86.5	9	-	-	9.001839		
9	2	71.7	11	1817.0	-	10.711254		
10	2	54.4	13	1560.0	_	11.332495		

	Table 143 - Long Sequence Waveform Trial#13 (Detected) NU in CU-Acquire, High-band								
Burst #	# Pulses	Pulse Width (us)	Chirp (MHz)	Interval 1 to 2 (us)	Interval 2 to 3 (us)	Start time (s)			
1	2	97.4	12	1482.0	-	0.046716			
2	3	52.9	10	1943.0	1552.0	2.243191			
3	2	73.3	6	1085.0	-	3.468201			
4	2	91.2	6	1359.0	-	4.653864			
5	3	65.7	18	1034.0	1878.0	5.100520			
6	2	81.9	16	1834.0	-	6.441782			
7	1	97.0	11	-	-	8.041777			
8	1	66.9	16	-	-	8.563866			
9	3	57.0	9	1859.0	1324.0	9.863766			
10	2	70.5	13	1224.0	-	11.461380			

	Table 144 - Long Sequence Waveform Trial#14 (Detected) NU in CU-Acquire, High-band									
Burst #	# Pulses	Pulse Width (us)	Chirp (MHz)	Interval 1 to 2 (us)	Interval 2 to 3 (us)	Start time (s)				
1	1	69.6	10	-	-	0.244466				
2	3	65.4	11	1114.0	1506.0	1.342790				
3	2	97.4	19	1650.0	-	2.938335				
4	2	92.9	15	1571.0	-	5.316106				
5	2	94.4	11	1899.0	-	6.264390				
6	3	59.1	13	1587.0	1843.0	7.155133				
7	1	88.2	13	-	-	8.104209				
8	2	85.1	14	1697.0	-	10.320188				
9	2	84.1	14	1654.0	-	11.537081				

	Table 145 - Long Sequence Waveform Trial#15 (Detected) NU in CU-Acquire, High-band									
Burst #	# Pulses	Pulse Width (us)	Chirp (MHz)	Interval 1 to 2 (us)	Interval 2 to 3 (us)	Start time (s)				
1	1	95.0	6	-	-	0.192804				
2	2	74.8	20	1825.0	-	1.553724				
3	2	70.0	17	1767.0	-	3.241508				
4	3	72.0	9	1335.0	1492.0	4.986398				
5	2	86.1	8	1740.0	-	5.520495				
6	2	50.3	10	1131.0	-	7.027396				
7	2	52.0	14	1202.0	-	8.049129				
8	3	79.5	9	1250.0	1559.0	9.644460				
9	2	72.6	6	1821.0	-	11.625238				

Table 146 - Long Sequence Waveform Trial#16 (Detected) NU in CU-Acquire, High-band						
Burst #	# Pulses	Pulse Width (us)	Chirp (MHz)	Interval 1 to 2 (us)	Interval 2 to 3 (us)	Start time (s)
1	1	56.1	16	=	=	0.380964

File: R94497 Rev 3 Page 153 of 281

99.2

55.4

75.9

72.5

51.9

94.7

95.1

79.6

77.3

91.9

56.1

94.1

54.8

69.9

81.0

7

9

11

11

18

17

10

9

5

5

15

10

18

10

16

3

3

1

1

2

2

2

3

1

3

2

3

3

2

Burst #

2

3

4

5

6

7

8

9

10

11

12

13

14

15

16

17

19

Reissue Date: August 1, 2014

2.459867

2.977251

4.054444

4.253982

4.967548

5.834294

6.678680

7.299041

7.862343

8.525984

9.416869

10.445391

10.916554

11.858532

11.849437

1562.0

1841.0

1695.0

1543.0

1526.0

1025.0

Table 146 - Long Sequence Waveform Trial#16 (Detected) NU in CU-Acquire, High-band									
# Pulses	Pulse Width (us)	Chirp (MHz)	Interval 1 to 2 (us)	Interval 2 to 3 (us)	Start time (s)				
2	72.6	15	1858.0	-	1.403425				
2	50.2	19	1439.0	-	1.741369				

1146.0

1147.0

1487.0

1655.0

1495.0

1370.0

1330.0

1219.0

1724.0

1073.0

1055.0

# Pulses	Pulse Width	Chirp (MHz)	Interval 1 to 2 (us)	Interval 2 to 3 (us)	Start time (s)
2	84.2	10	1556.0	-	0.192939
2	83.8	11	1986.0	-	0.709952
2	55.0	19	1526.0	-	1.703346
2	52.0	11	1505.0	-	2.446389
2	90.4	15	1349.0	-	2.796286
3	96.0	20	1351.0	1020.0	3.708682
2	90.3	6	1895.0	-	4.377441
2	62.3	7	1935.0	-	4.729546
3	51.7	5	1671.0	1172.0	5.370022
2	64.0	11	1954.0	-	6.111041
3	59.9	17	1613.0	1940.0	6.476861
3	92.2	17	1772.0	1759.0	7.282395
2	85.7	18	1311.0	-	7.931169
2	89.0	17	1766.0	-	8.720989
2	99.0	10	1816.0	-	9.414621
3	55.2	5	1831.0	1836.0	9.475277
3	63.7	9	1613.0	1756.0	10.587744
3	71.0	17	1645.0	1698.0	11.099496
	Pulses 2 2 2 2 2 3 2 3 2 2 3 3 3	Pulses (us) 2 84.2 2 83.8 2 55.0 2 52.0 2 90.4 3 96.0 2 90.3 2 62.3 3 51.7 2 64.0 3 59.9 3 92.2 2 85.7 2 89.0 2 99.0 3 55.2 3 63.7	Pulses (us) (MHz) 2 84.2 10 2 83.8 11 2 55.0 19 2 52.0 11 2 90.4 15 3 96.0 20 2 90.3 6 2 62.3 7 3 51.7 5 2 64.0 11 3 59.9 17 3 92.2 17 2 85.7 18 2 89.0 17 2 99.0 10 3 55.2 5 3 63.7 9	Pulses (us) (MHz) Interval 1 to 2 (us) 2 84.2 10 1556.0 2 83.8 11 1986.0 2 55.0 19 1526.0 2 52.0 11 1505.0 2 90.4 15 1349.0 3 96.0 20 1351.0 2 90.3 6 1895.0 2 62.3 7 1935.0 3 51.7 5 1671.0 2 64.0 11 1954.0 3 59.9 17 1613.0 3 92.2 17 1772.0 2 85.7 18 1311.0 2 89.0 17 1766.0 2 99.0 10 1816.0 3 55.2 5 1831.0 3 63.7 9 1613.0	Pulses (us) (MHz) Interval 1 to 2 (us) Interval 2 to 3 (us) 2 84.2 10 1556.0 - 2 83.8 11 1986.0 - 2 55.0 19 1526.0 - 2 52.0 11 1505.0 - 2 90.4 15 1349.0 - 3 96.0 20 1351.0 1020.0 2 90.3 6 1895.0 - 2 62.3 7 1935.0 - 3 51.7 5 1671.0 1172.0 2 64.0 11 1954.0 - 3 59.9 17 1613.0 1940.0 3 92.2 17 1772.0 1759.0 2 85.7 18 1311.0 - 2 89.0 17 1766.0 - 2 99.0 10 1816.0 - <

	Table 148 - Long Sequence Waveform Trial#18 (Detected) NU in CU-Acquire, High-band									
Burst #	# Pulses	Pulse Width (us)	Chirp (MHz)	Interval 1 to 2 (us)	Interval 2 to 3 (us)	Start time (s)				
1	2	85.8	14	1413.0	-	0.147103				
2	2	90.7	6	1859.0	-	1.152490				
3	1	67.8	7	-	-	1.548478				
4	2	83.9	14	1936.0	-	2.119203				
5	1	80.6	13	-	-	2.847250				
6	3	94.3	7	1064.0	1403.0	3.745166				
7	3	94.0	18	1912.0	1015.0	4.057435				

File: R94497 Rev 3 Page 154 of 281

	Table 148 - Long Sequence Waveform Trial#18 (Detected) NU in CU-Acquire, High-band									
Burst #	# Pulses	Pulse Width (us)	Chirp (MHz)	Interval 1 to 2 (us)	Interval 2 to 3 (us)	Start time (s)				
8	2	90.1	9	1583.0	-	4.499045				
9	1	76.5	7	-	-	5.395242				
10	3	70.1	14	1217.0	1741.0	5.907272				
11	3	87.0	6	1205.0	1685.0	6.397269				
12	1	63.0	11	-	-	7.334598				
13	2	56.2	11	1703.0	-	7.920029				
14	2	85.0	16	1515.0	-	8.809956				
15	3	65.3	11	1339.0	1461.0	8.921391				
16	1	88.2	15	-	-	9.714588				
17	1	97.8	18	-	-	10.461057				
18	1	89.6	13	-	-	10.996020				
19	2	92.1	10	1995.0	-	11.778017				

	Table 149 - Long Sequence Waveform Trial#19 (Detected) NU in CU-Acquire, High-band								
Burst #	# Pulses	Pulse Width (us)	Chirp (MHz)	Interval 1 to 2 (us)	Interval 2 to 3 (us)	Start time (s)			
1	2	83.0	9	1694.0	-	0.562073			
2	3	50.5	7	1416.0	1843.0	1.253391			
3	1	54.8	13	-	-	1.874263			
4	3	52.9	9	1537.0	1304.0	2.673075			
5	1	55.2	7	-	-	3.503336			
6	3	85.2	12	1511.0	1168.0	4.716967			
7	1	56.5	19	-	-	5.549190			
8	2	81.7	15	1341.0	-	6.117226			
9	1	62.3	14	-	-	6.929066			
10	2	74.1	14	1582.0	-	8.239937			
11	1	82.8	7	-	-	8.596055			
12	2	53.6	8	1947.0	-	9.877443			
13	3	81.9	11	1600.0	1531.0	10.600704			
14	2	97.0	16	1771.0	-	11.168517			

	Table 150 - Long Sequence Waveform Trial#20 (Detected) NU in CU-Acquire, High-band								
Burst #	# Pulses	Pulse Width (us)	Chirp (MHz)	Interval 1 to 2 (us)	Interval 2 to 3 (us)	Start time (s)			
1	2	50.6	10	1536.0	-	0.074740			
2	1	67.6	9	-	-	0.993975			
3	2	92.2	19	1261.0	-	1.957468			
4	3	80.8	15	1835.0	1450.0	2.367950			
5	3	96.7	5	1834.0	1377.0	3.408406			
6	1	59.0	14	-	-	3.544385			
7	2	55.2	6	1726.0	-	4.670726			
8	3	99.1	12	1329.0	1414.0	5.275215			
9	3	58.4	17	1004.0	1383.0	5.874716			
10	2	51.9	14	1998.0	-	6.739122			
11	2	73.4	17	1087.0	-	7.710764			
12	1	54.1	19	-	-	8.273475			
13	1	77.8	13	-	-	9.003225			
14	2	88.3	11	1352.0	-	9.270281			
15	2	73.9	14	1153.0	-	10.382694			
16	2	91.6	12	1001.0	-	11.157570			

File: R94497 Rev 3 Page 155 of 281

Table 150 - Long Sequence Waveform Trial#20 (Detected) NU in CU-Acquire, High-band							
Burst #	# Pulses	Pulse Width (us)	Chirp (MHz)	Interval 1 to 2 (us)	Interval 2 to 3 (us)	Start time (s)	
17	2	53.6	7	1197.0	-	11.312072	

	Table 151 - Long Sequence Waveform Trial#21 (Detected) NU in CU-Acquire, High-band								
Burst #	# Pulses	Pulse Width (us)	Chirp (MHz)	Interval 1 to 2 (us)	Interval 2 to 3 (us)	Start time (s)			
1	2	77.6	18	1563.0	-	0.314378			
2	3	65.6	18	1705.0	1653.0	1.274565			
3	2	63.9	11	1728.0	-	2.185909			
4	1	96.7	6	-	-	2.749964			
5	3	87.7	20	1541.0	1572.0	3.846211			
6	2	64.4	6	1389.0	-	4.110685			
7	3	78.1	17	1304.0	1879.0	5.286164			
8	1	93.8	6	-	-	6.067872			
9	3	53.7	15	1731.0	1728.0	6.400007			
10	2	53.6	7	1215.0	-	7.406693			
11	3	75.3	10	1650.0	1322.0	8.441614			
12	2	97.8	20	1125.0	-	9.511167			
13	3	84.2	16	1021.0	1511.0	9.905127			
14	3	84.5	5	1735.0	1182.0	11.103154			
15	2	98.6	13	1344.0	-	11.922129			

	Table 152 - Long Sequence Waveform Trial#22 (Detected) NU in CU-Acquire, High-band									
Burst #	# Pulses	Pulse Width (us)	Chirp (MHz)	Interval 1 to 2 (us)	Interval 2 to 3 (us)	Start time (s)				
1	1	50.6	18	-	-	0.818349				
2	1	54.0	13	-	-	2.175635				
3	1	81.8	15	-	-	3.998323				
4	1	65.6	18	-	-	4.931948				
5	2	57.8	12	1248.0	-	6.863528				
6	2	90.8	7	1802.0	-	7.996165				
7	2	85.3	14	1409.0	-	9.485456				
8	2	83.5	8	1012.0	-	11.247114				

	Table 153 - Long Sequence Waveform Trial#23 (Detected) NU in CU-Acquire, High-band								
Burst #	# Pulses	Pulse Width (us)	Chirp (MHz)	Interval 1 to 2 (us)	Interval 2 to 3 (us)	Start time (s)			
1	1	58.4	14	-	-	0.740411			
2	2	66.6	8	1658.0	-	1.238729			
3	2	54.2	8	1589.0	-	3.207591			
4	2	54.4	8	1982.0	-	4.007416			
5	3	75.7	15	1524.0	1763.0	4.912504			
6	3	96.1	9	1661.0	1312.0	6.174625			
7	2	50.0	16	1460.0	-	7.910345			
8	2	83.9	15	1408.0	-	8.752115			
9	2	71.8	7	1868.0	-	10.563210			
10	2	56.5	8	1993.0	-	11.808081			

Table 154 - Long Sequence Waveform Trial#24 (NOT Detected) NU in CU-Acquire, High-band

File: R94497 Rev 3 Page 156 of 281

Burst #	# Pulses	Pulse Width (us)	Chirp (MHz)	Interval 1 to 2 (us)	Interval 2 to 3 (us)	Start time (s)
1	1	54.0	15	-	-	0.627654
2	3	80.2	18	1033.0	1416.0	1.316453
3	1	97.6	12	-	-	2.694860
4	1	91.6	9	-	=	3.587616
5	2	96.5	16	1627.0	-	4.854034
6	1	90.3	5	-	=	5.244536
7	2	81.2	8	1765.0	-	6.415096
8	2	65.3	12	1996.0	-	7.366425
9	2	91.1	11	1308.0	=	8.833127
10	2	72.3	17	1018.0	-	9.927365
11	1	67.4	13	-	-	10.152878
12	2	91.6	10	1279.0	-	11.363825

	Table 155 - Long Sequence Waveform Trial#25 (Detected) NU in CU-Acquire, High-band									
Burst #	# Pulses	Pulse Width (us)	Chirp (MHz)	Interval 1 to 2 (us)	Interval 2 to 3 (us)	Start time (s)				
1	1	51.9	9	-	-	0.058767				
2	2	95.6	11	1796.0	-	1.765046				
3	3	51.1	16	1616.0	1520.0	2.718098				
4	3	97.7	19	1930.0	1690.0	3.082220				
5	2	68.6	20	1146.0	-	3.934852				
6	1	61.1	15	-	-	5.301761				
7	2	62.8	19	1570.0	-	5.975985				
8	3	85.6	11	1901.0	1955.0	7.355299				
9	3	70.4	6	1035.0	1397.0	7.858740				
10	2	64.7	7	1814.0	-	9.114120				
11	3	53.8	17	1570.0	1895.0	10.138858				
12	2	61.2	19	1156.0	-	10.538038				
13	3	86.8	12	1204.0	1677.0	11.763451				

Ta	Table 156 - Long Sequence Waveform Trial#26 (NOT Detected) NU in CU-Acquire, High-band								
Burst #	# Pulses	Pulse Width (us)	Chirp (MHz)	Interval 1 to 2 (us)	Interval 2 to 3 (us)	Start time (s)			
1	1	64.2	12	-	-	0.591192			
2	2	63.3	17	1330.0	-	1.298544			
3	2	85.4	14	1034.0	-	2.670097			
4	1	94.1	9	-	-	2.994546			
5	2	87.1	9	1394.0	-	4.432792			
6	3	89.6	6	1660.0	1409.0	4.692422			
7	3	52.2	18	1341.0	1629.0	5.977767			
8	1	57.2	5	-	-	7.159823			
9	3	63.3	10	1491.0	1581.0	7.802010			
10	3	54.8	17	1412.0	1755.0	8.729085			
11	3	87.7	6	1480.0	1689.0	9.327714			
12	2	57.2	20	1993.0	-	10.597481			
13	3	55.4	12	1321.0	1119.0	11.745476			

Table 157 - Long Sequence Waveform Trial#27 (Detected) NU in CU-Acquire, High-band						
Burst #	# Pulses	Pulse Width (us)	Chirp (MHz)	Interval 1 to 2 (us)	Interval 2 to 3 (us)	Start time (s)
1	2	68.9	9	1570.0	-	0.852782

File: R94497 Rev 3 Page 157 of 281

	Table 157 - Long Sequence Waveform Trial#27 (Detected) NU in CU-Acquire, High-band								
Burst #	# Pulses	Pulse Width (us)	Chirp (MHz)	Interval 1 to 2 (us)	Interval 2 to 3 (us)	Start time (s)			
2	1	78.6	11	-	-	2.022933			
3	1	70.1	16	-	-	2.737380			
4	1	87.9	11	-	-	4.112217			
5	2	78.0	19	1854.0	-	5.658818			
6	2	52.6	18	1350.0	-	6.006337			
7	2	64.2	7	1895.0	-	8.038647			
8	1	81.3	12	-	-	9.548550			
9	1	57.4	14	-	-	10.223730			
10	2	84.0	13	1544.0	-	11.758733			

	Table 158 - Long Sequence Waveform Trial#28 (Detected) NU in CU-Acquire, High-band								
Burst #	# Pulses	Pulse Width (us)	Chirp (MHz)	Interval 1 to 2 (us)	Interval 2 to 3 (us)	Start time (s)			
1	2	79.7	20	1679.0	-	0.263675			
2	2	93.9	16	1725.0	-	1.373349			
3	2	98.0	20	1678.0	-	3.410757			
4	1	58.2	8	-	-	4.057970			
5	2	72.0	12	1292.0	-	6.184760			
6	3	97.5	15	1245.0	1833.0	7.662129			
7	3	54.2	14	1279.0	1505.0	8.928082			
8	1	89.1	11	-	-	10.165546			
9	1	70.3	16	-	-	11.833530			

	Table 159 - Long Sequence Waveform Trial#29 (Detected) NU in CU-Acquire, High-band							
Burst #	# Pulses	Pulse Width (us)	Chirp (MHz)	Interval 1 to 2 (us)	Interval 2 to 3 (us)	Start time (s)		
1	3	87.0	19	1424.0	1726.0	0.123414		
2	1	82.8	14	-	-	2.535029		
3	1	97.5	14	-	-	2.974422		
4	2	89.1	18	1342.0	-	4.385895		
5	2	62.4	6	1375.0	-	5.788724		
6	2	89.1	5	1134.0	-	6.717269		
7	1	63.3	13	-	-	8.040385		
8	2	51.3	9	1770.0	-	10.042485		
9	3	85.5	8	1775.0	1097.0	11.430042		

Та	Table 160 - Long Sequence Waveform Trial#30 (NOT Detected) NU in CU-Acquire, High-band								
Burst #	# Pulses	Pulse Width (us)	Chirp (MHz)	Interval 1 to 2 (us)	Interval 2 to 3 (us)	Start time (s)			
1	2	50.8	17	1983.0	-	0.029721			
2	3	94.4	9	1573.0	1700.0	1.360955			
3	2	71.1	12	1254.0	-	2.934143			
4	1	71.1	20	-	-	3.112305			
5	1	89.3	5	-	-	4.840487			
6	2	78.6	7	1529.0	-	5.285059			
7	1	91.2	8	-	-	6.096344			
8	2	52.4	17	1027.0	-	7.003101			
9	1	99.9	15	-	-	8.577866			
10	3	72.2	17	1522.0	1581.0	9.704081			

File: R94497 Rev 3 Page 158 of 281

Table 160 - Long Sequence Waveform Trial#30 (NOT Detected) NU in CU-Acquire, High-band							
Burst #	# Pulses	Pulse Width (us)	Chirp (MHz)	Interval 1 to 2 (us)	Interval 2 to 3 (us)	Start time (s)	
11	1	74.9	8	-	-	10.109023	
12	2	94.6	9	1201.0	-	11.266899	

	Table 161 - FCC frequency hopping radar (Type 6) Results NU in CU-Acquire, High-band								
Trial #	Pulses/ Burst	Pulse Width (us)	PRI (us)	Detected	Fr (MHz) and level (dBm)	Burst Information			
1	9	1.0	333.0	Yes	5557.0MHz, -61.0dBm	Hop sequence: 5564, 5531, 5687, 5717, 5505, 5358, 5323, 5380, 5389, 5426, 5568, 5261, 5303, 5304, 5524, 5307, 5284, 5455, 5383, 5665, 5523, 5724, 5706, 5272, 5513, 5525, 5607, 5509, 5533, 5638, 5319, 5275, 5317, 5633, 5668, 5655, 5469, 5613, 5529, 5647, 5608, 5289, 5350, 5477, 5669, 5556, 5497, 5472, 5585, 5373, 5716, 5351, 5673, 5645, 5589, 5712, 5631, 5347, 5680, 5586, 5308, 5311, 5459, 5644, 5694, 5582, 5430, 5707, 5521, 5257, 5629, 5597, 5405, 5614, 5281, 5376, 5340, 5618, 5562, 5461, 5682, 5348, 5554, 5301, 5543, 5627, 5490, 5475, 5558, 5258, 5254, 5332, 5579, 5606, 5418, 5398, 5271, 5675, 5510, 5470 (10 hits) (12/20/2013 04:54:45 PM)			
2	9	1.0	333.0	Yes	5558.0MHz, -61.0dBm	Hop sequence: 5449, 5623, 5709, 5686, 5381, 5341, 5507, 5591, 5645, 5594, 5264, 5347, 5714, 5689, 5551, 5506, 5404, 5306, 5665, 5638, 5349, 5614, 5478, 5395, 5371, 5653, 5451, 5641, 5342, 5274, 5447, 5370, 5467, 5366, 5293, 5666, 5481, 5278, 5608, 5631, 5690, 5476, 5309, 5266, 5543, 5251, 5345, 5542, 5610, 5489, 5340, 5386, 5589, 5299, 5624, 5297, 5360, 5388, 5351, 5491, 5400, 5399, 5418, 5415, 5409, 5691, 5329, 5512, 5282, 5253, 5701, 5458, 5722, 5359, 5446, 5664, 5265, 5428, 5257, 5565, 5569, 5577, 5632, 5647, 5277, 5520, 5671, 5560, 5365, 5362, 5288, 5492, 5397, 5302, 5613, 5720, 5606, 5377, 5695, 5496 (3 hits) (12/20/2013 04:54:56 PM)			

File: R94497 Rev 3 Page 159 of 281

	Table 161 - FCC frequency hopping radar (Type 6) Results NU in CU-Acquire, High-band									
Trial #	Pulses/ Burst	Pulse Width (us)	PRI (us)	Detected	Fr (MHz) and level (dBm)	Burst Information				
3	9	1.0	333.0	Yes	5522.0MHz, -61.0dBm	Hop sequence: 5418, 5510, 5288, 5306, 5610, 5315, 5706, 5337, 5346, 5344, 5379, 5314, 5483, 5373, 5524, 5284, 5292, 5601, 5352, 5460, 5285, 5381, 5587, 5445, 5569, 5492, 5320, 5530, 5643, 5299, 5615, 5660, 5637, 5722, 5335, 5326, 5251, 5674, 5325, 5597, 5664, 5309, 5705, 5274, 5407, 5723, 5688, 5655, 5378, 5452, 5366, 5685, 5621, 5617, 5430, 5534, 5409, 5545, 5334, 5673, 5512, 5509, 5710, 5290, 5636, 5267, 5499, 5490, 5556, 5317, 5631, 5704, 5652, 5532, 5514, 5408, 5632, 5694, 5678, 5680, 5578, 5448, 5300, 5412, 5428, 5307, 5439, 5398, 5385, 5546, 5571, 5356, 5696, 5528, 5406, 5295, 5286, 5625, 5487, 5692 (8 hits) (12/20/2013 04:55:05 PM)				
4	9	1.0	333.0	Yes	5523.0MHz, -61.0dBm	Hop sequence: 5579, 5581, 5354, 5355, 5363, 5529, 5651, 5699, 5449, 5411, 5622, 5672, 5512, 5626, 5703, 5538, 5321, 5718, 5282, 5438, 5256, 5671, 5498, 5329, 5420, 5571, 5288, 5312, 5542, 5406, 5452, 5396, 5379, 5594, 5292, 5704, 5632, 5657, 5725, 5620, 5565, 5647, 5635, 5390, 5520, 5670, 5663, 5597, 5490, 5328, 5687, 5426, 5518, 5384, 5360, 5711, 5479, 5621, 5572, 5322, 5696, 5551, 5560, 5682, 5496, 5263, 5350, 5708, 5320, 5638, 5548, 5495, 5332, 5394, 5252, 5281, 5442, 5491, 5639, 5662, 5570, 5260, 5326, 5407, 5422, 5684, 5298, 5673, 5275, 5352, 5274, 5286, 5344, 5323, 5278, 5493, 5688, 5547, 5385, 5345 (6 hits) (12/20/2013 04:55:13 PM)				
5	9	1.0	333.0	Yes	5524.0MHz, -61.0dBm	Hop sequence: 5291, 5375, 5657, 5512, 5390, 5508, 5309, 5295, 5518, 5320, 5547, 5581, 5701, 5549, 5616, 5452, 5388, 5279, 5578, 5412, 5411, 5442, 5260, 5646, 5684, 5675, 5269, 5431, 5551, 5530, 5483, 5529, 5451, 5437, 5461, 5707, 5706, 5653, 5506, 5349, 5346, 5340, 5301, 5680, 5533, 5608, 5256, 5376, 5670, 5283, 5445, 5557, 5521,				

File: R94497 Rev 3 Page 160 of 281

	Table 161 - FCC frequency hopping radar (Type 6) Results NU in CU-Acquire, High-band								
Trial #	Pulses/ Burst	Pulse Width (us)	PRI (us)	Detected	Fr (MHz) and level (dBm)	Burst Information			
						5355, 5622, 5343, 5641, 5682, 5389, 5659, 5502, 5352, 5604, 5500, 5270, 5338, 5505, 5271, 5598, 5416, 5274, 5593, 5329, 5575, 5356, 5267, 5372, 5489, 5524, 5668, 5310, 5550, 5362, 5559, 5494, 5603, 5353, 5672, 5305, 5284, 5532, 5630, 5542, 5317, 5718, 5571, 5429, 5601, 5391, 5620 (11 hits) (12/20/2013 04:55:22 PM)			
6	9	1.0	333.0	Yes	5525.0MHz, -61.0dBm	Hop sequence: 5645, 5456, 5477, 5711, 5499, 5451, 5584, 5709, 5489, 5346, 5520, 5700, 5508, 5393, 5325, 5447, 5426, 5494, 5514, 5449, 5714, 5649, 5403, 5435, 5546, 5665, 5676, 5712, 5313, 5505, 5600, 5558, 5694, 5637, 5690, 5372, 5329, 5351, 5484, 5559, 5452, 5296, 5326, 5564, 5669, 5532, 5427, 5512, 5356, 5331, 5623, 5481, 5423, 5596, 5545, 5321, 5518, 5254, 5614, 5352, 5444, 5601, 5701, 5432, 5643, 5347, 5303, 5353, 5671, 5529, 5457, 5453, 5340, 5407, 5580, 5606, 5528, 5687, 5593, 5590, 5696, 5536, 5307, 5330, 5534, 5391, 5666, 5257, 5602, 5548, 5567, 5368, 5681, 5377, 5398, 5253, 5658, 5603, 5387, 5343 (9 hits) (12/20/2013 04:55:34 PM)			
7	9	1.0	333.0	Yes	5526.0MHz, -61.0dBm	Hop sequence: 5712, 5535, 5525, 5598, 5423, 5378, 5504, 5668, 5503, 5554, 5653, 5593, 5282, 5260, 5674, 5505, 5463, 5328, 5570, 5350, 5437, 5700, 5497, 5472, 5652, 5532, 5655, 5672, 5382, 5454, 5460, 5469, 5426, 5603, 5286, 5681, 5576, 5612, 5424, 5444, 5551, 5345, 5557, 5447, 5364, 5664, 5404, 5677, 5394, 5641, 5439, 5710, 5494, 5518, 5436, 5718, 5348, 5307, 5656, 5578, 5544, 5606, 5512, 5588, 5621, 5278, 5478, 5363, 5272, 5300, 5474, 5635, 5502, 5377, 5316, 5407, 5617, 5556, 5631, 5400, 5298, 5259, 5658, 5455, 5274, 5644, 5716, 5562, 5701, 5294, 5536, 5462, 5595, 5329, 5283 (9 hits) (12/20/2013 04:55:42 PM)			

File: R94497 Rev 3 Page 161 of 281

	Table 16	1 - FCC freque	ency hoppi	ng radar (Ty	pe 6) Results NU	in CU-Acquire, High-band
Trial #	Pulses/ Burst	Pulse Width (us)	PRI (us)	Detected	Fr (MHz) and level (dBm)	Burst Information
8	9	1.0	333.0	Yes	5527.0MHz, -61.0dBm	Hop sequence: 5406, 5684, 5478, 5573, 5333, 5718, 5637, 5674, 5292, 5269, 5439, 5519, 5427, 5357, 5600, 5468, 5270, 5302, 5555, 5557, 5364, 5654, 5479, 5255, 5681, 5535, 5632, 5706, 5528, 5433, 5296, 5400, 5699, 5500, 5544, 5279, 5642, 5445, 5422, 5374, 5567, 5391, 5691, 5520, 5652, 5571, 5424, 5436, 5466, 5431, 5606, 5426, 5289, 5583, 5251, 5562, 5267, 5440, 5388, 5457, 5710, 5712, 5553, 5423, 5350, 5331, 5354, 5645, 5487, 5355, 5430, 5724, 5396, 5335, 5711, 5658, 5588, 5361, 5649, 5675, 5590, 5525, 5701, 5455, 5476, 5623, 5569, 5385, 5495, 5517, 5644, 5545, 5716, 5604, 5488, 5316, 5383, 5441, 5702, 5443 (8 hits) (12/20/2013 04:55:51 PM)
9	9	1.0	333.0	Yes	5528.0MHz, -61.0dBm	Hop sequence: 5489, 5315, 5492, 5335, 5452, 5415, 5370, 5693, 5514, 5280, 5472, 5533, 5259, 5628, 5377, 5282, 5677, 5471, 5457, 5711, 5338, 5316, 5609, 5586, 5720, 5524, 5362, 5694, 5484, 5592, 5512, 5688, 5262, 5719, 5506, 5660, 5566, 5458, 5329, 5389, 5399, 5456, 5578, 5405, 5595, 5448, 5387, 5604, 5281, 5598, 5267, 5343, 5724, 5701, 5661, 5522, 5382, 5691, 5278, 5546, 5643, 5481, 5339, 5613, 5379, 5376, 5674, 5464, 5575, 5500, 5585, 5453, 5638, 5651, 5641, 5590, 5414, 5529, 5423, 5373, 5635, 5553, 5665, 5383, 5569, 5640, 5715, 5260, 5380, 5664, 5549, 5633, 5646, 5435, 5475, 5708, 5612, 5299, 5318, 5396 (7 hits) (12/20/2013 04:55:59 PM)
10	9	1.0	333.0	Yes	5529.0MHz, -61.0dBm	Hop sequence: 5411, 5479, 5282, 5256, 5354, 5307, 5641, 5500, 5474, 5370, 5442, 5327, 5255, 5575, 5617, 5281, 5674, 5430, 5393, 5358, 5610, 5369, 5416, 5483, 5455, 5259, 5328, 5573, 5412, 5713, 5597, 5461, 5600, 5699, 5602, 5673, 5351, 5318, 5636, 5330, 5605, 5543, 5709, 5589, 5294, 5632, 5649, 5708, 5606, 5348, 5362, 5726, 5495,

File: R94497 Rev 3 Page 162 of 281

|--|

	Table 161	l - FCC frequ	ency hoppi	ng radar (Tyj	oe 6) Results NU	in CU-Acquire, High-band
Trial #	Pulses/ Burst	Pulse Width (us)	PRI (us)	Detected	Fr (MHz) and level (dBm)	Burst Information
						5501, 5458, 5519, 5287, 5716, 5387, 5329, 5707, 5503, 5413, 5705, 5494, 5431, 5374, 5568, 5679, 5400, 5640, 5581, 5516, 5368, 5470, 5706, 5355, 5450, 5407, 5408, 5689, 5693, 5422, 5524, 5562, 5254, 5645, 5534, 5502, 5558, 5545, 5608, 5630, 5376, 5484, 5304, 5272, 5698, 5349, 5540 (6 hits) (12/20/2013 04:56:07 PM)
11	9	1.0	333.0	Yes	5530.0MHz, -61.0dBm	Hop sequence: 5591, 5621, 5721, 5251, 5513, 5346, 5421, 5619, 5337, 5311, 5689, 5411, 5553, 5704, 5524, 5633, 5331, 5270, 5719, 5587, 5634, 5586, 5367, 5651, 5460, 5711, 5407, 5683, 5410, 5626, 5583, 5703, 5697, 5326, 5608, 5528, 5567, 5650, 5675, 5400, 5615, 5684, 5612, 5375, 5558, 5580, 5332, 5536, 5511, 5304, 5433, 5252, 5262, 5353, 5257, 5334, 5301, 5402, 5418, 5434, 5413, 5322, 5601, 5623, 5305, 5618, 5298, 5506, 5406, 5420, 5368, 5560, 5379, 5671, 5475, 5573, 5335, 5369, 5478, 5691, 5320, 5574, 5500, 5557, 5318, 5652, 5710, 5365, 5517, 5685, 5273, 5679, 5596, 5543, 5657, 5254, 5614, 5397, 5393, 5419 (7 hits) (12/20/2013 04:56:16 PM)
12	9	1.0	333.0	Yes	5531.0MHz, -61.0dBm	Hop sequence: 5555, 5668, 5693, 5292, 5351, 5573, 5254, 5415, 5553, 5564, 5670, 5657, 5473, 5659, 5388, 5276, 5589, 5349, 5435, 5368, 5490, 5433, 5608, 5708, 5353, 5584, 5487, 5428, 5343, 5488, 5556, 5459, 5552, 5726, 5385, 5673, 5274, 5662, 5391, 5719, 5515, 5441, 5400, 5266, 5359, 5527, 5593, 5514, 5470, 5678, 5322, 5712, 5261, 5288, 5408, 5676, 5321, 5717, 5689, 5390, 5372, 5371, 5479, 5432, 5655, 5643, 5340, 5681, 5481, 5665, 5601, 5402, 5724, 5444, 5407, 5617, 5311, 5412, 5686, 5307, 5275, 5677, 5648, 5405, 5320, 5399, 5468, 5460, 5474, 5541, 5721, 5277, 5711, 5632, 5393, 5715, 5628, 5449, 5354, 5685 (6 hits) (12/20/2013 04:56:26 PM)

File: R94497 Rev 3 Page 163 of 281

	Table 161 - FCC frequency hopping radar (Type 6) Results NU in CU-Acquire, High-band									
Trial #	Pulses/ Burst	Pulse Width (us)	PRI (us)	Detected	Fr (MHz) and level (dBm)	Burst Information				
13	9	1.0	333.0	Yes	5532.0MHz, -61.0dBm	Hop sequence: 5412, 5707, 5268, 5611, 5666, 5654, 5274, 5360, 5695, 5479, 5647, 5315, 5674, 5370, 5641, 5312, 5414, 5396, 5513, 5545, 5573, 5281, 5634, 5353, 5592, 5538, 5688, 5328, 5598, 5636, 5690, 5703, 5454, 5725, 5361, 5296, 5560, 5267, 5429, 5470, 5482, 5290, 5508, 5574, 5546, 5630, 5271, 5316, 5555, 5481, 5664, 5291, 5684, 5614, 5672, 5624, 5523, 5483, 5549, 5701, 5646, 5431, 5499, 5542, 5441, 5480, 5472, 5565, 5452, 5333, 5344, 5397, 5466, 5376, 5463, 5617, 5541, 5612, 5375, 5285, 5363, 5520, 5492, 5601, 5324, 5417, 5468, 5502, 5497, 5589, 5615, 5657, 5442, 5433, 5544, 5536, 5613, 5335, 5507, 5381 (10 hits) (12/20/2013 04:56:35 PM)				
14	9	1.0	333.0	Yes	5533.0MHz, -61.0dBm	Hop sequence: 5275, 5454, 5419, 5251, 5289, 5426, 5714, 5563, 5338, 5321, 5387, 5307, 5640, 5658, 5634, 5317, 5493, 5527, 5436, 5403, 5383, 5443, 5549, 5599, 5375, 5675, 5561, 5396, 5573, 5612, 5517, 5392, 5324, 5415, 5632, 5619, 5633, 5555, 5580, 5657, 5456, 5313, 5616, 5654, 5636, 5325, 5725, 5269, 5704, 5302, 5613, 5608, 5366, 5643, 5495, 5607, 5620, 5552, 5484, 5595, 5297, 5265, 5688, 5686, 5455, 5621, 5414, 5377, 5438, 5461, 5263, 5581, 5719, 5665, 5449, 5424, 5498, 5523, 5477, 5628, 5276, 5310, 5252, 5376, 5365, 5446, 5550, 5674, 5441, 5379, 5417, 5405, 5565, 5306, 5594, 5300, 5279, 5361, 5492, 5408 (6 hits) (12/20/2013 04:56:45 PM)				
15	9	1.0	333.0	Yes	5534.0MHz, -61.0dBm	Hop sequence: 5441, 5369, 5346, 5547, 5480, 5718, 5371, 5693, 5559, 5541, 5445, 5534, 5572, 5320, 5280, 5508, 5279, 5254, 5612, 5457, 5616, 5724, 5344, 5629, 5694, 5532, 5586, 5357, 5585, 5450, 5653, 5711, 5666, 5615, 5613, 5515, 5527, 5348, 5690, 5599, 5394, 5295, 5511, 5286, 5263, 5571, 5549, 5350, 5680, 5466, 5561, 5347, 5530,				

File: R94497 Rev 3 Page 164 of 281

	Table 161	l - FCC freque	ency hoppi	ng radar (Tyj	pe 6) Results NU	in CU-Acquire, High-band
Trial #	Pulses/ Burst	Pulse Width (us)	PRI (us)	Detected	Fr (MHz) and level (dBm)	Burst Information
	Burst	Wiell (us)				5560, 5568, 5677, 5308, 5375, 5433, 5339, 5575, 5492, 5355, 5278, 5540, 5642, 5314, 5323, 5262, 5277, 5284, 5449, 5364, 5627, 5570, 5321, 5317, 5319, 5275, 5361, 5424, 5569, 5698, 5383, 5484, 5592, 5403, 5591, 5468, 5326, 5458, 5603, 5658, 5261, 5611, 5722, 5366, 5596, 5662, 5606 (8 hits) (12/20/2013 04:56:56 PM)
16	9	1.0	333.0	Yes	5535.0MHz, -61.0dBm	Hop sequence: 5709, 5506, 5289, 5279, 5651, 5687, 5450, 5378, 5533, 5502, 5266, 5384, 5426, 5583, 5328, 5467, 5325, 5287, 5582, 5565, 5606, 5632, 5290, 5462, 5280, 5574, 5394, 5347, 5598, 5665, 5436, 5449, 5270, 5617, 5649, 5408, 5401, 5319, 5276, 5263, 5532, 5464, 5588, 5286, 5364, 5521, 5569, 5655, 5459, 5316, 5593, 5689, 5685, 5614, 5546, 5493, 5413, 5623, 5483, 5284, 5626, 5411, 5650, 5619, 5414, 5681, 5453, 5594, 5516, 5553, 5367, 5613, 5463, 5460, 5344, 5550, 5360, 5359, 5637, 5538, 5431, 5451, 5398, 5592, 5576, 5652, 5508, 5578, 5566, 5292, 5664, 5296, 5492, 5698, 5640, 5701, 5638, 5419, 5539, 5369 (7 hits) (12/20/2013 04:57:06 PM)
17	9	1.0	333.0	Yes	5536.0MHz, -61.0dBm	Hop sequence: 5580, 5682, 5363, 5323, 5298, 5322, 5342, 5640, 5677, 5474, 5718, 5251, 5434, 5495, 5719, 5502, 5355, 5331, 5508, 5638, 5277, 5497, 5293, 5398, 5464, 5490, 5407, 5330, 5285, 5676, 5649, 5287, 5548, 5486, 5546, 5384, 5313, 5604, 5272, 5520, 5709, 5261, 5631, 5494, 5432, 5608, 5527, 5320, 5503, 5395, 5577, 5597, 5536, 5695, 5416, 5664, 5463, 5533, 5399, 5382, 5568, 5674, 5415, 5624, 5717, 5459, 5354, 5647, 5573, 5429, 5448, 5451, 5689, 5294, 5650, 5602, 5589, 5339, 5713, 5445, 5319, 5426, 5326, 5700, 5257, 5517, 5550, 5410, 5418, 5581, 5302, 5697, 5472, 5628, 5403, 5279, 5385, 5383, 5379, 5574 (6 hits) (12/20/2013 04:57:16 PM)

File: R94497 Rev 3 Page 165 of 281

Table 161 - FCC frequency hopping radar (Type 6) Results NU in CU-Acquire, High-band									
Trial #	Pulses/ Burst	Pulse Width (us)	PRI (us)	Detected	Fr (MHz) and level (dBm)	Burst Information			
18	9	1.0	333.0	Yes	5537.0MHz, -61.0dBm	Hop sequence: 5378, 5446, 5717 5577, 5394, 5475, 5622, 5690, 5509, 5415, 5468, 5322, 5582, 5482, 5607, 5421, 5605, 5384, 5295, 5459, 5362, 5711, 5422, 5694, 5645, 5706, 5713, 5678, 5639, 5715, 5558, 5517, 5595, 5521, 5396, 5714, 5318, 5328, 5520, 5290, 5405, 5363, 5683, 5626, 5277, 5492, 5272, 5726, 5722, 5650, 5418, 5445, 5473, 5430, 5510, 5507, 5486, 5435, 5529, 5500, 5676, 5398, 5704, 5358, 5266, 5559, 5462, 5329, 5346, 5364, 5600, 5696, 5392, 5587, 5401, 5301, 5625, 5254, 5525, 5263, 5276, 5543, 5379, 5635, 5305, 5280, 5324, 5480, 5584, 5548, 5268, 5563, 5479, 5350, 5501, 5661, 5447, 5284, 5472, 5611 (5 hits) (12/20/2013 04:57:24 PM)			
19	9	1.0	333.0	Yes	5538.0MHz, -61.0dBm	Hop sequence: 5692, 5639, 5352, 5507, 5291, 5436, 5336, 5332, 5337, 5550, 5345, 5331, 5404, 5451, 5669, 5648, 5494, 5682, 5720, 5694, 5296, 5295, 5440, 5272, 5634, 5296, 5295, 5440, 5572, 5479, 5686, 5491, 5670, 5509, 5263, 5378, 5647, 5297, 5421, 5579, 5304, 5460, 5488, 5632, 5311, 5277, 5364, 5672, 5649, 5474, 5696, 5658, 5687, 5253, 5328, 5355, 5567, 5408, 5573, 5466, 5453, 5565, 5558, 5450, 5285, 5599, 5254, 5420, 5341, 5490, 5495, 5564, 5575, 5629, 5343, 5578, 5255, 5326, 5316, 5444, 5294, 5362, 5492, 5335, 5685, 5302, 5501, 5360, 5611, 5387, 5278, 5586, 5589, 5306, 5655, 5502, 5432, 5541, 5693, 5315, (3 hits) (12/20/2013 04:57:34 PM)			
20	9	1.0	333.0	Yes	5539.0MHz, -61.0dBm	Hop sequence: 5281, 5493, 5401, 5419, 5271, 5486, 5640, 5489, 5577, 5514, 5340, 5593, 5441, 5334, 5589, 5544, 5302, 5270, 5495, 5373, 5449, 5414, 5537, 5508, 5468, 5646, 5467, 5265, 5394, 5676, 5503, 5595, 5625, 5520, 5691, 5649, 5529, 5528, 5663, 5390, 5322, 5500, 5421			

File: R94497 Rev 3 Page 166 of 281

5663, 5390, 5322, 5500, 5421, 5312, 5303, 5409, 5484, 5426, 5261, 5587, 5612, 5295, 5511,

	Table 161	- FCC freque	ency hoppi	ng radar (Tyj	pe 6) Results NU	in CU-Acquire, High-band
Trial #	Pulses/ Burst	Pulse Width (us)	PRI (us)	Detected	Fr (MHz) and level (dBm)	Burst Information
						5598, 5554, 5255, 5396, 5606, 5306, 5353, 5325, 5671, 5712, 5386, 5603, 5643, 5374, 5430, 5469, 5521, 5700, 5568, 5582, 5342, 5602, 5397, 5566, 5535, 5383, 5423, 5707, 5658, 5254, 5253, 5274, 5622, 5494, 5278, 5665, 5344, 5367, 5522, 5659, 5288, 5515, 5399, 5666, 5470, 5457, 5637 (7 hits) (12/20/2013) 04:57:44 PM)
21	9	1.0	333.0	Yes	5540.0MHz, -61.0dBm	Hop sequence: 5449, 5367, 5499, 5421, 5484, 5284, 5576, 5473, 5323, 5720, 5512, 5521, 5332, 5314, 5259, 5592, 5626, 5331, 5329, 5488, 5547, 5530, 5603, 5705, 5423, 5486, 5657, 5550, 5717, 5679, 5321, 5648, 5659, 5441, 5362, 5491, 5711, 5358, 5612, 5581, 5566, 5718, 5322, 5525, 5611, 5438, 5614, 5354, 5649, 5363, 5292, 5562, 5454, 5618, 5458, 5404, 5644, 5446, 5273, 5364, 5459, 5577, 5725, 5253, 5400, 5655, 5289, 5396, 5420, 5348, 5482, 5620, 5610, 5474, 5640, 5678, 5264, 5533, 5287, 5390, 5509, 5465, 5389, 5443, 5523, 5263, 5689, 5297, 5709, 5395, 5472, 5269, 5671, 5498, 5291, 5448, 5616, 5559, 5542, 5302 (7 hits) (12/20/2013 04:57:55 PM)
22	9	1.0	333.0	Yes	5541.0MHz, -61.0dBm	Hop sequence: 5435, 5541, 5576, 5479, 5349, 5308, 5412, 5600, 5556, 5645, 5700, 5540, 5474, 5476, 5718, 5577, 5459, 5327, 5679, 5590, 5551, 5415, 5465, 5438, 5404, 5305, 5561, 5680, 5701, 5402, 5508, 5531, 5269, 5367, 5329, 5594, 5363, 5334, 5445, 5255, 5654, 5444, 5359, 5468, 5272, 5471, 5723, 5621, 5326, 5281, 5578, 5677, 5615, 5537, 5652, 5690, 5691, 5262, 5295, 5256, 5419, 5414, 5390, 5553, 5524, 5293, 5340, 5581, 5296, 5436, 5643, 5317, 5699, 5521, 5421, 5562, 5685, 5610, 5647, 5709, 5477, 5424, 5375, 5707, 5401, 5273, 5518, 5535, 5695, 5357, 5565, 5437, 5279, 5612, 5616, 5714, 5626, 5604, 5278, 5339 (9 hits) (12/20/2013 04:58:07 PM)

File: R94497 Rev 3 Page 167 of 281

	Table 161 - FCC frequency hopping radar (Type 6) Results NU in CU-Acquire, High-band									
Trial #	Pulses/ Burst	Pulse Width (us)	PRI (us)	Detected	Fr (MHz) and level (dBm)	Burst Information				
23	9	1.0	333.0	No	5542.0MHz, -61.0dBm	Hop sequence: 5676, 5432, 5298, 5287, 5558, 5281, 5439, 5458, 5310, 5616, 5464, 5493, 5605, 5678, 5685, 5715, 5573, 5658, 5271, 5351, 5506, 5703, 5610, 5687, 5683, 5365, 5373, 5296, 5414, 5547, 5450, 5348, 5334, 5448, 5601, 5277, 5584, 5294, 5613, 5699, 5266, 5592, 5313, 5454, 5634, 5680, 5413, 5388, 5534, 5679, 5354, 5509, 5430, 5594, 5473, 5257, 5585, 5574, 5255, 5621, 5263, 5436, 5399, 5379, 5663, 5593, 5363, 5510, 5487, 5470, 5628, 5368, 5675, 5270, 5467, 5495, 5637, 5274, 5662, 5428, 5378, 5672, 5280, 5462, 5520, 5661, 5557, 5451, 5667, 5684, 5693, 5599, 5288, 5668, 5438, 5695, 5677, 5420, 5541, 5292 (5 hits) (12/20/2013 04:58:17 PM)				
24	9	1.0	333.0	Yes	5543.0MHz, -61.0dBm	Hop sequence: 5511, 5598, 5458, 5395, 5612, 5519, 5252, 5262, 5704, 5369, 5325, 5642, 5680, 5691, 5715, 5531, 5528, 5389, 5672, 5335, 5465, 5384, 5644, 5345, 5503, 5510, 5474, 5280, 5445, 5268, 5298, 5611, 5357, 5614, 5575, 5639, 5419, 5310, 5429, 5500, 5422, 5721, 5635, 5365, 5253, 5637, 5556, 5444, 5569, 5282, 5578, 5276, 5523, 5601, 5630, 5331, 5525, 5312, 5438, 5294, 5533, 5548, 5716, 5454, 5330, 5275, 5420, 5669, 5436, 5265, 5564, 5657, 5595, 5326, 5379, 5259, 5300, 5391, 5472, 5363, 5317, 5590, 5431, 5370, 5560, 5693, 5537, 5356, 5714, 5273, 5368, 5488, 5647, 5477, 5660, 5264, 5313, 5674, 5423, 5508 (8 hits) (12/20/2013 04:58:28 PM)				
25	9	1.0	333.0	Yes	5544.0MHz, -61.0dBm	Hop sequence: 5582, 5628, 5710, 5606, 5531, 5652, 5664, 5698, 5694, 5446, 5642, 5377, 5534, 5637, 5613, 5713, 5661, 5579, 5673, 5372, 5496, 5441, 5692, 5648, 5716, 5354, 5434, 5503, 5530, 5415, 5331, 5410, 5303, 5440, 5472, 5431, 5450, 5375, 5402, 5657, 5624, 5388, 5357, 5342, 5486, 5500, 5371, 5435, 5397, 5556, 5539, 5314, 5281,				

File: R94497 Rev 3 Page 168 of 281

	Table 16	1 - FCC frequ	ency hoppi	ng radar (Ty	pe 6) Results NU	in CU-Acquire, High-band
Trial #	Pulses/ Burst	Pulse Width (us)	PRI (us)	Detected	Fr (MHz) and level (dBm)	Burst Information
						5655, 5285, 5654, 5280, 5533, 5306, 5708, 5622, 5332, 5475, 5709, 5427, 5348, 5619, 5723, 5687, 5607, 5333, 5392, 5292, 5444, 5686, 5298, 5615, 5651, 5610, 5593, 5567, 5311, 5270, 5276, 5502, 5706, 5466, 5396, 5553, 5552, 5662, 5320, 5544, 5251, 5308, 5471, 5309, 5304, 5690, 5442 (9 hits) (12/20/2013 04:58:37 PM)
26	9	1.0	333.0	Yes	5545.0MHz, -61.0dBm	Hop sequence: 5633, 5421, 5602, 5444, 5571, 5551, 5264, 5643, 5296, 5566, 5686, 5656, 5495, 5250, 5440, 5660, 5431, 5430, 5367, 5552, 5528, 5671, 5669, 5533, 5330, 5526, 5473, 5493, 5654, 5562, 5605, 5480, 5639, 5722, 5547, 5481, 5670, 5476, 5502, 5334, 5331, 5589, 5692, 5631, 5486, 5637, 5627, 5409, 5498, 5292, 5268, 5410, 5496, 5348, 5327, 5479, 5489, 5587, 5364, 5535, 5484, 5529, 5525, 5332, 5711, 5288, 5474, 5380, 5615, 5559, 5436, 5329, 5687, 5259, 5536, 5661, 5609, 5724, 5298, 5423, 5554, 5428, 5452, 5464, 5351, 5610, 5285, 5622, 5323, 5360, 5272, 5582, 5540, 5494, 5673, 5369, 5634, 5280, 5718, 5657 (12 hits) (12/20/2013 04:58:46 PM)
27	9	1.0	333.0	Yes	5546.0MHz, -61.0dBm	Hop sequence: 5264, 5718, 5545, 5364, 5409, 5277, 5514, 5561, 5544, 5337, 5719, 5672, 5254, 5369, 5571, 5276, 5677, 5639, 5564, 5695, 5552, 5328, 5570, 5674, 5534, 5490, 5645, 5355, 5408, 5591, 5538, 5378, 5362, 5301, 5548, 5622, 5293, 5720, 5698, 5517, 5616, 5532, 5496, 5381, 5581, 5406, 5676, 5627, 5428, 5464, 5721, 5481, 5393, 5658, 5291, 5519, 5333, 5327, 5617, 5568, 5270, 5724, 5625, 5262, 5512, 5539, 5407, 5274, 5716, 5522, 5661, 5296, 5404, 5401, 5613, 5667, 5714, 5624, 5712, 5693, 5593, 5579, 5425, 5598, 5594, 5670, 5530, 5510, 5436, 5573, 5637, 610, hits) (12/20/2013 04:58:56 PM)

File: R94497 Rev 3 Page 169 of 281

	Table 161 - FCC frequency hopping radar (Type 6) Results NU in CU-Acquire, High-band									
Trial #	Pulses/ Burst	Pulse Width (us)	PRI (us)	Detected	Fr (MHz) and level (dBm)	Burst Information				
28	9	1.0	333.0	Yes	5547.0MHz, -61.0dBm	Hop sequence: 5352, 5457, 5724, 5644, 5408, 5601, 5450, 5396, 5323, 5376, 5434, 5593, 5380, 5529, 5648, 5255, 5272, 5598, 5289, 5676, 5458, 5652, 5647, 5322, 5689, 5685, 5630, 5334, 5539, 5667, 5658, 5494, 5432, 5633, 5705, 5592, 5589, 5412, 5530, 5496, 5260, 5707, 5721, 5616, 5723, 5495, 5714, 5354, 5654, 5284, 5316, 5623, 5460, 5438, 5549, 5546, 5501, 5663, 5687, 5366, 5660, 5433, 5251, 5603, 5718, 5379, 5557, 5471, 5341, 5437, 5301, 5621, 5428, 5602, 5372, 5435, 5370, 5296, 5520, 5393, 5292, 5430, 5710, 5400, 5302, 5629, 5500, 5504, 5542, 5467, 5700, 5325, 5657, 5254, 5540, 5444, 5523, 5698, 5269, 5681 (9 hits) (12/20/2013 04:59:04 PM)				
29	9	1.0	333.0	Yes	5548.0MHz, -61.0dBm	Hop sequence: 5282, 5310, 5489, 5509, 5275, 5582, 5373, 5725, 5628, 5567, 5343, 5695, 5722, 5297, 5350, 5536, 5447, 5578, 5291, 5389, 5383, 5579, 5652, 5519, 5317, 5410, 5312, 5306, 5587, 5599, 5613, 5662, 5495, 5380, 5541, 5690, 5534, 5640, 5686, 5513, 5573, 5683, 5557, 5476, 5717, 5721, 5303, 5679, 5377, 5424, 5659, 5562, 5269, 5529, 5593, 5635, 5334, 5365, 5648, 5501, 5713, 5577, 5724, 5677, 5655, 5518, 5357, 5566, 5491, 5508, 5580, 5619, 5332, 5340, 5538, 5586, 5468, 5418, 5331, 5302, 5660, 5647, 5338, 5483, 5403, 5564, 5281, 5575, 5585, 5430, 5274, 5507, 5493, 5263, 5393, 5252, 5335, 5670, 5270, 5286 (6 hits) (12/20/2013 04:59:13 PM)				
30	9	1.0	333.0	Yes	5549.0MHz, -61.0dBm	Hop sequence: 5725, 5350, 5650, 5667, 5298, 5588, 5608, 5439, 5543, 5395, 5458, 5396, 5512, 5341, 5665, 5626, 5491, 5316, 5327, 5403, 5477, 5475, 5569, 5262, 5398, 5307, 5450, 5517, 5324, 5705, 5658, 5360, 5416, 5693, 5455, 5338, 5387, 5506, 5529, 5401, 5634, 5256, 5274, 5547, 5305, 5482, 5460, 5656, 5381, 5635, 5544, 5486, 5380,				

File: R94497 Rev 3 Page 170 of 281

	Table 161	- FCC freque	ency hoppi	ng radar (Ty	pe 6) Results NU	in CU-Acquire, High-band
Trial #	Pulses/ Burst	Pulse Width (us)	PRI (us)	Detected	Fr (MHz) and level (dBm)	Burst Information
	2 0.00					5593, 5432, 5421, 5362, 5508, 5417, 5290, 5329, 5513, 5310, 5500, 5583, 5663, 5440, 5722, 5537, 5264, 5567, 5616, 5711, 5570, 5676, 5646, 5319, 5516, 5331, 5683, 5430, 5434, 5712, 5709, 5429, 5548, 5470, 5661, 5706, 5528, 5347, 5461, 5312, 5518, 5699, 5591, 5379, 5695, 5631, 5496 (7 hits) (12/20/2013 04:59:22 PM)
31	9	1.0	333.0	Yes	5550.0MHz, -61.0dBm	Hop sequence: 5647, 5521, 5543, 5301, 5405, 5280, 5435, 5381, 5264, 5468, 5365, 5445, 5484, 5446, 5297, 5338, 5273, 5335, 5300, 5628, 5683, 5688, 5610, 5718, 5525, 5664, 5607, 5496, 5262, 5374, 5615, 5284, 5580, 5588, 5674, 5299, 5712, 5626, 5659, 5695, 5650, 5655, 5639, 5717, 5337, 5598, 5577, 5259, 5623, 5400, 5690, 5438, 5564, 5523, 5715, 5413, 5660, 5641, 5627, 5390, 5424, 5441, 5469, 5497, 5411, 5572, 5557, 5423, 5671, 5437, 5694, 5282, 5281, 5682, 5344, 5366, 5327, 5571, 5677, 5433, 5578, 5602, 5665, 5629, 5611, 5638, 5483, 5524, 5320, 5672, 5693, 5317, 5563, 5549, 5478, 5533, 5645, 5719, 5285, 5495 (7 hits) (12/20/2013 04:59:30 PM)
32	9	1.0	333.0	Yes	5551.0MHz, -61.0dBm	Hop sequence: 5284, 5625, 5646, 5328, 5655, 5414, 5342, 5696, 5668, 5295, 5471, 5528, 5567, 5523, 5451, 5279, 5673, 5272, 5672, 5654, 5671, 5480, 5683, 5586, 5693, 5376, 5413, 5436, 5323, 5370, 5649, 5686, 5345, 5268, 5643, 5395, 5424, 5271, 5459, 5621, 5656, 5688, 5358, 5417, 5302, 5538, 5580, 5327, 5648, 5670, 5460, 5372, 5458, 5435, 5535, 5419, 5261, 5723, 5559, 5605, 5331, 5684, 5531, 5335, 5389, 5571, 5403, 5337, 5467, 5481, 5316, 5406, 5368, 5545, 5434, 5552, 5394, 5594, 5695, 5297, 5584, 5522, 5640, 5431, 5560, 5381, 5259, 5575, 5495, 5619, 5324, 5597, 5468, 5317, 5365, 5529, 5485, 5437, 5600, 5615 (9 hits) (12/20/2013 04:59:44 PM)

File: R94497 Rev 3 Page 171 of 281

	Table 161 - FCC frequency hopping radar (Type 6) Results NU in CU-Acquire, High-band									
Trial #	Pulses/ Burst	Pulse Width (us)	PRI (us)	Detected	Fr (MHz) and level (dBm)	Burst Information				
33	9	1.0	333.0	Yes	5552.0MHz, -61.0dBm	Hop sequence: 5558, 5383, 5363, 5584, 5572, 5422, 5381, 5414, 5581, 5640, 5421, 5596, 5274, 5491, 5257, 5337, 5520, 5266, 5577, 5521, 5328, 5465, 5299, 5307, 5677, 5642, 5265, 5388, 5277, 5598, 5441, 5641, 5400, 5582, 5670, 5419, 5578, 5599, 5439, 5306, 5311, 5354, 5513, 5403, 5482, 5425, 5387, 5712, 5676, 5597, 5424, 5368, 5612, 5256, 5588, 5709, 5593, 5713, 5460, 5357, 5406, 5722, 5510, 5542, 5494, 5490, 5563, 5658, 5695, 5567, 5611, 5462, 5303, 5288, 5341, 5566, 5568, 5295, 5362, 5393, 5646, 5497, 5436, 5329, 5452, 5287, 5433, 5573, 5683, 5545, 5428, 5692, 5503, 5429, 5519, 5515, 5434, 5372, 5346, 5724 (3 hits) (12/20/2013 04:59:54 PM)				
34	9	1.0	333.0	Yes	5553.0MHz, -61.0dBm	Hop sequence: 5314, 5585, 5261, 5326, 5288, 5574, 5605, 5349, 5623, 5446, 5280, 5576, 5680, 5718, 5580, 5583, 5690, 5312, 5651, 5265, 5619, 5566, 5716, 5609, 5492, 5522, 5517, 5610, 5498, 5390, 5389, 5345, 5636, 5484, 5658, 5661, 5591, 5412, 5430, 5677, 5504, 5669, 5364, 5333, 5551, 5597, 5418, 5348, 5561, 5310, 5533, 5404, 5554, 5469, 5360, 5391, 5385, 5276, 5650, 5470, 5266, 5287, 5361, 5530, 5410, 5723, 5598, 5357, 5275, 5692, 5353, 5689, 5398, 5573, 5494, 5485, 5648, 5613, 5505, 5633, 5448, 5420, 5571, 5354, 5372, 5721, 5655, 5663, 5572, 5480, 5379, 5299, 5701, 5461, 5355, 5698, 5453, 5442, 5382, 5502 (5 hits) (12/20/2013 05:00:03 PM)				
35	9	1.0	333.0	Yes	5554.0MHz, -61.0dBm	Hop sequence: 5268, 5466, 5277, 5256, 5258, 5302, 5391, 5299, 5528, 5516, 5352, 5601, 5330, 5552, 5620, 5350, 5347, 5459, 5529, 5271, 5686, 5376, 5355, 5611, 5556, 5490, 5448, 5470, 5317, 5365, 5651, 5545, 5659, 5250, 5316, 5297, 5374, 5598, 5606, 5701, 5562, 5405, 5411, 5449, 5646, 5553, 5567, 5450, 5419, 5307, 5445, 5421, 5677,				

File: R94497 Rev 3 Page 172 of 281

	Table 161	l - FCC frequ	ency hoppi	ng radar (Ty	pe 6) Results NU	in CU-Acquire, High-band
Trial #	Pulses/ Burst	Pulse Width (us)	PRI (us)	Detected	Fr (MHz) and level (dBm)	Burst Information
						5253, 5303, 5629, 5555, 5425, 5636, 5655, 5251, 5669, 5658, 5400, 5633, 5640, 5534, 5530, 5257, 5340, 5671, 5621, 5326, 5372, 5390, 5416, 5549, 5255, 5474, 5656, 5453, 5259, 5455, 5310, 5327, 5409, 5476, 5663, 5452, 5427, 5691, 5588, 5312, 5349, 5615, 5551, 5366, 5693, 5649, 5319 (11 hits) (12/20/2013 05:00:11 PM)
36	9	1.0	333.0	Yes	5555.0MHz, -61.0dBm	Hop sequence: 5455, 5555, 5682, 5530, 5439, 5565, 5442, 5715, 5255, 5342, 5333, 5456, 5578, 5464, 5506, 5654, 5331, 5632, 5357, 5251, 5291, 5524, 5545, 5637, 5527, 5529, 5382, 5418, 5300, 5491, 5574, 5343, 5315, 5275, 5657, 5467, 5386, 5689, 5570, 5509, 5631, 5424, 5501, 5260, 5528, 5408, 5477, 5332, 5484, 5252, 5636, 5476, 5369, 5479, 5444, 5437, 5391, 5480, 5269, 5299, 5482, 5591, 5512, 5474, 5643, 5415, 5652, 5274, 5700, 5639, 5695, 5285, 5393, 5645, 5537, 5413, 5268, 5611, 5601, 5404, 5384, 5292, 5378, 5411, 5525, 5477, 5566, 5668, 5585, 5619, 5635, 5259, 5683, 5630, 5472, 5327, 5435, 5594, 5372 (9 hits) (12/20/2013 05:00:21 PM)
37	9	1.0	333.0	Yes	5556.0MHz, -61.0dBm	Hop sequence: 5674, 5357, 5362, 5380, 5534, 5325, 5607, 5530, 5312, 5525, 5673, 5576, 5418, 5446, 5647, 5430, 5270, 5414, 5505, 5266, 5433, 5304, 5302, 5631, 5457, 5660, 5616, 5469, 5387, 5520, 5373, 5522, 5395, 5330, 5715, 5685, 5299, 5405, 5371, 5693, 5701, 5563, 5666, 5310, 5494, 5439, 5466, 5622, 5519, 5584, 5422, 5658, 5511, 5643, 5537, 5391, 5634, 5368, 5327, 5628, 5284, 5261, 5421, 5560, 5615, 5498, 5369, 5585, 5653, 5292, 5698, 5375, 5281, 5688, 5677, 5396, 5454, 5497, 5502, 5341, 5307, 5618, 5263, 5650, 5390, 5573, 5592, 5604, 5476, 5409, 5611, 5527, 5495, 5562, 5718, 5620, 5419, 5692, 5659, 5403 (6 hits) (12/20/2013 05:00:29 PM)

File: R94497 Rev 3 Page 173 of 281

Table 162 - Summary of All Results - CU, 30MHz Mode Steady State								
Waveform Name	Pd (%)	Pd Required (%)	Number of Trials	Status				
FCC Short Pulse Radar (Type 1)	96.7 %	60.0 %	30	PASSED				
FCC Short Pulse Radar (Type 2)	96.7 %	60.0 %	30	PASSED				
FCC Short Pulse Radar (Type 3)	96.7 %	60.0 %	30	PASSED				
FCC Short Pulse Radar (Type 4)	100.0 %	60.0 %	30	PASSED				
Aggregate of above results	97.5 %	80.0 %	120	PASSED				
Long Sequence	90.0 %	80.0 %	30	PASSED				
FCC frequency hopping radar (Type 6)	100.0 %	70.0 %	39	PASSED				

Table 163 - Detection Bandwidth Measurements (Bandwidth: +19MHz /-19MHz) - CU, 30MHz Mode Steady State								
EUT Frequency	Radar Type	Radar Frequency	# Detected	# Not Detected	Success (%)			
5280.00 MHz	FCC Short Pulse Radar (Type 1)	5260.00 MHz	1	3	25			
5280.00 MHz	FCC Short Pulse Radar (Type 1)	5261.00 MHz	10	0	100			
5280.00 MHz	FCC Short Pulse Radar (Type 1)	5262.00 MHz	10	0	100			
5280.00 MHz	FCC Short Pulse Radar (Type 1)	5263.00 MHz	10	0	100			
5280.00 MHz	FCC Short Pulse Radar (Type 1)	5264.00 MHz	10	0	100			
5280.00 MHz	FCC Short Pulse Radar (Type 1)	5265.00 MHz	10	0	100			
5280.00 MHz	FCC Short Pulse Radar (Type 1)	5266.00 MHz	10	0	100			
5280.00 MHz	FCC Short Pulse Radar (Type 1)	5267.00 MHz	10	0	100			
5280.00 MHz	FCC Short Pulse Radar (Type 1)	5268.00 MHz	9	1	90			
5280.00 MHz	FCC Short Pulse Radar (Type 1)	5269.00 MHz	10	0	100			
5280.00 MHz	FCC Short Pulse Radar (Type 1)	5270.00 MHz	10	0	100			
5280.00 MHz	FCC Short Pulse Radar (Type 1)	5271.00 MHz	10	0	100			
5280.00 MHz	FCC Short Pulse Radar (Type 1)	5272.00 MHz	10	0	100			
5280.00 MHz	FCC Short Pulse Radar (Type 1)	5273.00 MHz	10	0	100			
5280.00 MHz	FCC Short Pulse Radar (Type 1)	5274.00 MHz	10	0	100			
5280.00 MHz	FCC Short Pulse Radar (Type 1)	5275.00 MHz	10	0	100			
5280.00 MHz	FCC Short Pulse	5276.00 MHz	10	0	100			

File: R94497 Rev 3 Page 174 of 281

	Radar (Type 1)				
	FCC Short Pulse			_	
5280.00 MHz	Radar (Type 1)	5277.00 MHz	10	0	100
5280.00 MHz	FCC Short Pulse Radar (Type 1)	5278.00 MHz	9	1	90
5280.00 MHz	FCC Short Pulse	5279.00 MHz	10	0	100
5280.00 MHz	Radar (Type 1) FCC Short Pulse	5280.00 MHz	10	0	100
	Radar (Type 1) FCC Short Pulse				
5280.00 MHz	Radar (Type 1)	5281.00 MHz	10	0	100
5280.00 MHz	FCC Short Pulse Radar (Type 1)	5282.00 MHz	10	0	100
5280.00 MHz	FCC Short Pulse Radar (Type 1)	5283.00 MHz	10	0	100
5280.00 MHz	FCC Short Pulse Radar (Type 1)	5284.00 MHz	10	0	100
5280.00 MHz	FCC Short Pulse Radar (Type 1)	5285.00 MHz	10	0	100
5280.00 MHz	FCC Short Pulse Radar (Type 1)	5286.00 MHz	10	0	100
5280.00 MHz	FCC Short Pulse Radar (Type 1)	5287.00 MHz	9	1	90
5280.00 MHz	FCC Short Pulse Radar (Type 1)	5288.00 MHz	10	0	100
5280.00 MHz	FCC Short Pulse Radar (Type 1)	5289.00 MHz	10	0	100
5280.00 MHz	FCC Short Pulse Radar (Type 1)	5290.00 MHz	10	0	100
5280.00 MHz	FCC Short Pulse Radar (Type 1)	5291.00 MHz	10	0	100
5280.00 MHz	FCC Short Pulse Radar (Type 1)	5292.00 MHz	10	0	100
5280.00 MHz	FCC Short Pulse Radar (Type 1)	5293.00 MHz	10	0	100
5280.00 MHz	FCC Short Pulse Radar (Type 1)	5294.00 MHz	10	0	100
5280.00 MHz	FCC Short Pulse Radar (Type 1)	5295.00 MHz	10	0	100
5280.00 MHz	FCC Short Pulse Radar (Type 1)	5296.00 MHz	9	1	90
5280.00 MHz	FCC Short Pulse Radar (Type 1)	5297.00 MHz	10	0	100
5280.00 MHz	FCC Short Pulse Radar (Type 1)	5298.00 MHz	10	0	100
5280.00 MHz	FCC Short Pulse Radar (Type 1)	5299.00 MHz	10	0	100
5280.00 MHz	FCC Short Pulse Radar (Type 1)	5300.00 MHz	1	3	25

	Table 164 - FCC Short Pulse Radar (Type 1) Results - CU, 30MHz Mode Steady State								
Trial #	Pulses/ Burst	Pulse Width (us)	PRI (us)	Detected	Fr (MHz) and level (dBm)	Burst Information			
1	18	1.0	1428.0	Yes	5275.0MHz, -61.0dBm	Single burst (01/02/2014 09:49:17 AM)			
2	18	1.0	1428.0	Yes	5270.0MHz, -61.0dBm	Single burst (01/02/2014 09:49:28 AM)			

File: R94497 Rev 3 Page 175 of 281

	Table 164 - FCC Short Pulse Radar (Type 1) Results - CU, 30MHz Mode Steady State								
Trial #	Pulses/ Burst	Pulse Width (us)	PRI (us)	Detected	Fr (MHz) and level (dBm)	Burst Information			
3	18	1.0	1428.0	Yes	5265.0MHz, -61.0dBm	Single burst (01/02/2014 09:49:36 AM)			
4	18	1.0	1428.0	Yes	5295.0MHz, -61.0dBm	Single burst (01/02/2014 09:49:45 AM)			
5	18	1.0	1428.0	Yes	5290.0MHz, -61.0dBm	Single burst (01/02/2014 09:49:52 AM)			
6	18	1.0	1428.0	Yes	5285.0MHz, -61.0dBm	Single burst (01/02/2014 09:49:59 AM)			
7	18	1.0	1428.0	Yes	5280.0MHz, -61.0dBm	Single burst (01/02/2014 09:50:06 AM)			
8	18	1.0	1428.0	Yes	5275.0MHz, -61.0dBm	Single burst (01/02/2014 09:50:14 AM)			
9	18	1.0	1428.0	Yes	5270.0MHz, -61.0dBm	Single burst (01/02/2014 09:50:22 AM)			
10	18	1.0	1428.0	Yes	5265.0MHz, -61.0dBm	Single burst (01/02/2014 09:50:30 AM)			
11	18	1.0	1428.0	No	5295.0MHz, -61.0dBm	Single burst (01/02/2014 09:50:38 AM)			
12	18	1.0	1428.0	Yes	5290.0MHz, -61.0dBm	Single burst (01/02/2014 09:50:49 AM)			
13	18	1.0	1428.0	Yes	5285.0MHz, -61.0dBm	Single burst (01/02/2014 09:50:58 AM)			
14	18	1.0	1428.0	Yes	5280.0MHz, -61.0dBm	Single burst (01/02/2014 09:51:06 AM)			
15	18	1.0	1428.0	Yes	5275.0MHz, -61.0dBm	Single burst (01/02/2014 09:51:13 AM)			
16	18	1.0	1428.0	Yes	5270.0MHz, -61.0dBm	Single burst (01/02/2014 09:51:22 AM)			
17	18	1.0	1428.0	Yes	5265.0MHz, -61.0dBm	Single burst (01/02/2014 09:51:30 AM)			
18	18	1.0	1428.0	Yes	5295.0MHz, -61.0dBm	Single burst (01/02/2014 09:51:41 AM)			
19	18	1.0	1428.0	Yes	5290.0MHz, -61.0dBm	Single burst (01/02/2014 09:51:50 AM)			
20	18	1.0	1428.0	Yes	5285.0MHz, -61.0dBm	Single burst (01/02/2014 09:52:00 AM)			
21	18	1.0	1428.0	Yes	5280.0MHz, -61.0dBm	Single burst (01/02/2014 09:52:08 AM)			
22	18	1.0	1428.0	Yes	5275.0MHz, -61.0dBm	Single burst (01/02/2014 09:52:16 AM)			
23	18	1.0	1428.0	Yes	5270.0MHz, -61.0dBm	Single burst (01/02/2014 09:52:24 AM)			
24	18	1.0	1428.0	Yes	5265.0MHz, -61.0dBm	Single burst (01/02/2014 09:52:31 AM)			
25	18	1.0	1428.0	Yes	5295.0MHz, -61.0dBm	Single burst (01/02/2014 09:52:38 AM)			
26	18	1.0	1428.0	Yes	5290.0MHz, -61.0dBm	Single burst (01/02/2014 09:52:45 AM)			
27	18	1.0	1428.0	Yes	5285.0MHz, -61.0dBm	Single burst (01/02/2014 09:52:52 AM)			
28	18	1.0	1428.0	Yes	5280.0MHz, -61.0dBm	Single burst (01/02/2014 09:52:59 AM)			
29	18	1.0	1428.0	Yes	5275.0MHz, -61.0dBm	Single burst (01/02/2014 09:53:06 AM)			

File: R94497 Rev 3 Page 176 of 281

	Table 164 - FCC Short Pulse Radar (Type 1) Results - CU, 30MHz Mode Steady State							
Trial #	Pulses/ Burst	Pulse Width (us)	PRI (us)	Detected	Fr (MHz) and level (dBm)	Burst Information		
30	18 1.0 1428.0 Yes 5270.0MHz, Single burst (01/02/2014 09:53:13 AM)							

	Table 165 - FCC Short Pulse Radar (Type 2) Results CU, 30MHz Mode Steady State									
Trial #	Pulses/ Burst	Pulse Width (us)	PRI (us)	Detected	Fr (MHz) and level (dBm)	Burst Information				
1	24	3.2	150.0	Yes	5280.0MHz, -61.0dBm	Single burst (01/02/2014 09:53:52 AM)				
2	28	3.8	175.0	Yes	5275.0MHz, -61.0dBm	Single burst (01/02/2014 09:54:04 AM)				
3	24	1.9	222.0	Yes	5270.0MHz, -61.0dBm	Single burst (01/02/2014 09:54:15 AM)				
4	25	2.0	228.0	Yes	5265.0MHz, -61.0dBm	Single burst (01/02/2014 09:54:33 AM)				
5	27	1.3	218.0	Yes	5295.0MHz, -61.0dBm	Single burst (01/02/2014 09:54:52 AM)				
6	25	2.4	223.0	Yes	5290.0MHz, -61.0dBm	Single burst (01/02/2014 09:55:02 AM)				
7	27	3.6	172.0	Yes	5285.0MHz, -61.0dBm	Single burst (01/02/2014 09:55:21 AM)				
8	24	3.4	230.0	Yes	5280.0MHz, -61.0dBm	Single burst (01/02/2014 09:55:33 AM)				
9	27	1.9	209.0	Yes	5275.0MHz, -61.0dBm	Single burst (01/02/2014 09:55:51 AM)				
10	29	3.8	230.0	Yes	5270.0MHz, -61.0dBm	Single burst (01/02/2014 09:56:01 AM)				
11	23	3.8	217.0	Yes	5265.0MHz, -61.0dBm	Single burst (01/02/2014 09:56:13 AM)				
12	25	3.3	219.0	Yes	5295.0MHz, -61.0dBm	Single burst (01/02/2014 09:56:24 AM)				
13	27	1.1	162.0	Yes	5290.0MHz, -61.0dBm	Single burst (01/02/2014 09:56:33 AM)				
14	26	4.4	192.0	Yes	5285.0MHz, -61.0dBm	Single burst (01/02/2014 09:56:42 AM)				
15	25	3.4	199.0	Yes	5280.0MHz, -61.0dBm	Single burst (01/02/2014 09:56:53 AM)				
16	23	2.8	167.0	Yes	5275.0MHz, -61.0dBm	Single burst (01/02/2014 09:57:03 AM)				
17	26	1.0	191.0	No	5270.0MHz, -61.0dBm	Single burst (01/02/2014 09:57:11 AM)				
18	24	2.5	201.0	Yes	5265.0MHz, -61.0dBm	Single burst (01/02/2014 09:57:20 AM)				
19	26	1.1	222.0	Yes	5295.0MHz, -61.0dBm	Single burst (01/02/2014 09:57:28 AM)				
20	26	1.6	157.0	Yes	5290.0MHz, -61.0dBm	Single burst (01/02/2014 09:57:42 AM)				
21	23	4.5	189.0	Yes	5285.0MHz, -61.0dBm	Single burst (01/02/2014 09:58:05 AM)				
22	26	4.1	160.0	Yes	5280.0MHz, -61.0dBm	Single burst (01/02/2014 09:58:18 AM)				
23	25	1.6	162.0	Yes	5275.0MHz, -61.0dBm	Single burst (01/02/2014 09:58:30 AM)				

File: R94497 Rev 3 Page 177 of 281

	Table 165 - FCC Short Pulse Radar (Type 2) Results CU, 30MHz Mode Steady State								
Trial #	Pulses/ Burst	Pulse Width (us)	PRI (us)	Detected	Fr (MHz) and level (dBm)	Burst Information			
24	23	2.0	162.0	Yes	5270.0MHz, -61.0dBm	Single burst (01/02/2014 09:58:40 AM)			
25	27	4.7	150.0	Yes	5265.0MHz, -61.0dBm	Single burst (01/02/2014 09:58:51 AM)			
26	28	3.0	195.0	Yes	5295.0MHz, -61.0dBm	Single burst (01/02/2014 09:59:09 AM)			
27	25	1.6	169.0	Yes	5290.0MHz, -61.0dBm	Single burst (01/02/2014 09:59:17 AM)			
28	23	4.6	227.0	Yes	5285.0MHz, -61.0dBm	Single burst (01/02/2014 09:59:26 AM)			
29	25	4.7	164.0	Yes	5280.0MHz, -61.0dBm	Single burst (01/02/2014 09:59:33 AM)			
30	24	4.6	218.0	Yes	5275.0MHz, -61.0dBm	Single burst (01/02/2014 09:59:43 AM)			

	Table 166 - FCC Short Pulse Radar (Type 3) Results - CU, 30MHz Mode Steady State								
Trial #	Pulses/ Burst	Pulse Width (us)	PRI (us)	Detected	Fr (MHz) and level (dBm)	Burst Information			
1	18	9.9	205.0	No	5280.0MHz, -61.0dBm	Single burst (01/02/2014 10:00:32 AM)			
2	16	9.5	221.0	Yes	5275.0MHz, -61.0dBm	Single burst (01/02/2014 10:00:41 AM)			
3	18	6.3	268.0	Yes	5270.0MHz, -61.0dBm	Single burst (01/02/2014 10:00:49 AM)			
4	18	7.4	316.0	Yes	5265.0MHz, -61.0dBm	Single burst (01/02/2014 10:00:57 AM)			
5	18	7.2	274.0	Yes	5295.0MHz, -61.0dBm	Single burst (01/02/2014 10:01:05 AM)			
6	18	9.8	499.0	Yes	5290.0MHz, -61.0dBm	Single burst (01/02/2014 10:01:23 AM)			
7	16	7.5	355.0	Yes	5285.0MHz, -61.0dBm	Single burst (01/02/2014 10:01:41 AM)			
8	16	6.7	250.0	Yes	5280.0MHz, -61.0dBm	Single burst (01/02/2014 10:01:49 AM)			
9	16	8.0	203.0	Yes	5275.0MHz, -61.0dBm	Single burst (01/02/2014 10:01:56 AM)			
10	16	6.2	430.0	Yes	5270.0MHz, -61.0dBm	Single burst (01/02/2014 10:02:04 AM)			
11	17	9.4	455.0	Yes	5265.0MHz, -61.0dBm	Single burst (01/02/2014 10:02:11 AM)			
12	16	9.8	264.0	Yes	5295.0MHz, -61.0dBm	Single burst (01/02/2014 10:02:23 AM)			
13	17	9.1	238.0	Yes	5290.0MHz, -61.0dBm	Single burst (01/02/2014 10:03:10 AM)			
14	17	7.7	482.0	Yes	5285.0MHz, -61.0dBm	Single burst (01/02/2014 10:03:38 AM)			
15	16	8.1	269.0	Yes	5280.0MHz, -61.0dBm	Single burst (01/02/2014 10:03:47 AM)			
16	17	9.1	271.0	Yes	5275.0MHz, -61.0dBm	Single burst (01/02/2014 10:03:55 AM)			
17	18	8.3	392.0	Yes	5270.0MHz, -61.0dBm	Single burst (01/02/2014 10:04:06 AM)			
18	17	8.3	241.0	Yes	5265.0MHz,	Single burst (01/02/2014 10:04:17			

File: R94497 Rev 3 Page 178 of 281

9.1

8.9

6.5

9.0

6.1

6.5

6.6

8.8

8.0

8.1

497.0

284.0

250.0

223.0

318.0

352.0

494.0

455.0

210.0

457.0

Yes

Trial#

19

20

21

22

23

24

25

26

27

28

29

30

17

16

18

17

17

18

17

16

16

16

			Repo	rt Date: April 3, 2	014 Reissue Date: August 1, 2014
Table 1	166 - FCC Sho	ort Pulse R	adar (Type 3)	Results - CU, 30	MHz Mode Steady State
Pulses/ Burst	Pulse Width (us)	PRI (us)	Detected	Fr (MHz) and level (dBm)	Burst Information
				-61.0dBm	AM)
17	8.9	463.0	Yes	5295.0MHz, -61.0dBm	Single burst (01/02/2014 10:04:24 AM)
17	7.4	279.0	Yes	5290.0MHz,	Single burst (01/02/2014 10:04:33

-61.0dBm

-61.0dBm

-61.0dBm

-61.0dBm

-61.0dBm

-61.0dBm

-61.0dBm

-61.0dBm

-61.0dBm

-61.0dBm 5275.0MHz,

-61.0dBm

5285.0MHz,

5280.0MHz,

5275.0MHz,

5270.0MHz,

5265.0MHz,

5295.0MHz,

5290.0MHz,

5285.0MHz,

5280.0MHz,

AM)

AM)

AM)

AM)

AM)

AM)

AM)

AM)

AM)

Single burst (01/02/2014 10:04:41

Single burst (01/02/2014 10:04:51

Single burst (01/02/2014 10:04:58

Single burst (01/02/2014 10:05:05

Single burst (01/02/2014 10:05:14

Single burst (01/02/2014 10:05:30

Single burst (01/02/2014 10:05:51

Single burst (01/02/2014 10:06:01

Single burst (01/02/2014 10:06:18

Single burst (01/02/2014 10:06:32

	Table 1	167 - FCC Sho	ort Pulse R	adar (Type 4) Results - CU, 30	MHz Mode Steady State
Trial #	Pulses/ Burst	Pulse Width (us)	PRI (us)	Detected	Fr (MHz) and level (dBm)	Burst Information
1	13	13.4	426.0	Yes	5280.0MHz, -61.0dBm	Single burst (01/02/2014 10:07:22 AM)
2	15	16.5	306.0	Yes	5275.0MHz, -61.0dBm	Single burst (01/02/2014 10:07:30 AM)
3	15	12.5	478.0	Yes	5270.0MHz, -61.0dBm	Single burst (01/02/2014 10:07:39 AM)
4	15	18.4	385.0	Yes	5265.0MHz, -61.0dBm	Single burst (01/02/2014 10:07:53 AM)
5	15	17.0	320.0	Yes	5295.0MHz, -61.0dBm	Single burst (01/02/2014 10:08:00 AM)
6	16	12.9	426.0	Yes	5290.0MHz, -61.0dBm	Single burst (01/02/2014 10:08:12 AM)
7	13	19.3	311.0	Yes	5285.0MHz, -61.0dBm	Single burst (01/02/2014 10:08:19 AM)
8	15	18.4	477.0	Yes	5280.0MHz, -61.0dBm	Single burst (01/02/2014 10:08:31 AM)
9	14	15.0	430.0	Yes	5275.0MHz, -61.0dBm	Single burst (01/02/2014 10:08:38 AM)
10	16	14.4	478.0	Yes	5270.0MHz, -61.0dBm	Single burst (01/02/2014 10:08:46 AM)
11	14	18.4	497.0	Yes	5265.0MHz, -61.0dBm	Single burst (01/02/2014 10:08:54 AM)
12	14	11.3	434.0	Yes	5295.0MHz, -61.0dBm	Single burst (01/02/2014 10:09:09 AM)

File: R94497 Rev 3 Page 179 of 281

Test Report Reissue Date: August 1, 2014 Report Date: April 3, 2014

Table 167 - FCC Short Pulse Radar (Type 4) Results - CU, 30MHz Mode Steady State								
Trial #	Pulses/ Burst	Pulse Width (us)	PRI (us)	Detected	Fr (MHz) and level (dBm)	Burst Information		
13	16	19.3	280.0	Yes	5290.0MHz, -61.0dBm	Single burst (01/02/2014 10:09:32 AM)		
14	13	16.1	312.0	Yes	5285.0MHz, -61.0dBm	Single burst (01/02/2014 10:09:46 AM)		
15	13	14.8	260.0	Yes	5280.0MHz, -61.0dBm	Single burst (01/02/2014 10:09:54 AM)		
16	15	11.2	405.0	Yes	5275.0MHz, -61.0dBm	Single burst (01/02/2014 10:10:05 AM)		
17	15	11.3	417.0	Yes	5270.0MHz, -61.0dBm	Single burst (01/02/2014 10:10:16 AM)		
18	13	11.5	423.0	Yes	5265.0MHz, -61.0dBm	Single burst (01/02/2014 10:10:34 AM)		
19	15	13.9	468.0	Yes	5295.0MHz, -61.0dBm	Single burst (01/02/2014 10:10:47 AM)		
20	12	12.1	279.0	Yes	5290.0MHz, -61.0dBm	Single burst (01/02/2014 10:10:55 AM)		
21	15	17.5	469.0	Yes	5285.0MHz, -61.0dBm	Single burst (01/02/2014 10:11:05 AM)		
22	14	18.7	419.0	Yes	5280.0MHz, -61.0dBm	Single burst (01/02/2014 10:11:20 AM)		
23	14	12.5	473.0	Yes	5275.0MHz, -61.0dBm	Single burst (01/02/2014 10:11:28 AM)		
24	12	12.6	485.0	Yes	5270.0MHz, -61.0dBm	Single burst (01/02/2014 10:11:37 AM)		
25	13	17.6	213.0	Yes	5265.0MHz, -61.0dBm	Single burst (01/02/2014 10:11:44 AM)		
26	15	15.4	336.0	Yes	5295.0MHz, -61.0dBm	Single burst (01/02/2014 10:11:51 AM)		
27	13	12.7	299.0	Yes	5290.0MHz, -61.0dBm	Single burst (01/02/2014 10:11:58 AM)		
28	16	19.4	421.0	Yes	5285.0MHz, -61.0dBm	Single burst (01/02/2014 10:12:06 AM)		
29	12	17.6	443.0	Yes	5280.0MHz, -61.0dBm	Single burst (01/02/2014 10:12:22 AM)		
30	13	17.9	352.0	Yes	5275.0MHz, -61.0dBm	Single burst (01/02/2014 10:12:32 AM)		

Table 168 - Long Sequence Waveform Summary - CU, 30MHz Mode Steady State						
Long Sequence Trial	Result	Radar Frequency / Amplitude				
Trial #1	NOT Detected	5280.0MHz,				
111a1 #1	NOT Detected	-61.0dBm				
Trial #2	Detected	5275.0MHz,				
111a1 #2	Detected	-61.0dBm				
Trial #3	NOT Detected	5270.0MHz,				
111at #5	NOT Detected	-61.0dBm				
Trial #4	Detected	5265.0MHz,				
11141 #4	Detected	-61.0dBm				

File: R94497 Rev 3 Page 180 of 281

Table 168 - L o	ong Sequence Waveform Summary	- CU, 30MHz Mode Steady State
Long Sequence Trial	Result	Radar Frequency / Amplitude
		5295.0MHz,
Trial #5	Detected	-61.0dBm
T : 1 4/6	D 1	5290.0MHz,
Trial #6	Detected	-61.0dBm
m : 1 //7	Division	5285.0MHz,
Trial #7	Detected	-61.0dBm
TT: 1 110	D 1	5280.0MHz,
Trial #8	Detected	-61.0dBm
Trial #9	NOT Detected	5275.0MHz,
111ai #9	NOT Detected	-61.0dBm
Trial #10	Detected	5270.0MHz,
111a1 #10	Detected	-61.0dBm
Trial #11	Detected	5265.0MHz,
11141 #11	Detected	-61.0dBm
Trial #12	Detected	5295.0MHz,
111α1 π12	Detected	-61.0dBm
Trial #13	Detected	5290.0MHz,
Πιαι π13	Detected	-61.0dBm
Trial #14	Detected	5285.0MHz,
111a1 #1 -	Detected	-61.0dBm
Trial #15	Detected	5280.0MHz,
11141 1113	Beteeted	-61.0dBm
Trial #16	Detected	5275.0MHz,
11141 // 10	Beteeted	-61.0dBm
Trial #17	Detected	5270.0MHz,
	Bettetted	-61.0dBm
Trial #18	Detected	5265.0MHz,
		-61.0dBm
Trial #19	Detected	5295.0MHz,
		-61.0dBm
Trial #20	Detected	5290.0MHz,
		-61.0dBm
Trial #21	Detected	5285.0MHz, -61.0dBm
		5280.0MHz,
Trial #22	Detected	-61.0dBm
		5275.0MHz,
Trial #23	Detected	-61.0dBm
		5270.0MHz,
Trial #24	Detected	-61.0dBm
		5265.0MHz,
Trial #25	Detected	-61.0dBm
		5295.0MHz,
Trial #26	Detected	-61.0dBm
T : 1 #25		5290.0MHz,
Trial #27	Detected	-61.0dBm
T: 1 #20	D	5285.0MHz,
Trial #28	Detected	-61.0dBm
T.: 1 #20	Dittitud	5280.0MHz,
Trial #29	Detected	-61.0dBm
Tri al #20	Datastad	5275.0MHz,
Trial #30	Detected	-61.0dBm

Table 169 - Long Sequence Waveform Trial#1 (NOT Detected) - CU, 30MHz Mode Steady State

File: R94497 Rev 3 Page 181 of 281

Burst #	# Pulses	Pulse Width (us)	Chirp (MHz)	Interval 1 to 2 (us)	Interval 2 to 3 (us)	Start time (s)
1	3	65.5	7	1085.0	1115.0	0.385666
2	1	88.1	15	-	-	0.639317
3	1	63.9	19	-	-	1.335057
4	3	74.3	16	1876.0	1278.0	1.919410
5	3	66.9	16	1123.0	1234.0	2.726670
6	2	93.9	18	1911.0	-	3.712451
7	3	66.0	16	1896.0	1486.0	4.109338
8	2	70.0	14	1311.0	-	4.574099
9	2	71.0	12	1114.0	-	5.303094
10	2	90.1	19	1565.0	-	5.918795
11	2	87.9	15	1330.0	-	6.727024
12	2	50.9	8	1066.0	-	7.561864
13	2	60.5	10	1145.0	-	8.109543
14	3	79.4	11	1047.0	1327.0	8.799027
15	1	85.6	20	-	-	9.144114
16	2	69.0	16	1859.0	-	10.084454
17	2	88.0	9	1841.0	-	10.128816
18	2	56.1	13	1266.0	-	11.073487
19	3	94.5	11	1273.0	1898.0	11.902807

ı	Table 170	- Long Sequence	ce Wavefor	rm Trial#2 (Detected)	- CU, 30MHz Mode	Steady State
Burst #	# Pulses	Pulse Width (us)	Chirp (MHz)	Interval 1 to 2 (us)	Interval 2 to 3 (us)	Start time (s)
1	2	59.0	15	1365.0	-	0.493480
2	1	63.0	8	-	-	1.616978
3	1	90.5	12	-	-	2.229224
4	2	60.6	12	1269.0	-	3.212795
5	3	57.7	8	1123.0	1971.0	4.343809
6	2	91.4	6	1893.0	-	5.536512
7	2	82.3	19	1798.0	-	6.747253
8	2	83.9	19	1523.0	-	7.921958
9	3	56.8	8	1678.0	1433.0	8.028809
10	3	79.4	9	1043.0	1218.0	9.033317
11	3	64.5	11	1888.0	1381.0	10.844629
12	1	66.2	18	-	-	11.113141

Ta	ble 171 - I	Long Sequence	Waveform	Trial#3 (NOT Detecte	ed) - CU, 30MHz Mo	de Steady State
Burst #	# Pulses	Pulse Width (us)	Chirp (MHz)	Interval 1 to 2 (us)	Interval 2 to 3 (us)	Start time (s)
1	1	99.2	17	-	-	0.659545
2	1	80.8	8	-	-	2.717682
3	2	72.9	14	1982.0	-	3.965180
4	2	80.4	8	1270.0	-	5.162039
5	2	71.6	16	1772.0	-	6.190431
6	1	85.6	6	-	-	8.625145
7	1	68.6	10	-	-	9.730691
8	3	78.8	7	1288.0	1986.0	10.930598

,	Table 172	- Long Sequenc	e Waveforn	n Trial#4 (Detected)	- CU, 30MHz Mode	Steady State
Burst #	# Pulses	Pulse Width (us)	Chirp (MHz)	Interval 1 to 2 (us)	Interval 2 to 3 (us)	Start time (s)

File: R94497 Rev 3 Page 182 of 281

Test Report Reissue Date: August 1, 2014

ı	Table 172	- Long Sequence	ce Wavefor	m Trial#4 (Detected)	- CU, 30MHz Mode	Steady State
Burst #	# Pulses	Pulse Width (us)	Chirp (MHz)	Interval 1 to 2 (us)	Interval 2 to 3 (us)	Start time (s)
1	2	82.1	10	1343.0	-	0.431363
2	2	77.9	12	1354.0	-	1.470746
3	2	82.1	6	1107.0	-	2.084768
4	1	60.1	9	-	-	2.579330
5	2	61.6	12	1941.0	-	3.487010
6	2	56.5	13	1883.0	-	4.117820
7	2	52.4	6	1661.0	-	4.964372
8	3	69.4	10	1604.0	1999.0	5.810785
9	2	83.6	16	1275.0	-	6.989298
10	1	69.5	11	-	-	7.522908
11	3	61.9	7	1113.0	1263.0	8.564523
12	2	71.2	19	1991.0	-	9.277289
13	2	98.3	9	1619.0	-	10.357621
14	2	56.5	16	1490.0	-	11.005298
15	3	95.6	15	1482.0	1756.0	11.920592

	Table 173	- Long Sequenc	ce Wavefor	m Trial#5 (Detected)	- CU, 30MHz Mode	Steady State
Burst #	# Pulses	Pulse Width (us)	Chirp (MHz)	Interval 1 to 2 (us)	Interval 2 to 3 (us)	Start time (s)
1	2	57.4	17	1750.0	-	0.592673
2	1	80.5	6	-	-	1.212506
3	2	98.0	19	1227.0	-	1.912701
4	3	76.7	7	1769.0	1079.0	2.802304
5	3	66.0	19	1434.0	1126.0	4.201378
6	3	92.9	9	1206.0	1894.0	4.415294
7	2	59.9	9	1781.0	-	5.296207
8	1	96.2	10	=	-	6.511881
9	2	80.0	13	1552.0	-	6.935877
10	1	91.1	10	=	-	8.405219
11	3	74.1	13	1984.0	1341.0	9.120671
12	2	90.4	13	1237.0	-	9.982691
13	2	67.5	13	1344.0	-	11.029673
14	2	57.7	14	1961.0	-	11.482670

	Table 174	- Long Sequen	ce Wavefor	rm Trial#6 (Detected)	- CU, 30MHz Mode	Steady State
Burst #	# Pulses	Pulse Width (us)	Chirp (MHz)	Interval 1 to 2 (us)	Interval 2 to 3 (us)	Start time (s)
1	2	53.6	5	1958.0	-	0.598826
2	2	59.5	19	1665.0	-	0.925482
3	2	58.0	5	1211.0	-	1.613807
4	1	79.1	15	-	-	2.435320
5	2	68.4	9	1728.0	-	2.840863
6	2	59.2	18	1808.0	-	4.034354
7	1	56.4	11	-	-	4.422840
8	1	63.8	8	-	-	5.174377
9	3	78.9	12	1690.0	1865.0	6.194207
10	2	82.7	6	1171.0	-	6.368563
11	3	59.9	9	1210.0	1029.0	7.607628
12	2	56.2	5	1181.0	-	7.911144
13	2	81.0	8	1878.0	-	8.919682

File: R94497 Rev 3 Page 183 of 281

,	Table 174	- Long Sequenc	e Waveforn	n Trial#6 (Detected)	- CU, 30MHz Mode	Steady State
Burst #	# Pulses	Pulse Width (us)	Chirp (MHz)	Interval 1 to 2 (us)	Interval 2 to 3 (us)	Start time (s)
14	1	83.5	15	-	-	9.521382
15	1	92.4	19	-	-	10.186396
16	1	74.3	8	-	=	10.671453
17	2	57.1	12	1522.0	-	11.481111

ı	Table 175	- Long Sequence	ce Wavefor	m Trial#7 (Detected)	- CU, 30MHz Mode	Steady State
Burst #	# Pulses	Pulse Width (us)	Chirp (MHz)	Interval 1 to 2 (us)	Interval 2 to 3 (us)	Start time (s)
1	2	73.5	12	1496.0	-	0.509702
2	3	76.6	7	1804.0	1918.0	0.739402
3	1	81.8	15	-	-	1.772893
4	2	72.4	10	1092.0	-	2.085291
5	3	66.1	17	1018.0	1529.0	2.798991
6	3	66.3	13	1967.0	1394.0	3.324466
7	2	65.7	8	1872.0	-	3.758670
8	2	83.2	9	1597.0	-	4.786620
9	1	71.5	14	-	-	5.342906
10	2	88.3	19	1416.0	-	5.598298
11	1	59.6	7	-	-	6.163861
12	2	87.1	10	1190.0	-	7.012196
13	2	56.6	5	1151.0	-	7.688418
14	2	79.7	19	1815.0	-	8.319373
15	1	95.1	6	-	-	8.422220
16	2	60.7	18	1652.0	-	9.080867
17	1	77.1	10	-	-	9.981642
18	1	79.2	5	-	-	10.431155
19	1	90.2	10	-	-	11.152372
20	2	98.9	10	1742.0	=	11.993920

	Table 176	- Long Sequence	ce Wavefor	m Trial#8 (Detected)	- CU, 30MHz Mode	Steady State
Burst #	# Pulses	Pulse Width (us)	Chirp (MHz)	Interval 1 to 2 (us)	Interval 2 to 3 (us)	Start time (s)
1	3	93.4	10	1566.0	1147.0	0.334737
2	3	53.5	11	1700.0	1848.0	1.227707
3	3	66.4	15	1971.0	1276.0	1.985730
4	2	82.4	7	1785.0	-	2.904992
5	2	54.9	9	1192.0	-	3.528763
6	1	84.4	8	-	-	3.828258
7	2	74.2	8	1782.0	-	4.570513
8	1	74.4	15	-	-	5.481975
9	2	61.6	9	1506.0	-	6.402160
10	3	53.9	9	1032.0	1261.0	7.195812
11	2	89.6	14	1587.0	-	8.185990
12	2	66.9	14	1644.0	-	8.423835
13	2	58.2	11	1192.0	-	9.256612
14	3	85.9	13	1751.0	1031.0	10.339106
15	3	73.5	7	1738.0	1640.0	11.008372
16	2	71.9	11	1487.0	-	11.465677

File: R94497 Rev 3 Page 184 of 281

Test Report Reissue Date: August 1, 2014

Burst #	# Pulses	Pulse Width (us)	Chirp (MHz)	Interval 1 to 2 (us)	Interval 2 to 3 (us)	Start time (s)
1	3	58.2	20	1145.0	1081.0	0.464511
2	2	64.6	12	1877.0	-	1.991994
3	3	99.8	10	1797.0	1502.0	2.458033
4	2	63.7	10	1928.0	-	3.999514
5	3	72.9	15	1989.0	1845.0	4.623144
6	2	75.1	6	1786.0	-	5.638064
7	3	53.9	20	1689.0	1441.0	7.315260
8	2	51.0	10	1189.0	-	7.875935
9	2	64.5	7	1341.0	-	9.641130
10	2	62.4	8	1432.0	-	9.994469
11	2	79.9	6	1685.0	-	11.255854

7	Table 178	- Long Sequenc	e Wavefori	m Trial#10 (Detected)	- CU, 30MHz Mode	Steady State
Burst #	# Pulses	Pulse Width (us)	Chirp (MHz)	Interval 1 to 2 (us)	Interval 2 to 3 (us)	Start time (s)
1	3	82.1	12	1941.0	1777.0	0.922337
2	1	58.5	20	-	-	2.616039
3	1	95.5	15	-	-	3.645905
4	3	82.5	6	1184.0	1909.0	4.569094
5	1	64.4	8	-	-	5.825428
6	3	70.4	8	1334.0	1157.0	7.086449
7	2	93.5	20	1505.0	-	8.788782
8	2	57.1	10	1800.0	-	9.497137
9	1	51.1	13	-	-	11.124023

7	Гable 179	- Long Sequenc	e Wavefor	m Trial#11 (Detected)	- CU, 30MHz Mode	Steady State
Burst #	# Pulses	Pulse Width (us)	Chirp (MHz)	Interval 1 to 2 (us)	Interval 2 to 3 (us)	Start time (s)
1	2	63.0	13	1520.0	-	0.358844
2	2	53.8	19	1517.0	-	1.046333
3	2	82.7	6	1537.0	-	2.019227
4	2	69.8	11	1904.0	-	2.847740
5	2	60.5	12	1593.0	-	3.231646
6	1	91.1	5	-	-	4.095059
7	1	88.7	8	-	-	5.218205
8	2	77.4	13	1225.0	-	5.571086
9	2	52.8	13	1742.0	-	6.259717
10	2	78.0	19	1809.0	-	7.325356
11	1	85.9	10	-	-	8.117236
12	2	82.1	14	1092.0	-	8.994413
13	2	75.6	7	1708.0	-	9.521636
14	3	52.6	11	1666.0	1309.0	9.773051
15	2	97.1	8	1977.0	-	10.586804
16	1	92.9	12	-	-	11.838224

7	Table 180 -	Long Sequence	e Waveform	Trial#12 (Detected)	- CU, 30MHz Mode	Steady State
Burst #	# Pulses	Pulse Width (us)	Chirp (MHz)	Interval 1 to 2 (us)	Interval 2 to 3 (us)	Start time (s)
1	2	74.8	17	1320.0	-	0.612603

File: R94497 Rev 3 Page 185 of 281 55.0 75.1

87.1

2

14

15

12

13

10.504014

11.536862

r	Table 180 -	Long Sequence	e Waveforn	n Trial#12 (Detected)	- CU, 30MHz Mode	Steady State
Burst #	# Pulses	Pulse Width (us)	Chirp (MHz)	Interval 1 to 2 (us)	Interval 2 to 3 (us)	Start time (s)
2	1	56.5	18	-	-	0.920091
3	2	69.5	19	1630.0	=	2.047486
4	2	62.0	6	1049.0	-	2.436746
5	2	56.4	7	1101.0	=	3.980834
6	2	51.9	16	1448.0	-	4.533009
7	3	78.7	15	1899.0	1890.0	5.425054
8	2	90.6	9	1789.0	-	5.761207
9	2	98.1	18	1039.0	-	6.864957
10	1	85.9	14	=	-	7.538598
11	1	97.4	10	-	-	8.793202
12	2	84.6	12	1328.0	-	9.236157
13	3	55.0	6	1727.0	1991.0	10.160050

1145.0

1187.0

7	Гable 181 -	· Long Sequenc	e Waveforn	n Trial#13 (Detected)	- CU, 30MHz Mode	Steady State
Burst #	# Pulses	Pulse Width (us)	Chirp (MHz)	Interval 1 to 2 (us)	Interval 2 to 3 (us)	Start time (s)
1	3	50.8	12	1920.0	1309.0	0.017162
2	2	56.5	18	1887.0	-	1.398618
3	2	66.0	9	1710.0	-	3.345613
4	3	90.8	15	1534.0	1906.0	4.417251
5	3	92.1	17	1295.0	1042.0	5.677400
6	3	82.2	19	1206.0	1082.0	6.872588
7	2	64.2	10	1266.0	-	7.806189
8	2	88.8	14	1082.0	-	8.675661
9	3	54.7	19	1383.0	1089.0	10.787898
10	3	98.3	9	1487.0	1341.0	11.267468

	Га ble 182 -	- Long Sequenc	e Wavefori	m Trial#14 (Detected)	- CU, 30MHz Mode	Steady State
Burst #	# Pulses	Pulse Width (us)	Chirp (MHz)	Interval 1 to 2 (us)	Interval 2 to 3 (us)	Start time (s)
1	1	98.6	15	-	-	0.461332
2	3	78.9	14	1651.0	1464.0	0.660349
3	3	55.3	16	1269.0	1918.0	1.421256
4	2	63.5	16	1763.0	-	2.062445
5	2	54.3	15	1244.0	-	2.856401
6	3	55.1	8	1256.0	1938.0	3.343357
7	2	77.6	9	1322.0	-	3.904744
8	2	63.2	14	1079.0	-	4.701626
9	2	54.9	6	1895.0	-	4.937638
10	2	76.0	6	1095.0	-	5.990766
11	3	58.9	17	1579.0	1512.0	6.072462
12	1	75.0	9	-	-	7.009637
13	1	64.8	9	-	-	7.629834
14	2	85.1	18	1597.0	-	7.942642
15	1	55.3	18	-	-	8.779081
16	3	83.2	9	1732.0	1104.0	9.349663
17	1	55.4	13	-	-	9.634944
18	1	87.4	8	-	-	10.661794

Page 186 of 281 File: R94497 Rev 3

Test Report Reissue Date: August 1, 2014

T	able 182 -	Long Sequence	e Waveform	Trial#14 (Detected)	- CU, 30MHz Mode	Steady State
Burst #	# Pulses	Pulse Width (us)	Chirp (MHz)	Interval 1 to 2 (us)	Interval 2 to 3 (us)	Start time (s)
19	3	64.4	18	1092.0	1532.0	10.889099
20	2	58.1	16	1889.0	-	11.577129

ŗ	Γable 183	- Long Sequenc	e Wavefor	m Trial#15 (Detected)	- CU, 30MHz Mode	Steady State
Burst #	# Pulses	Pulse Width (us)	Chirp (MHz)	Interval 1 to 2 (us)	Interval 2 to 3 (us)	Start time (s)
1	3	65.6	17	1652.0	1376.0	0.547432
2	1	86.7	7	-	-	1.220628
3	3	74.0	17	1017.0	1234.0	1.792269
4	3	72.0	10	1729.0	1313.0	2.675905
5	2	82.0	10	1496.0	-	3.542974
6	1	96.4	12	-	-	4.088734
7	3	61.9	13	1462.0	1805.0	5.178430
8	2	76.1	18	1725.0	-	6.051216
9	2	70.2	16	1951.0	-	6.699987
10	2	68.4	12	1434.0	-	7.452353
11	2	92.8	9	1337.0	-	8.104303
12	1	95.5	18	-	-	8.866384
13	1	92.2	18	-	-	10.203954
14	2	98.3	20	1559.0	-	11.176011
15	2	50.8	8	1274.0	-	11.467176

Burst #	# Pulses	Pulse Width (us)	Chirp (MHz)	Interval 1 to 2 (us)	Interval 2 to 3 (us)	Start time (s)
1	1	69.4	14	-	-	0.414462
2	1	91.6	7	-	-	1.172657
3	1	54.0	12	-	-	1.510967
4	1	83.1	5	-	-	2.162848
5	2	87.6	10	1523.0	-	2.939141
6	2	58.0	7	1220.0	-	3.713269
7	1	89.4	13	-	-	3.796857
8	3	60.0	6	1529.0	1223.0	4.990900
9	3	79.9	11	1950.0	1502.0	5.676703
10	3	84.9	17	1766.0	1899.0	5.774989
11	3	87.8	8	1374.0	1638.0	6.571897
12	2	64.7	15	1542.0	-	7.545087
13	2	86.4	16	1123.0	-	7.806658
14	2	78.7	15	1680.0	-	8.761597
15	2	92.2	11	1246.0	-	9.164386
16	1	85.3	9	=	-	9.857915
17	1	99.4	7	-	-	10.177363
18	2	60.6	8	1798.0	-	10.832537
19	3	92.5	17	1364.0	1658.0	11.938820

Т	able 185 -	Long Sequence	e Waveform	Trial#17 (Detected)	- CU, 30MHz Mode	Steady State
Burst #	# Pulses	Pulse Width (us)	Chirp (MHz)	Interval 1 to 2 (us)	Interval 2 to 3 (us)	Start time (s)
1	2	56.5	19	1014.0	-	0.044010

File: R94497 Rev 3 Page 187 of 281

Reissue Date: August 1,	2014

Burst #	# Pulses	Pulse Width (us)	Chirp (MHz)	Interval 1 to 2 (us)	Interval 2 to 3 (us)	Start time (s)
2	1	86.8	18	-	-	1.199234
3	1	73.7	19	-	-	1.739380
4	2	90.9	20	1702.0	-	1.939085
5	2	74.7	8	1035.0	-	2.985525
6	2	66.2	16	1961.0	-	3.359961
7	2	53.3	17	1929.0	-	4.034201
8	1	62.0	12	-	-	5.018838
9	2	60.4	19	1706.0	-	5.123039
10	1	51.0	9	-	-	5.758383
11	3	84.4	11	1124.0	1788.0	6.837151
12	2	96.6	14	1193.0	-	7.235574
13	3	68.4	17	1465.0	1621.0	8.105908
14	2	80.5	17	1358.0	-	8.284234
15	3	68.2	19	1184.0	1266.0	9.449673
16	3	62.3	16	1450.0	1737.0	9.483442
17	2	95.8	12	1121.0	-	10.416552
18	1	66.7	20	=	=	10.910344
19	2	86.1	6	1559.0	-	11.495922

7	Table 186 - Long Sequence Waveform Trial#18 (Detected) - CU, 30MHz Mode Steady State								
Burst #	# Pulses	Pulse Width (us)	Chirp (MHz)	Interval 1 to 2 (us)	Interval 2 to 3 (us)	Start time (s)			
1	3	78.3	17	1045.0	1704.0	0.053996			
2	3	94.4	8	1543.0	1183.0	1.153299			
3	2	93.8	15	1643.0	-	1.647944			
4	2	58.5	13	1259.0	-	2.323977			
5	2	83.9	18	1373.0	-	3.104866			
6	1	53.9	6	-	-	3.596878			
7	2	92.1	17	1777.0	-	3.905080			
8	2	50.4	18	1123.0	-	4.797244			
9	2	56.3	11	1101.0	-	5.399806			
10	1	87.1	11	-	-	5.699023			
11	3	67.1	20	1333.0	1947.0	6.917028			
12	1	69.9	9	-	-	7.156462			
13	2	88.5	17	1786.0	-	7.864744			
14	1	73.1	14	-	-	8.841082			
15	3	60.1	15	1080.0	1545.0	9.113848			
16	2	51.7	5	1055.0	-	9.681680			
17	3	66.5	6	1930.0	1021.0	10.493549			
18	2	51.9	6	1619.0	-	11.322798			
19	2	75.2	18	1667.0	-	11.997426			

Table 187 - Long Sequence Waveform Trial#19 (Detected) - CU, 30MHz Mode Steady State								
Burst #	# Pulses	Pulse Width (us)	Chirp (MHz)	Interval 1 to 2 (us)	Interval 2 to 3 (us)	Start time (s)		
1	2	60.3	7	1817.0	-	0.381022		
2	2	61.0	7	1686.0	=	1.586057		
3	1	64.3	18	-	-	2.898726		
4	1	69.0	19	-	-	3.198087		
5	2	77.4	13	1546.0	-	4.333617		

File: R94497 Rev 3 Page 188 of 281

70.1

75.9

16

12

11

12

3

3

Reissue Date: August 1, 2014

10.342202

11.876226

1260.0

1518.0

Table 187 - Long Sequence Waveform Trial#19 (Detected) - CU, 30MHz Mode Steady State Pulse Width Chirp Start time (s) Burst # Interval 1 to 2 (us) Interval 2 to 3 (us) Pulses (MHz) (us) 1382.0 5.928231 6 2 96.8 7 2 94.4 18 1355.0 6.713532 7 8 3 64.1 19 1962.0 1144.0 7.766656 9 3 12 1333.0 1518.0 8.315007 88.2 10 97.7 19 9.057110 1

1320.0

1602.0

Table 188 - Long Sequence Waveform Trial#20 (Detected) - CU, 30MHz Mode Steady State								
Burst #	# Pulses	Pulse Width (us)	Chirp (MHz)	Interval 1 to 2 (us)	Interval 2 to 3 (us)	Start time (s)		
1	2	59.3	10	1070.0	-	0.161144		
2	1	78.3	20	-	-	0.864458		
3	1	75.4	20	-	-	1.873884		
4	1	99.1	5	-	-	2.277233		
5	1	56.1	16	-	-	3.009139		
6	3	54.6	19	1390.0	1310.0	4.277888		
7	2	78.0	18	1599.0	-	5.028883		
8	3	85.2	8	1179.0	1959.0	5.444684		
9	1	66.0	6	-	-	6.089068		
10	1	88.7	15	-	-	7.111535		
11	2	62.0	6	1403.0	-	7.992195		
12	2	64.0	9	1815.0	-	8.267379		
13	1	90.4	13	-	-	9.128816		
14	2	62.3	11	1770.0	-	9.766229		
15	2	85.3	11	1510.0	-	10.539916		
16	3	53.4	19	1885.0	1418.0	11.456640		

7	Table 189 - Long Sequence Waveform Trial#21 (Detected) - CU, 30MHz Mode Steady State								
Burst #	# Pulses	Pulse Width (us)	Chirp (MHz)	Interval 1 to 2 (us)	Interval 2 to 3 (us)	Start time (s)			
1	1	91.9	5	-	-	0.020248			
2	2	55.9	18	1597.0	-	0.998532			
3	3	62.4	5	1701.0	1985.0	1.990914			
4	2	76.1	19	1120.0	-	3.275328			
5	1	96.3	11	-	-	4.190758			
6	2	74.6	8	1148.0	-	5.283617			
7	1	68.4	15	-	-	6.206927			
8	2	64.7	19	1297.0	-	7.199594			
9	3	77.1	13	1507.0	1339.0	8.006133			
10	2	64.4	13	1404.0	-	8.546635			
11	1	82.9	14	-	-	9.502128			
12	3	95.1	16	1607.0	1201.0	10.689090			
13	2	82.7	13	1345.0	-	11.457161			

Table 190 - Long Sequence Waveform Trial#22 (Detected) - CU, 30MHz Mode Steady State						
Burst #	# Pulses	Pulse Width (us)	Chirp (MHz)	Interval 1 to 2 (us)	Interval 2 to 3 (us)	Start time (s)
1	1	98.8	7	-	-	0.344484

File: R94497 Rev 3 Page 189 of 281

Test Report Reissue Date: August 1, 2014

7	Table 190 - Long Sequence Waveform Trial#22 (Detected) - CU, 30MHz Mode Steady State								
Burst #	# Pulses	Pulse Width (us)	Chirp (MHz)	Interval 1 to 2 (us)	Interval 2 to 3 (us)	Start time (s)			
2	3	85.2	13	1440.0	1849.0	0.777465			
3	3	53.9	10	1954.0	1130.0	1.372463			
4	2	50.5	14	1625.0	-	2.362264			
5	1	82.1	11	-	-	2.958597			
6	1	99.8	10	-	-	3.730191			
7	2	82.8	8	1472.0	-	4.422625			
8	1	59.8	15	-	-	4.847233			
9	2	80.3	6	1783.0	-	5.568565			
10	2	60.8	13	1826.0	-	6.127697			
11	1	63.9	10	-	-	7.039348			
12	3	69.9	8	1542.0	1535.0	7.994530			
13	2	62.5	13	1580.0	-	8.469039			
14	2	61.8	7	1731.0	-	8.739813			
15	2	50.5	19	1337.0	-	9.939639			
16	2	88.6	12	1245.0	-	10.620975			
17	3	69.4	11	1516.0	1961.0	11.048012			
18	1	63.6	14	-	=	11.829511			

Т	Table 191 - Long Sequence Waveform Trial#23 (Detected) - CU, 30MHz Mode Steady State								
Burst #	# Pulses	Pulse Width (us)	Chirp (MHz)	Interval 1 to 2 (us)	Interval 2 to 3 (us)	Start time (s)			
1	3	74.8	6	1118.0	1149.0	0.399207			
2	2	86.0	6	1120.0	-	0.785977			
3	2	84.0	19	1244.0	-	1.377609			
4	1	62.7	11	-	-	2.360719			
5	2	92.2	7	1624.0	-	2.950796			
6	1	91.7	10	-	-	3.669111			
7	2	99.4	9	1592.0	-	4.023051			
8	2	90.0	10	1337.0	-	5.025055			
9	1	60.4	15	-	-	5.649591			
10	2	69.6	19	1254.0	-	6.039561			
11	1	75.3	6	-	-	6.634266			
12	2	67.9	19	1277.0	-	7.493528			
13	2	53.8	11	1508.0	-	8.052322			
14	1	99.7	13	-	-	8.774454			
15	2	57.7	14	1758.0	-	9.199268			
16	2	85.1	17	1721.0	-	10.021072			
17	3	63.4	13	1344.0	1695.0	10.589139			
18	2	96.3	8	1433.0	-	10.780410			
19	2	65.4	14	1851.0	-	11.897462			

Г	Table 192 - Long Sequence Waveform Trial#24 (Detected) - CU, 30MHz Mode Steady State								
Burst #	# Pulses	Pulse Width (us)	Chirp (MHz)	Interval 1 to 2 (us)	Interval 2 to 3 (us)	Start time (s)			
1	1	88.1	9	-	-	0.538380			
2	2	60.8	6	1270.0	-	2.093689			
3	1	60.8	11	-	-	3.235904			
4	1	78.3	14	-	-	4.046671			
5	2	81.5	19	1659.0	-	5.712418			
6	2	53.2	18	1290.0	-	7.777824			

File: R94497 Rev 3 Page 190 of 281

Table 192 - Long Sequence Waveform Trial#24 (Detected) - CU, 30MHz Mode Steady State								
Burst #	# Pulses	Pulse Width (us)	Chirp (MHz)	Interval 1 to 2 (us)	Interval 2 to 3 (us)	Start time (s)		
7	2	61.5	9	1328.0	-	8.828982		
8	2	95.9	15	1801.0	-	10.504308		
9	3	98 7	11	1381 0	1517.0	11 643742		

7	Table 193 - Long Sequence Waveform Trial#25 (Detected) - CU, 30MHz Mode Steady State								
Burst #	# Pulses	Pulse Width (us)	Chirp (MHz)	Interval 1 to 2 (us)	Interval 2 to 3 (us)	Start time (s)			
1	3	87.6	17	1182.0	1749.0	0.737771			
2	2	53.6	8	1484.0	-	1.085824			
3	2	67.9	9	1969.0	-	1.647525			
4	1	72.5	9	-	-	2.906641			
5	1	70.6	13	-	-	3.747054			
6	1	78.2	5	-	-	4.378902			
7	2	87.7	5	1765.0	-	4.727317			
8	3	78.6	19	1239.0	1330.0	5.422279			
9	3	70.0	17	1854.0	1752.0	6.246486			
10	3	86.0	11	1918.0	1421.0	6.894593			
11	2	80.7	18	1130.0	-	7.970337			
12	3	71.4	16	1424.0	1084.0	8.717714			
13	3	56.0	13	1876.0	1650.0	9.655122			
14	1	52.0	8	-	-	10.175667			
15	3	70.7	7	1932.0	1444.0	10.648705			
16	2	69.2	12	1848.0	-	11.663449			

7	Table 194 - Long Sequence Waveform Trial#26 (Detected) - CU, 30MHz Mode Steady State									
Burst #	# Pulses	Pulse Width (us)	Chirp (MHz)	Interval 1 to 2 (us)	Interval 2 to 3 (us)	Start time (s)				
1	2	88.4	12	1871.0	-	0.746592				
2	3	90.3	16	1436.0	1871.0	1.107470				
3	2	97.4	19	1454.0	-	2.301442				
4	2	95.5	20	1380.0	-	4.273051				
5	2	89.2	14	1542.0	-	4.854752				
6	3	54.3	11	1374.0	1732.0	6.123262				
7	2	98.6	9	1653.0	-	7.036734				
8	3	88.1	17	1543.0	1282.0	8.519015				
9	2	52.1	18	1685.0	-	8.961743				
10	1	81.6	17	-	-	9.866551				
11	1	96.1	8	-	-	11.974681				

7	Table 195 - Long Sequence Waveform Trial#27 (Detected) - CU, 30MHz Mode Steady State									
Burst #	# Pulses	Pulse Width (us)	Chirp (MHz)	Interval 1 to 2 (us)	Interval 2 to 3 (us)	Start time (s)				
1	2	55.3	15	1809.0	-	0.744794				
2	2	80.0	17	1211.0	-	1.199061				
3	1	54.0	10	-	-	2.026557				
4	2	86.4	13	1149.0	-	2.532189				
5	1	65.4	16	-	-	3.635627				
6	1	92.3	8	-	-	4.776330				
7	2	85.4	16	1625.0	=	5.552203				

File: R94497 Rev 3 Page 191 of 281

Test Report Reissue Date: August 1, 2014

7	Table 195 - Long Sequence Waveform Trial#27 (Detected) - CU, 30MHz Mode Steady State									
Burst #	# Pulses	Pulse Width (us)	Chirp (MHz)	Interval 1 to 2 (us)	Interval 2 to 3 (us)	Start time (s)				
8	2	73.6	13	1269.0	-	6.243163				
9	3	59.8	7	1797.0	1108.0	7.064478				
10	1	64.4	9	-	-	7.965911				
11	2	50.6	11	1565.0	-	8.241002				
12	2	57.6	15	1704.0	-	9.042800				
13	3	84.1	10	1254.0	1961.0	10.220981				
14	3	68.9	16	1731.0	1727.0	10.874256				
15	1	98.2	10	-	-	11.548462				

7	Table 196 - Long Sequence Waveform Trial#28 (Detected) - CU, 30MHz Mode Steady State								
Burst #	# Pulses	Pulse Width (us)	Chirp (MHz)	Interval 1 to 2 (us)	Interval 2 to 3 (us)	Start time (s)			
1	2	50.6	18	1970.0	-	0.742458			
2	2	99.9	8	1204.0	-	1.078239			
3	1	77.6	18	-	-	1.990606			
4	3	77.5	14	1943.0	1164.0	2.368487			
5	1	80.9	18	-	-	3.006452			
6	3	94.8	10	1399.0	1511.0	4.147328			
7	3	57.0	9	1238.0	1193.0	4.677242			
8	2	89.5	19	1479.0	-	5.776492			
9	1	87.9	19	-	-	6.590153			
10	1	55.2	13	-	-	6.961274			
11	1	87.5	6	-	-	7.556785			
12	2	50.2	12	1711.0	-	8.884386			
13	2	79.4	11	1239.0	-	9.584051			
14	1	73.5	16	-	-	10.416324			
15	1	97.2	15	-	-	10.764925			
16	2	77.9	15	1411.0	-	11.522404			

7	Table 197 - Long Sequence Waveform Trial#29 (Detected) - CU, 30MHz Mode Steady State									
Burst #	# Pulses	Pulse Width (us)	Chirp (MHz)	Interval 1 to 2 (us)	Interval 2 to 3 (us)	Start time (s)				
1	3	63.5	8	1031.0	1291.0	0.184174				
2	3	90.9	6	1693.0	1520.0	1.632319				
3	3	58.3	12	1150.0	1462.0	1.932650				
4	2	52.7	16	1424.0	-	2.851754				
5	2	88.4	16	1753.0	-	3.803619				
6	2	75.1	8	1567.0	-	4.521476				
7	3	76.5	16	1474.0	1177.0	5.393203				
8	2	72.4	17	1248.0	-	6.648617				
9	2	88.6	8	1869.0	-	7.533762				
10	2	89.8	9	1709.0	-	8.304025				
11	1	72.9	18	-	-	8.611889				
12	1	61.0	13	-	-	10.220500				
13	2	99.9	19	1042.0	-	11.119686				
14	2	75.3	12	1699.0	=	11.690636				

Table 198 - Long Sequence Waveform Trial#30 (Detected) - CU, 30MHz Mode Steady State

Page 192 of 281 File: R94497 Rev 3

Burst #	# Pulses	Pulse Width (us)	Chirp (MHz)	Interval 1 to 2 (us)	Interval 2 to 3 (us)	Start time (s)
1	2	93.0	6	1591.0	-	0.654219
2	1	69.8	10	-	-	1.552938
3	2	57.9	6	1593.0	-	2.409197
4	1	68.7	7	-	-	3.485893
5	1	71.5	10	-	-	4.953647
6	1	96.7	15	-	-	5.525594
7	1	79.7	15	-	-	6.728326
8	3	57.8	14	1611.0	1375.0	7.072293
9	2	81.4	7	1679.0	-	8.217559
10	1	58.4	17	-	-	9.805699
11	1	51.2	5	-	-	10.053168
12	1	69.9	14	-	-	11.645751

1	Table 199 - FCC frequency hopping radar (Type 6) Results - CU, 30MHz Mode Steady State									
Trial #	Pulses/ Burst	Pulse Width (us)	PRI (us)	Detected	Fr (MHz) and level (dBm)	Burst Information				
1	9	1.0	333.0	Yes	5298.0MHz, -61.0dBm	Hop sequence: 5451, 5354, 5437, 5542, 5441, 5657, 5712, 5287, 5582, 5317, 5503, 5554, 5488, 5414, 5276, 5691, 5393, 5671, 5608, 5545, 5589, 5262, 5301, 5419, 5342, 5299, 5337, 5527, 5722, 5681, 5576, 5594, 5293, 5347, 5535, 5353, 5278, 5494, 5273, 5583, 5398, 5511, 5417, 5631, 5586, 5708, 5255, 5577, 5295, 5502, 5491, 5259, 5426, 5440, 5663, 5382, 5474, 5630, 5254, 5562, 5642, 5402, 5616, 5621, 5435, 5607, 5500, 5541, 5646, 5682, 5253, 5408, 5444, 5689, 5701, 5599, 5579, 5481, 5552, 5635, 5564, 5568, 5543, 5389, 5497, 5683, 5590, 5316, 5670, 5584, 5532, 5549, 5518, 5662, 5718, 5364, 5489, 5359, 5272, 5334 (9 hits) (01/02/2014 10:29:03 AM)				

File: R94497 Rev 3 Page 193 of 281

[:] Date: April 3, 2014	Reissue Date: August 1, 2014

Trial #	Pulses/ Burst	Pulse Width (us)	PRI (us)	Detected	Fr (MHz) and level (dBm)	Burst Information
2	9	1.0	333.0	Yes	5299.0MHz, -61.0dBm	Hop sequence: 5641, 5497, 5648, 5446, 5387, 5340, 5713, 5291, 5379, 5337, 5509, 5319, 5253, 5459, 5479, 5263, 5649, 5664, 5372, 5331, 5385, 5661, 5381, 5654, 5382, 5500, 5432, 5660, 5455, 5273, 5302, 5329, 5503, 5559, 5644, 5481, 5614, 5420, 5348, 5536, 5602, 5260, 5267, 5685, 5682, 5412, 5604, 5400, 5638, 5285, 5345, 5617, 5496, 5462, 5511, 5416, 5517, 5498, 5280, 5336, 5568, 5321, 5419, 5398, 5697, 5464, 5327, 5676, 5597, 5572, 5483, 5310, 5264, 5349, 5444, 5669, 5423, 5262, 5534, 5672, 5689, 5531, 5518, 5274, 5471, 5431, 5342, 5368, 5715, 5571, 5365, 5296, 5631, 5516, 5529, 5665, 5266, 5399, 5409, 5678 (11 hits) (01/02/2014 10:29:14 AM)
3	9	1.0	333.0	Yes	5261.0MHz, -61.0dBm	Hop sequence: 5710, 5322, 5543, 5360, 5482, 5611, 5416, 5568, 5513, 5433, 5473, 5713, 5441, 5594, 5638, 5435, 5681, 5506, 5650, 5310, 5368, 5642, 5403, 5316, 5458, 5431, 5428, 5533, 5587, 5723, 5430, 5274, 5685, 5586, 5475, 5457, 5362, 5691, 5613, 5279, 5661, 5298, 5530, 5258, 5333, 5526, 5639, 5529, 5365, 5623, 5323, 5420, 5510, 5253, 5677, 5383, 5706, 5426, 5364, 5580, 5578, 5324, 5320, 5338, 5425, 5501, 5490, 5447, 5287, 5379, 5674, 5662, 5518, 5675, 5508, 5676, 5438, 5579, 5283, 5404, 5330, 5357, 5590, 5693, 5567, 5514, 5345, 5503, 5439, 5354, 5534, 5486, 5256, 5683, 5380, 5620, 5331, 5492, 5698, 5463 (5 hits) (01/02/2014 10:29:23 AM)
4	9	1.0	333.0	Yes	5262.0MHz, -61.0dBm	Hop sequence: 5587, 5349, 5502, 5657, 5342, 5308, 5695, 5489, 5673, 5689, 5438, 5615, 5414, 5556, 5656, 5316, 5435, 5279, 5251, 5274, 5678, 5288, 5462, 5569, 5337, 5485, 5254, 5636, 5494, 5387, 5662, 5555, 5550, 5396, 5621, 5524, 5508, 5634, 5658, 5467, 5255, 5691, 5602, 5382, 5703, 5637, 5620, 5551, 5708, 5442, 5711, 5278, 5712,

File: R94497 Rev 3 Page 194 of 281

1	Table 199	- FCC freque	ncy hoppin	g radar (Typ	e 6) Results - CU	, 30MHz Mode Steady State
Trial #	Pulses/ Burst	Pulse Width (us)	PRI (us)	Detected	Fr (MHz) and level (dBm)	Burst Information
						5336, 5323, 5710, 5369, 5717, 5597, 5572, 5616, 5321, 5303, 5277, 5601, 5490, 5671, 5460, 5432, 5724, 5527, 5619, 5271, 5330, 5604, 5523, 5276, 5377, 5317, 5368, 5598, 5448, 5667, 5488, 5440, 5548, 5538, 5606, 5565, 5683, 5366, 5660, 5383, 5310, 5642, 5554, 5436, 5363, 5268, 5545 (8 hits) (01/02/2014 10:29:31 AM)
5	9	1.0	333.0	Yes	5263.0MHz, -61.0dBm	Hop sequence: 5524, 5660, 5461, 5529, 5718, 5633, 5433, 5654, 5456, 5357, 5674, 5506, 5424, 5634, 5502, 5309, 5484, 5341, 5696, 5344, 5272, 5673, 5369, 5346, 5256, 5479, 5448, 5518, 5526, 5588, 5547, 5446, 5342, 5288, 5566, 5723, 5356, 5345, 5307, 5493, 5644, 5578, 5551, 5720, 5570, 5283, 5695, 5332, 5475, 5353, 5301, 5491, 5251, 5668, 5703, 5340, 5680, 5521, 5546, 5511, 5510, 5610, 5416, 5709, 5284, 5336, 5348, 5290, 5400, 5418, 5437, 5335, 5641, 5387, 5627, 5505, 5606, 5679, 5378, 5323, 5462, 5471, 5254, 5520, 5314, 5259, 5278, 5608, 5432, 5574, 5689, 5572, 5678, 5519, 5351, 5476, 5285, 5264, 5656, 5587 (8 hits) (01/02/2014 10:29:38 AM)
6	9	1.0	333.0	Yes	5264.0MHz, -61.0dBm	Hop sequence: 5498, 5542, 5696, 5525, 5255, 5718, 5603, 5427, 5533, 5587, 5284, 5578, 5597, 5720, 5661, 5373, 5307, 5295, 5516, 5405, 5625, 5275, 5688, 5282, 5278, 5563, 5606, 5366, 5391, 5303, 5456, 5402, 5448, 5287, 5360, 5354, 5342, 5649, 5623, 5712, 5299, 5328, 5261, 5483, 5629, 5385, 5388, 5490, 5250, 5430, 5599, 5641, 5274, 5352, 5300, 5698, 5272, 5547, 5321, 5618, 5608, 5316, 5585, 5404, 5694, 5685, 5719, 5553, 5667, 5495, 5595, 5559, 5338, 5476, 5408, 5411, 5560, 5544, 5593, 5605, 5486, 5529, 5662, 5437, 5652, 5279, 5630, 5591, 5257, 5530, 5572, 5514, 5650, 5548, 5416, 5449, 5717, 5569, 5431, 5534 (11 hits) (01/02/2014 10:29:47 AM)

File: R94497 Rev 3 Page 195 of 281

Report Date.	: April 3, 2014	Reissue Date: August 1, 2014

1	Table 199	- FCC freque	ncy hoppin	g radar (Typ	e 6) Results - CU,	, 30MHz Mode Steady State
Trial #	Pulses/ Burst	Pulse Width (us)	PRI (us)	Detected	Fr (MHz) and level (dBm)	Burst Information
7	9	1.0	333.0	Yes	5265.0MHz, -61.0dBm	Hop sequence: 5514, 5544, 5281, 5647, 5534, 5485, 5255, 5636, 5291, 5658, 5550, 5608, 5348, 5472, 5301, 5468, 5382, 5336, 5530, 5490, 5393, 5515, 5421, 5356, 5589, 5454, 5536, 5510, 5527, 5605, 5288, 5695, 5609, 5483, 5303, 5571, 5315, 5543, 5387, 5584, 5532, 5499, 5484, 5361, 5526, 5461, 5462, 5655, 5620, 5518, 5260, 5418, 5702, 5650, 5349, 5452, 5269, 5268, 5586, 5449, 5305, 5263, 5407, 5313, 5365, 5370, 5556, 5287, 5489, 5372, 5495, 5373, 5674, 5267, 5716, 5666, 5355, 5614, 5264, 5270, 5378, 5507, 5569, 5346, 5590, 5633, 5302, 5273, 5604, 5402, 5603, 5506, 5476, 5498, 5540, 5486, 5720, 5591, 5568, 5713 (11 hits) (01/02/2014 10:29:56 AM)
8	9	1.0	333.0	Yes	5266.0MHz, -61.0dBm	Hop sequence: 5597, 5469, 5549, 5289, 5587, 5485, 5637, 5329, 5320, 5434, 5554, 5420, 5338, 5705, 5453, 5723, 5442, 5275, 5688, 5266, 5715, 5267, 5498, 5585, 5505, 5511, 5499, 5324, 5540, 5602, 5520, 5327, 5294, 5270, 5612, 5341, 5271, 5566, 5575, 5317, 5390, 5545, 5617, 5670, 5709, 5515, 5303, 5569, 5671, 5413, 5446, 5323, 5547, 5553, 5388, 5441, 5479, 5631, 5641, 5665, 5444, 5674, 5302, 5666, 5636, 5291, 5669, 5675, 5483, 5352, 5724, 5548, 5593, 5448, 5516, 5530, 5653, 5614, 5426, 5332, 5468, 5256, 5300, 5424, 5507, 5492, 5431, 5618, 5502, 5476, 5699, 5717, 5462, 5414, 5380, 5361, 5439, 5657, 5272, 5582 (9 hits) (01/02/2014 10:30:03 AM)
9	9	1.0	333.0	Yes	5267.0MHz, -61.0dBm	Hop sequence: 5620, 5461, 5548, 5720, 5260, 5408, 5521, 5252, 5689, 5344, 5296, 5570, 5434, 5640, 5697, 5361, 5280, 5683, 5398, 5513, 5596, 5430, 5711, 5702, 5401, 5402, 5650, 5515, 5467, 5704, 5572, 5372, 5554, 5254, 5534, 5342, 5385, 5516, 5261, 5500, 5488, 5633, 5436, 5635, 5419, 5605, 5501, 5336, 5360, 5575, 5723, 5293, 5256,

File: R94497 Rev 3 Page 196 of 281

Report Date: Ap	oril 3, 2014	Reissue Date:	August 1, 2014

			ncy hoppin	g radar (Typ		, 30MHz Mode Steady State
Trial #	Pulses/ Burst	Pulse Width (us)	PRI (us)	Detected	Fr (MHz) and level (dBm)	Burst Information
						5304, 5373, 5312, 5284, 5267, 5338, 5455, 5314, 5287, 5559, 5278, 5668, 5437, 5347, 5687, 5614, 5305, 5616, 5581, 5551, 5592, 5268, 5642, 5366, 5490, 5576, 5298, 5618, 5359, 5362, 5357, 5660, 5458, 5348, 5275, 5646, 5365, 5315, 5343, 5545, 5595, 5587, 5686, 5612, 5475, 5562, 5530 (11 hits) (01/02/2014 10:30:18 AM)
10	9	1.0	333.0	Yes	5268.0MHz, -61.0dBm	Hop sequence: 5378, 5365, 5568, 5721, 5354, 5417, 5475, 5301, 5460, 5364, 5315, 5420, 5557, 5624, 5491, 5589, 5604, 5303, 5470, 5260, 5322, 5538, 5440, 5279, 5482, 5667, 5477, 5523, 5542, 5345, 5534, 5404, 5691, 5307, 5546, 5325, 5464, 5592, 5623, 5297, 5508, 5617, 5271, 5507, 5431, 5454, 5268, 5395, 5702, 5344, 5401, 5326, 5430, 5605, 5351, 5462, 5574, 5302, 5641, 5456, 5391, 5587, 5328, 5548, 5468, 5620, 5348, 5686, 5661, 5465, 5549, 5497, 5646, 5701, 5380, 5500, 5556, 5285, 5357, 5532, 5541, 5696, 5448, 5288, 5639, 5446, 5316, 5300, 5506, 5685, 5337, 5374, 5353, 5594, 5397, 5476, 5409, 5627, 5514, 5479 (6 hits) (01/02/2014 10:30:27 AM)
11	9	1.0	333.0	Yes	5269.0MHz, -61.0dBm	Hop sequence: 5331, 5726, 5564, 5349, 5466, 5659, 5371, 5687, 5406, 5626, 5450, 5265, 5499, 5607, 5635, 5281, 5561, 5387, 5345, 5442, 5366, 5309, 5468, 5514, 5616, 5280, 5566, 5713, 5360, 5298, 5436, 5271, 5426, 5680, 5377, 5337, 5719, 5251, 5588, 5437, 5351, 5359, 5250, 5587, 5543, 5617, 5460, 5655, 5479, 5548, 5263, 5642, 5708, 5254, 5388, 5585, 5529, 5614, 5297, 5346, 5344, 5586, 5669, 5557, 5493, 5595, 5494, 5654, 5603, 5490, 5496, 5314, 5474, 5686, 5336, 5262, 5266, 5597, 5386, 5721, 5400, 5652, 5551, 5656, 5478, 5567, 5306, 5288, 5725, 5475, 5491, 5671, 5505, 5658, 5516, 5623, 5413, 5531, 5718, 5456 (10 hits) (01/02/2014 10:30:45 AM)

File: R94497 Rev 3 Page 197 of 281

Test Report Reissue Date: August 1, 2014 Report Date: April 3, 2014

1	Table 199	- FCC freque	ncy hoppin	g radar (Typ	e 6) Results - CU	, 30MHz Mode Steady State
Trial #	Pulses/ Burst	Pulse Width (us)	PRI (us)	Detected	Fr (MHz) and level (dBm)	Burst Information
12	9	1.0	333.0	Yes	5270.0MHz, -61.0dBm	Hop sequence: 5520, 5292, 5499, 5683, 5442, 5317, 5457, 5348, 5474, 5678, 5586, 5478, 5349, 5412, 5482, 5693, 5532, 5493, 5435, 5319, 5709, 5712, 5313, 5256, 5561, 5381, 5272, 5379, 5307, 5408, 5598, 5569, 5306, 5253, 5694, 5280, 5308, 5296, 5268, 5409, 5488, 5696, 5517, 5345, 5360, 5597, 5266, 5376, 5283, 5652, 5483, 5347, 5658, 5638, 5337, 5557, 5439, 5711, 5334, 5612, 5655, 5466, 5649, 5357, 5491, 5721, 5716, 5446, 5389, 5475, 5672, 5471, 5314, 5650, 5543, 5497, 5564, 5438, 5269, 5518, 5701, 5581, 5676, 5316, 5566, 5275, 5444, 5549, 5454, 5305, 5486, 5719, 5261, 5533, 5702, 5646, 5433, 5449, 5331, 5288 (11 hits) (01/02/2014 10:30:54 AM)
13	9	1.0	333.0	Yes	5271.0MHz, -61.0dBm	Hop sequence: 5387, 5412, 5662, 5330, 5489, 5581, 5504, 5717, 5352, 5518, 5419, 5354, 5350, 5274, 5400, 5695, 5382, 5290, 5671, 5399, 5684, 5715, 5374, 5261, 5618, 5341, 5422, 5685, 5722, 5298, 5319, 5370, 5524, 5462, 5613, 5423, 5475, 5575, 5566, 5677, 5718, 5656, 5283, 5628, 5347, 5512, 5336, 5655, 5456, 5257, 5334, 5629, 5316, 5409, 5314, 5687, 5440, 5561, 5553, 5596, 5515, 5474, 5303, 5438, 5483, 5528, 5667, 5544, 5386, 5506, 5675, 5680, 5376, 5291, 5427, 5690, 5651, 5320, 5429, 5678, 5627, 5559, 5538, 5471, 5375, 5473, 5683, 5277, 5707, 5532, 5623, 5668, 5308, 5398, 5486, 5402, 5642, 5397, 5414, 5503 (7 hits) (01/02/2014 10:31:02 AM)
14	9	1.0	333.0	Yes	5272.0MHz, -61.0dBm	Hop sequence: 5666, 5305, 5726, 5354, 5312, 5280, 5719, 5585, 5636, 5367, 5468, 5252, 5277, 5667, 5281, 5470, 5335, 5689, 5451, 5456, 5662, 5441, 5378, 5319, 5486, 5512, 5664, 5452, 5411, 5284, 5668, 5701, 5579, 5427, 5721, 5395, 5535, 5604, 5642, 5326, 5720, 5610, 5444, 5658, 5376, 5328, 5573, 5254, 5515, 5644, 5629, 5502, 5671,

File: R94497 Rev 3 Page 198 of 281

1	Table 199	- FCC freque	ncy hoppin	g radar (Typ	e 6) Results - CU	, 30MHz Mode Steady State
Trial #	Pulses/ Burst	Pulse Width (us)	PRI (us)	Detected	Fr (MHz) and level (dBm)	Burst Information
						5473, 5646, 5344, 5528, 5414, 5711, 5513, 5296, 5492, 5261, 5307, 5398, 5688, 5393, 5463, 5340, 5715, 5564, 5649, 5334, 5289, 5309, 5483, 5469, 5523, 5568, 5613, 5406, 5574, 5413, 5366, 5594, 5499, 5268, 5360, 5301, 5438, 5369, 5283, 5693, 5601, 5379, 5705, 5428, 5356, 5691, 5436 (9 hits) (01/02/2014 10:31:17 AM)
15	9	1.0	333.0	Yes	5273.0MHz, -61.0dBm	Hop sequence: 5311, 5544, 5260, 5672, 5264, 5664, 5573, 5495, 5457, 5723, 5391, 5360, 5496, 5694, 5696, 5481, 5547, 5449, 5535, 5419, 5431, 5568, 5354, 5369, 5398, 5380, 5644, 5559, 5523, 5456, 5308, 5525, 5618, 5459, 5553, 5383, 5586, 5426, 5365, 5719, 5393, 5441, 5274, 5640, 5344, 5415, 5353, 5521, 5511, 5342, 5711, 5540, 5530, 5493, 5599, 5445, 5702, 5667, 5290, 5345, 5253, 5458, 5625, 5589, 5303, 5542, 5271, 5574, 5709, 5690, 5346, 5420, 5627, 5576, 5302, 5283, 5570, 5582, 5343, 5536, 5405, 5392, 5501, 5676, 5569, 5352, 5514, 5499, 5444, 5700, 5254, 5416, 5338, 5460, 5267, 5534, 5492, 5322, 5314, 5649 (6 hits) (01/02/2014 10:31:25 AM)
16	9	1.0	333.0	Yes	5274.0MHz, -61.0dBm	Hop sequence: 5455, 5272, 5608, 5321, 5518, 5389, 5433, 5386, 5503, 5444, 5711, 5703, 5596, 5549, 5475, 5423, 5647, 5496, 5641, 5500, 5377, 5536, 5671, 5451, 5277, 5471, 5543, 5267, 5681, 5426, 5724, 5573, 5677, 5576, 5279, 5456, 5312, 5667, 5658, 5553, 5570, 5261, 5339, 5454, 5597, 5364, 5396, 5252, 5397, 5336, 5399, 5498, 5578, 5323, 5615, 5567, 5683, 5431, 5554, 5432, 5445, 5629, 5447, 5354, 5678, 5713, 5679, 5655, 5378, 5505, 5648, 5448, 5657, 5295, 5694, 5556, 5672, 5414, 5544, 5618, 5285, 5260, 5493, 5477, 5535, 5424, 5555, 5436, 5291, 5460, 5350, 5501, 5412, 5624, 5663, 5304, 5654, 5686, 5437, 5709 (8 hits) (01/02/2014 10:31:35 AM)

File: R94497 Rev 3 Page 199 of 281

ı	Table 199	- FCC freque	ncy hoppin	g radar (Typ	oe 6) Results - CU	, 30MHz Mode Steady State
Trial #	Pulses/ Burst	Pulse Width (us)	PRI (us)	Detected	Fr (MHz) and level (dBm)	Burst Information
17	9	1.0	333.0	Yes	5275.0MHz, -61.0dBm	Hop sequence: 5513, 5407, 5305, 5687, 5562, 5576, 5378, 5423, 5642, 5291, 5597, 5558, 5358, 5299, 5504, 5529, 5659, 5712, 5334, 5257, 5410, 5721, 5618, 5316, 5404, 5326, 5624, 5710, 5551, 5272, 5585, 5708, 5508, 5653, 5255, 5431, 5511, 5701, 5643, 5570, 5382, 5469, 5477, 5594, 5669, 5619, 5664, 5475, 5554, 5704, 5303, 5494, 5637, 5336, 5498, 5625, 5355, 5251, 5596, 5537, 5606, 5266, 5320, 5716, 5695, 5719, 5512, 5528, 5321, 5449, 5264, 5283, 5534, 5646, 5353, 5265, 5485, 5414, 5335, 5408, 5412, 5394, 5348, 5417, 5327, 5634, 5609, 5482, 5584, 5666, 5581, 5365, 5505, 5309, 5681, 5580, 5631, 5434, 5671, 5722 (7 hits) (01/02/2014 10:32:00 AM)
18	9	1.0	333.0	Yes	5276.0MHz, -61.0dBm	Hop sequence: 5661, 5568, 5639, 5680, 5437, 5469, 5403, 5504, 5725, 5555, 5603, 5290, 5377, 5388, 5717, 5475, 5611, 5448, 5453, 5279, 5514, 5368, 5711, 5628, 5712, 5393, 5483, 5523, 5678, 5659, 5261, 5505, 5454, 5303, 5594, 5688, 5645, 5545, 5482, 5450, 5305, 5658, 5271, 5549, 5354, 5716, 5474, 5579, 5503, 5462, 5262, 5633, 5351, 5612, 5410, 5313, 5258, 5480, 5492, 5459, 5423, 5588, 5394, 5439, 5488, 5689, 5571, 5677, 5566, 5599, 5537, 5343, 5414, 5654, 5275, 5349, 5451, 5531, 5478, 5408, 5395, 5577, 5623, 5344, 5581, 5396, 5440, 5289, 5329, 5415, 5467, 5682, 5330, 5386, 5421, 5653, 5660, 5580, 5673 (7 hits) (01/02/2014 10:32:08 AM)
19	9	1.0	333.0	Yes	5277.0MHz, -61.0dBm	Hop sequence: 5556, 5349, 5439, 5453, 5680, 5621, 5423, 5550, 5444, 5597, 5614, 5535, 5450, 5368, 5445, 5717, 5673, 5469, 5485, 5532, 5470, 5615, 5457, 5516, 5500, 5605, 5674, 5635, 5366, 5542, 5394, 5497, 5276, 5585, 5724, 5467, 5559, 5256, 5712, 5428, 5669, 5371, 5362, 5266, 5652, 5479, 5491, 5595, 5538, 5262, 5672, 5418, 5265,

File: R94497 Rev 3 Page 200 of 281

	Table 199	- FCC freque	ncy hoppin	g radar (Type	e 6) Results - CU,	, 30MHz Mode Steady State
Trial #	Pulses/ Burst	Pulse Width (us)	PRI (us)	Detected	Fr (MHz) and level (dBm)	Burst Information
						5591, 5435, 5546, 5387, 5607, 5515, 5299, 5452, 5288, 5441, 5566, 5370, 5658, 5721, 5384, 5378, 5548, 5640, 5644, 5555, 5375, 5462, 5567, 5303, 5593, 5297, 5584, 5451, 5694, 5307, 5705, 5697, 5654, 5477, 5708, 5502, 5713, 5618, 5274, 5291, 5456, 5281, 5513, 5524, 5517, 5572, 5254 (10 hits) (01/02/2014 10:32:17 AM)
20	9	1.0	333.0	Yes	5278.0MHz, -61.0dBm	Hop sequence: 5557, 5547, 5707, 5309, 5714, 5513, 5452, 5321, 5401, 5346, 5705, 5597, 5541, 5721, 5561, 5380, 5719, 5464, 5599, 5257, 5555, 5701, 5552, 5604, 5670, 5600, 5710, 5297, 5514, 5370, 5273, 5575, 5605, 5331, 5395, 5525, 5654, 5408, 5298, 5472, 5369, 5254, 5336, 5365, 5480, 5699, 5259, 5359, 5404, 5516, 5678, 5375, 5713, 5337, 5722, 5650, 5562, 5356, 5613, 5483, 5333, 5524, 5420, 5354, 5295, 5673, 5345, 5432, 5429, 5571, 5517, 5396, 5447, 5521, 5398, 5536, 5343, 5669, 5702, 5406, 5497, 5459, 5664, 5251, 5383, 5294, 5385, 5300, 5329, 5554, 5288, 5636, 5589, 5489, 5688, 5511, 5339, 5679, 5349, 5352 (6 hits) (01/02/2014 10:32:31 AM)
21	9	1.0	333.0	Yes	5279.0MHz, -61.0dBm	Hop sequence: 5721, 5589, 5687, 5625, 5597, 5371, 5634, 5637, 5557, 5697, 5560, 5616, 5681, 5398, 5369, 5351, 5327, 5717, 5551, 5494, 5534, 5609, 5562, 5305, 5600, 5594, 5533, 5667, 5685, 5337, 5343, 5403, 5406, 5276, 5386, 5630, 5723, 5495, 5538, 5469, 5266, 5707, 5623, 5555, 5483, 5363, 5289, 5481, 5650, 5356, 5298, 5365, 5404, 5315, 5378, 5384, 5506, 5613, 5537, 5350, 5683, 5405, 5463, 5294, 5558, 5399, 5345, 5317, 5511, 5256, 5418, 5546, 5307, 5677, 5657, 5283, 5561, 5492, 5313, 5688, 5413, 5415, 5704, 5465, 5427, 5607, 5716, 5541, 5587, 5379, 5563, 5525, 5260, 5354, 5690, 5409, 5527, 5262, 5724, 5631 (7 hits) (01/02/2014 10:32:42 AM)

File: R94497 Rev 3 Page 201 of 281

Report Date: Ap	ril 3, 2014	Reissue Date:	August 1, 2014
	<u> </u>		

Trial #	Pulses/ Burst	Pulse Width (us)	PRI (us)	Detected	Fr (MHz) and level (dBm)	Burst Information
22	9	1.0	333.0	Yes	5280.0MHz, -61.0dBm	Hop sequence: 5316, 5562, 5389, 5262, 5422, 5455, 5554, 5725, 5345, 5464, 5277, 5608, 5588, 5652, 5477, 5544, 5341, 5336, 5444, 5310, 5604, 5430, 5682, 5285, 5419, 5494, 5524, 5473, 5447, 5505, 5290, 5446, 5724, 5484, 5613, 5387, 5305, 5515, 5434, 5263, 5378, 5572, 5491, 5523, 5532, 5675, 5481, 5500, 5390, 5713, 5480, 5425, 5401, 5445, 5516, 5418, 5601, 5595, 5279, 5325, 5678, 5567, 5452, 5627, 5609, 5319, 5330, 5643, 5379, 5514, 5335, 5585, 5570, 5453, 5486, 5535, 5286, 5694, 5709, 5642, 5645, 5303, 5338, 5405, 5424, 5529, 5634, 5377, 5400, 5358, 5563, 5631, 5699, 5561, 5722, 5304, 5597, 5706, 5503, 5571 (7 hits) (01/02/2014 10:32:49 AM)
23	9	1.0	333.0	Yes	5281.0MHz, -61.0dBm	Hop sequence: 5259, 5334, 5703, 5697, 5586, 5679, 5646, 5702, 5458, 5357, 5503, 5460, 5501, 5368, 5351, 5355, 5643, 5466, 5417, 5409, 5714, 5273, 5570, 5522, 5277, 5511, 5504, 5700, 5345, 5288, 5367, 5340, 5428, 5540, 5649, 5385, 5309, 5350, 5413, 5274, 5546, 5261, 5469, 5404, 5335, 5392, 5440, 5554, 5553, 5640, 5410, 5561, 5408, 5635, 5447, 5596, 5705, 5423, 5683, 5459, 5573, 5575, 5276, 5286, 5718, 5569, 5272, 5411, 5356, 5708, 5271, 5453, 5531, 5630, 5454, 5651, 5281, 5713, 5505, 5432, 5486, 5474, 5382, 5539, 5393, 5464, 5394, 5677, 5724, 5543, 5254, 5332, 5600, 5320, 5434, 5509, 5653, 5331, 5275, 5433 (11 hits) (01/02/2014 10:33:06 AM)
24	9	1.0	333.0	Yes	5282.0MHz, -61.0dBm	Hop sequence: 5452, 5507, 5538, 5668, 5325, 5665, 5712, 5262, 5627, 5640, 5339, 5714, 5381, 5375, 5420, 5495, 5698, 5643, 5535, 5444, 5546, 5708, 5255, 5591, 5496, 5596, 5454, 5366, 5513, 5390, 5402, 5344, 5433, 5518, 5471, 5521, 5619, 5416, 5489, 5441, 5329, 5288, 5337, 5639, 5509, 5398, 5286, 5340, 5348, 5531, 5508, 5320, 5666,

File: R94497 Rev 3 Page 202 of 281

1	Table 199	- FCC freque	ncy hoppin	g radar (Typ	e 6) Results - CU	, 30MHz Mode Steady State
Trial #	Pulses/ Burst	Pulse Width (us)	PRI (us)	Detected	Fr (MHz) and level (dBm)	Burst Information
						5702, 5260, 5603, 5434, 5520, 5709, 5306, 5500, 5525, 5472, 5331, 5540, 5631, 5602, 5392, 5391, 5383, 5511, 5672, 5408, 5484, 5718, 5679, 5560, 5396, 5380, 5456, 5477, 5310, 5529, 5279, 5645, 5413, 5480, 5669, 5680, 5715, 5610, 5336, 5318, 5307, 5723, 5302, 5685, 5630, 5594, 5600 (4 hits) (01/02/2014 10:33:17 AM)
25	9	1.0	333.0	Yes	5283.0MHz, -61.0dBm	Hop sequence: 5430, 5527, 5555, 5266, 5639, 5401, 5673, 5255, 5425, 5306, 5524, 5566, 5372, 5628, 5459, 5702, 5603, 5558, 5278, 5499, 5615, 5703, 5383, 5322, 5519, 5722, 5304, 5288, 5260, 5307, 5251, 5346, 5292, 5474, 5483, 5433, 5344, 5655, 5719, 5608, 5487, 5412, 5687, 5424, 5647, 5406, 5294, 5494, 5258, 5497, 5670, 5490, 5447, 5397, 5376, 5585, 5463, 5479, 5518, 5591, 5311, 5387, 5606, 5537, 5698, 5665, 5268, 5510, 5671, 5342, 5336, 5694, 5720, 5614, 5653, 5711, 5677, 5291, 5253, 5643, 5542, 5551, 5405, 5369, 5482, 5269, 5310, 5575, 5351, 5390, 5477, 5517, 5358, 5661, 5403, 5668, 5548, 5472, 5545, 5690 (8 hits) (01/02/2014 10:33:28 AM)
26	9	1.0	333.0	Yes	5284.0MHz, -61.0dBm	Hop sequence: 5299, 5426, 5567, 5391, 5574, 5559, 5457, 5704, 5475, 5529, 5356, 5541, 5357, 5440, 5648, 5307, 5713, 5270, 5257, 5442, 5669, 5412, 5587, 5665, 5346, 5651, 5332, 5539, 5431, 5279, 5380, 5441, 5422, 5726, 5273, 5472, 5449, 5286, 5315, 5610, 5456, 5686, 5327, 5354, 5384, 5670, 5373, 5721, 5612, 5368, 5518, 5680, 5324, 5521, 5714, 5619, 5448, 5459, 5685, 5703, 5393, 5378, 5581, 5335, 5712, 5251, 5613, 5573, 5339, 5505, 5657, 5698, 5470, 5421, 5624, 5673, 5382, 5638, 5460, 5637, 5537, 5683, 5548, 5321, 5684, 5430, 5531, 5627, 5639, 5395, 5333, 5308, 5352, 5254, 5292, 5588, 5722, 5617, 5538, 5628 (6 hits) (01/02/2014 10:33:36 AM)

File: R94497 Rev 3 Page 203 of 281

Test Report Reissue Date: August 1, 2014

	Table 199	- FCC freque	ncy hoppin	g radar (Typ	e 6) Results - CU,	, 30MHz Mode Steady State
Trial #	Pulses/ Burst	Pulse Width (us)	PRI (us)	Detected	Fr (MHz) and level (dBm)	Burst Information
27	9	1.0	333.0	Yes	5285.0MHz, -61.0dBm	Hop sequence: 5593, 5716, 5438, 5522, 5675, 5521, 5622, 5265, 5558, 5545, 5254, 5300, 5408, 5480, 5591, 5350, 5454, 5573, 5422, 5479, 5335, 5367, 5340, 5463, 5260, 5370, 5459, 5717, 5409, 5534, 5372, 5309, 5659, 5429, 5441, 5344, 5569, 5348, 5278, 5706, 5581, 5571, 5645, 5687, 5428, 5584, 5491, 5682, 5435, 5553, 5616, 5336, 5266, 5358, 5447, 5380, 5619, 5290, 5334, 5644, 5620, 5461, 5665, 5668, 5458, 5268, 5470, 5292, 5666, 5604, 5477, 5322, 5286, 5596, 5599, 5252, 5615, 5572, 5272, 5455, 5406, 5418, 5577, 5361, 5525, 5495, 5654, 5497, 5274, 5374, 5536, 5638, 5608, 5337, 5318 (10 hits) (01/02/2014 10:33:59 AM)
28	9	1.0	333.0	Yes	5286.0MHz, -61.0dBm	Hop sequence: 5700, 5478, 5339, 5379, 5542, 5335, 5571, 5657, 5676, 5563, 5570, 5294, 5282, 5665, 5267, 5463, 5386, 5698, 5515, 5364, 5629, 5360, 5608, 5316, 5714, 5384, 5566, 5694, 5426, 5591, 5484, 5421, 5546, 5302, 5410, 5416, 5553, 5568, 5479, 5604, 5473, 5299, 5538, 5616, 5363, 5414, 5404, 5636, 5620, 5314, 5466, 5574, 5453, 5312, 5656, 5498, 5554, 5491, 5493, 5605, 5654, 5508, 5333, 5635, 5257, 5623, 5398, 5520, 5701, 5388, 5625, 5685, 5325, 5371, 5545, 5673, 5406, 5668, 5419, 5516, 5596, 5280, 5719, 5259, 5296, 5666, 5718, 5575, 5626, 5283, 5433, 5712, 5281, 5547, 5724, 5490, 5380, 5503, 5303, 5476 (8 hits) (01/02/2014 10:34:24 AM)
29	9	1.0	333.0	Yes	5287.0MHz, -61.0dBm	Hop sequence: 5526, 5683, 5538, 5699, 5394, 5378, 5447, 5719, 5328, 5357, 5575, 5289, 5535, 5407, 5313, 5424, 5472, 5267, 5354, 5629, 5321, 5452, 5680, 5271, 5423, 5647, 5488, 5329, 5406, 5303, 5592, 5625, 5517, 5404, 5314, 5279, 5481, 5278, 5503, 5626, 5268, 5720, 5612, 5333, 5679, 5529, 5482, 5349, 5380, 5520, 5676, 5692, 5659,

File: R94497 Rev 3 Page 204 of 281

Peport Date: April 3, 2014	Reissue Date: August 1, 2014
	_

	Table 199	- FCC freque	ncy hoppin	g radar (Typ	oe 6) Results - CU	, 30MHz Mode Steady State
Trial #	Pulses/ Burst	Pulse Width (us)	PRI (us)	Detected	Fr (MHz) and level (dBm)	Burst Information
						5669, 5705, 5688, 5322, 5263, 5695, 5396, 5704, 5666, 5707, 5691, 5595, 5560, 5397, 5624, 5288, 5477, 5703, 5662, 5577, 5698, 5409, 5437, 5588, 5553, 5383, 5448, 5723, 5630, 5614, 5425, 5541, 5355, 5428, 5359, 5681, 5260, 5495, 5671, 5384, 5701, 5581, 5648, 5620, 5599, 5418, 5564 (8 hits) (01/02/2014 10:34:32 AM)
30	9	1.0	333.0	Yes	5288.0MHz, -61.0dBm	Hop sequence: 5659, 5441, 5372, 5558, 5488, 5263, 5287, 5460, 5363, 5522, 5333, 5442, 5270, 5690, 5653, 5651, 5480, 5368, 5280, 5289, 5639, 5295, 5325, 5457, 5253, 5259, 5557, 5684, 5491, 5641, 5468, 5472, 5656, 5381, 5498, 5303, 5297, 5375, 5701, 5254, 5556, 5454, 5671, 5431, 5277, 5313, 5315, 5590, 5545, 5686, 5536, 5404, 5378, 5473, 5507, 5379, 5393, 5714, 5628, 5397, 5272, 5565, 5682, 5530, 5394, 5257, 5575, 5301, 5260, 5719, 5509, 5430, 5543, 5583, 5291, 5286, 5405, 5578, 5645, 5516, 5337, 5566, 5680, 5485, 5466, 5629, 5626, 5681, 5306, 5596, 5385, 5679, 5341, 5296, 5724, 5601, 5579, 5637, 5716, 5624 (12 hits) (01/02/2014 10:34:46 AM)
31	9	1.0	333.0	Yes	5289.0MHz, -61.0dBm	Hop sequence: 5316, 5623, 5520, 5668, 5679, 5315, 5647, 5474, 5319, 5503, 5494, 5324, 5409, 5455, 5579, 5264, 5371, 5406, 5387, 5630, 5446, 5602, 5565, 5382, 5597, 5320, 5704, 5510, 5708, 5543, 5664, 5722, 5288, 5331, 5334, 5363, 5528, 5411, 5380, 5268, 5384, 5326, 5419, 5290, 5422, 5662, 5484, 5581, 5589, 5478, 5379, 5328, 5705, 5698, 5461, 5430, 5302, 5720, 5457, 5495, 5349, 5681, 5613, 5644, 5383, 5329, 5256, 5525, 5307, 5538, 5435, 5524, 5659, 5568, 5251, 5530, 5669, 5473, 5373, 5344, 5577, 5661, 5541, 5405, 5369, 5265, 5586, 5400, 5275, 5404, 5424, 5273, 5364, 5304, 5636, 5616, 5575, 5434, 5398, 5348 (7 hits) (01/02/2014 10:34:55 AM)

File: R94497 Rev 3 Page 205 of 281

1	Table 199 - FCC frequency hopping radar (Type 6) Results - CU, 30MHz Mode Steady State								
Trial #	Pulses/ Burst	Pulse Width (us)	PRI (us)	Detected	Fr (MHz) and level (dBm)	Burst Information			
32	9	1.0	333.0	Yes	5290.0MHz, -61.0dBm	Hop sequence: 5566, 5301, 5686, 5604, 5257, 5700, 5330, 5358, 5616, 5450, 5516, 5711, 5384, 5440, 5466, 5397, 5667, 5660, 5363, 5299, 5501, 5474, 5468, 5348, 5679, 5321, 5496, 5720, 5691, 5550, 5649, 5286, 5295, 5558, 5540, 5713, 5401, 5265, 5407, 5369, 5285, 5250, 5588, 5582, 5457, 5340, 5642, 5715, 5403, 5418, 5446, 5339, 5433, 5552, 5638, 5454, 5413, 5627, 5355, 5646, 5283, 5622, 5504, 5704, 5451, 5514, 5297, 5311, 5327, 5609, 5252, 5556, 5596, 5493, 5611, 5565, 5721, 5377, 5462, 5684, 5600, 5544, 5278, 5602, 5497, 5479, 5366, 5575, 5647, 5719, 5399, 5427, 5383, 5464, 5682, 5274, 5698, 5415, 5526, 5305 (9 hits) (01/02/2014 10:35:05 AM)			
33	9	1.0	333.0	Yes	5291.0MHz, -61.0dBm	Hop sequence: 5456, 5388, 5280, 5542, 5469, 5312, 5549, 5353, 5720, 5676, 5504, 5303, 5334, 5254, 5721, 5400, 5528, 5525, 5358, 5486, 5649, 5553, 5701, 5638, 5475, 5508, 5724, 5561, 5620, 5424, 5581, 5442, 5306, 5563, 5477, 5709, 5325, 5432, 5316, 5683, 5599, 5697, 5587, 5642, 5468, 5431, 5634, 5405, 5596, 5260, 5373, 5719, 5296, 5722, 5529, 5282, 5360, 5317, 5618, 5298, 5516, 5384, 5643, 5605, 5604, 5308, 5445, 5612, 5572, 5500, 5488, 5515, 5288, 5687, 5597, 5532, 5490, 5339, 5440, 5646, 5640, 5281, 5364, 5319, 5268, 5284, 5706, 5681, 5265, 5433, 5588, 5375, 5613, 5421, 5574, 5536, 5577, 5270, 5530, 5520 (10 hits) (01/02/2014 10:35:13 AM)			
34	9	1.0	333.0	Yes	5292.0MHz, -61.0dBm	Hop sequence: 5696, 5562, 5533, 5348, 5262, 5542, 5371, 5260, 5299, 5392, 5515, 5554, 5703, 5383, 5334, 5652, 5341, 5681, 5379, 5511, 5258, 5520, 5264, 5644, 5407, 5660, 5623, 5439, 5285, 5384, 5610, 5373, 5687, 5314, 5395, 5300, 5463, 5467, 5330, 5635, 5584, 5570, 5577, 5664, 5356, 5630, 5283, 5477, 5514, 5403, 5521, 5519, 5502,			

File: R94497 Rev 3 Page 206 of 281

Test Report Reissue Date: August 1, 2014 Report Date: April 3, 2014

ı	Table 199	- FCC freque	ncy hoppin	g radar (Typ	e 6) Results - CU	, 30MHz Mode Steady State
Trial #	Pulses/ Burst	Pulse Width (us)	PRI (us)	Detected	Fr (MHz) and level (dBm)	Burst Information
						5679, 5501, 5578, 5311, 5694, 5666, 5433, 5326, 5527, 5322, 5598, 5352, 5487, 5543, 5412, 5601, 5656, 5353, 5717, 5404, 5256, 5272, 5471, 5289, 5309, 5459, 5699, 5704, 5559, 5721, 5716, 5551, 5505, 5587, 5611, 5453, 5280, 5556, 5253, 5548, 5303, 5488, 5697, 5414, 5491, 5523, 5480 (8 hits) (01/02/2014 10:35:21 AM)
35	9	1.0	333.0	Yes	5293.0MHz, -61.0dBm	Hop sequence: 5671, 5582, 5702, 5620, 5430, 5591, 5585, 5490, 5525, 5415, 5637, 5640, 5443, 5356, 5304, 5541, 5515, 5398, 5692, 5261, 5384, 5285, 5669, 5577, 5328, 5439, 5421, 5567, 5616, 5654, 5431, 5595, 5709, 5314, 5280, 5540, 5301, 5371, 5338, 5271, 5408, 5601, 5695, 5570, 5691, 5374, 5663, 5495, 5320, 5597, 5548, 5313, 5345, 5668, 5646, 5533, 5676, 5517, 5487, 5611, 5332, 5717, 5308, 5513, 5442, 5296, 5394, 5558, 5282, 5392, 5509, 5309, 5703, 5433, 5274, 5696, 5536, 5621, 5687, 5667, 5699, 5324, 5672, 5277, 5626, 5287, 5272, 5275, 5630, 5589, 5391, 5335, 5258, 5653, 5557, 5532, 5300, 5679, 5475, 5457 (11 hits) (01/02/2014 10:35:31 AM)
36	9	1.0	333.0	Yes	5294.0MHz, -61.0dBm	Hop sequence: 5456, 5707, 5295, 5620, 5543, 5644, 5497, 5299, 5435, 5629, 5283, 5553, 5469, 5425, 5316, 5616, 5462, 5646, 5451, 5672, 5515, 5312, 5709, 5293, 5292, 5443, 5722, 5576, 5403, 5695, 5262, 5516, 5421, 5407, 5628, 5660, 5380, 5383, 5439, 5714, 5437, 5718, 5358, 5303, 5591, 5479, 5442, 5367, 5569, 5577, 5600, 5563, 5336, 5371, 5679, 5648, 5544, 5259, 5488, 5458, 5541, 5547, 5351, 5467, 5400, 5374, 5266, 5561, 5501, 5532, 5705, 5524, 5671, 5438, 5572, 5392, 5601, 5513, 5391, 5288, 5609, 5588, 5464, 5265, 5255, 5592, 5647, 5704, 5327, 5338, 5637, 5341, 5398, 5518, 5630, 5379, 5381, 5477, 5604, 5492 (9 hits) (01/02/2014 10:35:42 AM)

File: R94497 Rev 3 Page 207 of 281

	Table 199	- FCC freque	ncy hoppin	g radar (Typ	e 6) Results - CU,	30MHz Mode Steady State
Trial #	Pulses/ Burst	Pulse Width (us)	PRI (us)	Detected	Fr (MHz) and level (dBm)	Burst Information
37	9	1.0	333.0	Yes	5295.0MHz, -61.0dBm	Hop sequence: 5547, 5409, 5706, 5595, 5336, 5349, 5284, 5677, 5267, 5381, 5435, 5465, 5668, 5582, 5446, 5307, 5504, 5697, 5394, 5702, 5373, 5598, 5698, 5623, 5273, 5583, 5367, 5626, 5591, 5692, 5458, 5427, 5532, 5652, 5560, 5723, 5643, 5610, 5439, 5686, 5649, 5660, 5672, 5506, 5327, 5258, 5437, 5368, 5335, 5607, 5292, 5565, 5599, 5468, 5509, 5464, 5593, 5718, 5558, 5575, 5494, 5301, 5683, 5357, 5490, 5550, 5492, 5642, 5563, 5371, 5580, 5621, 5705, 5372, 5479, 5530, 5543, 5587, 5303, 5624, 5374, 5665, 5588, 5689, 5684, 5395, 5512, 5251, 5444, 5346, 5379, 5545, 5597, 5467, 5450, 5263, 5620, 5638, 5275, 5319 (6 hits) (01/02/2014 10:35:59 AM)
38	9	1.0	333.0	Yes	5296.0MHz, -61.0dBm	Hop sequence: 5299, 5463, 5611, 5443, 5559, 5369, 5718, 5632, 5446, 5583, 5377, 5688, 5506, 5644, 5708, 5690, 5558, 5335, 5344, 5347, 5640, 5290, 5409, 5607, 5397, 5402, 5487, 5660, 5474, 5289, 5376, 5630, 5602, 5276, 5636, 5352, 5341, 5501, 5615, 5531, 5613, 5652, 5676, 5291, 5669, 5654, 5541, 5282, 5354, 5610, 5560, 5492, 5414, 5678, 5317, 5309, 5464, 5358, 5359, 5673, 5434, 5266, 5351, 5603, 5625, 5477, 5350, 5451, 5375, 5629, 5485, 5647, 5426, 5702, 5429, 5478, 5490, 5400, 5476, 5380, 5704, 5346, 5695, 5703, 5401, 5304, 5670, 5254, 5617, 5384, 5253, 5680, 5619, 5424, 5333, 5440, 5370, 5438, 5439, 5252 (7 hits) (01/02/2014 10:36:08 AM)
39	9	1.0	333.0	Yes	5297.0MHz, -61.0dBm	Hop sequence: 5702, 5346, 5310, 5493, 5602, 5392, 5403, 5338, 5535, 5645, 5621, 5439, 5581, 5342, 5421, 5340, 5631, 5405, 5413, 5428, 5378, 5579, 5659, 5427, 5574, 5527, 5295, 5705, 5516, 5530, 5564, 5575, 5612, 5303, 5384, 5619, 5354, 5657, 5563, 5500, 5571, 5665, 5332, 5532, 5669, 5722, 5471, 5365, 5690, 5725, 5704, 5464, 5349,

File: R94497 Rev 3 Page 208 of 281

	Table 199 - FCC frequency hopping radar (Type 6) Results - CU, 30MHz Mode Steady State								
Trial #	Pulses/ Burst	Pulse Width (us)	PRI (us)	Detected	Fr (MHz) and level (dBm)	Burst Information			
						5708, 5373, 5482, 5548, 5347, 5682, 5716, 5697, 5351, 5534, 5450, 5711, 5432, 5655, 5504, 5336, 5402, 5667, 5452, 5670, 5433, 5568, 5520, 5715, 5508, 5414, 5638, 5549, 5672, 5555,			
						554, 5498, 5599, 5315, 5385, 5538, 5380, 5259, 5537, 5676, 5505, 5489, 5721, 5717, 5703, 5595, 5561 (1 hits) (01/02/2014 10:36:17 AM)			

Page 209 of 281 File: R94497 Rev 3

Table 200 - Summary of All Results - CU, 40MHz Mode Steady State									
Waveform Name	Pd (%)	Pd Required (%)	Number of Trials	Status					
FCC Short Pulse Radar (Type 1)	83.3 %	60.0 %	30	PASSED					
FCC Short Pulse Radar (Type 2)	93.3 %	60.0 %	30	PASSED					
FCC Short Pulse Radar (Type 3)	100.0 %	60.0 %	30	PASSED					
FCC Short Pulse Radar (Type 4)	100.0 %	60.0 %	30	PASSED					
Aggregate of above results	94.2 %	80.0 %	120	PASSED					
Long Sequence	93.3 %	80.0 %	30	PASSED					
FCC frequency hopping radar (Type 6)	97.4 %	70.0 %	39	PASSED					

		Steady	State		
EUT Frequency	Radar Type	Radar Frequency	# Detected	# Not Detected	Success (%)
5280.00 MHz	FCC Short Pulse Radar (Type 1)	5260.00 MHz	0	3	0
5280.00 MHz	FCC Short Pulse Radar (Type 1)	5261.00 MHz	10	0	100
5280.00 MHz	FCC Short Pulse Radar (Type 1)	5262.00 MHz	10	0	100
5280.00 MHz	FCC Short Pulse Radar (Type 1)	5263.00 MHz	10	0	100
5280.00 MHz	FCC Short Pulse Radar (Type 1)	5264.00 MHz	10	0	100
5280.00 MHz	FCC Short Pulse Radar (Type 1)	5265.00 MHz	10	0	100
5280.00 MHz	FCC Short Pulse Radar (Type 1)	5266.00 MHz	10	0	100
5280.00 MHz	FCC Short Pulse Radar (Type 1)	5267.00 MHz	10	0	100
5280.00 MHz	FCC Short Pulse Radar (Type 1)	5268.00 MHz	10	0	100
5280.00 MHz	FCC Short Pulse Radar (Type 1)	5269.00 MHz	10	0	100
5280.00 MHz	FCC Short Pulse Radar (Type 1)	5270.00 MHz	10	0	100
5280.00 MHz	FCC Short Pulse Radar (Type 1)	5271.00 MHz	10	0	100
5280.00 MHz	FCC Short Pulse Radar (Type 1)	5272.00 MHz	10	0	100
5280.00 MHz	FCC Short Pulse Radar (Type 1)	5273.00 MHz	10	0	100
5280.00 MHz	FCC Short Pulse Radar (Type 1)	5274.00 MHz	10	0	100
5280.00 MHz	FCC Short Pulse Radar (Type 1)	5275.00 MHz	10	0	100
5280.00 MHz	FCC Short Pulse Radar (Type 1)	5276.00 MHz	10	0	100
5280.00 MHz	FCC Short Pulse Radar (Type 1)	5277.00 MHz	10	0	100
5280.00 MHz	FCC Short Pulse Radar (Type 1)	5278.00 MHz	10	0	100
5280.00 MHz	FCC Short Pulse Radar (Type 1)	5279.00 MHz	10	0	100

File: R94497 Rev 3 Page 210 of 281

Test Report Reissue Date: August 1, 2014

Table 201 - Detection Bandwidth Measurements (Bandwidth: +19MHz /-19MHz) - CU, 40MHz Mode Steady State								
5280.00 MHz	FCC Short Pulse Radar (Type 1)	5280.00 MHz	9	1	90			
5280.00 MHz	FCC Short Pulse Radar (Type 1)	5281.00 MHz	10	0	100			
5280.00 MHz	FCC Short Pulse Radar (Type 1)	5282.00 MHz	10	0	100			
5280.00 MHz	FCC Short Pulse Radar (Type 1)	5283.00 MHz	10	0	100			
5280.00 MHz	FCC Short Pulse Radar (Type 1)	5284.00 MHz	10	0	100			
5280.00 MHz	FCC Short Pulse Radar (Type 1)	5285.00 MHz	10	0	100			
5280.00 MHz	FCC Short Pulse Radar (Type 1)	5286.00 MHz	10	0	100			
5280.00 MHz	FCC Short Pulse Radar (Type 1)	5287.00 MHz	10	0	100			
5280.00 MHz	FCC Short Pulse Radar (Type 1)	5288.00 MHz	10	0	100			
5280.00 MHz	FCC Short Pulse Radar (Type 1)	5289.00 MHz	10	0	100			
5280.00 MHz	FCC Short Pulse Radar (Type 1)	5290.00 MHz	10	0	100			
5280.00 MHz	FCC Short Pulse Radar (Type 1)	5291.00 MHz	10	0	100			
5280.00 MHz	FCC Short Pulse Radar (Type 1)	5292.00 MHz	10	0	100			
5280.00 MHz	FCC Short Pulse Radar (Type 1)	5293.00 MHz	10	0	100			
5280.00 MHz	FCC Short Pulse Radar (Type 1)	5294.00 MHz	10	0	100			
5280.00 MHz	FCC Short Pulse Radar (Type 1)	5295.00 MHz	10	0	100			
5280.00 MHz	FCC Short Pulse Radar (Type 1)	5296.00 MHz	10	0	100			
5280.00 MHz	FCC Short Pulse Radar (Type 1)	5297.00 MHz	10	0	100			
5280.00 MHz	FCC Short Pulse Radar (Type 1)	5298.00 MHz	10	0	100			
5280.00 MHz	FCC Short Pulse Radar (Type 1)	5299.00 MHz	9	1	90			
5280.00 MHz	FCC Short Pulse Radar (Type 1)	5300.00 MHz	0	3	0			

	Table 202 - FCC Short Pulse Radar (Type 1) Results - CU, 40MHz Mode Steady State								
Trial #	Pulses/ Burst	Pulse Width (us)	PRI (us)	Detected	Fr (MHz) and level (dBm)	Burst Information			
1	18	1.0	1428.0	Yes	5275.0MHz, -61.0dBm	Single burst (12/31/2013 04:14:31 PM)			
2	18	1.0	1428.0	Yes	5270.0MHz, -61.0dBm	Single burst (12/31/2013 04:16:25 PM)			
3	18	1.0	1428.0	Yes	5265.0MHz, -61.0dBm	Single burst (12/31/2013 04:16:42 PM)			
4	18	1.0	1428.0	Yes	5295.0MHz, -61.0dBm	Single burst (12/31/2013 04:17:04 PM)			

File: R94497 Rev 3 Page 211 of 281

	Table 202 - FCC Short Pulse Radar (Type 1) Results - CU, 40MHz Mode Steady State									
Trial #	Pulses/ Burst	Pulse Width (us)	PRI (us)	Detected	Fr (MHz) and level (dBm)	Burst Information				
5	18	1.0	1428.0	Yes	5290.0MHz, -61.0dBm	Single burst (12/31/2013 04:17:32 PM)				
6	18	1.0	1428.0	Yes	5285.0MHz, -61.0dBm	Single burst (12/31/2013 04:17:42 PM)				
7	18	1.0	1428.0	Yes	5280.0MHz, -61.0dBm	Single burst (12/31/2013 04:17:59 PM)				
8	18	1.0	1428.0	No	5275.0MHz, -61.0dBm	Single burst (12/31/2013 04:18:28 PM)				
9	18	1.0	1428.0	Yes	5270.0MHz, -61.0dBm	Single burst (12/31/2013 04:18:39 PM)				
10	18	1.0	1428.0	Yes	5265.0MHz, -61.0dBm	Single burst (12/31/2013 04:19:24 PM)				
11	18	1.0	1428.0	Yes	5295.0MHz, -61.0dBm	Single burst (12/31/2013 04:19:35 PM)				
12	18	1.0	1428.0	Yes	5290.0MHz, -61.0dBm	Single burst (12/31/2013 04:19:52 PM)				
13	18	1.0	1428.0	Yes	5285.0MHz, -61.0dBm	Single burst (12/31/2013 04:20:45 PM)				
14	18	1.0	1428.0	No	5280.0MHz, -61.0dBm	Single burst (12/31/2013 04:20:53 PM)				
15	18	1.0	1428.0	No	5275.0MHz, -61.0dBm	Single burst (12/31/2013 04:21:05 PM)				
16	18	1.0	1428.0	Yes	5270.0MHz, -61.0dBm	Single burst (12/31/2013 04:21:23 PM)				
17	18	1.0	1428.0	No	5265.0MHz, -61.0dBm	Single burst (12/31/2013 04:21:34 PM)				
18	18	1.0	1428.0	Yes	5295.0MHz, -61.0dBm	Single burst (12/31/2013 04:21:51 PM)				
19	18	1.0	1428.0	No	5290.0MHz, -61.0dBm	Single burst (12/31/2013 04:22:06 PM)				
20	18	1.0	1428.0	Yes	5285.0MHz, -61.0dBm	Single burst (12/31/2013 04:22:19 PM)				
21	18	1.0	1428.0	Yes	5280.0MHz, -61.0dBm	Single burst (12/31/2013 04:22:30 PM)				
22	18	1.0	1428.0	Yes	5275.0MHz, -61.0dBm	Single burst (12/31/2013 04:22:38 PM)				
23	18	1.0	1428.0	Yes	5270.0MHz, -61.0dBm	Single burst (12/31/2013 04:22:46 PM)				
24	18	1.0	1428.0	Yes	5265.0MHz, -61.0dBm	Single burst (12/31/2013 04:22:54 PM)				
25	18	1.0	1428.0	Yes	5295.0MHz, -61.0dBm	Single burst (12/31/2013 04:23:03 PM)				
26	18	1.0	1428.0	Yes	5290.0MHz, -61.0dBm	Single burst (12/31/2013 04:23:12 PM)				
27	18	1.0	1428.0	Yes	5285.0MHz, -61.0dBm	Single burst (12/31/2013 04:23:28 PM)				
28	18	1.0	1428.0	Yes	5280.0MHz, -61.0dBm	Single burst (12/31/2013 04:23:35 PM)				
29	18	1.0	1428.0	Yes	5275.0MHz, -61.0dBm	Single burst (12/31/2013 04:23:45 PM)				
30	18	1.0	1428.0	Yes	5270.0MHz, -61.0dBm	Single burst (12/31/2013 04:23:54 PM)				

File: R94497 Rev 3 Page 212 of 281

	Table 203 - FCC Short Pulse Radar (Type 2) Results - CU, 40MHz Mode Steady State								
Trial #	Pulses/ Burst	Pulse Width (us)	PRI (us)	Detected	Fr (MHz) and level (dBm)	Burst Information			
1	29	1.7	214.0	Yes	5280.0MHz, -61.0dBm	Single burst (12/31/2013 04:25:12 PM)			
2	26	4.6	169.0	No	5275.0MHz, -61.0dBm	Single burst (12/31/2013 04:25:29 PM)			
3	24	4.5	162.0	Yes	5270.0MHz,	Single burst (12/31/2013 04:26:01			
4	24	1.4	166.0	Yes	-61.0dBm 5265.0MHz,	PM) Single burst (12/31/2013 04:26:21			
5	25	3.8	216.0	Yes	-61.0dBm 5295.0MHz,	PM) Single burst (12/31/2013 04:26:28			
6	28	3.6	186.0	Yes	-61.0dBm 5290.0MHz,	PM) Single burst (12/31/2013 04:26:36			
7	26	3.6	198.0	Yes	-61.0dBm 5285.0MHz,	PM) Single burst (12/31/2013 04:26:44			
8	25	1.4	210.0	Yes	-61.0dBm 5280.0MHz,	PM) Single burst (12/31/2013 04:26:52			
9	28	1.9	202.0	Yes	-61.0dBm 5275.0MHz,	PM) Single burst (12/31/2013 04:27:03			
		1.9			-61.0dBm 5270.0MHz,	PM) Single burst (12/31/2013 04:27:13			
10	26		154.0	Yes	-61.0dBm 5265.0MHz,	PM) Single burst (12/31/2013 04:27:23			
11	25	3.0	226.0	Yes	-61.0dBm 5295.0MHz,	PM) Single burst (12/31/2013 04:27:31			
12	27	2.3	193.0	Yes	-61.0dBm 5290.0MHz,	PM) Single burst (12/31/2013 04:27:44			
13	26	2.1	229.0	Yes	-61.0dBm	PM) Single burst (12/31/2013 04:27:52			
14	23	4.3	153.0	Yes	5285.0MHz, -61.0dBm	PM)			
15	26	2.2	177.0	Yes	5280.0MHz, -61.0dBm	Single burst (12/31/2013 04:28:03 PM)			
16	26	3.4	186.0	Yes	5275.0MHz, -61.0dBm	Single burst (12/31/2013 04:28:13 PM)			
17	28	4.0	223.0	Yes	5270.0MHz, -61.0dBm	Single burst (12/31/2013 04:28:20 PM)			
18	29	3.1	215.0	Yes	5265.0MHz, -61.0dBm	Single burst (12/31/2013 04:28:28 PM)			
19	26	2.0	151.0	Yes	5295.0MHz, -61.0dBm	Single burst (12/31/2013 04:28:35 PM)			
20	27	2.5	162.0	Yes	5290.0MHz, -61.0dBm	Single burst (12/31/2013 04:28:43 PM)			
21	25	4.0	151.0	Yes	5285.0MHz, -61.0dBm	Single burst (12/31/2013 04:28:50 PM)			
22	29	2.5	170.0	Yes	5280.0MHz, -61.0dBm	Single burst (12/31/2013 04:28:58 PM)			
23	25	1.2	183.0	Yes	5275.0MHz, -61.0dBm	Single burst (12/31/2013 04:29:05 PM)			
24	29	2.8	216.0	No	5270.0MHz,	Single burst (12/31/2013 04:29:13 PM)			
25	25	2.9	228.0	Yes	-61.0dBm 5265.0MHz,	Single burst (12/31/2013 04:29:22			
26	26	1.3	176.0	Yes	-61.0dBm 5295.0MHz,	PM) Single burst (12/31/2013 04:29:30			
27	24	1.8	212.0	Yes	-61.0dBm 5290.0MHz, -61.0dBm	PM) Single burst (12/31/2013 04:29:38 PM)			

File: R94497 Rev 3 Page 213 of 281

	Table 203 - FCC Short Pulse Radar (Type 2) Results - CU, 40MHz Mode Steady State								
Trial #	Pulses/ Burst	Pulse Width (us)	PRI (us)	Detected	Fr (MHz) and level (dBm)	Burst Information			
28	28	2.2	169.0	Yes	5285.0MHz, -61.0dBm	Single burst (12/31/2013 04:29:45 PM)			
29	25	4.4	153.0	Yes	5280.0MHz, -61.0dBm	Single burst (12/31/2013 04:29:53 PM)			
30	24	3.8	180.0	Yes	5275.0MHz, -61.0dBm	Single burst (12/31/2013 04:30:02 PM)			

	Table	204 - FCC Sho	ort Pulse R	adar (Type 3) Results - CU, 40	MHz Mode Steady State
Trial #	Pulses/ Burst	Pulse Width (us)	PRI (us)	Detected	Fr (MHz) and level (dBm)	Burst Information
1	18	9.3	411.0	Yes	5280.0MHz, -61.0dBm	Single burst (12/31/2013 04:30:51 PM)
2	17	7.1	341.0	Yes	5275.0MHz, -61.0dBm	Single burst (12/31/2013 04:31:01 PM)
3	17	8.9	238.0	Yes	5270.0MHz, -61.0dBm	Single burst (12/31/2013 04:31:09 PM)
4	17	9.6	324.0	Yes	5265.0MHz, -61.0dBm	Single burst (12/31/2013 04:31:19 PM)
5	18	6.7	255.0	Yes	5295.0MHz, -61.0dBm	Single burst (12/31/2013 04:31:26 PM)
6	17	8.5	323.0	Yes	5290.0MHz, -61.0dBm	Single burst (12/31/2013 04:31:33 PM)
7	18	6.2	362.0	Yes	5285.0MHz, -61.0dBm	Single burst (12/31/2013 04:31:40 PM)
8	16	9.0	427.0	Yes	5280.0MHz, -61.0dBm	Single burst (12/31/2013 04:31:48 PM)
9	17	7.3	294.0	Yes	5275.0MHz, -61.0dBm	Single burst (12/31/2013 04:31:58 PM)
10	18	6.1	267.0	Yes	5270.0MHz, -61.0dBm	Single burst (12/31/2013 04:32:07 PM)
11	17	9.1	494.0	Yes	5265.0MHz, -61.0dBm	Single burst (12/31/2013 04:32:18 PM)
12	18	6.1	279.0	Yes	5295.0MHz, -61.0dBm	Single burst (12/31/2013 04:32:30 PM)
13	18	8.1	444.0	Yes	5290.0MHz, -61.0dBm	Single burst (12/31/2013 04:32:39 PM)
14	17	9.2	480.0	Yes	5285.0MHz, -61.0dBm	Single burst (12/31/2013 04:32:48 PM)
15	16	7.6	347.0	Yes	5280.0MHz, -61.0dBm	Single burst (12/31/2013 04:32:55 PM)
16	17	7.1	485.0	Yes	5275.0MHz, -61.0dBm	Single burst (12/31/2013 04:33:04 PM)
17	16	8.1	316.0	Yes	5270.0MHz, -61.0dBm	Single burst (12/31/2013 04:33:13 PM)
18	18	9.8	299.0	Yes	5265.0MHz, -61.0dBm	Single burst (12/31/2013 04:33:21 PM)
19	17	8.0	355.0	Yes	5295.0MHz, -61.0dBm	Single burst (12/31/2013 04:33:28 PM)
20	18	7.4	214.0	Yes	5290.0MHz, -61.0dBm	Single burst (12/31/2013 04:33:36 PM)
21	17	6.1	426.0	Yes	5285.0MHz, -61.0dBm	Single burst (12/31/2013 04:33:44 PM)
22	18	9.3	432.0	Yes	5280.0MHz,	Single burst (12/31/2013 04:33:51

File: R94497 Rev 3 Page 214 of 281

	Table 204 - FCC Short Pulse Radar (Type 3) Results - CU, 40MHz Mode Steady State								
Trial #	Pulses/ Burst	Pulse Width (us)	PRI (us)	Detected	Fr (MHz) and level (dBm)	Burst Information			
					-61.0dBm	PM)			
23	18	8.3	232.0	Yes	5275.0MHz, -61.0dBm	Single burst (12/31/2013 04:33:58 PM)			
24	16	6.7	446.0	Yes	5270.0MHz, -61.0dBm	Single burst (12/31/2013 04:34:06 PM)			
25	16	8.8	462.0	Yes	5265.0MHz, -61.0dBm	Single burst (12/31/2013 04:34:13 PM)			
26	18	8.4	391.0	Yes	5295.0MHz, -61.0dBm	Single burst (12/31/2013 04:34:23 PM)			
27	16	9.8	281.0	Yes	5290.0MHz, -61.0dBm	Single burst (12/31/2013 04:34:30 PM)			
28	18	7.5	317.0	Yes	5285.0MHz, -61.0dBm	Single burst (12/31/2013 04:34:37 PM)			
29	17	9.4	479.0	Yes	5280.0MHz, -61.0dBm	Single burst (12/31/2013 04:34:46 PM)			
30	17	6.9	408.0	Yes	5275.0MHz, -61.0dBm	Single burst (12/31/2013 04:34:53 PM)			

	Table 2	205 - FCC Sho	ort Pulse Ra	adar (Type 4) Results - CU, 40	MHz Mode Steady State
Trial #	Pulses/ Burst	Pulse Width (us)	PRI (us)	Detected	Fr (MHz) and level (dBm)	Burst Information
1	13	11.5	259.0	Yes	5280.0MHz, -61.0dBm	Single burst (12/31/2013 04:35:44 PM)
2	12	15.1	484.0	Yes	5275.0MHz, -61.0dBm	Single burst (12/31/2013 04:36:03 PM)
3	14	19.8	211.0	Yes	5270.0MHz, -61.0dBm	Single burst (12/31/2013 04:36:10 PM)
4	14	15.2	220.0	Yes	5265.0MHz, -61.0dBm	Single burst (12/31/2013 04:36:18 PM)
5	13	18.0	298.0	Yes	5295.0MHz, -61.0dBm	Single burst (12/31/2013 04:36:26 PM)
6	14	12.6	478.0	Yes	5290.0MHz, -61.0dBm	Single burst (12/31/2013 04:36:33 PM)
7	13	15.4	452.0	Yes	5285.0MHz, -61.0dBm	Single burst (12/31/2013 04:36:41 PM)
8	16	15.0	493.0	Yes	5280.0MHz, -61.0dBm	Single burst (12/31/2013 04:36:56 PM)
9	14	15.5	221.0	Yes	5275.0MHz, -61.0dBm	Single burst (12/31/2013 04:37:17 PM)
10	15	11.6	302.0	Yes	5270.0MHz, -61.0dBm	Single burst (12/31/2013 04:37:25 PM)
11	14	13.9	294.0	Yes	5265.0MHz, -61.0dBm	Single burst (12/31/2013 04:38:03 PM)
12	12	19.9	339.0	Yes	5295.0MHz, -61.0dBm	Single burst (12/31/2013 04:38:12 PM)
13	14	13.9	322.0	Yes	5290.0MHz, -61.0dBm	Single burst (12/31/2013 04:38:20 PM)
14	13	14.4	426.0	Yes	5285.0MHz, -61.0dBm	Single burst (12/31/2013 04:38:27 PM)
15	15	13.0	269.0	Yes	5280.0MHz, -61.0dBm	Single burst (12/31/2013 04:38:38 PM)
16	13	17.4	423.0	Yes	5275.0MHz, -61.0dBm	Single burst (12/31/2013 04:38:49 PM)

File: R94497 Rev 3 Page 215 of 281

Table 205 - FCC Short Pulse Radar (Type 4) Results - CU, 40MHz Mode Steady State								
Trial #	Pulses/ Burst	Pulse Width (us)	PRI (us)	Detected	Fr (MHz) and level (dBm)	Burst Information		
17	16	18.8	279.0	Yes	5270.0MHz, -61.0dBm	Single burst (12/31/2013 04:38:58 PM)		
18	14	15.3	282.0	Yes	5265.0MHz, -61.0dBm	Single burst (12/31/2013 04:39:05 PM)		
19	16	11.8	485.0	Yes	5295.0MHz, -61.0dBm	Single burst (12/31/2013 04:39:16 PM)		
20	12	13.7	290.0	Yes	5290.0MHz, -61.0dBm	Single burst (12/31/2013 04:39:25 PM)		
21	12	14.1	402.0	Yes	5285.0MHz, -61.0dBm	Single burst (12/31/2013 04:39:33 PM)		
22	13	13.2	318.0	Yes	5280.0MHz, -61.0dBm	Single burst (12/31/2013 04:39:40 PM)		
23	15	12.8	462.0	Yes	5275.0MHz, -61.0dBm	Single burst (12/31/2013 04:39:48 PM)		
24	15	14.5	236.0	Yes	5270.0MHz, -61.0dBm	Single burst (12/31/2013 04:39:57 PM)		
25	13	15.1	379.0	Yes	5265.0MHz, -61.0dBm	Single burst (12/31/2013 04:40:06 PM)		
26	13	17.6	360.0	Yes	5295.0MHz, -61.0dBm	Single burst (12/31/2013 04:40:16 PM)		
27	14	16.8	246.0	Yes	5290.0MHz, -61.0dBm	Single burst (12/31/2013 04:40:28 PM)		
28	13	13.2	384.0	Yes	5285.0MHz, -61.0dBm	Single burst (12/31/2013 04:40:43 PM)		
29	14	16.9	382.0	Yes	5280.0MHz, -61.0dBm	Single burst (12/31/2013 04:40:53 PM)		
30	12	12.5	375.0	Yes	5275.0MHz, -61.0dBm	Single burst (12/31/2013 04:41:07 PM)		

Table 206 - Long Sequence Waveform Summary - CU, 40MHz Mode Steady State						
Long Sequence Trial	Result	Radar Frequency / Amplitude				
	Detected	5280.0MHz,				
Trial #1	Detected	-61.0dBm				
Trial #2	Detected	5275.0MHz,				
111a1 #2	Detected	-61.0dBm				
Trial #3	Detected	5270.0MHz,				
111a1 #3	Detected	-61.0dBm				
Trial #4	Detected	5265.0MHz,				
111a1 #4	Detected	-61.0dBm				
Trial #5	Detected	5295.0MHz,				
111a1 #3	Detected	-61.0dBm				
Trial #6	Detected	5290.0MHz,				
111a1 #0	Detected	-61.0dBm				
Trial #7	Detected	5285.0MHz,				
Πιαι π /	Detected	-61.0dBm				
Trial #8	Detected	5280.0MHz,				
111a1 #6	Detected	-61.0dBm				
Trial #9	Detected	5275.0MHz,				
11141 #7	Detected	-61.0dBm				
Trial #10	Detected	5270.0MHz,				
11141 #10	Detected	-61.0dBm				

File: R94497 Rev 3 Page 216 of 281

Table 206 - Long Sequence Waveform Summary - CU, 40MHz Mode Steady State							
Long Sequence Trial	Result	Radar Frequency / Amplitude					
Trial #11	Detected	5265.0MHz,					
111a1 #11	Detected	-61.0dBm					
Trial #12	Detected	5295.0MHz,					
111at #12	Detected	-61.0dBm					
Trial #13	Detected	5290.0MHz,					
11101 #13	Detected	-61.0dBm					
Trial #14	Detected	5285.0MHz,					
111d1 #14	Detected	-61.0dBm					
Trial #15	Detected	5280.0MHz,					
11141 1113	Beteeted	-61.0dBm					
Trial #16	Detected	5275.0MHz,					
11141 1110	Beteeted	-61.0dBm					
Trial #17	Detected	5270.0MHz,					
11141 // /	Beteeted	-61.0dBm					
Trial #18	Detected	5265.0MHz,					
Tital #10	Beteeted	-61.0dBm					
Trial #19	Detected	5295.0MHz,					
11141 117	Beteeted	-61.0dBm					
Trial #20	Detected	5290.0MHz,					
	200000	-61.0dBm					
Trial #21	Detected	5285.0MHz,					
11141 1121		-61.0dBm					
Trial #22	Detected	5280.0MHz,					
		-61.0dBm					
Trial #23	Detected	5275.0MHz,					
		-61.0dBm					
Trial #24	Detected	5270.0MHz,					
		-61.0dBm					
Trial #25	NOT Detected	5265.0MHz,					
		-61.0dBm					
Trial #26	Detected	5295.0MHz,					
		-61.0dBm 5290.0MHz,					
Trial #27	Detected	/					
		-61.0dBm 5285.0MHz,					
Trial #28	NOT Detected	5285.0MHz, -61.0dBm					
		5280.0MHz,					
Trial #29	Detected	-61.0dBm					
		5275.0MHz,					
Trial #30	Detected	-61.0dBm					
		-01.0uDili					

,	Table 207 - Long Sequence Waveform Trial#1 (Detected) - CU, 40MHz Mode Steady State							
Burst #	# Pulses	Pulse Width (us)	Chirp (MHz)	Interval 1 to 2 (us)	Interval 2 to 3 (us)	Start time (s)		
1	1	92.1	16	-	-	0.386706		
2	2	52.5	18	1205.0	-	0.937072		
3	3	64.0	12	1922.0	1134.0	1.663637		
4	1	52.2	6	-	-	2.823778		
5	1	88.2	17	-	-	3.723915		
6	2	95.9	14	1305.0	-	4.223006		
7	2	60.8	10	1272.0	-	4.622756		
8	2	54.9	9	1401.0	-	5.373535		
9	3	69.2	16	1060.0	1560.0	6.472506		

File: R94497 Rev 3 Page 217 of 281

Table 207 - Long Sequence Waveform Trial#1 (Detected) - CU, 40MHz Mode Steady State									
Burst #	# Pulses	Pulse Width (us)	Chirp (MHz)	Interval 1 to 2 (us)	Interval 2 to 3 (us)	Start time (s)			
10	1	71.5	12	-	-	6.798186			
11	1	70.4	15	-	-	8.164344			
12	1	53.0	6	-	-	8.976454			
13	1	65.7	8	-	-	9.100115			
14	1	67.0	16	-	-	10.191284			
15	2	84.5	9	1543.0	-	11.086648			
16	2	76.7	15	1377.0	-	11.912386			

Burst #	# Pulses	Pulse Width (us)	Chirp (MHz)	Interval 1 to 2 (us)	Interval 2 to 3 (us)	Start time (s)
1	2	69.3	14	1233.0	-	0.284534
2	3	56.1	9	1171.0	1307.0	1.842298
3	3	55.8	17	1805.0	1125.0	2.015539
4	3	53.4	12	1935.0	1254.0	3.482435
5	2	76.8	8	1126.0	-	4.703238
6	2	80.4	9	1558.0	-	5.555330
7	2	99.6	15	1584.0	-	6.365932
8	1	70.4	15	-	-	7.468693
9	2	79.7	10	1509.0	-	8.708699
10	1	75.9	15	-	-	9.274030
11	2	61.5	10	1111.0	-	10.069597
12	1	65.9	7	-	-	11.986115

7	Table 209 - Long Sequence Waveform Trial#3 (Detected) - CU, 40MHz Mode Steady State							
Burst #	# Pulses	Pulse Width (us)	Chirp (MHz)	Interval 1 to 2 (us)	Interval 2 to 3 (us)	Start time (s)		
1	3	68.9	15	1780.0	1668.0	0.494440		
2	1	98.2	9	-	-	0.855779		
3	2	84.7	5	1907.0	-	2.006313		
4	2	66.7	13	1254.0	-	2.757307		
5	2	60.5	8	1246.0	-	3.611546		
6	2	72.5	19	1895.0	-	4.475362		
7	2	54.1	16	1529.0	-	5.001166		
8	2	85.8	7	1433.0	-	5.256674		
9	1	50.8	6	-	-	6.735242		
10	2	53.2	14	1765.0	-	6.962525		
11	2	92.1	11	1043.0	-	7.769311		
12	1	68.5	18	-	-	8.403652		
13	2	69.3	10	1226.0	-	9.052086		
14	2	74.5	13	1376.0	-	10.305267		
15	3	86.4	12	1752.0	1564.0	11.217235		
16	2	73.8	8	1318.0	-	11.399441		

Table 210 - Long Sequence Waveform Trial#4 (Detected) - CU, 40MHz Mode Steady State							
Burst #	# Pulses	Pulse Width (us)	Chirp (MHz)	Interval 1 to 2 (us)	Interval 2 to 3 (us)	Start time (s)	
1	1	77.3	6	-	-	0.570402	
2	1	69.7	8	-	-	1.127825	

File: R94497 Rev 3 Page 218 of 281

76.6

54.1

50.0

19

12

16

17

18

3

2

10.227581

10.753262

11.484461

1001.0

1	Table 210 - Long Sequence Waveform Trial#4 (Detected) - CU, 40MHz Mode Steady State								
Burst #	# Pulses	Pulse Width (us)	Chirp (MHz)	Interval 1 to 2 (us)	Interval 2 to 3 (us)	Start time (s)			
3	2	91.3	17	1137.0	-	1.958838			
4	3	98.5	16	1620.0	1095.0	2.011568			
5	2	55.9	16	1852.0	-	2.766719			
6	2	56.9	10	1033.0	-	3.976566			
7	1	98.2	19	-	-	4.376945			
8	1	56.8	16	-	-	5.272217			
9	2	97.3	10	1314.0	-	5.336340			
10	3	73.5	5	1210.0	1893.0	6.006852			
11	3	83.1	12	1645.0	1697.0	6.695785			
12	2	83.0	9	1865.0	-	7.900799			
13	3	74.5	17	1872.0	1908.0	8.307977			
14	2	98.1	13	1443.0	-	9.093434			
15	3	71.4	15	1427.0	1735.0	9.611730			

1094.0

1578.0

	Table 211 - Long Sequence Waveform Trial#5 (Detected) - CU, 40MHz Mode Steady State								
Burst #	# Pulses	Pulse Width (us)	Chirp (MHz)	Interval 1 to 2 (us)	Interval 2 to 3 (us)	Start time (s)			
1	2	84.5	11	1829.0	-	0.238624			
2	2	84.0	10	1753.0	-	1.377452			
3	3	89.9	6	1231.0	1585.0	2.462388			
4	2	67.2	7	1542.0	-	3.816250			
5	3	57.6	10	1597.0	1846.0	4.885934			
6	1	71.6	11	=	-	5.935571			
7	2	89.0	6	1788.0	=	6.291319			
8	3	74.2	19	1213.0	1229.0	7.747206			
9	2	53.3	5	1207.0	-	8.355751			
10	2	51.5	14	1258.0	-	9.862601			
11	3	74.2	10	1670.0	1160.0	10.130795			
12	3	73.9	7	1571.0	1762.0	11.740198			

,	Table 212 - Long Sequence Waveform Trial#6 (Detected) - CU, 40MHz Mode Steady State								
Burst #	# Pulses	Pulse Width (us)	Chirp (MHz)	Interval 1 to 2 (us)	Interval 2 to 3 (us)	Start time (s)			
1	3	98.8	6	1272.0	1660.0	0.346501			
2	1	92.5	15	=	-	0.711937			
3	2	97.8	6	1576.0	=	1.660000			
4	1	76.8	14	=	=	2.498755			
5	3	52.8	13	1906.0	1325.0	3.256349			
6	2	72.0	9	1273.0	=	3.588531			
7	3	54.5	8	1935.0	1356.0	4.251463			
8	3	64.3	7	1670.0	1696.0	4.981894			
9	3	51.6	15	1673.0	1237.0	5.368300			
10	1	68.4	14	=	=	6.357892			
11	2	74.3	12	1723.0	-	7.081333			
12	2	81.8	12	1931.0	=	7.867703			
13	3	78.7	19	1751.0	1342.0	8.586633			
14	3	79.3	8	1296.0	1743.0	8.710443			

File: R94497 Rev 3 Page 219 of 281

,	Table 212 - Long Sequence Waveform Trial#6 (Detected) - CU, 40MHz Mode Steady State								
Burst # Pulse Width Chirp (MHz) Interval 1 to 2 (us) Interval 2 to 3 (us) Start time (s)									
15	3	84.6	13	1873.0	1422.0	9.533500			
16	2	67.2	15	1575.0	-	10.396090			
17	2	89.2	16	1757.0	=	11.308855			
18	2	77.1	6	1311.0	-	11.800193			

Burst #	# Pulses	Pulse Width (us)	Chirp (MHz)	Interval 1 to 2 (us)	Interval 2 to 3 (us)	Start time (s)
1	3	73.2	7	1040.0	1178.0	0.703234
2	1	92.2	9	-	-	1.426493
3	2	63.6	20	1482.0	-	2.793666
4	1	63.8	19	-	-	4.617179
5	2	86.2	18	1554.0	-	5.957162
6	2	79.2	13	1347.0	-	6.930491
7	3	63.7	20	1970.0	1848.0	7.664628
8	3	89.8	8	1769.0	1724.0	8.625437
9	1	81.5	17	-	-	10.364315
10	2	95.7	16	1415.0	-	11.785911

,	Table 214 - Long Sequence Waveform Trial#8 (Detected) - CU, 40MHz Mode Steady State								
Burst #	# Pulses	Pulse Width (us)	Chirp (MHz)	Interval 1 to 2 (us)	Interval 2 to 3 (us)	Start time (s)			
1	3	65.4	6	1451.0	1713.0	0.076868			
2	3	75.1	15	1933.0	1177.0	1.861362			
3	1	51.2	10	-	-	2.994319			
4	2	76.5	20	1769.0	-	4.328682			
5	2	53.8	16	1192.0	-	5.333276			
6	2	65.3	13	1232.0	-	6.008767			
7	3	73.4	14	1190.0	1495.0	6.859499			
8	1	51.5	17	-	-	8.682858			
9	2	77.5	12	1166.0	-	9.438777			
10	1	80.3	17	-	-	10.051128			
11	3	67.8	7	1253.0	1157.0	11.491724			

Table 215 - Long Sequence Waveform Trial#9 (Detected) - CU, 40MHz Mode Steady State								
Burst #	# Pulses	Pulse Width (us)	Chirp (MHz)	Interval 1 to 2 (us)	Interval 2 to 3 (us)	Start time (s)		
1	1	88.8	11	-	-	0.568120		
2	3	80.9	10	1919.0	1127.0	1.258360		
3	1	81.2	16	-	-	2.567483		
4	2	63.5	10	1940.0	-	3.036190		
5	2	99.7	8	1262.0	-	3.894512		
6	2	70.0	14	1130.0	-	4.954942		
7	2	62.6	10	1792.0	-	5.414226		
8	2	57.2	10	1451.0	-	6.572353		
9	3	76.5	18	1530.0	1462.0	7.326605		
10	2	60.1	10	1250.0	-	7.880581		
11	3	86.5	13	1441.0	1864.0	9.298050		
12	3	91.4	14	1180.0	1457.0	9.671648		

File: R94497 Rev 3 Page 220 of 281

ŗ	Table 215 - Long Sequence Waveform Trial#9 (Detected) - CU, 40MHz Mode Steady State							
Burst #	# Pulses	Pulse Width (us)	Chirp (MHz)	Interval 1 to 2 (us)	Interval 2 to 3 (us)	Start time (s)		
13	3	77.4	19	1191.0	1861.0	10.392946		
14	1	79.4	18	-	-	11.430857		

7	Table 216 - Long Sequence Waveform Trial#10 (Detected) - CU, 40MHz Mode Steady State									
Burst #	# Pulses	Pulse Width (us)	Chirp (MHz)	Interval 1 to 2 (us)	Interval 2 to 3 (us)	Start time (s)				
1	2	75.9	6	1649.0	-	0.296258				
2	2	86.7	8	1994.0	-	1.089504				
3	2	85.5	6	1316.0	-	1.766455				
4	1	65.6	15	-	-	2.796637				
5	3	56.2	10	1211.0	1679.0	3.512732				
6	2	67.5	10	1039.0	-	4.558152				
7	3	99.7	10	1483.0	1998.0	5.505419				
8	2	73.3	8	1172.0	-	6.031740				
9	1	72.8	17	-	-	6.951683				
10	2	65.3	6	1093.0	-	7.662979				
11	3	92.1	14	1075.0	1023.0	8.486244				
12	3	69.3	19	1584.0	1490.0	9.272446				
13	3	80.6	15	1954.0	1163.0	9.753636				
14	3	89.6	10	1641.0	1141.0	10.417779				
15	3	92.6	16	1450.0	1180.0	11.216911				

7	Table 217 - Long Sequence Waveform Trial#11 (Detected) - CU, 40MHz Mode Steady State								
Burst #	# Pulses	Pulse Width (us)	Chirp (MHz)	Interval 1 to 2 (us)	Interval 2 to 3 (us)	Start time (s)			
1	1	50.4	15	-	-	0.819625			
2	2	82.7	15	1308.0	-	1.905616			
3	2	88.5	14	1840.0	-	2.370811			
4	2	88.9	8	1002.0	-	3.728236			
5	2	73.7	15	1572.0	-	4.858505			
6	3	51.0	20	1099.0	1295.0	5.743393			
7	2	50.4	9	1395.0	-	6.897322			
8	3	78.3	12	1612.0	1105.0	7.622145			
9	1	54.5	6	-	-	8.024388			
10	1	72.5	7	-	-	9.340040			
11	2	57.5	6	1921.0	-	10.503597			
12	1	91.5	20	-	-	11.353320			

7	Table 218 - Long Sequence Waveform Trial#12 (Detected) - CU, 40MHz Mode Steady State								
Burst #	# Pulses	Pulse Width (us)	Chirp (MHz)	Interval 1 to 2 (us)	Interval 2 to 3 (us)	Start time (s)			
1	2	71.5	6	1391.0	-	0.235596			
2	2	77.1	11	1240.0	-	1.316427			
3	2	64.1	11	1921.0	-	1.599625			
4	2	70.2	13	1642.0	-	2.486780			
5	1	83.1	15	-	-	3.269465			
6	1	88.9	11	=	-	3.903247			
7	2	63.0	5	1153.0	-	4.622573			
8	1	55.9	9	-	-	5.144223			

File: R94497 Rev 3 Page 221 of 281

54.5

11

17

11.924897

Table 218 - Long Sequence Waveform Trial#12 (Detected) - CU, 40MHz Mode Steady State								
Burst #	# Pulses	Pulse Width (us)	Chirp (MHz)	Interval 1 to 2 (us)	Interval 2 to 3 (us)	Start time (s)		
9	1	60.4	13	-	-	5.977485		
10	2	71.6	9	1292.0	-	6.385337		
11	2	59.4	12	1662.0	-	7.459542		
12	1	63.3	12	=	=	7.966565		
13	2	85.5	15	1569.0	-	8.522786		
14	2	86.5	15	1414.0	=	9.741986		
15	2	74.1	11	1137.0	-	10.148812		
16	1	60.5	18	=	-	10.682219		

7	Table 219 - Long Sequence Waveform Trial#13 (Detected) - CU, 40MHz Mode Steady State								
Burst #	# Pulses	Pulse Width (us)	Chirp (MHz)	Interval 1 to 2 (us)	Interval 2 to 3 (us)	Start time (s)			
1	1	96.0	20	-	-	0.551172			
2	2	53.3	9	1165.0	-	2.486534			
3	2	62.6	10	1982.0	-	3.975328			
4	1	66.2	19	-	-	4.673439			
5	1	51.8	10	-	-	6.159521			
6	2	89.1	10	1772.0	-	7.015317			
7	1	68.6	9	-	-	8.753744			
8	1	57.7	13	-	-	10.307938			
9	3	60.3	13	1717.0	1007.0	11.520175			

7	Table 220 - Long Sequence Waveform Trial#14 (Detected) - CU, 40MHz Mode Steady State								
Burst #	# Pulses	Pulse Width (us)	Chirp (MHz)	Interval 1 to 2 (us)	Interval 2 to 3 (us)	Start time (s)			
1	1	75.3	11	-	-	0.250571			
2	2	94.0	10	1226.0	-	2.520573			
3	3	99.9	16	1710.0	1127.0	2.871898			
4	2	74.0	12	1241.0	-	4.321653			
5	2	70.4	10	1322.0	-	6.388672			
6	1	83.8	11	-	-	6.775725			
7	2	99.1	19	1191.0	-	8.428561			
8	3	82.3	14	1655.0	1855.0	10.622607			
9	2	97.4	10	1334.0	-	11.096941			

7	Table 221 - Long Sequence Waveform Trial#15 (Detected) - CU, 40MHz Mode Steady State								
Burst #	# Pulses	Pulse Width (us)	Chirp (MHz)	Interval 1 to 2 (us)	Interval 2 to 3 (us)	Start time (s)			
1	3	68.1	14	1331.0	1735.0	0.054925			
2	2	61.6	18	1588.0	-	1.135745			
3	2	64.2	6	1039.0	-	2.174955			
4	2	84.2	17	1407.0	-	3.347632			
5	1	91.1	17	-	-	3.925821			
6	1	90.4	10	-	-	5.237845			
7	2	57.2	16	1508.0	-	5.592557			
8	3	79.0	10	1515.0	1941.0	6.728698			
9	2	85.6	14	1812.0	-	7.910790			
10	2	53.7	9	1566.0	-	9.147482			

File: R94497 Rev 3 Page 222 of 281

Т	Table 221 - Long Sequence Waveform Trial#15 (Detected) - CU, 40MHz Mode Steady State							
Burst #	# Pulses	Pulse Width (us)	Chirp (MHz)	Interval 1 to 2 (us)	Interval 2 to 3 (us)	Start time (s)		
11	2	63.9	15	1119.0	-	9.393916		
12	3	69.5	11	1113.0	1117.0	10.963392		
13	3	97.9	17	1684.0	1220.0	11.885271		

Burst #	#	Pulse Width	Chirp	Interval 1 to 2 (us)	Interval 2 to 3 (us)	Start time (s)
1	Pulses	(us)	(MHz)	1720.0	1044.0	0.012007
1	3	59.5	5	1739.0	1944.0	0.013007
2	3	55.4	5	1843.0	1611.0	1.118452
3	3	72.3	9	1667.0	1864.0	1.646239
4	2	80.1	9	1356.0	-	2.489538
5	2	67.9	13	1940.0	-	3.718845
6	2	87.8	14	1527.0	-	4.027435
7	2	64.8	18	1822.0	-	4.632033
8	2	59.4	8	1325.0	-	5.636551
9	1	77.0	17	-	-	6.626553
10	1	93.8	8	-	-	7.283810
11	2	82.3	9	1954.0	-	7.632364
12	3	85.0	14	1247.0	1886.0	8.487389
13	2	96.8	7	1215.0	-	9.442484
14	2	67.0	13	1978.0	-	10.322014
15	3	89.1	18	1841.0	1298.0	10.741055
16	2	94.5	6	1708.0	-	11.832128

7	Table 223 - Long Sequence Waveform Trial#17 (Detected) - CU, 40MHz Mode Steady State								
Burst #	# Pulses	Pulse Width (us)	Chirp (MHz)	Interval 1 to 2 (us)	Interval 2 to 3 (us)	Start time (s)			
1	2	96.8	12	1821.0	-	0.528561			
2	1	55.2	10	-	-	1.366960			
3	3	97.6	13	1588.0	1616.0	2.054160			
4	2	96.5	9	1605.0	-	2.265465			
5	1	92.2	15	-	-	3.018324			
6	2	61.0	7	1099.0	-	4.462026			
7	1	54.5	19	-	-	5.140034			
8	2	52.3	18	1944.0	-	5.339249			
9	2	62.4	13	1814.0	-	6.124806			
10	3	54.5	18	1164.0	1769.0	7.069968			
11	1	96.0	13	-	-	7.818598			
12	2	71.9	19	1018.0	-	8.990778			
13	1	85.3	8	-	-	9.699757			
14	2	55.8	16	1645.0	-	10.151949			
15	2	78.7	6	1246.0	-	11.102714			
16	1	95.3	8	=	-	11.566424			

Table 224 - Long Sequence Waveform Trial#18 (Detected) - CU, 40MHz Mode Steady State							
Burst #	# Pulses	Pulse Width (us)	Chirp (MHz)	Interval 1 to 2 (us)	Interval 2 to 3 (us)	Start time (s)	
1	3	93.0	15	1138.0	1270.0	0.630194	
2	2	71.0	12	1283.0	-	0.750450	

File: R94497 Rev 3 Page 223 of 281

Test Report Reissue Date: August 1, 2014

Table 224 - Long Sequence Waveform Trial#18 (Detected) - CU, 40MHz Mode Steady State								
Burst #	# Pulses	Pulse Width (us)	Chirp (MHz)	Interval 1 to 2 (us)	Interval 2 to 3 (us)	Start time (s)		
3	2	70.0	11	1730.0	-	1.897900		
4	2	99.2	8	1282.0	-	2.563014		
5	3	83.5	6	1101.0	1934.0	3.364310		
6	3	72.1	8	1206.0	1061.0	4.028890		
7	2	82.1	13	1272.0	-	4.398102		
8	2	52.8	8	1253.0	-	5.057353		
9	2	53.5	17	1649.0	-	5.853001		
10	2	68.5	6	1633.0	-	7.051702		
11	3	95.3	8	1288.0	1130.0	7.312696		
12	2	54.8	15	1002.0	-	7.779251		
13	1	87.3	11	-	-	8.572813		
14	2	54.8	18	1358.0	-	9.691940		
15	2	85.5	20	1854.0	-	9.886264		
16	3	62.5	20	1287.0	1493.0	11.057238		
17	3	77.6	10	1584.0	1791.0	11.349646		

Burst #	# Pulses	Pulse Width (us)	Chirp (MHz)	Interval 1 to 2 (us)	Interval 2 to 3 (us)	Start time (s)
1	3	83.9	16	1330.0	1972.0	0.442561
2	1	60.9	13	-	-	1.777694
3	2	56.8	17	1285.0	-	2.279023
4	3	60.8	6	1111.0	1995.0	3.437041
5	3	95.3	10	1823.0	1184.0	4.748418
6	1	71.2	16	-	-	5.635443
7	2	83.6	18	1097.0	-	6.424964
8	1	75.4	10	-	-	7.335848
9	2	73.1	18	1143.0	-	8.344432
10	1	98.1	9	-	-	9.249394
11	2	64.1	9	1654.0	-	10.900326
12	2	61.0	16	1039.0	-	11.333308

7	Table 226 - Long Sequence Waveform Trial#20 (Detected) - CU, 40MHz Mode Steady State								
Burst #	# Pulses	Pulse Width (us)	Chirp (MHz)	Interval 1 to 2 (us)	Interval 2 to 3 (us)	Start time (s)			
1	2	91.1	7	1228.0	-	0.473039			
2	2	97.7	13	1816.0	-	2.034828			
3	2	78.2	10	1825.0	-	3.731339			
4	1	85.7	11	-	-	5.529036			
5	2	50.6	17	1937.0	-	6.814233			
6	2	89.6	16	1437.0	-	7.719337			
7	2	97.8	11	1942.0	-	9.917781			
8	1	73.0	15	-	-	10.804280			

Table 227 - Long Sequence Waveform Trial#21 (Detected) - CU, 40MHz Mode Steady State							
Burst #	# Pulses	Pulse Width (us)	Chirp (MHz)	Interval 1 to 2 (us)	Interval 2 to 3 (us)	Start time (s)	
1	2	86.4	13	1298.0	-	0.923781	
2	1	62.6	9	-	-	1.478360	

File: R94497 Rev 3 Page 224 of 281

Test Report Reissue Date: August 1, 2014 Report Date: April 3, 2014

7	Table 227 - Long Sequence Waveform Trial#21 (Detected) - CU, 40MHz Mode Steady State								
Burst #	# Pulses	Pulse Width (us)	Chirp (MHz)	Interval 1 to 2 (us)	Interval 2 to 3 (us)	Start time (s)			
3	3	89.4	9	1497.0	1969.0	2.543738			
4	3	64.7	9	1154.0	1242.0	4.534237			
5	1	51.3	7	-	-	5.398782			
6	2	82.8	9	1582.0	-	6.672548			
7	2	78.0	6	1047.0	-	7.876603			
8	1	58.8	8	-	-	9.425719			
9	2	86.7	12	1247.0	-	10.423333			
10	1	78.6	17	-	-	11.226770			

7	Table 228 - Long Sequence Waveform Trial#22 (Detected) - CU, 40MHz Mode Steady State								
Burst #	# Pulses	Pulse Width (us)	Chirp (MHz)	Interval 1 to 2 (us)	Interval 2 to 3 (us)	Start time (s)			
1	2	51.2	13	1099.0	-	0.541513			
2	2	76.4	6	1648.0	-	1.488205			
3	3	61.8	6	1620.0	1467.0	1.578901			
4	1	84.8	15	-	-	2.616676			
5	2	86.2	16	1507.0	-	3.152538			
6	2	75.0	16	1691.0	-	3.874026			
7	2	81.4	16	1849.0	-	4.792440			
8	2	74.6	7	1419.0	-	5.697613			
9	3	85.6	16	1661.0	1987.0	6.108515			
10	2	98.2	20	1816.0	-	6.770929			
11	3	70.6	13	1252.0	1811.0	7.510923			
12	3	70.3	8	1437.0	1886.0	8.810086			
13	2	83.9	20	1728.0	-	9.468312			
14	3	60.4	14	1437.0	1572.0	10.324763			
15	1	73.8	9	-	-	10.809156			
16	2	99.0	5	1417.0	-	11.389215			

ŗ	Table 229 - Long Sequence Waveform Trial#23 (Detected) - CU, 40MHz Mode Steady State								
Burst #	# Pulses	Pulse Width (us)	Chirp (MHz)	Interval 1 to 2 (us)	Interval 2 to 3 (us)	Start time (s)			
1	1	99.9	12	-	-	0.364560			
2	3	76.6	13	1598.0	1404.0	1.957538			
3	3	92.0	12	1357.0	1705.0	3.163803			
4	2	59.7	16	1508.0	-	4.754186			
5	2	62.0	14	1565.0	-	5.911368			
6	2	51.7	13	1038.0	-	6.553633			
7	3	94.6	7	1315.0	1441.0	7.395894			
8	3	87.3	9	1976.0	1372.0	8.635406			
9	1	71.0	15	-	-	10.393135			
10	1	51.2	16	-	-	11.345600			

Table 230 - Long Sequence Waveform Trial#24 (Detected) - CU, 40MHz Mode Steady State							
Burst #	# Pulses	Pulse Width (us)	Chirp (MHz)	Interval 1 to 2 (us)	Interval 2 to 3 (us)	Start time (s)	
1	3	85.9	16	1705.0	1174.0	0.282771	
2	3	68.0	15	1943.0	1602.0	0.771108	
3	1	89.7	19	-	-	1.421053	

File: R94497 Rev 3 Page 225 of 281

Test Report Reissue Date: August 1, 2014

7	Table 230 - Long Sequence Waveform Trial#24 (Detected) - CU, 40MHz Mode Steady State								
Burst #	# Pulses	Pulse Width (us)	Chirp (MHz)	Interval 1 to 2 (us)	Interval 2 to 3 (us)	Start time (s)			
4	1	52.8	13	-	-	1.880058			
5	1	94.1	13	-	-	2.999295			
6	2	92.9	9	1598.0	-	3.573047			
7	1	97.5	18	-	-	4.024130			
8	3	85.0	13	1020.0	1551.0	4.635536			
9	2	96.7	17	1980.0	-	5.359505			
10	2	95.2	15	1626.0	-	5.701793			
11	2	55.1	6	1184.0	-	6.397784			
12	3	98.9	10	1198.0	1565.0	7.129370			
13	2	81.3	14	1978.0	-	7.270619			
14	2	91.2	12	1988.0	-	8.383231			
15	2	56.0	6	1201.0	-	8.717088			
16	2	87.3	12	1045.0	-	9.350113			
17	3	94.0	16	1449.0	1937.0	9.985378			
18	3	74.2	6	1426.0	1867.0	10.301335			
19	2	96.7	6	1758.0	-	11.233373			
20	1	68.7	7	-	=	11.900778			

Tab	Table 231 - Long Sequence Waveform Trial#25 (NOT Detected) - CU, 40MHz Mode Steady State								
Burst #	# Pulses	Pulse Width (us)	Chirp (MHz)	Interval 1 to 2 (us)	Interval 2 to 3 (us)	Start time (s)			
1	3	80.0	16	1942.0	1546.0	1.332663			
2	1	74.8	16	-	-	1.868024			
3	3	50.8	8	1515.0	1452.0	3.748314			
4	2	51.4	14	1136.0	-	5.218022			
5	2	57.6	6	1762.0	-	7.252911			
6	2	65.7	9	1794.0	-	8.542053			
7	1	60.8	10	-	-	10.097598			
8	2	93.0	6	1547.0	-	10.716802			

T	Table 232 - Long Sequence Waveform Trial#26 (Detected) - CU, 40MHz Mode Steady State								
Burst #	# Pulses	Pulse Width (us)	Chirp (MHz)	Interval 1 to 2 (us)	Interval 2 to 3 (us)	Start time (s)			
1	2	94.4	14	1249.0	-	0.517778			
2	2	75.0	17	1757.0	-	1.914932			
3	1	94.0	18	-	-	2.208553			
4	2	64.7	15	1769.0	-	3.871304			
5	2	67.7	13	1639.0	-	4.744528			
6	1	99.2	15	=	=	5.382508			
7	2	80.8	10	1047.0	=	6.202550			
8	2	91.6	13	1651.0	-	7.812156			
9	3	94.7	13	1945.0	1491.0	8.298151			
10	3	52.4	7	1285.0	1041.0	9.130119			
11	1	91.1	11	-	-	10.883912			
12	2	60.1	8	1292.0	-	11.236250			

1	Table 233 -	Long Sequence	e Waveform	Trial#27 (Detected)	- CU, 40MHz Mode	Steady State
Burst #	# Pulses	Pulse Width (us)	Chirp (MHz)	Interval 1 to 2 (us)	Interval 2 to 3 (us)	Start time (s)

File: R94497 Rev 3 Page 226 of 281

r	Γable 233	- Long Sequenc	e Wavefori	m Trial#27 (Detected)	- CU, 40MHz Mode	Steady State
Burst #	# Pulses	Pulse Width (us)	Chirp (MHz)	Interval 1 to 2 (us)	Interval 2 to 3 (us)	Start time (s)
1	1	57.2	18	-	-	0.670568
2	3	84.3	6	1623.0	1146.0	1.145588
3	2	80.1	19	1185.0	-	1.606456
4	2	75.1	16	1616.0	-	2.794679
5	1	60.6	7	-	-	3.085649
6	3	93.0	10	1257.0	1168.0	4.205283
7	2	99.7	15	1029.0	-	4.619974
8	2	59.8	15	1766.0	-	5.376959
9	2	60.5	8	1691.0	-	5.743071
10	3	64.5	8	1215.0	1584.0	6.943653
11	2	58.5	9	1804.0	-	7.256218
12	3	84.0	9	1857.0	1738.0	8.403398
13	2	91.8	5	1551.0	-	8.578563
14	1	96.8	18	-	-	9.315186
15	2	83.9	17	1863.0	-	10.251174
16	2	74.9	8	1335.0	-	11.155661
17	2	65.5	10	1658.0	-	11.409082

Tab	Table 234 - Long Sequence Waveform Trial#28 (NOT Detected) - CU, 40MHz Mode Steady State									
Burst #	# Pulses	Pulse Width (us)	Chirp (MHz)	Interval 1 to 2 (us)	Interval 2 to 3 (us)	Start time (s)				
1	2	89.6	15	1489.0	-	1.384695				
2	3	84.2	16	1985.0	1387.0	1.967300				
3	2	83.4	16	1534.0	-	4.060825				
4	2	91.9	11	1212.0	-	4.897012				
5	2	50.3	14	1872.0	-	6.728209				
6	2	95.9	11	1979.0	-	8.686329				
7	1	72.1	18	-	-	9.443875				
8	2	50.0	10	1882.0	-	11.764346				

7	Table 235	Long Sequenc	e Waveforn	n Trial#29 (Detected)	- CU, 40MHz Mode	Steady State
Burst #	# Pulses	Pulse Width (us)	Chirp (MHz)	Interval 1 to 2 (us)	Interval 2 to 3 (us)	Start time (s)
1	2	90.7	13	1140.0	-	0.593667
2	2	92.5	12	1793.0	-	1.871760
3	2	53.8	5	1751.0	-	3.621877
4	3	74.0	17	1983.0	1408.0	4.541012
5	2	83.6	14	1500.0	-	5.948986
6	2	99.1	8	1287.0	-	7.210665
7	3	99.9	10	1723.0	1246.0	9.148336
8	2	71.3	19	1467.0	-	10.325896
9	2	67.7	7	1281.0	-	11.042910

Т	Table 236 -	Long Sequence	e Waveform	Trial#30 (Detected)	- CU, 40MHz Mode	Steady State
Burst #	# Pulses	Pulse Width (us)	Chirp (MHz)	Interval 1 to 2 (us)	Interval 2 to 3 (us)	Start time (s)
1	1	75.4	15	-	-	0.189626
2	2	76.3	13	1673.0	-	0.915223
3	2	72.8	14	1884.0	-	1.601872

File: R94497 Rev 3 Page 227 of 281

3

2

18

19

20

79.5

55.2

87.4

20

18

7

1982.0

10.484685

11.008245

11.877259

Гable 23 6 -	- Long Sequenc	e Wavefori	m Trial#30 (Detected)	- CU, 40MHz Mode	Steady State
# Pulses	Pulse Width (us)	Chirp (MHz)	Interval 1 to 2 (us)	Interval 2 to 3 (us)	Start time (s)
1	66.7	13	-	-	2.009973
2	95.3	8	1091.0	-	2.461256
1	70.8	10	=	-	3.306132
2	95.7	19	1838.0	-	4.042627
2	52.0	17	1334.0	-	4.657602
1	91.1	10	-	-	4.916161
2	64.3	19	1191.0	-	5.578732
2	75.6	20	1117.0	-	6.551280
2	88.4	12	1911.0	-	6.852775
3	82.8	20	1045.0	1157.0	7.671015
2	84.6	13	1193.0	-	8.114038
1	76.9	9	-	-	8.408615
2	57.3	10	1212.0	-	9.168045
3	78.0	19	1624.0	1437.0	9.993812
	# Pulses 1 2 1 2 2 1 2 2 2 3 2 1 2 2 2 2 2 2 2 2	# Pulse Width Pulses (us) 1 66.7 2 95.3 1 70.8 2 95.7 2 52.0 1 91.1 2 64.3 2 75.6 2 88.4 3 82.8 2 84.6 1 76.9 2 57.3	# Pulse Width (us) (MHz) 1 66.7 13 2 95.3 8 1 70.8 10 2 95.7 19 2 52.0 17 1 91.1 10 2 64.3 19 2 75.6 20 2 88.4 12 3 82.8 20 2 84.6 13 1 76.9 9 2 57.3 10	# Pulses (us) (MHz) Interval 1 to 2 (us) 1 66.7 13 - 2 95.3 8 1091.0 1 70.8 10 - 2 95.7 19 1838.0 2 52.0 17 1334.0 1 91.1 10 - 2 64.3 19 1191.0 2 75.6 20 1117.0 2 88.4 12 1911.0 3 82.8 20 1045.0 2 84.6 13 1193.0 1 76.9 9 - 2 57.3 10 1212.0	Pulses (us) (MHz) Interval 1 to 2 (us) Interval 2 to 3 (us) 1 66.7 13 - - 2 95.3 8 1091.0 - 1 70.8 10 - - 2 95.7 19 1838.0 - 2 52.0 17 1334.0 - 1 91.1 10 - - 2 64.3 19 1191.0 - 2 75.6 20 1117.0 - 2 88.4 12 1911.0 - 3 82.8 20 1045.0 1157.0 2 84.6 13 1193.0 - 1 76.9 9 - - 2 57.3 10 1212.0 -

1318.0

1606.0

1	Table 237	- FCC freque	ncy hoppin	g radar (Typ	oe 6) Results - CU	, 40MHz Mode Steady State
Trial #	Pulses/ Burst	Pulse Width (us)	PRI (us)	Detected	Fr (MHz) and level (dBm)	Burst Information
1	9	1.0	333.0	No	5298.0MHz, -61.0dBm	Hop sequence: 5500, 5464, 5592, 5505, 5437, 5714, 5499, 5675, 5652, 5497, 5710, 5345, 5694, 5291, 5269, 5482, 5339, 5261, 5602, 5353, 5708, 5647, 5668, 5290, 5489, 5398, 5562, 5548, 5502, 5336, 5711, 5604, 5703, 5495, 5597, 5391, 5575, 5466, 5542, 5394, 5459, 5457, 5515, 5327, 5371, 5430, 5657, 5283, 5558, 5681, 5448, 5699, 5285, 5514, 5357, 5473, 5442, 5393, 5686, 5589, 5633, 5326, 5532, 5413, 5579, 5378, 5440, 5525, 5698, 5344, 5452, 5559, 5377, 5253, 5387, 5692, 5560, 5356, 5388, 5586, 5536, 5461, 5530, 5279, 5287, 5578, 5478, 5267, 5379, 5445, 5702, 5617, 5557, 5447, 5355, 5571, 5347, 5684, 5522, 5320 (9 hits) (12/31/2013 04:55:46 PM)
2	9	1.0	333.0	Yes	5299.0MHz, -61.0dBm	Hop sequence: 5306, 5269, 5507, 5624, 5596, 5500, 5663, 5330, 5474, 5504, 5267, 5608, 5524, 5345, 5430, 5381, 5486, 5294, 5266, 5674, 5342, 5669, 5604, 5389, 5526, 5550, 5495, 5716, 5292, 5551, 5370, 5287, 5254, 5296, 5337, 5599, 5726, 5399, 5585, 5326, 5293, 5513, 5622,

Page 228 of 281 File: R94497 Rev 3

Trial #	Pulses/	Pulse Width (us)	PRI (us)	Detected	Fr (MHz) and	Burst Information
3	Burst 9	Width (us)	333.0	Yes	1evel (dBm) 5261.0MHz, -61.0dBm	5696, 5272, 5289, 5509, 5520, 5580, 5523, 5498, 5469, 5619, 5711, 5357, 5549, 5701, 5361, 5256, 5512, 5535, 5689, 5431, 5262, 5641, 5420, 5631, 5493, 5521, 5633, 5595, 5291, 5439, 5444, 5600, 5343, 5516, 5640, 5479, 5316, 5440, 5490, 5534, 5628, 5552, 5328, 5560, 5667, 5391, 5582, 5302, 5476, 5487, 5282, 5587, 5364, 5298, 5402, 5449, 5303 (14 hits) (12/31/2013 04:56:19 PM) Hop sequence: 5288, 5474, 5573, 5295, 5699, 5341, 5714, 5666, 5549, 5401, 5346, 5419, 5255, 5583, 5628, 5469, 5542, 5580, 5359, 5298, 5472, 5345, 5404, 5562, 5483, 5424, 5603, 5634, 5511, 5305, 5532, 5301, 5412, 5506, 5476, 5392, 5421, 5252, 5254, 5444, 5588, 5607, 5615, 5487, 5569, 5559, 5667, 5534, 5665, 5268, 5294, 5722, 5591, 5423, 5277, 5435, 5637, 5671, 5437, 5279, 5724, 5708, 5641, 5314, 5576, 5682, 5563, 5574, 5432, 5650, 5551, 5501, 5267, 5354, 5611, 5616, 5333, 5334, 5539, 5718, 5618, 5395, 5473, 5655, 5388, 5497, 5380, 5382, 5463, 5370, 5478, 5545, 5261, 5591, 5513, 5537, 5251, 5502,
4	9	1.0	333.0	Yes	5262.0MHz, -61.0dBm	5310, 5640 (9 hits) (12/31/2013 04:56:29 PM) Hop sequence: 5539, 5504, 5535, 5565, 5340, 5406, 5519, 5283, 5669, 5696, 5573, 5512, 5418, 5682, 5382, 5594, 5270, 5391, 5627, 5413, 5502, 5619, 5699, 5612, 5460, 5571, 5655, 5662, 5260, 5438, 5564, 5292, 5364, 5450, 5261, 5521, 5633, 5355, 5409, 5295, 5691, 5338, 5657, 5686, 5672, 5346, 5314, 5516, 5360, 5400, 5557, 5451, 5367, 5480, 5336, 5469, 5373, 5389, 5311, 5359, 5263, 5473, 5587, 5709, 5601, 5488, 5526, 5654, 5501, 5647, 5694, 5278, 5644, 5510, 5357, 5275, 5518, 5395, 5556, 5687, 5582, 5503, 5540, 5370, 5337, 5624, 5251, 5576, 5296, 5255, 5689, 5433, 5425,

File: R94497 Rev 3 Page 229 of 281

	Table 237	- FCC freque	ncy hoppin	g radar (Typ	e 6) Results - CU,	, 40MHz Mode Steady State
Trial #	Pulses/ Burst	Pulse Width (us)	PRI (us)	Detected	Fr (MHz) and level (dBm)	Burst Information
					,	5707, 5264 (11 hits) (12/31/2013 04:56:39 PM)
5	9	1.0	333.0	Yes	5263.0MHz, -61.0dBm	Hop sequence: 5261, 5536, 5328, 5634, 5444, 5277, 5456, 5439, 5655, 5683, 5400, 5428, 5469, 5340, 5387, 5365, 5272, 5574, 5441, 5264, 5250, 5416, 5527, 5252, 5625, 5543, 5283, 5468, 5589, 5552, 5615, 5366, 5478, 5635, 5325, 5351, 5434, 5401, 5544, 5290, 5669, 5690, 5450, 5455, 5461, 5299, 5380, 5623, 5554, 5480, 5449, 5626, 5481, 5490, 5592, 5624, 5473, 5346, 5399, 5266, 5388, 5495, 5451, 5477, 5445, 5395, 5349, 5298, 5278, 5597, 5262, 5717, 5389, 5337, 5548, 5293, 5647, 5383, 5382, 5484, 5305, 5577, 5515, 5668, 5661, 5705, 5704, 5404, 5519, 5701, 5411, 5522, 5295, 5604, 5378, 5576, 5551, 5310, 5620, 5398 (13 hits) (12/31/2013 04:56:46 PM)
6	9	1.0	333.0	Yes	5264.0MHz, -61.0dBm	Hop sequence: 5593, 5284, 5408, 5294, 5314, 5453, 5255, 5654, 5608, 5269, 5521, 5562, 5461, 5565, 5367, 5429, 5257, 5532, 5298, 5403, 5583, 5478, 5550, 5543, 5603, 5423, 5467, 5443, 5411, 5344, 5331, 5546, 5556, 5484, 5569, 5715, 5640, 5295, 5632, 5555, 5639, 5704, 5450, 5587, 5718, 5642, 5525, 5480, 5483, 5416, 5669, 5586, 5599, 5710, 5455, 5456, 5519, 5719, 5307, 5591, 5271, 5575, 5272, 5671, 5679, 5440, 5602, 5297, 5358, 5528, 5673, 5580, 5375, 5566, 5633, 5489, 5395, 5261, 5641, 5276, 5419, 5415, 5666, 5708, 5573, 5686, 5444, 5644, 5561, 5390, 5623, 5610, 5275, 5630, 5506, 5364, 5534, 5254, 5678, 5392 (11 hits) (12/31/2013 04:56:55 PM)
7	9	1.0	333.0	Yes	5265.0MHz, -61.0dBm	Hop sequence: 5502, 5340, 5701, 5338, 5504, 5684, 5478, 5645, 5448, 5577, 5619, 5356, 5342, 5668, 5691, 5319, 5709, 5376, 5357, 5396, 5423, 5682, 5528, 5378, 5435, 5444, 5485, 5724, 5700, 5516, 5322, 5702, 5373, 5638, 5472, 5539, 5699, 5461, 5363, 5303, 5603, 5468, 5464,

File: R94497 Rev 3 Page 230 of 281

Report Date: April 3, 2014 Reissue Date: August 1, 2014

Trial #	Pulses/	Pulse	PRI (us)	Detected	Fr (MHz) and	Burst Information
8	Burst 9	Width (us)	333.0	Yes	1evel (dBm) 5266.0MHz, -61.0dBm	5533, 5675, 5330, 5598, 5559, 5514, 5600, 5284, 5279, 5307, 5475, 5672, 5432, 5484, 5671, 5560, 5454, 5690, 5716, 5349, 5628, 5383, 5474, 5324, 5639, 5351, 5463, 5292, 5677, 5305, 5687, 5698, 5371, 5252, 5443, 5350, 5479, 5358, 5414, 5486, 5405, 5379, 5667, 5429, 5465, 5325, 5591, 5572, 5372, 5586, 5416, 5410, 5711, 5367, 5558, 5498, 5634 (3 hits) (12/31/2013 04:57:01 PM) Hop sequence: 5635, 5621, 5311, 5285, 5336, 5544, 5526, 5670, 5379, 5713, 5465, 5658, 5338, 5631, 5562, 5463, 5421, 5517, 5403, 5383, 5663, 5359, 5292, 5485, 5532, 5626, 5330, 5551, 5277, 5656, 5533, 5256, 5559, 5622, 5513, 5424, 5489, 5425, 5266, 5299, 5611, 5592, 5250, 5264, 5534, 5407, 5527, 5627, 5310, 5374, 5495, 5440, 5701, 5699, 5531, 5409, 5286, 5698, 5315, 5426, 5721, 5460, 5423, 5519, 5287, 5251, 5709, 5333, 5470, 5432, 5569, 5254, 5557, 5497, 5418, 5602, 5488, 5337, 5452, 5499, 5678, 5719, 5355, 5351, 5257, 5588, 5412, 5543, 5392, 5705, 5481, 5561, 5415, 5664, 5560, 5493, 5303, 5581, 5365, 5446 (8 hits) (12/31/2013
9	9	1.0	333.0	Yes	5267.0MHz, -61.0dBm	Hop sequence: 5416, 5458, 5495, 5509, 5564, 5255, 5707, 5662, 5605, 5618, 5274, 5381, 5641, 5688, 5604, 5315, 5433, 5520, 5451, 5510, 5414, 5656, 5473, 5644, 5652, 5491, 5700, 5438, 5492, 5480, 5336, 5636, 5402, 5485, 5401, 5323, 5275, 5488, 5671, 5486, 5540, 5645, 5598, 5601, 5682, 5505, 5266, 5257, 5256, 5675, 5363, 5362, 5437, 5667, 5250, 5391, 5299, 5450, 5622, 5321, 5632, 5621, 5331, 5344, 5366, 5300, 5434, 5311, 5423, 5477, 5586, 5268, 5643, 5532, 5329, 5469, 5620, 5701, 5657, 5625, 5672, 5565, 5705, 5377, 5694, 5372, 5332, 5404, 5508, 5578, 5691, 5588, 5357, 5674, 5316, 5293, 5419, 5537,

File: R94497 Rev 3 Page 231 of 281

Test Report Reissue Date: August 1, 2014

1	, 40MHz Mode Steady State					
Trial #	Pulses/ Burst	Pulse Width (us)	PRI (us)	Detected	Fr (MHz) and level (dBm)	Burst Information
						5525, 5593 (6 hits) (12/31/2013 04:57:17 PM)
10	9	1.0	333.0	Yes	5268.0MHz, -61.0dBm	Hop sequence: 5605, 5372, 5348, 5552, 5458, 5472, 5327, 5298, 5422, 5724, 5595, 5518, 5712, 5252, 5492, 5358, 5384, 5325, 5597, 5434, 5443, 5542, 5528, 5673, 5524, 5651, 5324, 5370, 5640, 5544, 5340, 5333, 5389, 5396, 5643, 5551, 5423, 5289, 5331, 5519, 5611, 5374, 5590, 5610, 5296, 5670, 5453, 5309, 5703, 5419, 5323, 5671, 5435, 5429, 5447, 5508, 5303, 5332, 5418, 5621, 5322, 5491, 5558, 5385, 5316, 5251, 5383, 5624, 5540, 5365, 5587, 5281, 5401, 5445, 5537, 5460, 5694, 5394, 5484, 5474, 5371, 5283, 5300, 5450, 5380, 5420, 5706, 5555, 5494, 5615, 5415, 5262, 5410, 5402, 5660, 5381, 5577, 5416, 5522, 5600 (6 hits) (12/31/2013 04:57:24 PM)
11	9	1.0	333.0	Yes	5269.0MHz, -61.0dBm	Hop sequence: 5487, 5721, 5353, 5676, 5523, 5486, 5267, 5291, 5574, 5425, 5683, 5394, 5483, 5446, 5387, 5702, 5539, 5306, 5421, 5383, 5531, 5415, 5578, 5411, 5484, 5384, 5704, 5511, 5359, 5501, 5611, 5675, 5260, 5303, 5572, 5510, 5665, 5586, 5664, 5530, 5644, 5444, 5332, 5597, 5259, 5547, 5295, 5285, 5631, 5522, 5491, 5386, 5545, 5314, 5438, 5462, 5364, 5709, 5406, 5679, 5584, 5265, 5622, 5469, 5591, 5476, 5577, 5566, 5316, 5417, 5654, 5514, 5273, 5372, 5636, 5369, 5410, 5408, 5400, 5639, 5616, 5492, 5553, 5368, 5674, 5526, 5614, 5429, 5609, 5697, 5585, 5653, 5325, 5397, 5556, 5671, 5533, 5615, 5336, 5588 (6 hits) (12/31/2013 04:57:31 PM)
12	9	1.0	333.0	Yes	5270.0MHz, -61.0dBm	Hop sequence: 5589, 5283, 5694, 5401, 5266, 5398, 5615, 5414, 5629, 5614, 5360, 5281, 5528, 5298, 5585, 5574, 5708, 5373, 5671, 5429, 5490, 5482, 5284, 5682, 5579, 5264, 5288, 5505, 5396, 5531, 5619, 5639, 5393, 5638, 5583, 5260, 5280, 5644, 5407, 5622, 5276, 5530, 5331,

File: R94497 Rev 3 Page 232 of 281

eport Date: April 3, 2014	Reissue Date: August 1, 2014

Trial #	Pulses/ Burst	Pulse Width (us)	PRI (us)	Detected	Fr (MHz) and level (dBm)	Burst Information
						5349, 5481, 5267, 5715, 5279, 5517, 5626, 5488, 5432, 5412,
						5542, 5421, 5309, 5582, 5436,
						5672, 5557, 5306, 5534, 5560,
						5512, 5268, 5543, 5353, 5363,
						5553, 5716, 5590, 5350, 5580,
						5296, 5486, 5630, 5648, 5717, 5308, 5685, 5577, 5525, 5576,
						5668, 5468, 5625, 5506, 5595,
						5514, 5478, 5433, 5384, 5415,
						5460, 5633, 5662, 5719, 5417,
						5524, 5620 (13 hits) (12/31/2013
						04:57:38 PM)
						Hop sequence: 5674, 5617, 5381, 5320, 5394, 5646, 5622, 5712,
						5697, 5624, 5570, 5501, 5675,
						5571, 5349, 5703, 5658, 5594,
						5451, 5609, 5511, 5685, 5469,
						5567, 5456, 5552, 5687, 5426,
						5705, 5278, 5486, 5645, 5446,
						5698, 5649, 5347, 5322, 5470, 5285, 5548, 5526, 5411, 5653,
			333.0			5332, 5513, 5472, 5482, 5348,
,		1.0		37	5271.0MHz,	5532, 5365, 5335, 5661, 5275,
3	9	1.0		Yes	-61.0dBm	5283, 5679, 5375, 5663, 5428,
						5531, 5505, 5288, 5407, 5368,
						5537, 5601, 5578, 5602, 5696,
						5572, 5443, 5250, 5586, 5579, 5496, 5701, 5538, 5721, 5351,
						5359, 5603, 5417, 5321, 5474,
						5713, 5399, 5591, 5342, 5323,
						5669, 5441, 5425, 5691, 5286,
						5281, 5374, 5294, 5566, 5488,
						5693, 5500 (8 hits) (12/31/2013
						04:57:45 PM)
						Hop sequence: 5256, 5431, 5599, 5613, 5389, 5294, 5522, 5532,
						5459, 5589, 5680, 5576, 5531,
						5724, 5322, 5687, 5283, 5373,
						5335, 5302, 5311, 5518, 5662,
						5706, 5313, 5569, 5365, 5572,
						5310, 5268, 5693, 5338, 5350,
						5479, 5504, 5546, 5496, 5424, 5509, 5451, 5447, 5610, 5647,
			222.0		5272.0MHz,	5442, 5352, 5528, 5340, 5677,
1	9	1.0	333.0	Yes	-61.0dBm	5563, 5631, 5568, 5270, 5263,
						5293, 5582, 5514, 5452, 5368,
						5457, 5535, 5440, 5306, 5336,
						5408, 5567, 5587, 5422, 5406,
						5482, 5377, 5251, 5682, 5653, 5381, 5376, 5273, 5437, 5426,
						5512, 5595, 5418, 5378, 5428,
						5317, 5624, 5638, 5646, 5380,
						5420, 5639, 5722, 5421, 5254,
	I			1		5616, 5543, 5470, 5394, 5341,

File: R94497 Rev 3 Page 233 of 281

Reissue Date: August 1, 2014

Table 237 - FCC frequency hopping radar (Type 6) Results - CU, 40MHz Mode Steady State Pulses/ Pulse Fr (MHz) and Trial# PRI (us) Detected **Burst Information** Width (us) level (dBm) Burst 5478, 5605 (7 hits) (12/31/2013 04:57:52 PM) Hop sequence: 5631, 5535, 5327, 5520, 5709, 5703, 5251, 5514, 5399, 5652, 5256, 5507, 5704, 5300, 5595, 5562, 5492, 5477, 5394, 5282, 5531, 5352, 5706, 5608, 5378, 5544, 5529, 5644, 5428, 5373, 5526, 5632, 5664, 5584, 5555, 5460, 5312, 5420, 5444, 5541, 5257, 5359, 5293, 5341, 5265, 5605, 5509, 5511, 5273.0MHz, 5683, 5516, 5545, 5585, 5592, 15 333.0 9 1.0 Yes -61.0dBm 5452, 5543, 5641, 5315, 5387, 5260, 5629, 5314, 5601, 5510, 5594, 5482, 5364, 5582, 5496, 5478, 5694, 5639, 5258, 5287, 5671, 5379, 5401, 5692, 5517, 5686, 5358, 5657, 5365, 5273, 5309, 5328, 5434, 5679, 5485, 5409, 5275, 5591, 5425, 5548, 5398, 5431, 5278, 5622, 5446, 5272, 5475 (8 hits) (12/31/2013 04:58:00 PM) Hop sequence: 5559, 5574, 5403, 5617, 5270, 5607, 5432, 5445, 5453, 5260, 5587, 5441, 5382, 5498, 5717, 5602, 5326, 5276, 5278, 5552, 5656, 5438, 5325, 5522, 5339, 5561, 5686, 5263, 5614, 5466, 5502, 5659, 5399, 5519, 5505, 5471, 5563, 5341, 5604, 5543, 5513, 5661, 5596, 5404, 5594, 5707, 5710, 5304, 5274.0MHz, 5333, 5554, 5497, 5447, 5509, 16 9 1.0 333.0 Yes -61.0dBm 5517, 5356, 5372, 5413, 5328, 5437, 5524, 5542, 5337, 5257, 5385, 5390, 5353, 5537, 5371, 5663, 5628, 5302, 5310, 5433, 5362, 5569, 5504, 5535, 5414, 5724, 5572, 5541, 5319, 5557, 5495, 5622, 5518, 5329, 5485, 5702, 5444, 5666, 5582, 5638, 5526, 5435, 5424, 5525, 5706, 5415, 5533 (4 hits) (12/31/2013 04:58:07 PM) Hop sequence: 5440, 5267, 5502, 5391, 5581, 5446, 5322, 5316, 5439, 5495, 5598, 5338, 5682, 5289, 5628, 5342, 5606, 5639, 5275.0MHz, 17 9 1.0 333.0 Yes 5460, 5480, 5377, 5513, 5617, -61.0dBm 5304, 5409, 5280, 5410, 5253, 5320, 5482, 5414, 5471, 5549, 5615, 5340, 5436, 5421, 5287, 5620, 5364, 5296, 5706, 5457,

File: R94497 Rev 3 Page 234 of 281

1	Table 237	- FCC freque	ncy hoppin	g radar (Typ	e 6) Results - CU,	, 40MHz Mode Steady State
Trial #	Pulses/ Burst	Pulse Width (us)	PRI (us)	Detected	Fr (MHz) and level (dBm)	Burst Information
		Within (db)			icter (dSm)	5270, 5417, 5589, 5557, 5685, 5266, 5363, 5357, 5443, 5486, 5261, 5593, 5541, 5358, 5300, 5491, 5635, 5698, 5525, 5669, 5674, 5529, 5527, 5703, 5608, 5676, 5688, 5493, 5554, 5539, 5264, 5476, 5481, 5321, 5626, 5467, 5518, 5631, 5329, 5370, 5394, 5498, 5260, 5286, 5352, 5583, 5507, 5380, 5488, 5696, 5705, 5390, 5331, 5413, 5284, 5388, 5695 (11 hits) (12/31/2013 04:58:16 PM)
18	9	1.0	333.0	Yes	5276.0MHz, -61.0dBm	Hop sequence: 5602, 5367, 5427, 5645, 5553, 5263, 5382, 5589, 5491, 5534, 5543, 5503, 5410, 5418, 5354, 5725, 5476, 5438, 5591, 5694, 5515, 5520, 5361, 5683, 5509, 5718, 5720, 5426, 5311, 5541, 5587, 5583, 5682, 5399, 5579, 5604, 5585, 5656, 5315, 5465, 5424, 5614, 5368, 5454, 5429, 5572, 5710, 5372, 5691, 5428, 5684, 5500, 5411, 5562, 5259, 5298, 5672, 5703, 5565, 5527, 5292, 5414, 5355, 5647, 5606, 5276, 5378, 5616, 5434, 5375, 5557, 5432, 5319, 5554, 5281, 5389, 5638, 5495, 5551, 5449, 5459, 5394, 5390, 5535, 5512, 5416, 5594, 5349, 5577, 5352, 5321, 5273, 5405, 5657, 5563, 5450, 5502, 5496, 5640, 5287 (7 hits) (12/31/2013 04:58:50 PM)
19	9	1.0	333.0	Yes	5277.0MHz, -61.0dBm	Hop sequence: 5726, 5575, 5658, 5407, 5376, 5423, 5692, 5277, 5529, 5254, 5439, 5675, 5534, 5350, 5623, 5308, 5372, 5309, 5571, 5618, 5270, 5710, 5487, 5678, 5677, 5326, 5539, 5707, 5316, 5589, 5484, 5322, 5652, 5556, 5471, 5686, 5363, 5536, 5388, 5476, 5415, 5317, 5670, 5379, 5505, 5422, 5311, 5361, 5708, 5357, 5659, 5261, 5430, 5482, 5611, 5425, 5428, 5412, 5561, 5629, 5568, 5269, 5664, 5387, 5541, 5663, 5359, 5681, 5619, 5400, 5548, 5666, 5456, 5499, 5291, 5377, 5500, 5340, 5454, 5507, 5674, 5402, 5651, 5458, 5724, 5440, 5310, 5288, 5702, 5353, 5321, 5704, 5693, 5610, 5286, 5447, 5427, 5252,

File: R94497 Rev 3 Page 235 of 281

	Table 237	- FCC freque	ncy hoppin	g radar (Typ	oe 6) Results - CU,	, 40MHz Mode Steady State
Trial #	Pulses/ Burst	Pulse Width (us)	PRI (us)	Detected	Fr (MHz) and level (dBm)	Burst Information
	Zurst	vv rour (us)			10 (01 (02 111)	5352, 5409 (7 hits) (12/31/2013 04:59:00 PM)
20	9	1.0	333.0	Yes	5278.0MHz, -61.0dBm	Hop sequence: 5269, 5307, 5265, 5677, 5551, 5588, 5325, 5345, 5723, 5674, 5563, 5420, 5554, 5437, 5645, 5663, 5512, 5399, 5459, 5341, 5385, 5665, 5432, 5462, 5398, 5394, 5409, 5313, 5624, 5461, 5493, 5365, 5537, 5517, 5699, 5640, 5338, 5568, 5261, 5612, 5621, 5725, 5323, 5688, 5306, 5560, 5271, 5707, 5646, 5637, 5686, 5315, 5682, 5701, 5417, 5447, 5566, 5558, 5443, 5538, 5339, 5263, 5356, 5514, 5428, 5336, 5412, 5287, 5712, 5564, 5608, 5393, 5297, 5468, 5255, 5657, 5597, 5575, 5516, 5481, 5484, 5335, 5535, 5638, 5721, 5289, 5457, 5347, 5630, 5510, 5445, 5467, 5690, 5426, 5571, 5327, 5591, 5353, 5527, 5639 (8 hits) (12/31/2013 04:59:09 PM)
21	9	1.0	333.0	Yes	5279.0MHz, -61.0dBm	Hop sequence: 5261, 5386, 5345, 5525, 5430, 5557, 5442, 5636, 5668, 5645, 5377, 5497, 5268, 5462, 5267, 5251, 5501, 5587, 5617, 5355, 5494, 5320, 5379, 5713, 5427, 5296, 5279, 5418, 5428, 5619, 5333, 5274, 5324, 5403, 5495, 5450, 5491, 5591, 5677, 5512, 5584, 5270, 5457, 5370, 5509, 5260, 5344, 5672, 5481, 5708, 5503, 5523, 5437, 5545, 5643, 5541, 5606, 5535, 5598, 5637, 5337, 5522, 5299, 5654, 5269, 5566, 5697, 5696, 5544, 5686, 5294, 5467, 5473, 5683, 5373, 5526, 5633, 5300, 5572, 5642, 5625, 5410, 5605, 5647, 5640, 5554, 5405, 5723, 5685, 5658, 5281, 5408, 5374, 5604, 5295, 5383, 5628, 5711, 5487, 5609 (12 hits) (12/31/2013 04:59:18 PM)
22	9	1.0	333.0	Yes	5280.0MHz, -61.0dBm	Hop sequence: 5374, 5566, 5440, 5354, 5298, 5611, 5506, 5682, 5500, 5435, 5627, 5539, 5434, 5300, 5303, 5527, 5332, 5668, 5714, 5286, 5253, 5700, 5482, 5470, 5693, 5447, 5512, 5415, 5288, 5709, 5480, 5646, 5373, 5724, 5427, 5589, 5361, 5618, 5323, 5295, 5672, 5692, 5636,

File: R94497 Rev 3 Page 236 of 281

ı	Table 237	- FCC freque	ncy hoppin	g radar (Typ	oe 6) Results - CU	, 40MHz Mode Steady State
Trial #	Pulses/ Burst	Pulse Width (us)	PRI (us)	Detected	Fr (MHz) and level (dBm)	Burst Information
						5488, 5514, 5665, 5688, 5476, 5661, 5582, 5613, 5366, 5322, 5684, 5325, 5725, 5559, 5628, 5474, 5516, 5685, 5570, 5523, 5707, 5394, 5405, 5329, 5644, 5552, 5461, 5626, 5426, 5349, 5356, 5575, 5614, 5392, 5297, 5285, 5371, 5542, 5689, 5402, 5331, 5716, 5264, 5391, 5432, 5468, 5319, 5350, 5257, 5304, 5369, 5543, 5336, 5528, 5398, 5562, 5545 (7 hits) (12/31/2013 04:59:25 PM)
23	9	1.0	333.0	Yes	5281.0MHz, -61.0dBm	Hop sequence: 5626, 5365, 5535, 5346, 5527, 5300, 5462, 5415, 5604, 5640, 5373, 5375, 5638, 5689, 5539, 5476, 5718, 5439, 5460, 5659, 5270, 5293, 5588, 5611, 5271, 5297, 5651, 5694, 5374, 5258, 5721, 5459, 5492, 5720, 5572, 5574, 5253, 5433, 5519, 5560, 5444, 5629, 5520, 5643, 5463, 5434, 5369, 5562, 5612, 5345, 5401, 5498, 5635, 5414, 5623, 5348, 5609, 5563, 5536, 5425, 5443, 5582, 5487, 5421, 5440, 5480, 5711, 5512, 5288, 5424, 5639, 5575, 5403, 5682, 5568, 5526, 5404, 5570, 5387, 5631, 5554, 5516, 5634, 5426, 5607, 5332, 5275, 5580, 5388, 5313, 5581, 5645, 5524, 5597, 5342, 5496, 5469, 5687, 5292, 5391 (7 hits) (12/31/2013 04:59:37 PM)
24	9	1.0	333.0	Yes	5282.0MHz, -61.0dBm	Hop sequence: 5659, 5710, 5457, 5591, 5273, 5598, 5631, 5586, 5289, 5340, 5270, 5563, 5422, 5317, 5670, 5522, 5483, 5459, 5268, 5488, 5449, 5441, 5455, 5709, 5333, 5481, 5596, 5576, 5602, 5693, 5408, 5566, 5324, 5420, 5291, 5399, 5429, 5662, 5381, 5695, 5647, 5465, 5715, 5346, 5711, 5628, 5518, 5478, 5443, 5292, 5451, 5285, 5411, 5584, 5403, 5633, 5619, 5505, 5387, 5536, 5570, 5698, 5526, 5393, 5305, 5389, 5460, 5655, 5646, 5434, 5722, 5471, 5578, 5351, 5547, 5661, 5572, 5663, 5335, 5311, 5594, 5498, 5641, 5462, 5554, 5648, 5723, 5649, 5640, 5416, 5458, 5614, 5503, 5456, 5409, 5502, 5615, 5321,

File: R94497 Rev 3 Page 237 of 281

Pate: April 3, 2014 Reissue Date: August 1, 2014
--

Trial #	Pulses/ Burst	Pulse Width (us)	PRI (us)	Detected	Fr (MHz) and level (dBm)	, 40MHz Mode Steady State Burst Information
	Burst	widii (us)			lever (ubili)	5396, 5394 (7 hits) (12/31/2013 04:59:46 PM)
25	9	1.0	333.0	Yes	5283.0MHz, -61.0dBm	Hop sequence: 5708, 5531, 5279, 5493, 5287, 5291, 5595, 5462, 5430, 5328, 5395, 5392, 5329, 5420, 5599, 5310, 5398, 5339, 5401, 5458, 5366, 5669, 5316, 5594, 5394, 5589, 5720, 5455, 5585, 5521, 5404, 5682, 5362, 5293, 5722, 5539, 5549, 5417, 5370, 5423, 5353, 5274, 5261, 5341, 5592, 5433, 5520, 5634, 5656, 5473, 5724, 5691, 5342, 5278, 5356, 5259, 5359, 5298, 5306, 5280, 5255, 5545, 5281, 5297, 5576, 5301, 5383, 5623, 5543, 5363, 5295, 5702, 5570, 5347, 5474, 5271, 5372, 5452, 5719, 5495, 5256, 5442, 5315, 5322, 5550, 5441, 5716, 5631, 5294, 5581, 5705, 5323, 5672, 5651, 5466, 5512, 5390, 5427, 5726, 5646 (14 hits) (12/31/2013 04:59:57 PM)
26	9	1.0	333.0	Yes	5284.0MHz, -61.0dBm	Hop sequence: 5298, 5437, 5453, 5665, 5357, 5306, 5433, 5310, 5334, 5481, 5370, 5326, 5403, 5501, 5698, 5560, 5450, 5354, 5667, 5716, 5680, 5557, 5674, 5592, 5348, 5484, 5634, 5304, 5462, 5644, 5302, 5420, 5631, 5372, 5628, 5274, 5309, 5452, 5336, 5623, 5295, 5415, 5577, 5406, 5619, 5521, 5271, 5316, 5441, 5349, 5591, 5268, 5413, 5626, 5638, 5283, 5660, 5690, 5708, 5652, 5563, 5613, 5346, 5692, 5683, 5376, 5670, 5440, 5643, 5256, 5589, 5536, 5444, 5527, 5522, 5300, 5321, 5590, 5394, 5689, 5445, 5593, 5624, 5324, 5381, 5633, 5288, 5422, 5622, 5311, 5379, 5408, 5255, 5707, 5315, 5355, 5640, 5529, 5556, 5384 (7 hits) (12/31/2013 05:00:04 PM)
27	9	1.0	333.0	Yes	5285.0MHz, -61.0dBm	Hop sequence: 5661, 5297, 5673, 5273, 5261, 5412, 5290, 5713, 5449, 5555, 5683, 5396, 5474, 5637, 5564, 5367, 5403, 5638, 5442, 5653, 5258, 5527, 5688, 5404, 5531, 5654, 5438, 5650, 5454, 5593, 5428, 5709, 5550, 5299, 5466, 5603, 5535, 5409, 5263, 5635, 5656, 5591, 5501,

File: R94497 Rev 3 Page 238 of 281

1	Table 237	- FCC freque	ncy hoppin	g radar (Typ	e 6) Results - CU,	, 40MHz Mode Steady State
Trial #	Pulses/ Burst	Pulse Width (us)	PRI (us)	Detected	Fr (MHz) and level (dBm)	Burst Information
						5376, 5485, 5670, 5524, 5253, 5256, 5304, 5271, 5714, 5315, 5429, 5705, 5377, 5655, 5462, 5427, 5507, 5539, 5368, 5611, 5642, 5699, 5262, 5625, 5469, 5597, 5338, 5381, 5283, 5472, 5373, 5441, 5627, 5422, 5586, 5480, 5430, 5364, 5563, 5687, 5613, 5612, 5700, 5605, 5374, 5499, 5622, 5623, 5693, 5561, 5309, 5460, 5298, 5482, 5487, 5432, 5419 (10 hits) (12/31/2013 05:00:17 PM)
28	9	1.0	333.0	Yes	5286.0MHz, -61.0dBm	Hop sequence: 5689, 5724, 5280, 5374, 5613, 5523, 5583, 5258, 5534, 5710, 5472, 5382, 5726, 5367, 5283, 5289, 5574, 5678, 5278, 5441, 5386, 5546, 5282, 5600, 5320, 5518, 5469, 5610, 5281, 5465, 5328, 5311, 5333, 5582, 5354, 5313, 5501, 5495, 5385, 5643, 5303, 5499, 5357, 5406, 5586, 5685, 5274, 5714, 5276, 5716, 5516, 5454, 5402, 5318, 5510, 5345, 5713, 5257, 5373, 5366, 5342, 5480, 5666, 5285, 5326, 5398, 5485, 5520, 5595, 5532, 5623, 5440, 5572, 5496, 5300, 5662, 5540, 5654, 5651, 5658, 5350, 5620, 5552, 5265, 5477, 5343, 5325, 5474, 5507, 5723, 5414, 5703, 5698, 5361, 5310, 5270, 5438, 5425, 5331, 5564 (11 hits) (12/31/2013 05:00:25 PM)
29	9	1.0	333.0	Yes	5287.0MHz, -61.0dBm	Hop sequence: 5687, 5303, 5700, 5574, 5634, 5714, 5643, 5307, 5437, 5334, 5563, 5266, 5454, 5459, 5616, 5529, 5661, 5333, 5602, 5645, 5397, 5308, 5500, 5435, 5473, 5353, 5706, 5296, 5301, 5494, 5479, 5276, 5358, 5329, 5271, 5426, 5646, 5304, 5337, 5724, 5261, 5549, 5446, 5562, 5466, 5505, 5414, 5416, 5453, 5351, 5331, 5625, 5686, 5477, 5338, 5256, 5470, 5293, 5415, 5523, 5498, 5509, 5332, 5462, 5389, 5659, 5710, 5285, 5582, 5599, 5627, 5380, 5502, 5583, 5348, 5557, 5280, 5265, 5696, 5363, 5655, 5535, 5722, 5675, 5532, 5688, 5283, 5595, 5315, 5441, 5450, 5694, 5349, 5361, 5571, 5580, 5250, 5427,

File: R94497 Rev 3 Page 239 of 281

Test Report Reissue Date: August 1, 2014 Report Date: April 3, 2014

ı	Table 237	- FCC freque	ncy hoppin	g radar (Typ	oe 6) Results - CU	, 40MHz Mode Steady State
Trial #	Pulses/ Burst	Pulse Width (us)	PRI (us)	Detected	Fr (MHz) and level (dBm)	Burst Information
						5713, 5465 (10 hits) (12/31/2013 05:00:34 PM)
30	9	1.0	333.0	Yes	5288.0MHz, -61.0dBm	Hop sequence: 5549, 5268, 5482, 5320, 5720, 5346, 5522, 5513, 5445, 5550, 5660, 5354, 5357, 5274, 5419, 5724, 5254, 5472, 5389, 5552, 5279, 5646, 5315, 5303, 5519, 5349, 5442, 5501, 5595, 5373, 5589, 5332, 5538, 5473, 5311, 5444, 5355, 5584, 5430, 5344, 5428, 5480, 5393, 5447, 5621, 5635, 5561, 5318, 5353, 5683, 5333, 5587, 5399, 5347, 5481, 5265, 5633, 5608, 5345, 5708, 5435, 5652, 5484, 5322, 5329, 5566, 5578, 5267, 5502, 5348, 5356, 5363, 5663, 5286, 5602, 5294, 5280, 5269, 5271, 5310, 5619, 5319, 5691, 5722, 5601, 5392, 5467, 5681, 5553, 5488, 5410, 5452, 5572, 5582, 5366, 5471, 5648, 5381, 5272, 5516 (11 hits) (12/31/2013 05:00:41 PM)
31	9	1.0	333.0	Yes	5289.0MHz, -61.0dBm	Hop sequence: 5721, 5514, 5682, 5585, 5400, 5372, 5409, 5524, 5667, 5687, 5547, 5335, 5674, 5497, 5465, 5307, 5652, 5381, 5519, 5556, 5403, 5525, 5521, 5502, 5343, 5488, 5693, 5494, 5294, 5570, 5546, 5650, 5274, 5633, 5596, 5276, 5322, 5370, 5469, 5709, 5611, 5367, 5554, 5470, 5548, 5313, 5351, 5402, 5379, 5443, 5323, 5355, 5713, 5675, 5664, 5543, 5629, 5507, 5373, 5457, 5380, 5395, 5390, 5540, 5701, 5610, 5449, 5691, 5282, 5398, 5349, 5315, 5511, 5456, 5420, 5284, 5563, 5564, 5394, 5712, 5421, 5279, 5344, 5676, 5482, 5726, 5530, 5300, 5662, 5539, 5356, 5625, 5265, 5491, 5428, 5364, 5684, 5434, 5646, 5635 (7 hits) (12/31/2013 05:00:49 PM)
32	9	1.0	333.0	Yes	5290.0MHz, -61.0dBm	Hop sequence: 5428, 5590, 5638, 5489, 5535, 5455, 5504, 5322, 5481, 5409, 5616, 5434, 5338, 5479, 5675, 5688, 5676, 5440, 5691, 5336, 5579, 5632, 5499, 5291, 5540, 5710, 5602, 5294, 5464, 5402, 5492, 5358, 5401, 5498, 5268, 5681, 5314, 5426, 5363, 5467, 5447, 5482, 5307,

File: R94497 Rev 3 Page 240 of 281

Trial #	Pulses/ Burst	Pulse Width (us)	PRI (us)	Detected	Fr (MHz) and level (dBm)	Burst Information
					,	5286, 5660, 5348, 5694, 5485, 5703, 5282, 5605, 5604, 5650,
						5524, 5395, 5640, 5312, 5255,
						5439, 5303, 5614, 5541, 5557,
						5625, 5275, 5357, 5600, 5411,
						5520, 5394, 5328, 5471, 5582,
						5576, 5629, 5686, 5399, 5443,
						5659, 5354, 5449, 5634, 5408,
						5391, 5596, 5456, 5392, 5488, 5687, 5334, 5433, 5569, 5444,
						5459, 5371, 5331, 5269, 5445,
						5645, 5473 (7 hits) (12/31/2013
						05:00:57 PM)
						Hop sequence: 5583, 5504, 5340
						5279, 5699, 5529, 5333, 5329,
						5316, 5557, 5598, 5280, 5573,
						5398, 5445, 5343, 5525, 5589,
						5336, 5472, 5486, 5552, 5422, 5254, 5265, 5546, 5266, 5371,
						5721, 5663, 5538, 5313, 5328,
						5521, 5276, 5630, 5498, 5255,
		1.0				5393, 5620, 5331, 5503, 5330,
			333.0	Yes		5541, 5430, 5605, 5319, 5293,
3	9				5291.0MHz,	5252, 5719, 5369, 5689, 5411,
,					-61.0dBm	5315, 5473, 5471, 5289, 5374,
						5290, 5404, 5306, 5571, 5515, 5669, 5480, 5566, 5296, 5288,
						5449, 5519, 5599, 5476, 5277,
						5453, 5678, 5484, 5672, 5310,
						5590, 5468, 5490, 5647, 5526,
						5388, 5603, 5683, 5627, 5273,
						5592, 5386, 5543, 5649, 5524,
						5674, 5604, 5427, 5359, 5441,
						5511, 5495 (12 hits) (12/31/2013
						05:01:04 PM) Hop sequence: 5332, 5422, 5415
						5337, 5592, 5267, 5648, 5262,
						5258, 5253, 5511, 5417, 5697,
						5339, 5314, 5289, 5280, 5336,
						5402, 5622, 5313, 5605, 5582,
						5285, 5724, 5708, 5293, 5317,
						5639, 5539, 5564, 5507, 5637,
						5699, 5495, 5600, 5389, 5633, 5271, 5474, 5352, 5344, 5486,
					5292.0MHz,	5400, 5294, 5324, 5264, 5530,
1	9	1.0	333.0	Yes	-61.0dBm	5379, 5445, 5714, 5652, 5696,
						5431, 5503, 5692, 5517, 5425,
						5522, 5711, 5387, 5547, 5612,
						5580, 5257, 5640, 5545, 5470,
						5588, 5268, 5284, 5307, 5710,
						5424, 5631, 5295, 5723, 5535,
						5446, 5668, 5384, 5413, 5620, 5405, 5665, 5609, 5437, 5492,
						5365, 5388, 5610, 5677, 5350,
	1			1		5386, 5287, 5661, 5570, 5572,

File: R94497 Rev 3 Page 241 of 281

1	Table 237	- FCC freque	ncy hoppin	g radar (Typ	oe 6) Results - CU	, 40MHz Mode Steady State
Trial #	Pulses/ Burst	Pulse Width (us)	PRI (us)	Detected	Fr (MHz) and level (dBm)	Burst Information
						5475, 5349 (13 hits) (12/31/2013 05:01:11 PM)
35	9	1.0	333.0	Yes	5293.0MHz, -61.0dBm	Hop sequence: 5574, 5438, 5497, 5306, 5414, 5515, 5544, 5351, 5252, 5560, 5547, 5715, 5549, 5327, 5396, 5618, 5702, 5528, 5536, 5489, 5361, 5269, 5344, 5575, 5598, 5415, 5443, 5287, 5394, 5329, 5290, 5340, 5401, 5263, 5644, 5626, 5638, 5272, 5253, 5350, 5725, 5647, 5617, 5397, 5700, 5681, 5520, 5278, 5527, 5545, 5445, 5695, 5577, 5385, 5366, 5506, 5713, 5663, 5300, 5395, 5368, 5261, 5250, 5518, 5399, 5533, 5503, 5519, 5461, 5473, 5665, 5273, 5291, 5423, 5388, 5534, 5460, 5362, 5310, 5312, 5567, 5389, 5318, 5532, 5586, 5429, 5554, 5393, 5570, 5675, 5510, 5607, 5280, 5469, 5488, 5621, 5281, 5655, 5408, 5328 (11 hits) (12/31/2013 05:01:17 PM)
36	9	1.0	333.0	Yes	5294.0MHz, -61.0dBm	Hop sequence: 5434, 5561, 5404, 5273, 5400, 5676, 5322, 5278, 5338, 5417, 5360, 5577, 5565, 5379, 5299, 5653, 5280, 5396, 5464, 5352, 5331, 5315, 5607, 5595, 5471, 5704, 5274, 5318, 5563, 5581, 5604, 5481, 5637, 5250, 5373, 5309, 5345, 5456, 5515, 5677, 5276, 5566, 5635, 5591, 5516, 5525, 5418, 5422, 5518, 5645, 5568, 5389, 5413, 5469, 5386, 5685, 5306, 5269, 5711, 5330, 5702, 5449, 5311, 5705, 5655, 5613, 5445, 5482, 5377, 5721, 5599, 5657, 5709, 5401, 5465, 5420, 5550, 5372, 5614, 5642, 5376, 5325, 5502, 5652, 5295, 5537, 5277, 5407, 5620, 5612, 5522, 5593, 5303, 5267, 5610, 5538, 5513, 5344, 5358, 5701 (10 hits) (12/31/2013 05:01:24 PM)
37	9	1.0	333.0	Yes	5295.0MHz, -61.0dBm	Hop sequence: 5471, 5678, 5422, 5396, 5668, 5606, 5604, 5624, 5634, 5686, 5402, 5259, 5646, 5370, 5722, 5366, 5653, 5460, 5597, 5272, 5569, 5628, 5692, 5510, 5625, 5286, 5632, 5680, 5448, 5303, 5264, 5432, 5351, 5484, 5681, 5261, 5650, 5473, 5352, 5579, 5313, 5304, 5638,

File: R94497 Rev 3 Page 242 of 281

2	port Date: A	pril 3, 201 _°	4 Reissue	Date: Au	gust 1, .	2014

Table 237 - FCC frequency hopping radar (Type 6) Results - CU, 40MHz Mode Steady State							
Trial #	Pulses/ Burst	Pulse Width (us)	PRI (us)	Detected	Fr (MHz) and level (dBm)	Burst Information	
						5436, 5600, 5317, 5354, 5457, 5723, 5463, 5567, 5406, 5383, 5454, 5306, 5543, 5514, 5705, 5661, 5491, 5392, 5589, 5712, 5706, 5602, 5424, 5679, 5676, 5637, 5294, 5292, 5281, 5504, 5690, 5571, 5334, 5267, 5659, 5341, 5475, 5328, 5633, 5550, 5263, 5254, 5656, 5512, 5502, 5331, 5545, 5315, 5715, 5357, 5588, 5725, 5500, 5434, 5655, 5479, 5520 (9 hits) (12/31/2013 05:01:32 PM)	
38	9	1.0	333.0	Yes	5296.0MHz, -61.0dBm	Hop sequence: 5410, 5541, 5517, 5696, 5307, 5627, 5363, 5532, 5670, 5620, 5583, 5455, 5553, 5251, 5601, 5378, 5582, 5358, 5493, 5315, 5608, 5465, 5408, 5578, 5642, 5370, 5536, 5537, 5453, 5386, 5298, 5458, 5361, 5568, 5468, 5472, 5407, 5279, 5504, 5278, 5329, 5388, 5476, 5339, 5684, 5384, 5641, 5695, 5457, 5400, 5511, 5416, 5326, 5273, 5625, 5605, 5309, 5447, 5260, 5371, 5328, 5342, 5572, 5644, 5398, 5579, 5280, 5710, 5396, 5391, 5364, 5547, 5708, 5699, 5632, 5390, 5623, 5422, 5624, 5702, 5663, 5385, 5527, 5436, 5720, 5485, 5337, 5393, 5451, 5379, 5656, 5357, 5274, 5330, 5353, 5345, 5454, 5534, 5703, 5567 (6 hits) (12/31/2013 05:01:41 PM)	
39	9	1.0	333.0	Yes	5297.0MHz, -61.0dBm	Hop sequence: 5650, 5444, 5515, 5656, 5295, 5602, 5704, 5606, 5538, 5548, 5262, 5299, 5382, 5640, 5280, 5617, 5559, 5466, 5522, 5294, 5572, 5479, 5495, 5625, 5402, 5325, 5632, 5639, 5329, 5365, 5636, 5414, 5322, 5575, 5384, 5490, 5426, 5637, 5634, 5647, 5531, 5440, 5465, 5404, 5397, 5263, 5543, 5374, 5341, 5452, 5353, 5610, 5608, 5311, 5567, 5392, 5283, 5571, 5701, 5446, 5700, 5595, 5276, 5590, 5553, 5447, 5398, 5494, 5293, 5362, 5401, 5425, 5330, 5287, 5500, 5481, 5259, 5460, 5488, 5699, 5675, 5652, 5491, 5557, 5685, 5410, 5577, 5554, 5339, 5423, 5712, 5710, 5564, 5345, 5420, 5302, 5526, 5256,	

File: R94497 Rev 3 Page 243 of 281

Test Report Reissue Date: August 1, 2014 Report Date: April 3, 2014

Table 237 - FCC frequency hopping radar (Type 6) Results - CU, 40MHz Mode Steady State								
Trial #	Pulses/ Burst	Pulse Width (us)	PRI (us)	Detected	Fr (MHz) and level (dBm)	Burst Information		
						5645, 5450 (10 hits) (12/31/2013 05:01:49 PM)		

File: R94497 Rev 3 Page 244 of 281

Appendix C Test Data Tables and Plots for Channel Closing

FCC PART 15 SUBPART E Channel Closing Measurements

Table 238 - FCC Part 15 Subpart E Channel Closing Test Results - NU SS 30 MHz							
W. 6 T	Channel C		Channel Move				
Waveform Type	Transmission Time ¹		Time		Result		
	Measured	Limit	Measured	Limit			
Radar Type 1	0 ms	60 ms	0.156 s	10 s	Pass		
Radar Type 5	0 ms	60 ms	0 s	10 s	Pass		





Figure 10 Channel Closing Time and Channel Move Time - 40 second plot, NU SS 30 MHz

¹ Channel closing time for FCC measurements is the aggregate transmission time starting from 200ms after the end of the radar signal to the completion of the channel move.

File: R94497 Rev 3 Page 245 of 281

Channel closing transmission time (ms) 0,00


100



Time (ms)

Figure 11 Close-Up of Transmissions Occurring More Than 200ms After The End of Radar

File: R94497 Rev 3 Page 246 of 281







Figure 12 Channel Closing Time and Channel Move Time – 40 second plot, NU SS 30 MHz

File: R94497 Rev 3 Page 247 of 281






Figure 13 Close-Up of Transmissions Occurring More Than 200ms After The End of Radar

File: R94497 Rev 3 Page 248 of 281

Table 239 - FCC Part 15 Subpart E Channel Closing Test Results – NU SS 40 MHz								
	Channel Closing		Channel Move		Result			
Waveform Type	Transmission Time ¹		Time					
	Measured	Limit	Measured	Limit				
Radar Type 1	0 ms	60 ms	0.152 s	10 s	Pass			
Radar Type 5	0 ms	60 ms	0 s	10 s	Pass			




Figure 14 Channel Closing Time and Channel Move Time – 40 second plot, NU SS 40 MHz

¹ Channel closing time for FCC measurements is the aggregate transmission time starting from 200ms after the end of the radar signal to the completion of the channel move.

File: R94497 Rev 3 Page 249 of 281




Figure 15 Close-Up of Transmissions Occurring More Than 200ms After The End of Radar

File: R94497 Rev 3 Page 250 of 281




Figure 16 Channel Closing Time and Channel Move Time - 40 second plot, NU SS 40 MHz

Time (s)

Channel Traffic Low Resolution Analyzer Plot to Verify Channel Move

File: R94497 Rev 3 Page 251 of 281



Figure 17 Close-Up of Transmissions Occurring More Than 200ms After The End of Radar

File: R94497 Rev 3 Page 252 of 281

Table 240 - FCC Part 15 Subpa	rt E Channel Clo	osing Test Res	ults – NU in CU	Acquire Low	Band
Waveform Type	Channel Closing Transmission Time ¹		Channel Move Time		Result
	Measured	Limit	Measured	Limit	1
Radar Type 1	0 ms	60 ms	0 s	10 s	Pass
Radar Type 5	0 ms	60 ms	0 s	10 s	Pass




Figure 18 Channel Closing Time and Channel Move Time - 40 second plot, NU in CU Acquire Low Band

¹ Channel closing time for FCC measurements is the aggregate transmission time starting from 200ms after the end of the radar signal to the completion of the channel move.

File: R94497 Rev 3 Page 253 of 281

Low-Res Plot Resolution (ms) 100




Figure 19 Close-Up of Transmissions Occurring More Than 200ms After The End of Radar

-2.5 0.0 2.5 5.0 7.5 10.0 12.5 15.0 17.5 20.0 22.5 25.0 27.5 30.0 32.5 35.0 37.5 40.0

Channel Traffic Low Resolution Analyzer Plot to Verify Channel Move

File: R94497 Rev 3 Page 254 of 281




Figure 20 Channel Closing Time and Channel Move Time - 40 second plot, NU in CU Acquire Low Band

File: R94497 Rev 3 Page 255 of 281




Figure 21 Close-Up of Transmissions Occurring More Than 200ms After The End of Radar

Per the Nextivity DFS Implementation Proposal for Cel-Fi U-NII Link v07, tests for Channel Closing and Move Times are not required in the CU Acquire mode in the high band.

File: R94497 Rev 3 Page 256 of 281

Table 241 - FCC Part 15	5 Subpart E Char	nnel Closing T	est Results – Cl	USS 30 MHz	
Waveform Type	Channel Closing Transmission Time ¹		Channel Move Time		Result
waveform Type	Measured	Limit	Measured	Limit	resur
Radar Type 1	0 ms	60 ms	0.153 s	10 s	Pass
Radar Type 5	0 ms	60 ms	0 s	10 s	Pass




Figure 22 Channel Closing Time and Channel Move Time – 40 second plot, CU SS 30 MHz

¹ Channel closing time for FCC measurements is the aggregate transmission time starting from 200ms after the end of the radar signal to the completion of the channel move.

File: R94497 Rev 3 Page 257 of 281




Figure 23 Close-Up of Transmissions Occurring More Than 200ms After The End of Radar

File: R94497 Rev 3 Page 258 of 281




Figure 24 Channel Closing Time and Channel Move Time – 40 second plot, CU SS 30 MHz

File: R94497 Rev 3 Page 259 of 281




Figure 25 Close-Up of Transmissions Occurring More Than 200ms After The End of Radar

Channel Traffic Low Resolution Analyzer Plot to Verify Channel Move

File: R94497 Rev 3 Page 260 of 281

Table 242 - FCC Part 15	5 Subpart E Char	nnel Closing T	est Results – Cl	USS 40 MHz	
Waveform Type	Channel Closing Transmission Time ¹		Channel Move Time		Result
	Measured	Limit	Measured	Limit	
Radar Type 1	0 ms	60 ms	0.152 s	10 s	Pass
Radar Type 5	0 ms	60 ms	0 s	10 s	Pass




Figure 26 Channel Closing Time and Channel Move Time - 40 second plot, CU SS 40 MHz

¹ Channel closing time for FCC measurements is the aggregate transmission time starting from 200ms after the end of the radar signal to the completion of the channel move.

File: R94497 Rev 3 Page 261 of 281

-0.5

0.0

1.0

1.5

Time (s)

Channel Traffic Low Resolution Analyzer Plot to Verify Channel Move




Figure 27 Close-Up of Transmissions Occurring More Than 200ms After The End of Radar

2.0

2.5

3.0

File: R94497 Rev 3 Page 262 of 281




Figure 28 Channel Closing Time and Channel Move Time – 40 second plot, CU SS 40 MHz

Channel Traffic Low Resolution Analyzer Plot to Verify Channel Move

File: R94497 Rev 3 Page 263 of 281




Figure 29 Close-Up of Transmissions Occurring More Than 200ms After The End of Radar

Channel Traffic Low Resolution Analyzer Plot to Verify Channel Move

File: R94497 Rev 3 Page 264 of 281




Figure 30 Radar Channel Non-Occupancy Plot (NU Steady State 40 MHz)




Figure 31 Radar Channel Non-Occupancy Plot (CU Steady State 40 MHz)

The non-occupancy plot was made over a 30-minute time period following the channel move time with the analyzer IF output connected to the scope and tuned to the vacated channel. No transmissions were observed on the vacated channel after the channel move had been completed.

After the channel move the client device stopped transmitting on the vacated channel.

Non-occupancy performed only in 40 MHz BW mode per Nextivity request.

File: R94497 Rev 3 Page 265 of 281

Appendix D Test Data - Channel Availability Check

5250- 5350 MHz, 5470 - 5725 MHz

The first plot shows the first transmissions on a channel after restarting/power cycling the master device, with no radar applied during the CAC. The start of CAC is assumed to be 60 seconds before the first transmission as indicated by the green cursor line.




Figure 32 Plot of EUT Start-Up After CAC, F_L

File: R94497 Rev 3 Page 266 of 281

Timing Plots - Channel Availability Check




Figure 33 Plot of EUT Start-Up After CAC, F_H

The channel availability check (CAC) was made by applying type 1 radar during either the first 6 seconds or last 6 seconds of the CAC period.

The level of the radar signal applied was -61dBm. Measurements were made on channel 61 (5320 MHz) and also on channel 120 (5600 MHz).

The start time is the same for each of the plots and the green cursor is positioned to coincide with the start of the Channel Availability Check period based on the plot taken with no radar applied during the CAC.

The plots show that there were no transmissions on the channel after the radar burst was applied during the CAC, and confirm that the CAC is at least 60 seconds. The description of "Channel Traffic" in the plot legend indicates the transmissions from both the radar system and the EUT on the start-up channel. In all cases only the radar burst is observed. The resolution of the plot is not fine enough to resolve the individual pulses within the burst.

File: R94497 Rev 3 Page 267 of 281



Timing Plots - Channel Availability Check




Figure 34 Radar Applied At Start of CAC, FH






Figure 35 Radar Applied At Start of CAC, F_L

File: R94497 Rev 3 Page 268 of 281




Figure 36 Radar Applied At End of CAC, F_H

File: R94497 Rev 3 Page 269 of 281



Timing Plots - Channel Availability Check




Figure 37 Radar Applied At End of CAC, F_L

File: R94497 Rev 3 Page 270 of 281

Appendix E DFS Implementation Proposal



DFS Implementation Proposal for Cel-Fi U-NII Link

Version 0.7 Monday, 23 February 2009

© Copyright Nextivity Inc. 2008, 2009. All Rights Reserved.

Nextivity Inc. Proprietary and Confidential

The Information contained in this document is Nextivity Inc. proprietary and confidential and is the sole property of Nextivity Inc.
and shall not be used, copied, reproduced, or disclosed in whole or in part without written consent of Nextivity Inc.

File: R94497 Rev 3 Page 271 of 281

DFS Implementation Proposal For Cel-Fi U-NII Link Version 0.7 Monday, 23 February 2009



1. Introduction

Cel-Fi is a new product based on a split three-hop repeater concept designed to provide better indoor cellular coverage (Figure 1).




Figure 1 - Cel-Fi Three-Hop Repeater System

Cel-Fi consists of two devices, the Window Unit (WU) and the Coverage Unit (CU). The Window Unit is placed in the area of a home with the strongest signal from a wireless carrier. The WU communicates with the cell tower. The Coverage Unit is placed in the center of the home, communicates wirelessly with the WU and "lights up" the interior of the home with significantly enhanced signal, thus enabling better quality calls and greater download speeds.

2. U-NII BAND COMMUNICATION LINK

The Window Unit (WU) and the Coverage Unit (CU) communicate with each other using a proprietary point-to-point link in the U-NII band. The link requires the simultaneous use of two 40 MHz channels, where one is taken from the 5150-5350 MHz band and the other is taken from the 5470-5725 MHz band. This link is a frame-based proprietary system which bears no resemblance to 802.11 WLAN technologies. The WU is the master device responsible for selecting both uplink and downlink frequencies, and for initiating transmission on the communication link.

Each unit, WU and CU, has 1 transmit and 2 receive chains. Both WU and CU use identical transceivers, but some of the associated control electronics are different. From a DFS perspective the detection algorithms and receivers are the same.

The remainder of this document provides detail on the proposed DFS implementation for the U-NII link. The goal is to provide DFS functionality that satisfies both FCC and ETSI requirements.

3. OPERATIONAL MODES FOR DFS

The Cel-Fi system uses 4 operational modes which allow the two component devices (WU and CU) to synchronize with each other while satisfying DFS radar detection requirements. The modes are illustrated in Figure 2.

Nextivity Inc. Proprietary and Confidential

Page 2 of 9

File: R94497 Rev 3 Page 272 of 281

DFS Implementation Proposal For Cel-Fi U-NII Link Version 0.7 Monday, 23 February 2009

NEXTIVITY




Figure 2 - U-NII Link Operational Modes

3.1. CAC Mode

When the WU is powered up, it performs a RSSI scan on all U-NII channels and then selects two of them for the Cel-Fi link ($f_{\rm L}$ from the 5150-5350 MHz band and $f_{\rm H}$ from the 5470-5725 MHz band). Prior to any transmission over a potential radar occupied channel, the WU will perform a channel availability check for at least 60 seconds. The WU hardware is capable of using the two receive antennas and two radio receivers to perform the CAC simultaneously on the selected upper and lower band channels.

In the event that the CU is powered on before the WU, it will not transmit on any U-NII channel, but will continue to scan for WU transmissions.

3.2. CU Synchronization Mode

Following a successful CAC on both selected channels (f_H and f_L), the WU will initiate transmission on f_L . The transmission will be performed using a 3.15 msec frame with a 50% transmit/receive duty cycle. While transmitting on f_L , the WU will listen for radar on f_H . When not transmitting, the WU will listen for radar on f_L . This allows the WU to perform in-service monitoring on both channels simultaneously.

During this period, the CU will normally be powered on and synchronize to the WU transmission on f_L . A control channel message will specify the frequency to use for f_H .

If the CU is powered on before the WU, then this mode of operation will typically last for 10-20 msec. If the WU is powered on before the CU, then this mode will last for an arbitrary duration until the CU is powered on.

3.2.1. Proposed Channel Loading Scheme for In-Service Monitoring Tests During CU Synchronization Mode

In-service monitoring tests can be performed during this mode of operation by switching the WU on and leaving the CU switched off. In this mode, the loading on f_L will always be 50% due to the transmit/receive duty cycle. During this mode, there will never be any Cel-Fi generated traffic on f_H . However, null frame intervals will occur on f_H due to the WU receiver listening for radar on f_L . This would be equivalent to a channel load of 50%. The relevant timing is shown in Figure 3.

Nextivity Inc. Proprietary and Confidential

Page 3 of 9

File: R94497 Rev 3 Page 273 of 281

DFS Implementation Proposal For Cel-Fi U-NII Link Version 0.7 Monday, 23 February 2009

NEXTIVITY




Figure 3 - Channel Loading During CU Synchronization Mode

In service monitoring tests will be performed on the WU for both fH and fL channels in this mode. Inservice monitoring detection probability tests for all of the radar waveforms will be performed in this mode on the WU. Channel move and channel closing time measurements shall be made for the WU on fL using radar types 1 and 5

3.3. CU Acknowledgement Mode

Once the CU synchronizes to the WU and determines the frequency of $f_{\rm H}$, it may begin transmission on $f_{\rm L}$. This transmission is performed using 3.15 msec frames with a 50% transmit/receive duty cycle. The transmissions coincide with the periods when the WU is listening on $f_{\rm H}$.

In this mode the CU will begin in-service monitoring on f_L while the WU is performing in-service monitoring on both f_H and f_L.

This mode of operation should last no more than 90 msec. This worst case scenario would occur if the CU synchronizes with the WU but control messages are not correctly exchanged, eventually resulting in a timeout.

3.3.1. Proposed Channel Loading Scheme for In-Service Monitoring Tests During CU Acknowledgment Mode

The Cel-Fi system will implement a DFS test mode that allows the system to be frozen in CU Acknowledgment mode. Although the system is normally in this mode for only a short period of time, it will facilitate evaluation of in-service monitoring performance while in this mode. In all cases, the channel loading will always be at 50% due to the normal Cel-Fi link traffic. The frame structure involved is shown in Figure 4.

As the duration of this mode is short, and as the normal operating mode described in the next section has significantly higher transmitter duty cycle (100%), it is not felt that this mode needs to be evaluated. If considered necessary, in-service monitoring can be performed on f_H and f_L at the WU and on f_L at the CU. If considered necessary, detection probability for radar waveforms 1 and 5 shall be evaluated in this mode just to confirm that in service monitoring does occur.





Figure 4 - Channel Loading During CU Acknowledgement Mode

3.4. Steady-State Mode

After the link is setup on both channels, the Cel-Fi system is able to switch into steady-state mode. The switch is coordinated between the WU and CU. In this mode the WU transmits continuously on f_L and listens continuously on f_H . The WU will be able to detect radar in the presence of the received data signal during in-service monitoring, so it effectively functions as a master for channel f_H . Similarly, the CU will transmit continuously on f_H and receive continuously on f_L . The CU will perform in-service monitoring on f_L and be the master for that channel. Thus in-service monitoring is being performed on both f_H and f_L . The frame structure for this mode is illustrated in Figure 5.






Figure 5 - Channel Loading During Steady-State Mode

During this mode, the channel loading is always 100% and does not change whether a cell phone call is active or not. Once the link is established between WU and CU devices, data is constantly streamed between the two so that the mobile phone remains on the network. When no phone call has been established from the user's cell phone to the network through the WU-CU, the channel is loaded with a constant stream of OFDM symbols consisting of control channel information, pilot tones, and randomly generated payload data. The randomly generated payload data required to maintain the WU-CU link is ignored by the receiver.

When a call is established through the WU-CU the randomly generated payload data between WU and CU is replaced with actual cell phone data. There is no way to determine whether a call is in progress through observation of the OFDM signal, as the signal will look identical in both cases.

In-service monitoring detection probability tests for all of the radar waveforms will be performed in this mode on the WU the CU. Channel move and channel closing time measurements shall be made for the WU and CU using radar types 1 and 5. These closing time tests will also evaluate the WU and CU in client mode. For these tests a cell call shall be established through the system using a call emulator rather than relying on the dummy payload packets

Nextivity Inc. Proprietary and Confidential

Page 6 of 9

Report Date: April 3, 2014 Reissue Date: August 1, 2014

DFS Implementation Proposal For Cel-Fi U-NII Link Version 0.7 Monday, 23 February 2009



4. VACATING THE CHANNEL

4.1. Channel Move Time

In the event that one of the component Cel-Fi devices detects radar during in service monitoring, it will notify the other device through the reverse channel and cease transmitting in the radar occupied channel.

If for some reason the other device does not receive the message, it will detect that the link has been dropped and cease transmission. The assumption will be that radar has been detected.

The Cel-Fi system will ensure that the channel is vacated within 15 msec, well below the 10 second requirement.

4.2. Channel Closing Transmission Time

The worst case channel move time is less than the 60ms FCC and 260ms ETSI channel closing transmission times, so this requirement is automatically satisfied for both the FCC and ETSL

4.3. Non-Occupancy Period

The WU will maintain a database of channels that have been identified as containing radar. These channels will not be used by the Cel-Fi system for the 30-minute non-occupancy period.

5. CHANNEL SELECTION

The WU will be responsible for U-NII channel selection for both the uplink and the downlink.

5.1. Uniform Loading

In order to satisfy the uniform loading requirement, the WU will scan all U-NII channels to perform a RSSI measurement prior to channel selection. The selected channels will be randomly selected from among those whose RSSI value is below a specified threshold.

5.2. 5600-5650 MHz

The initial version of the Cel-Fi system will make use of the 5600-5650 MHz portion of the U-NII band. It is likely that this part of the spectrum will not be used if:

- 1) Future changes in compliance specifications include a 10 minute CAC in the weather radar band.
- 2) Specific governments have blocked usage of these frequencies.

5.3. Channel Allocation

The lower U-NII band channels will be centered at 5199, 5216, 5232, 5250, 5268, 5285, and 5303 MHz. This utilizes 80% of the band spanning 5150-5350 MHz.

The upper U-NII band channels will be centered at 5510, 5530, 5550, 5570, 5590, 5610, 5630, 5650, 5670, and 5690 MHz. This utilizes 86% of the band spanning 5470-5725 MHz.

In the event that the 5600-5650 MHz band is not used, the upper band channels will be centered at 5525, 5544, 5564, 5580, and 5670 MHz. This utilizes 62% of the band spanning 5470-5725 MHz.

Nextivity Inc. Proprietary and Confidential

Page 7 of 9

File: R94497 Rev 3 Page 277 of 281 DFS Implementation Proposal For Cel-Fi U-NII Link Version 0.7 Monday, 23 February 2009



6. RADAR DETECTION

6.1. Detection Bandwidth

Although the U-NII link utilizes channels with a nominal bandwidth of 30 MHz, the occupied channel bandwidth is 27 MHz. The Cel-Fi devices are able to detect radar over approximately 97% of the 99% power bandwidth.

6.2. Detection Threshold

Since the Cel-Fi devices will transmit at a level well below 200 mW eirp, the radar detection threshold is - 62 dBm.

6.3. Transmit Power Control

The Cel-Fi system employs transmit power control in order to keep the received signal level adequately below the radar detection threshold. At no time does the transmit power level become so great that a potential radar signal at or above the detection threshold is masked. The transmit power has a dynamic range of at least 30 dB.

During CU acknowledgement mode the WU will initially transmit at maximum power. The CU uses this information in conjunction with the measured RSSI to determine an appropriate initial transmit power level on f_L. Once an acknowledgment is received by the WU, the two units will fine tune their transmit power levels prior to switching into steady state mode.

6.4. Detection Probability

During CAC, the WU is able to detect 100% of the FCC or ETSI radar test signals. During in service monitoring, the detection rates will exceed those specified for both FCC and ETSI.

7. DOCUMENT HISTORY

Table 1 Document History

Date	Revision Number	Description	Author
July 15, 2008	0.1	Initial draft.	Richard Buz
August 1, 2008	0.2	Incorporate comments	
August 8, 2008	0.3	Added more information on the U-NII link and overall system. Elaborated on channel loading during in-service monitoring.	Richard Buz
August 8, 2008	0.4	Incorporated additional comments from Mark Briggs.	Richard Buz
September 24, 2008	0.5	Added detail for the content of Tx packets when there is or isn't a call established in response to a request from the FCC. Added information that both WU and CU use the same transceivers and same DFS detection hardware and algorithm. Proposed reduced tests on the CU for inservice monitoring.	

Nextivity Inc. Proprietary and Confidential

Page 8 of 9

File: R94497 Rev 3 Page 278 of 281


DFS Implementation Proposal For Cel-Fi U-NII Link Version 0.7 Monday, 23 February 2009

NEXTIVITY

Date	Revision Number	Description	Author
December 16, 2008	0.6	Added detail following CTIA-FCC-Nextivity conference call	Mark Briggs Elliott Labs
February 23, 2009	0.7	Modified document in accordance with NTIA feedback as follows: page 4 of 8, paragraph 1, NTIA requests the following changes to the Version 0.6 document dated December 16, 2008 as shown in redline/strikeout: "In service monitoring tests will be performed on the WU for both fH and fL channels in this mode. In-service monitoring detection probability tests for all of the radar waveforms will be performed in this mode on the WU. Channel move and channel closing time measurements shall be made for the WU on fH using radar types 1 and 5." On page 6 of 8, paragraph 3, NTIA requests the following changes to the Version 0.6 document dated December 16, 2008 as showninredline/strikeout"In-service monitoring detection probability tests for all of the radar waveforms will be performed in this mode on the WU the CU. Channel move and channel closing time measurements shall be made for the WU and CU using radar types 1 and 5. These closing time tests will also evaluate the WU and CU in client mode. For these tests a cell call shall be established through the system using a call emulator rather than relying on the dummy payload packets"	Elliott Labs

File: R94497 Rev 3 Page 279 of 281

Appendix F Test Configuration Photograph(s)



Radar Waveform Generating Equipment



File: R94497 Rev 3 Page 280 of 281

End of Report

This page is intentionally blank and marks the last page of this test report.

File: R94497 Rev 3 Page 281 of 281