

TEST REPORT

APPLICANT : BLU Products, Inc.

PRODUCT NAME : Smart phone

: C6L MODEL NAME

BRAND NAME : BLU

FCC ID : YHLBLUC6L

47 CFR Part 22, Subpart H

STANDARD(S) : 47 CFR Part 24, Subpart E

47 CFR Part 27, Subpart H&L&M

TEST DATE : 2018-11-08 to 2018-12-17

ISSUE DATE : 2018-12-17

SHENZHEN MORLAB COMMUNICATIONS TECHNOLOGY Co., Ltd.

FL1-3, Building A, FeiYang Science Park, No.8 LongChang Road,

Tested by:

Gao Ming zhou Gao Mingzhou (Test Engineer)

Approved by:

Peng Huarui (Supervisor)

NOTE: This document is issued by MORLAB, the test report shall not be reproduced except in full without prior written permission of the company. The test results apply only to the particular sample(s) tested and to the specific tests carried out which is available on request for validation and information confirmed at our website.



Tel: 86-755-36698555

Fax: 86-755-36698525

Http://www.morlab.cn E-mail: service@morlab.cn





DIRECTORY

1. 1	Technical Information ····································	4
1.1.	Applicant and Manufacturer Information	4
1.2.	Equipment Under Test (EUT) Description	4
1.3.	Test Standards and Results	8
1.4.	Environmental Conditions	9
2. 4	7 CFR Part 2, Part 22H, Part 24E and 27H&L&M Requirements	10
2.1.	Transmitter Conducted Output Power And ERP/EIPR	10
2.2.	Occupied Bandwidth	38
2.3.	Frequency Stability	76
2.4.	Peak to Average Radio	80
2.5.	Conducted Spurious Emissions	118
2.6.	Band Edge	209
2.7.	Radiated Spurious Emissions	245
Ann	ex A Test Uncertainty	284
Ann	ex B Testing Laboratory Information	285

Tel: 86-755-36698555

Http://www.morlab.cn



Change History						
Version	Date	Reason for change				
1.0	2018-12-17	First edition				





1. Technical Information

Note: Provide by applicant.

1.1. Applicant and Manufacturer Information

Applicant:	BLU Products, Inc.	
Applicant Address:	10814 NW 33rd St # 100 Doral, FL 33172, USA	
Manufacturer:	BLU Products, Inc.	
Manufacturer Address:	10814 NW 33rd St # 100 Doral, FL 33172, USA	

1.2. Equipment Under Test (EUT) Description

Product Name:	Smart phone				
Serial No:	(N/A, marked #1 by test site)				
Hardware Version:	FS097-MB-V1.0A				
Software Version:	BLU_C5_PLU	BLU_C5_PLUS_V8.1.G.01.03_GENERIC_01-11-2018_1359_deb			
	ug				
Modulation Type:	QPSK, 16QAN	Л			
Operation Band:	Band 2 / 4 / 5 /	7/ 12 / 17			
	LTC Dond 2	Tx: 1850.7MHz -1909.3MHz			
	LTE Band 2	Rx: 1930.7MHz -1989.3MHz			
	LTC Dand 4	Tx: 1710.7MHz -1754.3MHz			
	LTE Band 4	Rx: 2110.7MHz - 2154.3MHz			
	LTE Band 5	Tx: 824.7MHz -848.3MHz			
Fraguency Banga		Rx: 869.7MHz – 893.3MHz			
Frequency Range:	LTC Dand 7	Tx: 2502.5MHz - 2567.5MHz			
	LTE Band 7	Rx: 2622.5MHz – 2687.5MHz			
	LTE Band 12	Tx: 699.7MHz - 715.3MHz			
	LIE Ballu 12	Rx: 729.7MHz – 745.3MHz			
	LTC Dand 17	Tx: 706.5MHz - 713.5MHz			
	LTE Band 17	Rx: 736.5MHz – 743.5MHz			



		1			
	LTE Band 2	1.4MHz, 3 MHz, 5 MHz, 10MHz, 15 MHz, 20 MHz			
	LTE Band 4	1.4MHz, 3 MHz, 5 MHz, 10MHz, 15 MHz, 20 MHz			
Channel Bandwidth	LTE Band 5	1.4MHz, 3 MHz, 5 MHz, 10MHz			
Channel Bandwidth	LTE Band 7	5 MHz, 10MHz, 15 MHz, 20 MHz			
	LTE Band 12	1.4MHz, 3 MHz, 5 MHz, 10MHz			
	LTE Band 17	5 MHz, 10MHz			
	1M09G7D (LTI	E Band 2, QPSK, BW 1.4MHz)			
	1M09W7D (LTE Band 2, 16QAM, BW 1.4MHz)				
	2M68G7D (LTI	E Band 2, QPSK, BW 3MHz)			
	2M68 W7D (L1	ΓE Band 2, 16QAM, BW 3MHz)			
	4M48G7D (LTI	E Band 2, QPSK, BW 5MHz)			
	4M47W7D (LT	E Band 2, 16QAM, BW 5MHz)			
	8M95G7D (LTI	E Band 2, QPSK, BW 10MHz)			
	8M94W7D (LT	E Band 2, 16QAM, BW 10MHz)			
	13M4G7D (LTE Band 2, QPSK, BW 15MHz)				
	13M4W7D (LTE Band 2, 16QAM, BW 15MHz)				
	17M9G7D (LTE Band 2, QPSK, BW 20MHz)				
	17M9W7D (LTE Band 2, 16QAM, BW 20MHz)				
	1M08G7D (LTE Band 4, QPSK, BW 1.4MHz)				
	1M09W7D (LTE Band 4, 16QAM, BW 1.4MHz)				
	2M68G7D (LTE Band 4, QPSK, BW 3MHz)				
Emission Designator:	2M68W7D (LTE Band 4, 16QAM, BW 3MHz)				
Limbolon Boolgnator.	4M46G7D (LTE Band 4, QPSK, BW 5MHz)				
	4M47W7D (LTE Band 4, 16QAM, BW 5MHz)				
	8M94G7D (LTE Band 4, QPSK, BW 10MHz)				
	8M93W7D (LTE Band 4, 16QAM, BW 10MHz)				
	13M4G7D (LTE Band 4, QPSK, BW 15MHz)				
	13M4W7D (LTE Band 4, 16QAM, BW 15MHz)				
	17M9G7D (LTI	E Band 4, QPSK, BW 20MHz)			
	17M9W7D (LT	E Band 4, 16QAM, BW 20MHz)			
	1M09G7D (LTI	E Band 5, QPSK, BW 1.4MHz)			
	1M09W7D (LT	E Band 5, 16QAM, BW 1.4MHz)			
	`	E Band 5, QPSK, BW 3MHz)			
	`	E Band 5, 16QAM, BW 3MHz)			
	`	E Band 5, QPSK, BW 5MHz)			
	`	E Band 5, 16QAM, BW 5MHz)			
	,	E Band 5, QPSK, BW 10MHz)			
	8M93W7D (LT	E Band 5, 16QAM, BW 10MHz)			





	4M46G7D (LTE Band 7, QPSK, BW 5MHz)					
	4M46W7D (LTE Band	7, 16QAM, BW 5MHz)				
	8M94G7D (LTE Band 7	7, QPSK, BW 10MHz)				
	8M93W7D (LTE Band 7	7, 16QAM, BW 10MHz)				
	13M4G7D (LTE Band 7	7, QPSK, BW 15MHz)				
	13M4W7D (LTE Band 7, 16QAM, BW 15MHz)					
	17M9G7D (LTE Band 7, QPSK, BW 20MHz)					
	17M9W7D (LTE Band 7	7, 16QAM, BW 20MHz)				
	1M09G7D (LTE Band 12, QPSK, BW 1.4MHz)					
	,	12, 16QAM, BW 1.4MHz)				
	2M68G7D (LTE Band 1	,				
	,	12, 16QAM, BW 3MHz)				
	4M46G7D (LTE Band 1	,				
	,	12, 16QAM, BW 5MHz)				
	8M96G7D (LTE Band 1	,				
	,	12, 16QAM, BW 10MHz)				
	4M47G7D (LTE Band 17, QPSK, BW 5MHz)					
	4M47W7D (LTE Band 17, 16QAM, BW 5MHz)					
	8M94G7D (LTE Band 1	,				
	,	17, 16QAM, BW 10MHz)				
Antenna Type:	PIFA Antenna					
	LTE Band 2	-1.5 dBi				
	LTE Band 4	-1.2 dBi				
Antenna Gain:	LTE Band 5	-2.0 dBi				
Antenna Gam.	LTE Band 7	-2.0 dBi				
	LTE Band 12	-2.0 dBi				
	LTE Band 17	-2.0 dBi				
	Normal(NV)	3.8V				
Operating voltage:	Lowest(LV)	3.5V				
	Highest(HV)	4.35V				
	Battery					
	Brand Name:	BLU				
	Model No.:	C6L				
Accessory Information:	Serial No.:	(N/A, marked #1 by test site)				
i izzozozi y ililorinianom	Capacity:	2500mAh				
	Rated Voltage:	3.8V				
	Charge Limit:	4.35V				
	Unarge Limit.	T.00 V				





	AC Adapter				
	Brand Name:	N/A			
Accessory Information	Model No.:	US-WW-1002			
Accessory Information:	Serial No.:	(N/A, marked #1 by test site)			
	Rated Input:	100-240V~ 50/60Hz 0.2A			
	Rated Output:	5V= 1.0A			

Note 1: For a more detailed description, please refer to Specification or User's Manual supplied by the applicant and/or manufacturer.



1.3. Test Standards and Results

The objective of the report is to perform testing according to Part 2, Part 22, Part 24 and Part 27 for the EUT FCC ID Certification:

No	Identity	Document Title
1	47 CFR Part 2	Frequency Allocations and Radio Treaty Matters; General Rules and Regulations
2	47 CFR Part 22	Public Mobile Services
3	47 CFR Part 24	Personal Communications Services
4	47 CFR Part 27	Miscellaneous Wireless Communications Services

Test detailed items/section required by FCC rules and results are as below:

Section	Description	Test Date	Test Engineer	Result
2.1046, 22.913(a)(2), 24.232(c), 27.50(c)(10)	Transmitter Conducted Output Power and	Nov 08, 2018 Dec 17, 2018	Gao Mingzhou Wang Dalong	PASS
27.50(d)(4), 27.50(h)(2) 2.1049	ERP/EIRP Occupied Bandwidth	Nov 08, 2018	Gao Mingzhou	PASS
2.1055, 22.355, 24.235, 27.54	Frequency Stability	Nov 08, 2018	Gao Mingzhou	PASS
24.232(d), 27.50(d)(5)	Peak to Average Radio	Nov 14&15, 2018	Gao Mingzhou	PASS
2.1051, 22.917(a), 24.238, 27.53(g)(h)(m)(4)	Conducted Spurious Emissions	Nov 19&20, 2018	Gao Mingzhou	PASS
2.1051, 22.917(a), 24.238, 27.53(g)(h)(m)(4)	Band Edge	Nov 15&26, 2018 Dec 12, 2018	Gao Mingzhou	PASS
2.1051, 22.917(a), 24.238, 27.53(g)(h)(m)(4)	Radiated Spurious Emissions	Nov 26, 2018	Wang Dalong	PASS

Note 1: The tests were performed according to the method of measurements prescribed in KDB971168 D01 v03 (Oct 27, 2017) and ANSI/TIA-603-E-2016.

Note 2: The path loss during the RF test is calibrated to correct the results by the offset setting in the test equipments. The ref offset 26.5dB contains two parts that cable loss 16.5dB and Attenuator 10dB.





1.4. Environmental Conditions

During the measurement, the environmental conditions were within the listed ranges:

Temperature (°C):	15 - 35
Relative Humidity (%):	30 -60
Atmospheric Pressure (kPa):	86-106





2. 47 CFR Part 2, Part 22H, Part 24E and 27H&L&M Requirements

2.1. Transmitter Conducted Output Power And ERP/EIPR

2.1.1. Requirement

According to FCC section 2.1046(a), for transmitters other than single sideband, independent sideband and controlled carrier radiotelephone, power output shall be measured at the RF output terminals when the transmitter is adjusted in accordance with the tune-up procedure to give the values of current and voltage on the circuit elements specified in FCC section 2.1033(c)(8).

According to FCC section 24.232 (c) for LTE Band 2, Mobile and portable stations are limited to 2 watts EIRP and the equipment must employ a means for limiting power to the minimum necessary for successful communications.


According to FCC section 27.50 (d) for LTE Band 4, fixed, mobile and portable (hand-held) stations in the 1710-1755MHz band are limited to 1wat EIRP.

According to FCC section 22.913 (a.2) for LTE Band 5, the ERP of mobile transmitters and auxiliary test transmitters must not exceed 7 watts.

According to FCC section 27.50 (h) for LTE Band 7, Mobile and other user stations. Mobile stations are limited to 2.0 watts EIRP. All user stations are limited to 2.0 watts transmitter output power.

According to FCC section 27.50 (c) for LTE Band 12/17, Portable stations (hand-held devices) operating in the 704-716MHz band are limited to 3watts ERP.

2.1.2. Test Description



The EUT is coupled to the Spectrum Analyzer (SA) and the System Simulator (SS) with Attenuators through the Power Splitter; the RF load attached to the EUT antenna terminal is 500hm; the path loss as the factor is calibrated to correct the reading. The EUT is commanded by the SS to operate at the maximum output power. A call is established between the EUT and the SS.





2.1.3. Test procedure

KDB 971168 D01v03 Section 5.2 and ANSI/TIA-603-E-2016.

EIRP (dBm) = Conducted Output Power (dBm) + Antenna Gain (dBi)<math>ERP (dBm) = EIPR (dBm) - 2.15

2.1.4. Result





Transmitter Conducted Output Power

LTE Band2	2					
		DD	DD	Average Power	Average Power	Average Power
BW [MHz]	Modulation	RB Sizo	RB	Low	Middle	High
		Size	Offset	Ch. / Freq.	Ch. / Freq.	Ch. / Freq.
	Channe	l		18700	18900	19100
	Frequency (I	MHz)		1860	1880	1900
20	QPSK	1	0	22.89	22.62	22.74
20	QPSK	1	49	22.62	22.68	22.55
20	QPSK	1	99	22.58	22.71	22.71
20	QPSK	50	0	21.78	21.56	21.62
20	QPSK	50	24	21.68	21.70	21.53
20	QPSK	50	50	21.67	21.77	21.55
20	QPSK	100	0	21.74	21.67	21.51
20	16QAM	1	0	22.05	21.26	21.38
20	16QAM	1	49	22.06	21.58	21.00
20	16QAM	1	99	21.67	21.64	21.60
20	16QAM	50	0	20.68	20.65	20.81
20	16QAM	50	24	20.87	20.63	20.66
20	16QAM	50	50	20.91	20.65	20.68
20	16QAM	100	0	20.88	20.68	20.67
	Channe	I		18675	18900	19125
	Frequency (I	MHz)		1857.5	1880	1902.5
15	QPSK	1	0	22.21	22.12	22.23
15	QPSK	1	37	22.15	22.06	22.14
15	QPSK	1	74	22.25	22.06	22.23
15	QPSK	36	0	21.36	21.20	21.31
15	QPSK	36	20	21.29	21.19	21.23
15	QPSK	36	39	21.40	21.18	21.31
15	QPSK	75	0	21.28	21.24	21.26
15	16QAM	1	0	22.08	21.66	21.82
15	16QAM	1	37	21.91	21.87	21.58
15	16QAM	1	74	22.00	21.46	21.95
15	16QAM	36	0	20.33	20.22	20.31
15	16QAM	36	20	20.25	20.24	20.24
15	16QAM	36	39	20.42	20.20	20.27
15	16QAM	75	0	20.38	20.28	20.29



LTE Band2							
			I	Average Power	Average Power	Average Power	
BW [MHz]	Modulation	RB	RB	Low	Middle	High	
		Size	Offset	Ch. / Freq.	Ch. / Freq.	Ch. / Freq.	
	Channe	l	•	18650	18900	19150	
	Frequency (I	MHz)		1855	1880	1905	
10	QPSK	1	0	22.65	22.65	22.58	
10	QPSK	1	25	22.59	22.62	22.64	
10	QPSK	1	49	22.49	22.69	22.68	
10	QPSK	25	0	21.76	21.74	21.59	
10	QPSK	25	12	21.52	21.73	21.54	
10	QPSK	25	25	21.74	21.73	21.69	
10	QPSK	50	0	21.48	21.69	21.62	
10	16QAM	1	0	21.82	22.19	21.60	
10	16QAM	1	25	21.66	21.79	21.99	
10	16QAM	1	49	21.88	22.21	21.88	
10	16QAM	25	0	20.91	20.82	20.68	
10	16QAM	25	12	20.77	20.52	20.64	
10	16QAM	25	25	20.67	20.55	20.73	
10	16QAM	50	0	20.59	20.70	20.74	
	Channe	I		18625	18900	19175	
	Frequency (I	MHz)		1852.5	1880	1907.5	
5	QPSK	1	0	22.64	22.67	22.71	
5	QPSK	1	12	22.66	22.66	22.75	
5	QPSK	1	24	22.59	22.73	22.74	
5	QPSK	12	0	21.74	21.70	21.56	
5	QPSK	12	7	21.68	21.74	21.67	
5	QPSK	12	13	21.75	21.81	21.69	
5	QPSK	25	0	21.71	21.59	21.65	
5	16QAM	1	0	22.10	21.94	22.13	
5	16QAM	1	12	21.68	21.73	21.93	
5	16QAM	1	24	22.00	22.09	22.23	
5	16QAM	12	0	20.86	20.65	20.78	
5	16QAM	12	7	20.97	20.59	20.90	
5	16QAM	12	13	20.91	20.72	20.91	
5	16QAM	25	0	20.91	20.71	20.91	



LTE Banda)					
BW [MHz]	Modulation	RB Size	RB Offset	Average Power Low	Average Power Middle	Average Power High
		_		Ch. / Freq.	Ch. / Freq.	Ch. / Freq.
Channel				18615	18900	19185
Frequency (MHz)				1851.5	1880	1908.5
3	QPSK	1	0	22.72	22.73	22.72
3	QPSK	1	8	22.64	22.69	22.70
3	QPSK	1	14	22.61	22.67	22.68
3	QPSK	8	0	21.72	21.68	21.58
3	QPSK	8	4	21.73	21.70	21.61
3	QPSK	8	7	21.67	21.66	21.54
3	QPSK	15	0	21.71	21.67	21.67
3	16QAM	1	0	21.62	21.92	21.69
3	16QAM	1	8	21.70	21.56	21.75
3	16QAM	1	14	21.78	21.68	21.95
3	16QAM	8	0	20.90	20.51	20.55
3	16QAM	8	4	20.59	20.96	20.61
3	16QAM	8	7	20.72	20.77	20.56
3	16QAM	15	0	21.08	20.75	20.79
	Channe	l		18607	18900	19193
	Frequency (I	MHz)		1850.7	1880	1909.3
1.4	QPSK	1	0	22.70	22.68	22.65
1.4	QPSK	1	3	22.67	22.00	22.76
1.4	QPSK	1	5	22.65	22.78	22.77
1.4	QPSK	3	0	22.83	22.77	22.70
1.4	QPSK	3	1	22.79	22.85	22.74
1.4	QPSK	3	3	22.85	22.81	22.79
1.4	QPSK	6	0	21.74	21.82	21.56
1.4	16QAM	1	0	21.78	21.94	21.96
1.4	16QAM	1	3	22.85	21.52	22.26
1.4	16QAM	1	5	22.76	22.69	22.56
1.4	16QAM	3	0	22.81	21.83	21.81
1.4	16QAM	3	1	22.73	21.77	21.50
1.4	16QAM	3	3	22.77	21.96	21.79
1.4	16QAM	6	0	20.89	20.57	20.65

Tel: 86-755-36698555

Http://www.morlab.cn



DIA		D.D.	DD	Average Power	Average Power	Average Power
BW	Modulation	RB	RB	Low	Middle	High
[MHz]		Size	Offset	Ch. / Freq.	Ch. / Freq.	Ch. / Freq.
	Channe	I	•	20050	20175	20300
	Frequency (MHz)		1720	1732.5	1745
20	QPSK	1	0	22.93	22.92	23.06
20	QPSK	1	49	22.92	22.96	22.87
20	QPSK	1	99	23.00	23.14	23.24
20	QPSK	50	0	21.94	21.94	22.27
20	QPSK	50	24	21.99	21.82	22.07
20	QPSK	50	50	21.85	21.83	21.91
20	QPSK	100	0	21.95	21.97	21.91
20	16QAM	1	0	22.58	22.25	22.83
20	16QAM	1	49	22.74	22.23	22.48
20	16QAM	1	99	22.44	22.32	22.20
20	16QAM	50	0	20.93	20.99	21.07
20	16QAM	50	24	21.07	20.99	21.05
20	16QAM	50	50	20.86	20.95	20.96
20	16QAM	100	0	21.17	21.10	21.07
	Channe	I		20025	20175	20325
	Frequency (MHz)		1717.5	1732.5	1747.5
15	QPSK	1	0	22.89	23.02	23.07
15	QPSK	1	37	22.84	22.94	22.98
15	QPSK	1	74	22.91	22.79	22.94
15	QPSK	36	0	21.98	22.10	22.08
15	QPSK	36	20	21.87	21.86	22.23
15	QPSK	36	39	21.93	21.80	21.76
15	QPSK	75	0	22.14	21.98	22.05
15	16QAM	1	0	22.20	22.76	22.95
15	16QAM	1	37	22.37	22.30	22.97
15	16QAM	1	74	22.73	22.29	22.91
15	16QAM	36	0	20.95	21.16	21.04
15	16QAM	36	20	21.01	20.89	21.07
15	16QAM	36	39	20.91	21.00	20.94
15	16QAM	75	0	21.15	21.04	21.11



LTE Band	14					
BW [MHz]	Modulation	RB Size	RB Offset	Average Power Low Ch. / Freq.	Average Power Middle Ch. / Freq.	Average Power High Ch. / Freq.
	Channe	·[20000	20175	20350
	Frequency (MHz)		1715	1732.5	1750
10	QPSK	1	0	22.89	23.08	23.08
10	QPSK	1	25	22.97	23.04	23.16
10	QPSK	1	49	22.88	23.00	23.04
10	QPSK	25	0	21.01	21.96	22.32
10	QPSK	25	12	21.98	21.98	21.83
10	QPSK	25	25	22.01	21.93	21.79
10	QPSK	50	0	21.95	21.96	21.93
10	16QAM	1	0	22.77	22.12	22.38
10	16QAM	1	25	22.58	21.70	22.76
10	16QAM	1	49	22.26	22.11	22.52
10	16QAM	25	0	21.08	21.13	21.15
10	16QAM	25	12	20.82	21.23	20.82
10	16QAM	25	25	20.97	21.15	20.86
10	16QAM	50	0	20.98	20.91	21.18
	Channe	·		19975	20175	20375
	Frequency (MHz)		1712.5	1732.5	1752.5
5	QPSK	1	0	23.01	23.12	23.05
5	QPSK	1	12	23.20	23.10	23.00
5	QPSK	1	24	23.02	23.09	23.01
5	QPSK	12	0	21.94	21.94	21.97
5	QPSK	12	7	22.09	21.93	21.81
5	QPSK	12	13	22.07	21.97	21.86
5	QPSK	25	0	22.10	21.96	21.80
5	16QAM	1	0	22.13	22.14	22.56
5	16QAM	1	12	21.93	21.60	22.48
5	16QAM	1	24	22.16	21.80	22.96
5	16QAM	12	0	20.95	20.98	20.99
5	16QAM	12	7	21.10	21.05	20.88
5	16QAM	12	13	21.24	20.95	20.84
5	16QAM	25	0	21.26	21.08	20.90



BW		RB	RB	Average Power	Average Power	Average Power
[MHz]	Modulation	Size	Offset	Low	Middle	High
[1411 12]		0.20	Oliset	Ch. / Freq.	Ch. / Freq.	Ch. / Freq.
	Channe	l		19965	20175	20385
	Frequency (MHz)		1711.5	1732.5	1753.5
3	QPSK	1	0	22.83	22.86	22.83
3	QPSK	1	8	22.68	22.87	22.85
3	QPSK	1	14	23.04	22.92	23.04
3	QPSK	8	0	21.81	21.86	21.95
3	QPSK	8	4	21.86	21.89	21.86
3	QPSK	8	7	22.01	21.86	22.05
3	QPSK	15	0	21.97	21.85	21.80
3	16QAM	1	0	22.18	22.15	22.88
3	16QAM	1	8	22.14	22.12	22.81
3	16QAM	1	14	22.30	22.09	22.93
3	16QAM	8	0	20.91	21.11	21.17
3	16QAM	8	4	21.05	20.95	21.24
3	16QAM	8	7	21.18	21.13	21.13
3	16QAM	15	0	20.92	21.13	20.92
	Channe	I		19957	20175	20393
	Frequency (I	MHz)		1710.7	1732.5	1754.3
1.4	QPSK	1	0	22.79	22.97	22.69
1.4	QPSK	1	3	22.78	23.01	23.08
1.4	QPSK	1	5	22.85	22.93	22.93
1.4	QPSK	3	0	22.84	23.08	22.97
1.4	QPSK	3	1	23.00	23.15	23.21
1.4	QPSK	3	3	22.95	23.01	23.17
1.4	QPSK	6	0	21.90	22.01	22.17
1.4	16QAM	1	0	22.50	22.44	22.36
1.4	16QAM	1	3	22.40	22.30	22.78
1.4	16QAM	1	5	22.40	22.36	22.44
1.4	16QAM	3	0	22.21	22.09	22.06
1.4	16QAM	3	1	22.30	22.06	22.34
1.4	16QAM	3	3	22.23	22.18	22.48
1.4	16QAM	6	0	20.72	20.55	20.78



LTE Ban	nd5			T	T	T
BW			RB	Average Power	Average Power	Average Power
[MHz]	Modulation	RB Size	Offset	Low	Middle	High
				Ch. / Freq.	Ch. / Freq.	Ch. / Freq.
	Char			20450	20525	20600
	Frequenc	y (MHz)		829	836.5	844
10	QPSK	1	0	22.79	22.76	22.86
10	QPSK	1	25	22.72	22.89	22.69
10	QPSK	1	49	22.92	23.06	22.96
10	QPSK	25	0	21.76	21.99	21.87
10	QPSK	25	12	21.66	21.96	21.77
10	QPSK	25	25	21.87	21.78	21.97
10	QPSK	50	0	21.67	22.10	21.71
10	16QAM	1	0	22.26	22.34	22.56
10	16QAM	1	25	21.88	22.27	22.07
10	16QAM	1	49	22.38	22.29	22.18
10	16QAM	25	0	20.56	20.96	20.78
10	16QAM	25	12	20.59	20.67	20.71
10	16QAM	25	25	20.69	20.87	20.92
10	16QAM	50	0	20.72	20.67	20.75
	Char	nnel		20425	20525	20625
	Frequenc	y (MHz)		826.5	836.5	846.5
5	QPSK	1	0	22.96	22.86	22.86
5	QPSK	1	12	22.97	22.87	23.04
5	QPSK	1	24	22.77	22.94	23.02
5	QPSK	12	0	21.96	21.93	21.83
5	QPSK	12	7	21.61	22.04	21.94
5	QPSK	12	13	21.88	21.86	21.89
5	QPSK	25	0	21.61	21.89	21.92
5	16QAM	1	0	21.79	22.34	21.61
5	16QAM	1	12	21.87	22.55	22.01
5	16QAM	1	24	21.61	22.30	21.66
5	16QAM	12	0	20.84	21.07	20.70
5	16QAM	12	7	20.73	20.79	21.09
5	16QAM	12	13	20.66	20.58	20.93
5	16QAM	25	0	21.06	20.66	21.13



LTE Band	15					
BW [MHz]	Modulation	RB Size	RB Offset	Average Power Low Ch. / Freq.	Average Power Middle Ch. / Freq.	Average Power High Ch. / Freq.
	Channe	<u> </u>		20415	20525	20635
	Frequency (I			825.5	836.5	847.5
3	QPSK	1	0	22.99	22.91	22.88
3	QPSK	1	8	22.85	22.85	22.68
3	QPSK	1	14	22.55	22.64	22.71
3	QPSK	8	0	21.90	21.94	22.00
3	QPSK	8	4	21.82	21.95	21.96
3	QPSK	8	7	21.80	21.87	21.89
3	QPSK	15	0	21.76	21.90	21.93
3	16QAM	1	0	22.10	22.22	22.35
3	16QAM	1	8	22.11	22.22	22.56
3	16QAM	1	14	21.99	22.07	22.49
3	16QAM	8	0	21.09	20.88	21.17
3	16QAM	8	4	20.99	20.89	21.09
3	16QAM	8	7	20.84	20.85	20.79
3	16QAM	15	0	21.01	20.87	20.92
	Channe	I		20407	20525	20643
	Frequency (MHz)		824.7	836.5	848.3
1.4	QPSK	1	0	22.88	22.76	22.65
1.4	QPSK	1	3	22.87	22.77	22.73
1.4	QPSK	1	5	22.83	22.84	22.79
1.4	QPSK	3	0	22.90	22.96	22.99
1.4	QPSK	3	1	22.98	22.87	22.91
1.4	QPSK	3	3	22.99	22.94	22.97
1.4	QPSK	6	0	21.82	21.84	21.85
1.4	16QAM	1	0	21.76	22.05	21.70
1.4	16QAM	1	3	21.61	22.12	22.20
1.4	16QAM	1	5	21.58	22.48	22.05
1.4	16QAM	3	0	22.11	22.33	22.02
1.4	16QAM	3	1	22.18	22.37	22.05
1.4	16QAM	3	3	22.13	22.19	22.02
1.4	16QAM	6	0	20.67	20.45	20.44

Tel: 86-755-36698555

Http://www.morlab.cn



LTE Band	d7					
BW [MHz]	Modulation	RB Size	RB Offset	Average Power Low Ch. / Freq.	Average Power Middle Ch. / Freq.	Average Powe High Ch. / Freq.
	Channe	·[20850	21100	21350
	Frequency (MHz)		2510	2535	2560
20	QPSK	1	0	22.17	22.12	22.19
20	QPSK	1	49	22.15	22.23	22.22
20	QPSK	1	99	22.28	22.33	22.36
20	QPSK	50	0	21.27	21.30	21.37
20	QPSK	50	24	21.29	21.36	21.36
20	QPSK	50	50	21.34	21.30	21.27
20	QPSK	100	0	21.32	21.53	21.30
20	16QAM	1	0	21.29	21.94	22.09
20	16QAM	1	49	21.93	21.64	21.82
20	16QAM	1	99	22.05	22.09	21.90
20	16QAM	50	0	20.51	20.56	20.43
20	16QAM	50	24	20.51	20.43	20.53
20	16QAM	50	50	20.47	20.55	20.47
20	16QAM	100	0	20.59	20.48	20.53
	Channe	•		20825	21100	21375
	Frequency (MHz)		2507.5	2535	2562.5
15	QPSK	1	0	21.80	22.24	22.07
15	QPSK	1	37	22.17	22.24	22.10
15	QPSK	1	74	22.26	22.24	22.18
15	QPSK	36	0	21.25	21.29	21.23
15	QPSK	36	20	21.26	20.98	21.30
15	QPSK	36	39	21.31	21.22	21.30
15	QPSK	75	0	21.38	20.99	21.31
15	16QAM	1	0	21.88	21.89	21.80
15	16QAM	1	37	21.81	21.59	21.90
15	16QAM	1	74	22.32	21.89	22.13
15	16QAM	36	0	20.35	20.32	20.37
15	16QAM	36	20	20.45	20.47	20.35
15	16QAM	36	39	20.34	20.41	20.34
15	16QAM	75	0	20.31	20.42	20.44





TE Band			<u> </u>	Average Power	Average Power	Average Power
BW	Modulation	RB	RB	Low	Middle	High
[MHz]	Woodidion	Size	Offset	Ch. / Freq.	Ch. / Freq.	Ch. / Freq.
	Channe			20800	21100	21400
	Frequency (2505	2535	2565
10	QPSK	1	0	22.02	22.02	22.25
10	QPSK	<u>·</u> 1	25	22.07	22.12	22.21
10	QPSK	<u>·</u> 1	49	22.21	22.21	22.26
10	QPSK	25	0	21.28	21.00	21.19
10	QPSK	25	12	21.18	21.46	21.14
10	QPSK	25	25	21.44	21.27	21.32
10	QPSK	50	0	21.22	21.46	21.34
10	16QAM	1	0	21.88	20.95	21.48
10	16QAM	1	25	21.90	21.66	20.92
10	16QAM	1	49	22.01	21.55	21.36
10	16QAM	25	0	21.03	20.54	20.63
10	16QAM	25	12	20.34	20.64	20.56
10	16QAM	25	25	20.53	20.59	20.46
10	16QAM	50	0	20.43	20.48	20.42
	Channe	I	·	20775	21100	21425
	Frequency (I	MHz)		2502.5	2535	2567.5
5	QPSK	1	0	22.21	21.93	22.22
5	QPSK	1	12	22.30	21.92	22.16
5	QPSK	1	24	22.23	22.09	22.14
5	QPSK	12	0	21.21	21.33	21.20
5	QPSK	12	7	21.21	21.12	21.31
5	QPSK	12	13	21.23	21.21	21.20
5	QPSK	25	0	21.24	21.14	21.23
5	16QAM	1	0	21.26	21.85	21.47
5	16QAM	1	12	21.12	21.71	21.56
5	16QAM	1	24	21.66	21.57	21.60
5	16QAM	12	0	20.41	21.23	20.41
5	16QAM	12	7	21.28	21.30	20.46
5	16QAM	12	13	20.43	20.45	20.48
5	16QAM	25	0	20.96	20.35	20.64



LTE Ban	d 12					
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.
	Char	nel	l	23060	23095	23130
	Frequenc	y (MHz)		704	707.5	711
10	QPSK	1	0	23.06	23.16	23.28
10	QPSK	1	25	23.00	23.05	22.98
10	QPSK	1	49	23.15	23.14	23.08
10	QPSK	25	0	22.18	22.12	22.31
10	QPSK	25	12	21.87	22.24	22.30
10	QPSK	25	25	22.18	22.16	22.15
10	QPSK	50	0	21.86	22.19	22.10
10	16QAM	1	0	22.03	21.87	22.22
10	16QAM	1	25	21.67	21.90	21.71
10	16QAM	1	49	22.36	22.11	22.34
10	16QAM	25	0	21.15	21.28	21.08
10	16QAM	25	12	21.22	21.34	21.14
10	16QAM	25	25	21.33	21.14	21.43
10	16QAM	50	0	21.01	21.19	21.00
	Char	nnel		23035	23095	23155
	Frequenc	y (MHz)		701.5	707.5	713.5
5	QPSK	1	0	23.21	23.18	23.03
5	QPSK	1	12	23.26	23.15	23.26
5	QPSK	1	24	23.15	23.01	23.19
5	QPSK	12	0	22.14	22.13	22.10
5	QPSK	12	7	22.20	22.24	22.30
5	QPSK	12	13	22.17	21.93	22.24
5	QPSK	25	0	22.14	21.98	22.26
5	16QAM	1	0	22.37	22.08	22.42
5	16QAM	1	12	21.86	21.87	22.27
5	16QAM	1	24	22.20	22.17	21.95
5	16QAM	12	0	21.00	21.12	20.90
5	16QAM	12	7	21.23	20.99	21.10
5	16QAM	12	13	20.99	21.30	21.13
5	16QAM	25	0	21.06	21.24	21.16

Tel: 86-755-36698555

Http://www.morlab.cn



LTE Ban	d 12					
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.
	Char	nel		23025	23095	23165
	Frequenc	y (MHz)		700.5	707.5	714.5
3	QPSK	1	0	22.87	23.09	22.98
3	QPSK	1	8	23.18	23.03	23.02
3	QPSK	1	14	23.00	23.11	23.01
3	QPSK	8	0	22.14	22.22	22.20
3	QPSK	8	4	22.14	22.25	22.07
3	QPSK	8	7	22.20	22.36	22.18
3	QPSK	15	0	22.14	22.25	22.21
3	16QAM	1	0	22.54	22.43	22.76
3	16QAM	1	8	22.36	22.37	22.66
3	16QAM	1	14	22.47	22.57	22.75
3	16QAM	8	0	20.99	21.26	21.09
3	16QAM	8	4	21.24	21.31	21.04
3	16QAM	8	7	21.10	21.44	20.98
3	16QAM	15	0	21.08	21.36	21.34
	Char	nnel		23017	23095	23173
	Frequenc	y (MHz)		699.7	707.5	715.3
1.4	QPSK	1	0	23.05	23.23	22.87
1.4	QPSK	1	3	23.04	23.28	23.02
1.4	QPSK	1	5	23.06	23.20	22.89
1.4	QPSK	3	0	23.03	23.22	23.12
1.4	QPSK	3	1	23.07	23.25	23.21
1.4	QPSK	3	3	23.21	23.30	23.17
1.4	QPSK	6	0	22.30	22.21	21.93
1.4	16QAM	1	0	22.15	22.43	22.09
1.4	16QAM	1	3	22.11	22.18	22.17
1.4	16QAM	1	5	21.80	22.25	22.26
1.4	16QAM	3	0	22.23	22.50	22.35
1.4	16QAM	3	1	22.30	22.37	22.35
1.4	16QAM	3	3	22.35	22.37	22.38
1.4	16QAM	6	0	20.63	21.07	20.47





LTE Ban	d 17					
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.
	Char	inel		23780	23790	23800
	Frequenc	y (MHz)		709	710	711
10	QPSK	1	0	22.92	22.99	23.02
10	QPSK	1	25	22.93	22.90	22.96
10	QPSK	1	49	23.05	23.08	23.39
10	QPSK	25	0	22.15	22.08	22.15
10	QPSK	25	12	22.10	22.08	22.06
10	QPSK	25	25	22.15	22.05	22.18
10	QPSK	50	0	22.23	22.10	22.11
10	16QAM	1	0	22.30	22.75	22.47
10	16QAM	1	25	22.42	22.22	22.35
10	16QAM	1	49	23.00	22.74	22.58
10	16QAM	25	0	21.17	21.09	20.91
10	16QAM	25	12	21.19	20.92	21.00
10	16QAM	25	25	21.06	20.97	20.91
10	16QAM	50	0	21.12	20.87	20.91
	Char	nel		23035	23095	23155
	Frequenc	y (MHz)		706.5	707.5	713.5
5	QPSK	1	0	23.10	23.11	23.06
5	QPSK	1	12	23.16	23.16	23.30
5	QPSK	1	24	23.20	23.00	23.36
5	QPSK	12	0	22.21	22.20	22.15
5	QPSK	12	7	22.21	22.09	22.36
5	QPSK	12	13	22.11	22.16	22.29
5	QPSK	25	0	22.24	22.10	22.31
5	16QAM	1	0	22.24	22.03	22.31
5	16QAM	1	12	22.28	21.88	22.31
5	16QAM	1	24	21.90	22.28	22.00
5	16QAM	12	0	21.23	21.04	20.95
5	16QAM	12	7	21.08	20.96	21.03
5	16QAM	12	13	21.13	20.98	21.18
5	16QAM	25	0	21.16	21.08	21.19





Effective Radiated Power and Effective Isotropic Radiated Power

LTE Banda	2			Measured EIRP				
BW [MHz]	Modulation	RB	RB	Low	Middle	High		
BVV [IVIHZ]	Modulation	Size	Offset	Ch. / Freq.	Ch. / Freq.	Ch. / Freq.		
	Channe	·[18700	18900	19100		
	Frequency (MHz)		1860	1880	1900		
20	QPSK	1	0	21.39	21.12	21.24		
20	QPSK	1	49	21.12	21.18	21.05		
20	QPSK	1	99	21.08	21.21	21.21		
20	QPSK	50	0	20.28	20.06	20.12		
20	QPSK	50	24	20.18	20.20	20.03		
20	QPSK	50	50	20.17	20.27	20.05		
20	QPSK	100	0	20.24	20.17	20.01		
20	16QAM	1	0	20.55	19.76	19.88		
20	16QAM	1	49	20.56	20.08	19.50		
20	16QAM	1	99	20.17	20.14	20.10		
20	16QAM	50	0	19.18	19.15	19.31		
20	16QAM	50	24	19.37	19.13	19.16		
20	16QAM	50	50	19.41	19.15	19.18		
20	16QAM	100	0	19.38	19.18	19.17		
	Channe	·[18675	18900	19125		
	Frequency (MHz)		1857.5	1880	1902.5		
15	QPSK	1	0	20.71	20.62	20.73		
15	QPSK	1	37	20.65	20.56	20.64		
15	QPSK	1	74	20.75	20.56	20.73		
15	QPSK	36	0	19.86	19.70	19.81		
15	QPSK	36	20	19.79	19.69	19.73		
15	QPSK	36	39	19.90	19.68	19.81		
15	QPSK	75	0	19.78	19.74	19.76		
15	16QAM	1	0	20.58	20.16	20.32		
15	16QAM	1	37	20.41	20.37	20.08		
15	16QAM	1	74	20.50	19.96	20.45		
15	16QAM	36	0	18.83	18.72	18.81		
15	16QAM	36	20	18.75	18.74	18.74		
15	16QAM	36	39	18.92	18.70	18.77		
15	16QAM	75	0	18.88	18.78	18.79		

Tel: 86-755-36698555

Http://www.morlab.cn



LTE Band2	2				Measured EIRP	
D\\\	Modulation	RB	RB	Low	Middle	High
BW [MHz]	Modulation	Size	Offset	Ch. / Freq.	Ch. / Freq.	Ch. / Freq.
	Channe	I		18650	18900	19150
	Frequency (MHz)		1855	1880	1905
10	QPSK	1	0	21.15	21.15	21.08
10	QPSK	1	25	21.09	21.12	21.14
10	QPSK	1	49	20.99	21.19	21.18
10	QPSK	25	0	20.26	20.24	20.09
10	QPSK	25	12	20.02	20.23	20.04
10	QPSK	25	25	20.24	20.23	20.19
10	QPSK	50	0	19.98	20.19	20.12
10	16QAM	1	0	20.32	20.69	20.10
10	16QAM	1	25	20.16	20.29	20.49
10	16QAM	1	49	20.38	20.71	20.38
10	16QAM	25	0	19.41	19.32	19.18
10	16QAM	25	12	19.27	19.02	19.14
10	16QAM	25	25	19.17	19.05	19.23
10	16QAM	50	0	19.09	19.20	19.24
	Channe	I		18625	18900	19175
	Frequency (MHz)		1852.5	1880	1907.5
5	QPSK	1	0	21.14	21.17	21.21
5	QPSK	1	12	21.16	21.16	21.25
5	QPSK	1	24	21.09	21.23	21.24
5	QPSK	12	0	20.24	20.20	20.06
5	QPSK	12	7	20.18	20.24	20.17
5	QPSK	12	13	20.25	20.31	20.19
5	QPSK	25	0	20.21	20.09	20.15
5	16QAM	1	0	20.60	20.44	20.63
5	16QAM	1	12	20.18	20.23	20.43
5	16QAM	1	24	20.50	20.59	20.73
5	16QAM	12	0	19.36	19.15	19.28
5	16QAM	12	7	19.47	19.09	19.40
5	16QAM	12	13	19.41	19.22	19.41
5	16QAM	25	0	19.41	19.21	19.41



Tel: 86-755-36698555

Http://www.morlab.cn



LTE Band2	2			Measured EIRP			
D\\\/ [\\\ _1	NA alvilation	RB	RB	Low	Middle	High	
BW [MHz]	Modulation	Size	Offset	Ch. / Freq.	Ch. / Freq.	Ch. / Freq.	
	Channe	·[•	18615	18900	19185	
	Frequency (MHz)		1851.5	1880	1908.5	
3	QPSK	1	0	21.22	21.23	21.22	
3	QPSK	1	8	21.14	21.19	21.20	
3	QPSK	1	14	21.11	21.17	21.18	
3	QPSK	8	0	20.22	20.18	20.08	
3	QPSK	8	4	20.23	20.20	20.11	
3	QPSK	8	7	20.17	20.16	20.04	
3	QPSK	15	0	20.21	20.17	20.17	
3	16QAM	1	0	20.12	20.42	20.19	
3	16QAM	1	8	20.20	20.06	20.25	
3	16QAM	1	14	20.28	20.18	20.45	
3	16QAM	8	0	19.40	19.01	19.05	
3	16QAM	8	4	19.09	19.46	19.11	
3	16QAM	8	7	19.22	19.27	19.06	
3	16QAM	15	0	19.58	19.25	19.29	
	Channe	·I		18607	18900	19193	
	Frequency (MHz)		1850.7	1880	1909.3	
1.4	QPSK	1	0	21.20	21.18	21.15	
1.4	QPSK	1	3	21.17	20.50	21.26	
1.4	QPSK	1	5	21.15	21.28	21.27	
1.4	QPSK	3	0	21.33	21.27	21.20	
1.4	QPSK	3	1	21.29	21.35	21.24	
1.4	QPSK	3	3	21.35	21.31	21.29	
1.4	QPSK	6	0	20.24	20.32	20.06	
1.4	16QAM	1	0	20.28	20.44	20.46	
1.4	16QAM	1	3	21.35	20.02	20.76	
1.4	16QAM	1	5	21.26	21.19	21.06	
1.4	16QAM	3	0	21.31	20.33	20.31	
1.4	16QAM	3	1	21.23	20.27	20.00	
1.4	16QAM	3	3	21.27	20.46	20.29	
1.4	16QAM	6	0	19.39	19.07	19.15	



LTE Band	14				Measured EIRP	
BW	Modulation	RB	RB	Low	Middle	High
[MHz]	Modulation	Size	Offset	Ch. / Freq.	Ch. / Freq.	Ch. / Freq.
	Channe	I		20050	20175	20300
	Frequency (I	MHz)		1720	1732.5	1745
20	QPSK	1	0	21.73	21.72	21.86
20	QPSK	1	49	21.72	21.76	21.67
20	QPSK	1	99	21.80	21.94	22.04
20	QPSK	50	0	20.74	20.74	21.07
20	QPSK	50	24	20.79	20.62	20.87
20	QPSK	50	50	20.65	20.63	20.71
20	QPSK	100	0	20.75	20.77	20.71
20	16QAM	1	0	21.38	21.05	21.63
20	16QAM	1	49	21.54	21.03	21.28
20	16QAM	1	99	21.24	21.12	21.00
20	16QAM	50	0	19.73	19.79	19.87
20	16QAM	50	24	19.87	19.79	19.85
20	16QAM	50	50	19.66	19.75	19.76
20	16QAM	100	0	19.97	19.90	19.87
	Channe	I		20025	20175	20325
	Frequency (I	MHz)		1717.5	1732.5	1747.5
15	QPSK	1	0	21.69	21.82	21.87
15	QPSK	1	37	21.64	21.74	21.78
15	QPSK	1	74	21.71	21.59	21.74
15	QPSK	36	0	20.78	20.90	20.88
15	QPSK	36	20	20.67	20.66	21.03
15	QPSK	36	39	20.73	20.60	20.56
15	QPSK	75	0	20.94	20.78	20.85
15	16QAM	1	0	21.00	21.56	21.75
15	16QAM	1	37	21.17	21.10	21.77
15	16QAM	1	74	21.53	21.09	21.71
15	16QAM	36	0	19.75	19.96	19.84
15	16QAM	36	20	19.81	19.69	19.87
15	16QAM	36	39	19.71	19.80	19.74
15	16QAM	75	0	19.95	19.84	19.91



LTE Band	14				Measured EIRP	
BW	Modulation	RB	RB	Low	Middle	High
[MHz]	Modulation	Size	Offset	Ch. / Freq.	Ch. / Freq.	Ch. / Freq.
	Channe	el		20000	20175	20350
	Frequency ((MHz)		1715	1732.5	1750
10	QPSK	1	0	21.69	21.88	21.88
10	QPSK	1	25	21.77	21.84	21.96
10	QPSK	1	49	21.68	21.80	21.84
10	QPSK	25	0	19.81	20.76	21.12
10	QPSK	25	12	20.78	20.78	20.63
10	QPSK	25	25	20.81	20.73	20.59
10	QPSK	50	0	20.75	20.76	20.73
10	16QAM	1	0	21.57	20.92	21.18
10	16QAM	1	25	21.38	20.50	21.56
10	16QAM	1	49	21.06	20.91	21.32
10	16QAM	25	0	19.88	19.93	19.95
10	16QAM	25	12	19.62	20.03	19.62
10	16QAM	25	25	19.77	19.95	19.66
10	16QAM	50	0	19.78	19.71	19.98
	Channe	el		19975	20175	20375
	Frequency ((MHz)		1712.5	1732.5	1752.5
5	QPSK	1	0	21.81	21.92	21.85
5	QPSK	1	12	22.00	21.90	21.80
5	QPSK	1	24	21.82	21.89	21.81
5	QPSK	12	0	20.74	20.74	20.77
5	QPSK	12	7	20.89	20.73	20.61
5	QPSK	12	13	20.87	20.77	20.66
5	QPSK	25	0	20.90	20.76	20.60
5	16QAM	1	0	20.93	20.94	21.36
5	16QAM	1	12	20.73	20.40	21.28
5	16QAM	1	24	20.96	20.60	21.76
5	16QAM	12	0	19.75	19.78	19.79
5	16QAM	12	7	19.90	19.85	19.68
5	16QAM	12	13	20.04	19.75	19.64
5	16QAM	25	0	20.06	19.88	19.70





LTE Band	14				Measured EIRP	
BW	Modulation	RB	RB	Low	Middle	High
[MHz]	Modulation	Size	Offset	Ch. / Freq.	Ch. / Freq.	Ch. / Freq.
	Channe	l		19965	20175	20385
	Frequency (I	MHz)		1711.5	1732.5	1753.5
3	QPSK	1	0	21.63	21.66	21.63
3	QPSK	1	8	21.48	21.67	21.65
3	QPSK	1	14	21.84	21.72	21.84
3	QPSK	8	0	20.61	20.66	20.75
3	QPSK	8	4	20.66	20.69	20.66
3	QPSK	8	7	20.81	20.66	20.85
3	QPSK	15	0	20.77	20.65	20.60
3	16QAM	1	0	20.98	20.95	21.68
3	16QAM	1	8	20.94	20.92	21.61
3	16QAM	1	14	21.10	20.89	21.73
3	16QAM	8	0	19.71	19.91	19.97
3	16QAM	8	4	19.85	19.75	20.04
3	16QAM	8	7	19.98	19.93	19.93
3	16QAM	15	0	19.72	19.93	19.72
	Channe	I		19957	20175	20393
	Frequency (I	MHz)		1710.7	1732.5	1754.3
1.4	QPSK	1	0	21.59	21.77	21.49
1.4	QPSK	1	3	21.58	21.81	21.88
1.4	QPSK	1	5	21.65	21.73	21.73
1.4	QPSK	3	0	21.64	21.88	21.77
1.4	QPSK	3	1	21.80	21.95	22.01
1.4	QPSK	3	3	21.75	21.81	21.97
1.4	QPSK	6	0	20.70	20.81	20.97
1.4	16QAM	1	0	21.30	21.24	21.16
1.4	16QAM	1	3	21.20	21.10	21.58
1.4	16QAM	1	5	21.20	21.16	21.24
1.4	16QAM	3	0	21.01	20.89	20.86
1.4	16QAM	3	1	21.10	20.86	21.14
1.4	16QAM	3	3	21.03	20.98	21.28
1.4	16QAM	6	0	19.52	19.35	19.58



LTE Ban	d5			Measured ERP			
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	
	Char	nel		20450	20525	20600	
	Frequenc	y (MHz)		829	836.5	844	
10	QPSK	1	0	18.64	18.61	18.71	
10	QPSK	1	25	18.57	18.74	18.54	
10	QPSK	1	49	18.77	18.91	18.81	
10	QPSK	25	0	17.61	17.84	17.72	
10	QPSK	25	12	17.51	17.81	17.62	
10	QPSK	25	25	17.72	17.63	17.82	
10	QPSK	50	0	17.52	17.95	17.56	
10	16QAM	1	0	18.11	18.19	18.41	
10	16QAM	1	25	17.73	18.12	17.92	
10	16QAM	1	49	18.23	18.14	18.03	
10	16QAM	25	0	16.41	16.81	16.63	
10	16QAM	25	12	16.44	16.52	16.56	
10	16QAM	25	25	16.54	16.72	16.77	
10	16QAM	50	0	16.57	16.52	16.60	
	Char	nel		20425	20525	20625	
	Frequenc	y (MHz)		826.5	836.5	846.5	
5	QPSK	1	0	18.81	18.71	18.71	
5	QPSK	1	12	18.82	18.72	18.89	
5	QPSK	1	24	18.62	18.79	18.87	
5	QPSK	12	0	17.81	17.78	17.68	
5	QPSK	12	7	17.46	17.89	17.79	
5	QPSK	12	13	17.73	17.71	17.74	
5	QPSK	25	0	17.46	17.74	17.77	
5	16QAM	1	0	17.64	18.19	17.46	
5	16QAM	1	12	17.72	18.40	17.86	
5	16QAM	1	24	17.46	18.15	17.51	
5	16QAM	12	0	16.69	16.92	16.55	
5	16QAM	12	7	16.58	16.64	16.94	
5	16QAM	12	13	16.51	16.43	16.78	
5	16QAM	25	0	16.91	16.51	16.98	





LTE Band	d5			Measured ERP			
DVA			DD	Power	Power	Power	
BW	Modulation	RB Size	RB Officert	Low	Middle	High	
[MHz]			Offset	Ch. / Freq.	Ch. / Freq.	Ch. / Freq.	
	Chan	inel		20415	20525	20635	
	Frequenc	y (MHz)		825.5	836.5	847.5	
3	QPSK	1	0	18.84	18.76	18.73	
3	QPSK	1	8	18.70	18.70	18.53	
3	QPSK	1	14	18.40	18.49	18.56	
3	QPSK	8	0	17.75	17.79	17.85	
3	QPSK	8	4	17.67	17.80	17.81	
3	QPSK	8	7	17.65	17.72	17.74	
3	QPSK	15	0	17.61	17.75	17.78	
3	16QAM	1	0	17.95	18.07	18.20	
3	16QAM	1	8	17.96	18.07	18.41	
3	16QAM	1	14	17.84	17.92	18.34	
3	16QAM	8	0	16.94	16.73	17.02	
3	16QAM	8	4	16.84	16.74	16.94	
3	16QAM	8	7	16.69	16.70	16.64	
3	16QAM	15	0	16.86	16.72	16.77	
	Chan	nel		20407	20525	20643	
	Frequenc	y (MHz)		824.7	836.5	848.3	
1.4	QPSK	1	0	18.73	18.61	18.50	
1.4	QPSK	1	3	18.72	18.62	18.58	
1.4	QPSK	1	5	18.68	18.69	18.64	
1.4	QPSK	3	0	18.75	18.81	18.84	
1.4	QPSK	3	1	18.83	18.72	18.76	
1.4	QPSK	3	3	18.84	18.79	18.82	
1.4	QPSK	6	0	17.67	17.69	17.70	
1.4	16QAM	1	0	17.61	17.90	17.55	
1.4	16QAM	1	3	17.46	17.97	18.05	
1.4	16QAM	1	5	17.43	18.33	17.90	
1.4	16QAM	3	0	17.96	18.18	17.87	
1.4	16QAM	3	1	18.03	18.22	17.90	
1.4	16QAM	3	3	17.98	18.04	17.87	
1.4	16QAM	6	0	16.52	16.30	16.29	



LTE Band	17				Measured EIRP	
DW		DD	DD	Average Power	Average Power	Average Power
BW	Modulation	RB C:	RB Offeet	Low	Middle	High
[MHz]		Size	Offset	Ch. / Freq.	Ch. / Freq.	Ch. / Freq.
	Channe	I	•	20850	21100	21350
	Frequency (MHz)		2510	2535	2560
20	QPSK	1	0	22.65	24.88	24.99
20	QPSK	1	49	24.85	24.88	24.69
20	QPSK	1	99	24.68	23.98	24.88
20	QPSK	50	0	24.69	24.85	24.84
20	QPSK	50	24	25.96	25.81	25.82
20	QPSK	50	50	24.63	24.88	24.63
20	QPSK	100	0	24.89	24.83	24.67
20	16QAM	1	0	24.69	24.32	23.64
20	16QAM	1	49	24.52	24.27	24.81
20	16QAM	1	99	24.37	24.96	24.96
20	16QAM	50	0	24.85	24.96	24.77
20	16QAM	50	24	24.81	24.71	24.52
20	16QAM	50	50	23.92	23.74	23.15
20	16QAM	100	0	23.85	23.57	23.84
	Channe	I		20825	21100	21375
	Frequency (MHz)		2507.5	2535	2562.5
15	QPSK	1	0	24.75	24.85	24.69
15	QPSK	1	37	24.39	24.87	24.72
15	QPSK	1	74	24.67	24.39	24.81
15	QPSK	36	0	24.64	24.87	24.79
15	QPSK	36	20	24.69	24.27	24.64
15	QPSK	36	39	24.18	24.72	24.63
15	QPSK	75	0	24.67	24.58	24.56
15	16QAM	1	0	24.86	24.63	24.55
15	16QAM	1	37	24.67	24.87	24.63
15	16QAM	1	74	24.52	22.87	23.45
15	16QAM	36	0	22.47	22.25	22.18
15	16QAM	36	20	22.42	22.39	22.22
15	16QAM	36	39	22.26	22.25	22.23
15	16QAM	75	0	22.39	22.22	22.13





LTE Band	d7			Measured EIRP			
BW [MHz]	Modulation	RB Size	RB Offset	Average Power Low	Average Power Middle	Average Power High	
[.v2]		0,20	Cilidat	Ch. / Freq.	Ch. / Freq.	Ch. / Freq.	
	Channe	.[20800	21100	21400	
	Frequency (MHz)		2505	2535	2565	
10	QPSK	1	0	24.29	24.24	24.03	
10	QPSK	1	25	24.39	24.45	24.15	
10	QPSK	1	49	24.14	24.27	24.00	
10	QPSK	25	0	23.35	23.27	23.26	
10	QPSK	25	12	23.30	23.43	23.15	
10	QPSK	25	25	23.14	23.25	23.18	
10	QPSK	50	0	23.25	23.33	23.14	
10	16QAM	1	0	23.18	23.05	23.18	
10	16QAM	1	25	23.25	23.09	22.90	
10	16QAM	1	49	23.81	22.98	22.34	
10	16QAM	25	0	22.31	22.25	22.01	
10	16QAM	25	12	22.28	22.14	22.18	
10	16QAM	25	25	22.14	22.09	22.13	
10	16QAM	50	0	22.18	22.47	22.03	
	Channe	I		20775	21100	21425	
	Frequency (MHz)		2502.5	2535	2567.5	
5	QPSK	1	0	24.26	24.12	24.35	
5	QPSK	1	12	24.37	24.31	24.21	
5	QPSK	1	24	24.12	24.24	24.08	
5	QPSK	12	0	23.27	23.32	23.32	
5	QPSK	12	7	23.34	24.47	24.32	
5	QPSK	12	13	23.27	24.28	24.17	
5	QPSK	25	0	24.42	24.21	23.42	
5	16QAM	1	0	24.31	22.12	22.87	
5	16QAM	1	12	23.65	22.54	22.62	
5	16QAM	1	24	22.12	22.77	22.65	
5	16QAM	12	0	21.49	22.25	22.21	
5	16QAM	12	7	20.58	22.36	22.43	
5	16QAM	12	13	21.39	22.38	22.31	
5	16QAM	25	0	21.27	22.43	22.28	

Tel: 86-755-36698555

Http://www.morlab.cn



LTE Band	d12			Measured ERP			
BW	Madulatian	DD 0:	RB	Power	Power	Power	
[MHz]	Modulation	RB Size	Offset	Low Ch. / Freq.	Middle Ch. / Freq.	High Ch. / Freq.	
	Channel			23060	23095	23130	
	Frequenc	y (MHz)		704	707.5	711	
10	QPSK	1	0	18.91	18.91	19.13	
10	QPSK	1	25	18.85	18.85	18.83	
10	QPSK	1	49	19.00	19.00	18.93	
10	QPSK	25	0	18.03	18.03	18.16	
10	QPSK	25	12	17.72	17.72	18.15	
10	QPSK	25	25	18.03	18.03	18.00	
10	QPSK	50	0	17.71	17.71	17.95	
10	16QAM	1	0	17.88	17.88	18.07	
10	16QAM	1	25	17.52	17.52	17.56	
10	16QAM	1	49	18.21	18.21	18.19	
10	16QAM	25	0	17.00	17.00	16.93	
10	16QAM	25	12	17.07	17.07	16.99	
10	16QAM	25	25	17.18	17.18	17.28	
10	16QAM	50	0	16.86	16.86	16.85	
	Chan	nel		23035	23095	23155	
	Frequenc	y (MHz)		701.5	707.5	713.5	
5	QPSK	1	0	19.06	19.06	18.88	
5	QPSK	1	12	19.11	19.11	19.11	
5	QPSK	1	24	19.00	19.00	19.04	
5	QPSK	12	0	17.99	17.99	17.95	
5	QPSK	12	7	18.05	18.05	18.15	
5	QPSK	12	13	18.02	18.02	18.09	
5	QPSK	25	0	17.99	17.99	18.11	
5	16QAM	1	0	18.22	18.22	18.27	
5	16QAM	1	12	17.71	17.71	18.12	
5	16QAM	1	24	18.05	18.05	17.80	
5	16QAM	12	0	16.85	16.85	16.75	
5	16QAM	12	7	17.08	17.08	16.95	
5	16QAM	12	13	16.84	16.84	16.98	
5	16QAM	25	0	16.91	16.91	17.01	



LTE Ban	d12			Measured ERP			
BW			RB	Power	Power	Power	
	Modulation	RB Size	Offset	Low	Middle	High	
[MHz]			Oliset	Ch. / Freq.	Ch. / Freq.	Ch. / Freq.	
	Char	nnel		23025	23095	23165	
	Frequenc	y (MHz)		700.5	707.5	714.5	
3	QPSK	1	0	18.72	18.72	18.83	
3	QPSK	1	8	19.03	19.03	18.87	
3	QPSK	1	14	18.85	18.85	18.86	
3	QPSK	8	0	17.99	17.99	18.05	
3	QPSK	8	4	17.99	17.99	17.92	
3	QPSK	8	7	18.05	18.05	18.03	
3	QPSK	15	0	17.99	17.99	18.06	
3	16QAM	1	0	18.39	18.39	18.61	
3	16QAM	1	8	18.21	18.21	18.51	
3	16QAM	1	14	18.32	18.32	18.60	
3	16QAM	8	0	16.84	16.84	16.94	
3	16QAM	8	4	17.09	17.09	16.89	
3	16QAM	8	7	16.95	16.95	16.83	
3	16QAM	15	0	16.93	16.93	17.19	
	Char	nnel		23017	23095	23173	
	Frequenc	y (MHz)		699.7	707.5	715.3	
1.4	QPSK	1	0	18.90	18.90	18.72	
1.4	QPSK	1	3	18.89	18.89	18.87	
1.4	QPSK	1	5	18.91	18.91	18.74	
1.4	QPSK	3	0	18.88	18.88	18.97	
1.4	QPSK	3	1	18.92	18.92	19.06	
1.4	QPSK	3	3	19.06	19.06	19.02	
1.4	QPSK	6	0	18.15	18.15	17.78	
1.4	16QAM	1	0	18.00	18.00	17.94	
1.4	16QAM	1	3	17.96	17.96	18.02	
1.4	16QAM	1	5	17.65	17.65	18.11	
1.4	16QAM	3	0	18.08	18.08	18.20	
1.4	16QAM	3	1	18.15	18.15	18.20	
1.4	16QAM	3	3	18.20	18.20	18.23	
1.4	16QAM	6	0	16.48	16.48	16.32	



LTE Band 17				Measured ERP			
			Power	Power	Power		
BW	Modulation	RB Size	RB	Low	Middle	High	
[MHz]			Offset	Ch. / Freq.	Ch. / Freq.	Ch. / Freq.	
	Char	nel		23780	23790	23800	
	Frequenc	y (MHz)		709	710	711	
10	QPSK	1	0	18.77	18.84	18.87	
10	QPSK	1	25	18.78	18.75	18.81	
10	QPSK	1	49	18.90	18.93	19.24	
10	QPSK	25	0	18.00	17.93	18.00	
10	QPSK	25	12	17.95	17.93	17.91	
10	QPSK	25	25	18.00	17.90	18.03	
10	QPSK	50	0	18.08	17.95	17.96	
10	16QAM	1	0	18.15	18.60	18.32	
10	16QAM	1	25	18.27	18.07	18.20	
10	16QAM	1	49	18.85	18.59	18.43	
10	16QAM	25	0	17.02	16.94	16.76	
10	16QAM	25	12	17.04	16.77	16.85	
10	16QAM	25	25	16.91	16.82	16.76	
10	16QAM	50	0	16.97	16.72	16.76	
	Char	nel		23035	23095	23155	
	Frequenc	y (MHz)		706.5	707.5	713.5	
5	QPSK	1	0	18.95	18.96	18.91	
5	QPSK	1	12	19.01	19.01	19.15	
5	QPSK	1	24	19.05	18.85	19.21	
5	QPSK	12	0	18.06	18.05	18.00	
5	QPSK	12	7	18.06	17.94	18.21	
5	QPSK	12	13	17.96	18.01	18.14	
5	QPSK	25	0	18.09	17.95	18.16	
5	16QAM	1	0	18.09	17.88	18.16	
5	16QAM	1	12	18.13	17.73	18.16	
5	16QAM	1	24	17.75	18.13	17.85	
5	16QAM	12	0	17.08	16.89	16.80	
5	16QAM	12	7	16.93	16.81	16.88	
5	16QAM	12	13	16.98	16.83	17.03	
5	16QAM	25	0	17.01	16.93	17.04	




2.2. Occupied Bandwidth

2.2.1. Requirement

According to FCC section 2.1049, the occupied bandwidth is the frequency bandwidth such that, below its lower and above its upper frequency limits, the mean powers radiated are each equal to 0.5 percent of the total mean power radiated by a given emission. Occupied bandwidth is also known as the 99% emission bandwidth.

2.2.2. Test Description



The EUT is coupled to the Spectrum Analyzer (SA) and the System Simulator (SS) with Attenuators through the Power Splitter; the RF load attached to the EUT antenna terminal is 500hm; the path loss as the factor is calibrated to correct the reading. The EUT is commanded by the SS to operate at the maximum output power. A call is established between the EUT and the SS.

2.2.3. Test procedure

KDB 971168 D01v03 Section 4.1 and ANSI/TIA-603-E-2016.

2.2.4. Test Result

LTE Band 2, BW: 1.4MHz						
Channel	Fraguenay	QPSK		16QAM		
	Frequency (MHz)	99% Bandwidth	26dB Bandwidth	99% Bandwidth	26dB Bandwidth	
	(IVITIZ)	(MHz)	(MHz)	(MHz)	(MHz)	
18607	1850.7	1.084	1.212	1.084	1.224	
18900	1880.0	1.086	1.224	1.087	1.222	
19192	1909.2	1.085	1.225	1.084	1.214	






LTE Band 2, BW: 3MHz						
LIE Band	a 2, BW: 3MF		014	100	\	
Channel	Frequency	QP	I		QAM	
	(MHz)	99% Bandwidth	26dB Bandwidth	99% Bandwidth	26dB Bandwidth	
	(**************************************	(MHz)	(MHz)	(MHz)	(MHz)	
18615	1851.5	2.677	2.937	2.673	2.943	
18900	1880.0	2.681	2.952	2.684	2.958	
19184	1908.4	2.678	2.959	2.680	2.942	
LTE Band	d 2, BW: 5M	-lz				
	F	QP	SK	160	QAM	
Channel	Frequency	99% Bandwidth	26dB Bandwidth	99% Bandwidth	26dB Bandwidth	
	(MHz)	(MHz)	(MHz)	(MHz)	(MHz)	
18625	1852.5	4.463	4.754	4.457	4.782	
18900	1880.0	4.477	4.783	4.465	4.758	
19175	1907.5	4.454	4.779	4.452	4.919	
LTE Band	d 2, BW: 10N	MHz	l		1	
	Frequency (MHz)	QP	SK	16QAM		
Channel		99% Bandwidth	26dB Bandwidth	99% Bandwidth	26dB Bandwidth	
		(MHz)	(MHz)	(MHz)	(MHz)	
18650	1855.0	8.934	9.369	8.903	9.406	
18900	1880.0	8.945	9.329	8.937	9.406	
19150	1905.0	8.922	9.353	8.911	9.324	
LTE Band	d 2, BW: 15N	1Hz			l	
	-	QP	SK	160	QAM	
Channel	Frequency	99% Bandwidth	26dB Bandwidth	99% Bandwidth	26dB Bandwidth	
	(MHz)	(MHz)	(MHz)	(MHz)	(MHz)	
18675	1857.5	13.388	13.93	13.356	14.12	
18900	1880.0	13.349	14.19	13.347	13.95	
19125	1902.5	13.349	13.87	13.425	13.99	
	d 2, BW: 20N					
	,	QP	SK	160	QAM	
Channel	Frequency	99% Bandwidth	26dB Bandwidth	99% Bandwidth	26dB Bandwidth	
	(MHz)	(MHz)	(MHz)	(MHz)	(MHz)	
18700	1860.0	17.905	18.74	17.869	18.68	
18900	1880.0	17.873	18.69	17.821	18.78	
19100	1900.0	17.927	18.69	17.927	18.75	
19100	1300.0	11.341	10.03	11.341	10.73	




LTE Band 2 99%&26dB Bandwidth 1.4MHz/QPSK/Low CH 1.4MHz/16QAM/Low CH 09:05:25 4MNov 08, 20 Radio Std: None Frequency Center Freq: 1.850700000 GHz Trig: Free Run AvgiHold>10/10 Center Freq: 1.850700000 GHz Trig: Free Run Avg|Hold>10/10 Radio Device: BTS Ref 25,00 dBm Center Freq 1 B50700000 GHz Center Freq Span 2.8 MHz Sweep 3.867 ms CF Step 5,000000 MHz Man Center 1.851 GHz #Res BW 30 kHz Center 1.851 GHz Res BW 30 kHz Span 2.8 MH; Sweep 3.867 m: CF Step 5.000000 MH #VBW 100 kHz #VBW 100 kHz Occupied Bandwidth 18.6 dBm Occupied Bandwidth 1.0838 MHz 1.0839 MHz Freq Offse Freq Offse Transmit Freq Error 10 Hz **OBW Power** 99.00 % Transmit Freq Error 53 Hz OBW Power 99.00 % 1.212 MHz -26.00 dB x dB Bandwidth 1.224 MHz -26.00 dB 1.4MHz/QPSK/Mid CH 1.4MHz/16QAM/Mid CH Radio Std; None Res BW 30,000 kHz Man Res BW 30,000 kHz Ma Ref 25,00 dBm Ref 25,00 dBm Video BW 100.00 kHz Video BW 100.00 kHz Center 1.88 GHz #Res BW 30 kHz Span 2.8 MH: Sweep 3.867 ms Center 1.88 GHz #Res BW 30 kHz Span 2.8 MH Sweep 3.867 m Filter Type Filter Type Occupied Bandwidth 18.5 dBm Occupied Bandwidth 18.5 dBm 1.0860 MHz 1.0872 MHz Transmit Freq Error 4.312 kHz **OBW Power** 99.00 % Transmit Freq Error -149 Hz OBW Power 99.00 % x dB Bandwidth 1.224 MHz -26.00 dB x dB Bandwidth 1.222 MHz x dB -26.00 dB











































LTE Band	d 4, BW: 1.4	ИНz				
	_	QP	SK	16QAM		
Channel	Frequency	99% Bandwidth	26dB Bandwidth	99% Bandwidth	26dB Bandwidth	
	(MHz)	(MHz)	(MHz)	(MHz)	(MHz)	
19957	1710.7	1.082	1.232	1.084	1.219	
20175	1732.5	1.083	1.218	1.086	1.217	
20392	1754.2	1.083	1.224	1.084	1.222	
LTE Band	d 4, BW: 3MI	Hz			1	
	_	QP	SK	160	QAM	
Channel	Frequency	99% Bandwidth	26dB Bandwidth	99% Bandwidth	26dB Bandwidth	
	(MHz)	(MHz)	(MHz)	(MHz)	(MHz)	
19965	1711.5	2.673	2.980	2.676	2.944	
20175	1732.5	2.680	2.955	2.684	2.899	
20384	1753.4	2.677	2.903	2.683	2.906	
LTE Band	d 4, BW: 5MI		l		L	
	Frequency (MHz)	QP	SK	16QAM		
Channel		99% Bandwidth	26dB Bandwidth	99% Bandwidth	26dB Bandwidth	
		(MHz)	(MHz)	(MHz)	(MHz)	
19975	1712.5	4.459	4.657	4.458	4.717	
20175	1732.5	4.456	4.787	4.466	4.807	
20375	1752.5	4.457	4.691	4.463	4.817	
LTE Band	d 4, BW: 10N	1Hz			1	
	F	QP	SK	16QAM		
Channel	Frequency	99% Bandwidth	26dB Bandwidth	99% Bandwidth	26dB Bandwidth	
	(MHz)	(MHz)	(MHz)	(MHz)	(MHz)	
20000	1715.0	8.936	9.362	8.933	9.286	
20175	1732.5	8.903	9.393	8.906	9.379	
20350	1750.0	8.915	9.440	8.913	9.406	
LTE Band	d 4, BW: 15N	1Hz				
		QP	SK	160	QAM	
Channel	Frequency	99% Bandwidth	26dB Bandwidth	99% Bandwidth	26dB Bandwidth	
	(MHz)	(MHz)	(MHz)	(MHz)	(MHz)	
20025	1717.5	13.361	14.01	13.358	13.85	
20175	1732.5	13.387	13.90	13.387	13.91	
20325	1747.5	13.362	13.90	13.334	13.89	




LTE Band 4, BW: 20MHz						
	Eroguenev	QPSK		16QAM		
Channel	Frequency (MHz)	99% Bandwidth	26dB Bandwidth	99% Bandwidth	26dB Bandwidth	
		(MHz)	(MHz)	(MHz)	(MHz)	
20050	1720.0	17.866	18.68	17.858	18.69	
20175	1732.5	17.886	18.70	17.898	18.74	
20300	1745.0	17.856	18.79	17.860	18.71	

LTE Band 4 99%&26dB Bandwidth 1.4MHz/QPSK/Low CH 1.4MHz/16QAM/Low CH Center Freq: 1.710700000 GHz Trig: Free Run Avg|Hold>10/10 #Atten: 14 dB enter Freg 1.710700000 GHz Radio Device: BTS Ref 25,00 dBm Ref 25,00 dBm Center Freq 1.710700000 GHz Center Freq #VBW 100 kHz #VBW 100 kHz 20.3 dBm 1.0820 MHz 1.0842 MHz -1.020 kHz 93 Hz 99.00 % **OBW Power** 99.00 % Transmit Freg Error **OBW Power** Transmit Freg Error 1.219 MHz 1.232 MHz x dB Bandwidth x dB -26.00 dB x dB Bandwidth x dB -26.00 dB 1.4MHz/QPSK/Mid CH 1.4MHz/16QAM/Mid CH Center Freg 1.732500000 GHz Center Freg 1.732500000 GHz Ref 25,00 dBm Ref 25,00 dBm Center Freq Center Freq MahylmMar #VBW 100 kHz #VBW 100 kHz Total Power 20.2 dBm Total Power 20.3 dBm 1.0827 MHz 1.0862 MHz -206 Hz **OBW Power** 99.00 % 894 Hz OBW Power 99.00 % Transmit Freq Error Transmit Freq Error 1.218 MHz 1.217 MHz -26.00 dB x dB -26.00 dB x dB Bandwidth x dB















































LTE Band	LTE Band 5, BW: 1.4MHz						
	F	QP	SK	16QAM			
Channel	Frequency	99% Bandwidth	26dB Bandwidth	99% Bandwidth	26dB Bandwidth		
	(MHz)	(MHz)	(MHz)	(MHz)	(MHz)		
20407	824.7	1.083	1.227	1.088	1.223		
20525	836.5	1.085	1.229	1.089	1.224		
20643	848.3	1.091	1.223	1.087	1.229		
LTE Band	d 5, BW: 3MI	-lz					
	Eroguenev	QP	SK	16C	MAQ		
Channel	Frequency (MHz)	99% Bandwidth	26dB Bandwidth	99% Bandwidth	26dB Bandwidth		
	(IVIIIZ)	(MHz)	(MHz)	(MHz)	(MHz)		
20415	825.5	2.681	2.901	2.674	2.927		
20525	836.5	2.669	2.892	2.685	2.915		
20635	847.5	2.671	2.948	2.679	2.939		
LTE Band	d 5, BW: 5M	-lz					
	Frequency (MHz)	QP	SK	160	QAM		
Channel		99% Bandwidth	26dB Bandwidth	99% Bandwidth	26dB Bandwidth		
		(MHz)	(MHz)	(MHz)	(MHz)		
20425	826.5	4.454	4.712	4.466	4.711		
20525	836.5	4.465	4.780	4.464	4.739		
20625	846.5	4.459	4.670	4.455	4.781		
LTE Band	d 5, BW: 10N	1Hz					
	Fraguenay	QPSK		16QAM			
Channel	Frequency	99% Bandwidth	26dB Bandwidth	99% Bandwidth	26dB Bandwidth		
	(MHz)	(MHz)	(MHz)	(MHz)	(MHz)		
20450	829.0	8.908	9.327	8.905	9.403		
20525	836.5	8.907	9.260	8.906	9.349		
20600	844.0	8.895	9.399	8.925	9.277		



LTE Band 5 99%&26dB Bandwidth 1.4MHz/QPSK/Low CH 1.4MHz/16QAM/Low CH Center Freq: 824.700000 MHz Trig: Free Run Avg|Hold>10/10 Radio Std: None Ref 25,00 dBm Center Freq 824.700000 MHz Center Freq 824.700000 MHz warmen maken Span 2.8 MHz Sweep 3.867 ms Center 824.7 MHz Res BW 30 kHz Center 824.7 MHz Res BW 30 kHz CF Step 5,000000 MHz Man CF Step 5.000000 MH #VBW 100 kHz #VBW 100 kHz Occupied Bandwidth 21.1 dBm Occupied Bandwidth 1.0829 MHz 1.0878 MHz Freq Offse Freq Offse Transmit Freq Error 104 Hz **OBW Power** 99.00 % Transmit Freq Error -393 Hz OBW Power 99.00 % 1.227 MHz -26.00 dB 1.223 MHz -26.00 dB 1.4MHz/QPSK/Mid CH 1.4MHz/16QAM/Mid CH Radio Std: None Ref 25,00 dBm Center Freq 836,500000 MHz Center Freq 836,500000 MHz Span 2.8 MH: Sweep 3.867 ms Span 2.8 MH Sweep 3.867 m Center 836.5 MHz #Res BW 30 kHz Center 836.5 MHz #Res BW 30 kHz CF Step 5.000000 MH CF Step Occupied Bandwidth 21.1 dBm Occupied Bandwidth 20.9 dBm 1.0849 MHz 1.0893 MHz Freq Offse Freq Offse Transmit Freq Error -1.708 kHz **OBW Power** 99.00 % Transmit Freq Error -1.009 kHz OBW Power 99.00 % x dB Bandwidth 1.229 MHz -26.00 dB x dB Bandwidth 1.224 MHz x dB -26.00 dB

































LTE Band 7, BW: 5MHz						
	Frequency	QP	SK	16QAM		
Channel		99% Bandwidth	26dB Bandwidth	99% Bandwidth	26dB Bandwidth	
	(MHz)	(MHz)	(MHz)	(MHz)	(MHz)	
20775	2502.5	4.458	4.706	4.455	4.773	
21100	2535.0	4.458	4.789	4.453	4.780	
21425	2567.5	4.451	4.748	4.452	4.697	
LTE Band	d 7, BW: 10N	lHz				
	Fraguenay	QP	SK	160	MAQ	
Channel	Frequency	99% Bandwidth	26dB Bandwidth	99% Bandwidth	26dB Bandwidth	
	(MHz)	(MHz)	(MHz)	(MHz)	(MHz)	
20800	2505.0	8.942	9.362	8.914	9.350	
21100	2535.0	8.934	9.343	8.901	9.401	
21400	2565.0	8.900	9.371	8.926	9.396	
LTE Band	d 7, BW: 15N	1Hz				
	Frequency (MHz)	QP	SK	160	QAM	
Channel		99% Bandwidth	26dB Bandwidth	99% Bandwidth	26dB Bandwidth	
		(MHz)	(MHz)	(MHz)	(MHz)	
20825	2507.5	13.382	13.91	13.341	14.07	
21100	2535.0	13.398	14.02	13.355	13.90	
21375	2562.5	13.368	13.94	13.370	13.88	
LTE Band	d 7, BW: 20N	1Hz				
		QP	SK	16QAM		
Channel	Frequency	99% Bandwidth	26dB Bandwidth	99% Bandwidth	26dB Bandwidth	
	(MHz)	(MHz)	(MHz)	(MHz)	(MHz)	
20850	2510.0	17.843	18.71	17.840	18.66	
21100	2535.0	17.914	18.69	17.908	18.70	
21350	2560.0	17.754	18.66	17.805	18.71	




































LTE Band 12, BW: 1.4MHz						
		QP	SK	16QAM		
Channel	Frequency	99% Bandwidth	26dB Bandwidth	99% Bandwidth	26dB Bandwidth	
	(MHz)	(MHz)	(MHz)	(MHz)	(MHz)	
23017	699.7	1.087	1.213	1.082	1.215	
23095	707.5	1.085	1.218	1.088	1.220	
23173	715.3	1.088	1.214	1.085	1.211	
LTE Band	d 12, BW: 3N	1Hz				
	Fraguency	QP	SK	16C)AM	
Channel	Frequency	99% Bandwidth	26dB Bandwidth	99% Bandwidth	26dB Bandwidth	
	(MHz)	(MHz)	(MHz)	(MHz)	(MHz)	
23025	700.5	2.679	2.898	2.669	2.873	
23095	707.5	2.676	2.948	2.671	2.903	
23165	714.5	2.679	2.890	2.676	2.950	
LTE Band	d 12, BW: 5N	1Hz				
	Frequency (MHz)	QP	SK	16C)AM	
Channel		99% Bandwidth	26dB Bandwidth	99% Bandwidth	26dB Bandwidth	
		(MHz)	(MHz)	(MHz)	(MHz)	
23035	701.5	4.445	4.655	4.441	4.690	
23095	707.5	4.458	4.788	4.459	4.726	
23165	714.5	4.442	4.725	4.450	4.661	
LTE Band	d 12, BW: 10	MHz				
	Fraguenay	QP	SK	16QAM		
Channel	Frequency	99% Bandwidth	26dB Bandwidth	99% Bandwidth	26dB Bandwidth	
	(MHz)	(MHz)	(MHz)	(MHz)	(MHz)	
23060	704.0	8.854	9.297	8.887	9.326	
23095	707.5	8.957	9.417	8.956	9.343	
23130	711.0	8.891	9.475	8.887	9.317	



