



TEL: 86-755-8637-9589 FAX: 86-755-8637-9595 FCC ID: YHLBLUGRANDXLTE Page Number : A127 of A150
Report Issued Date : May 31, 2017
Report Version : Rev. 01

Report Template No.: BU5-FGLTE Version 1.5




TEL: 86-755-8637-9589 FAX: 86-755-8637-9595 FCC ID: YHLBLUGRANDXLTE Page Number : A128 of A150
Report Issued Date : May 31, 2017
Report Version : Rev. 01

Report Template No.: BU5-FGLTE Version 1.5




TEL: 86-755-8637-9589 FAX: 86-755-8637-9595 FCC ID: YHLBLUGRANDXLTE Page Number : A129 of A150
Report Issued Date : May 31, 2017
Report Version : Rev. 01

Report Template No.: BU5-FGLTE Version 1.5




TEL: 86-755-8637-9589 FAX: 86-755-8637-9595 FCC ID: YHLBLUGRANDXLTE Page Number : A130 of A150
Report Issued Date : May 31, 2017
Report Version : Rev. 01

Report Template No.: BU5-FGLTE Version 1.5




TEL: 86-755-8637-9589 FAX: 86-755-8637-9595 FCC ID: YHLBLUGRANDXLTE Page Number : A131 of A150
Report Issued Date : May 31, 2017
Report Version : Rev. 01

Report Template No.: BU5-FGLTE Version 1.5




TEL: 86-755-8637-9589 FAX: 86-755-8637-9595 FCC ID: YHLBLUGRANDXLTE Page Number : A132 of A150
Report Issued Date : May 31, 2017
Report Version : Rev. 01

Report Template No.: BU5-FGLTE Version 1.5




TEL: 86-755-8637-9589 FAX: 86-755-8637-9595 FCC ID: YHLBLUGRANDXLTE Page Number : A133 of A150
Report Issued Date : May 31, 2017
Report Version : Rev. 01

Report Template No.: BU5-FGLTE Version 1.5




TEL: 86-755-8637-9589 FAX: 86-755-8637-9595 FCC ID: YHLBLUGRANDXLTE Page Number : A134 of A150
Report Issued Date : May 31, 2017
Report Version : Rev. 01

Report Template No.: BU5-FGLTE Version 1.5




TEL: 86-755-8637-9589 FAX: 86-755-8637-9595 FCC ID: YHLBLUGRANDXLTE Page Number : A135 of A150
Report Issued Date : May 31, 2017
Report Version : Rev. 01

Report Template No.: BU5-FGLTE Version 1.5




TEL: 86-755-8637-9589 FAX: 86-755-8637-9595 FCC ID: YHLBLUGRANDXLTE Page Number : A136 of A150
Report Issued Date : May 31, 2017
Report Version : Rev. 01

Report Template No.: BU5-FGLTE Version 1.5




TEL: 86-755-8637-9589 FAX: 86-755-8637-9595 FCC ID: YHLBLUGRANDXLTE Page Number : A137 of A150
Report Issued Date : May 31, 2017
Report Version : Rev. 01

Report Template No.: BU5-FGLTE Version 1.5




TEL: 86-755-8637-9589 FAX: 86-755-8637-9595 FCC ID: YHLBLUGRANDXLTE Page Number : A138 of A150
Report Issued Date : May 31, 2017
Report Version : Rev. 01

Report Template No.: BU5-FGLTE Version 1.5




TEL: 86-755-8637-9589 FAX: 86-755-8637-9595 FCC ID: YHLBLUGRANDXLTE Page Number : A139 of A150
Report Issued Date : May 31, 2017
Report Version : Rev. 01

Report Template No.: BU5-FGLTE Version 1.5




TEL: 86-755-8637-9589 FAX: 86-755-8637-9595 FCC ID: YHLBLUGRANDXLTE Page Number : A140 of A150
Report Issued Date : May 31, 2017
Report Version : Rev. 01

Report Template No.: BU5-FGLTE Version 1.5



TEL: 86-755-8637-9589 FAX: 86-755-8637-9595 FCC ID: YHLBLUGRANDXLTE Page Number : A141 of A150
Report Issued Date : May 31, 2017
Report Version : Rev. 01

Report Template No.: BU5-FGLTE Version 1.5



TEL: 86-755-8637-9589 FAX: 86-755-8637-9595 FCC ID: YHLBLUGRANDXLTE Page Number : A142 of A150
Report Issued Date : May 31, 2017
Report Version : Rev. 01

Report Template No.: BU5-FGLTE Version 1.5


LTE Band 17 / 5MHz **Lowest Channel / QPSK Lowest Channel / 16QAM** Spectrum Spectrum Ref Level 0.00 dBm Offset 14.00 dB Mode Auto Sweep Ref Level 0.00 dBm Offset 14.00 dB Mode Auto Sweep SGL Count 100/100 SGL Count 100/100 10 dame spurious 10 dame SPURIOUS LINE ABS LINE\_ABS\_ LINE\_ABS\_ 20 dBn 20 dBm 30 dBm 30 dBm 40 dBm 40 dBm 50 dBm 50 dBm -60 dBm 70 dBm Stop 9.0 GHz Start 30.0 MHz Start 30.0 MH rious Emissic Spurious Emission Power Abs -52.46 dBm -51.66 dBm -39.76 dBm -34.91 dBm -36.63 dBm Range Low 30,000 MHz 725,000 MHz 1,000 GHz 3,000 GHz 7,000 GHz RBW 100.000 kHz 100.000 kHz 1.000 MHz 1.000 MHz 1.000 MHz RBW 100.000 kHz 100.000 kHz Frequency 682.57871 MHz 824.86264 MHz 2.82179 GHz 6.99825 GHz Frequency 684.55772 MHz 991.34615 MHz 2.84629 GHz 6.99525 GHz 8.82579 GHz Range Low 30,000 MHz Range Up 690.000 MHz -52.29 dBm -51.94 dBm -39.52 dBm 1.000 GHz 3.000 GHz L.000 MHz L.000 MHz L.000 MHz 9.000 GH te: 23.APR.2017 15:20:40 hte: 23.APR.2017 15:21:36 Middle Channel / QPSK Middle Channel / 16QAM Spectrum Spectrum Mode Auto Sweep Ref Level 0.00 dBm Offset 14.00 dB Mode Auto Sweep Ref Level 0.00 dBm Offset 14.00 dB Count 100/100 SGL Count 100/100 1 AvgPwr Smit (theck ●1 AvgPwr Limit Che Limit Check

10 dene SPURIOUS LINE ABS 10 dine SPURIOUS LINE ABS 30 dBa 40 dBm 60 dBm -60 dBm 70 dBn 70 dBn Start 30.0 MHz Stop 9.0 GHz Start 30.0 MHz 19005 pt rious Emission Spurious Emissions Range Low 30,000 MHz 725,000 MHz 1,000 GHz 3,000 GHz 7,000 GHz Range Low Range Up

SPORTON International (ShenZhen) INC.


TEL: 86-755-8637-9589 FAX: 86-755-8637-9595 FCC ID: YHLBLUGRANDXLTE Page Number : A143 of A150
Report Issued Date : May 31, 2017
Report Version : Rev. 01

Report Template No.: BU5-FGLTE Version 1.5



TEL: 86-755-8637-9589 FAX: 86-755-8637-9595 FCC ID: YHLBLUGRANDXLTE Page Number : A144 of A150
Report Issued Date : May 31, 2017
Report Version : Rev. 01

Report Template No.: BU5-FGLTE Version 1.5



Page Number : A145 of A150
Report Issued Date : May 31, 2017
Report Version : Rev. 01

Report Template No.: BU5-FGLTE Version 1.5

## Frequency Stability

Test 0	Conditions	LTE Band 2 (QPSK) / Middle Channel	Limit
_		BW 10MHz	Note 2.
Temperature (°C)	Voltage (Volt)	Deviation (ppm)	Result
50	Normal Voltage	0.0122	
40	Normal Voltage	0.0053	
30	Normal Voltage	0.0043	
20(Ref.)	Normal Voltage	0.0000	
10	Normal Voltage	0.0011	
0	Normal Voltage	0.0011	
-10	Normal Voltage	0.0032	PASS
-20	Normal Voltage	0.0053	
-30	Normal Voltage	0.0085	
20	Maximum Voltage	0.0069	
20	Normal Voltage	0.0000	
20	Battery End Point	0.0011	

#### Note:

- 1. Normal Voltage =3.8 V.; Battery End Point (BEP) =3.4 V.; Maximum Voltage =4.35 V.
- 2. Note: The frequency fundamental emissions stay within the authorized frequency block.

SPORTON International (ShenZhen) INC.

TEL: 86-755-8637-9589 FAX: 86-755-8637-9595 FCC ID: YHLBLUGRANDXLTE Page Number : A146 of A150
Report Issued Date : May 31, 2017
Report Version : Rev. 01

Report Template No.: BU5-FGLTE Version 1.5

Test (	Conditions	LTE Band 4 (QPSK) / Middle Channel	Limit
_		BW 10MHz	Note 2.
Temperature (°C)	Voltage (Volt)	Deviation (ppm)	Result
50	Normal Voltage	0.0104	
40	Normal Voltage	0.0081	
30	Normal Voltage	0.0058	
20(Ref.)	Normal Voltage	0.0000	
10	Normal Voltage	0.0017	
0	Normal Voltage	0.0046	
-10	Normal Voltage	0.0069	PASS
-20	Normal Voltage	0.0115	
-30	Normal Voltage	0.0139	
20	Maximum Voltage	0.0017	
20	Normal Voltage	0.0000	
20	Battery End Point	0.0023	

- 1. Normal Voltage =3.8 V.; Battery End Point (BEP) =3.4 V.; Maximum Voltage =4.35 V.
- 2. Note: The frequency fundamental emissions stay within the authorized frequency block.

TEL: 86-755-8637-9589 FAX: 86-755-8637-9595 FCC ID: YHLBLUGRANDXLTE Page Number : A147 of A150
Report Issued Date : May 31, 2017
Report Version : Rev. 01

Report Template No.: BU5-FGLTE Version 1.5

Test (	Conditions	LTE Band 7 (QPSK) / Middle Channel	Limit
_		BW 10MHz	Note 2.
Temperature (°C)	Voltage (Volt)	Deviation (ppm)	Result
50	Normal Voltage	0.0110	
40	Normal Voltage	0.0067	
30	Normal Voltage	0.0020	
20(Ref.)	Normal Voltage	0.0000	
10	Normal Voltage	0.0012	
0	Normal Voltage	0.0051	
-10	Normal Voltage	0.0083	PASS
-20	Normal Voltage	0.0138	
-30	Normal Voltage	0.0130	
20	Maximum Voltage	0.0075	
20	Normal Voltage	0.0000	
20	Battery End Point	0.0091	

- 1. Normal Voltage =3.8 V.; Battery End Point (BEP) =3.4 V.; Maximum Voltage =4.35 V.
- 2. Note: The frequency fundamental emissions stay within the authorized frequency block.

TEL: 86-755-8637-9589 FAX: 86-755-8637-9595 FCC ID: YHLBLUGRANDXLTE Page Number : A148 of A150
Report Issued Date : May 31, 2017
Report Version : Rev. 01

Report Template No.: BU5-FGLTE Version 1.5

Test (	Conditions	LTE Band 12 (QPSK) / Middle Channel	Limit
_		BW 10MHz	Note 2.
Temperature (°C)	Voltage (Volt)	Deviation (ppm)	Result
50	Normal Voltage	0.0636	
40	Normal Voltage	0.0339	
30	Normal Voltage	0.0184	
20(Ref.)	Normal Voltage	0.0000	
10	Normal Voltage	0.0042	
0	Normal Voltage	0.0155	
-10	Normal Voltage	0.0254	PASS
-20	Normal Voltage	0.0495	
-30	Normal Voltage	0.0466	
20	Maximum Voltage	0.0099	
20	Normal Voltage	0.0000	
20	Battery End Point	0.0325	

- 1. Normal Voltage =3.8 V.; Battery End Point (BEP) =3.4 V.; Maximum Voltage =4.35 V.
- 2. Note: The frequency fundamental emissions stay within the authorized frequency block.

TEL: 86-755-8637-9589 FAX: 86-755-8637-9595 FCC ID: YHLBLUGRANDXLTE Page Number : A149 of A150
Report Issued Date : May 31, 2017
Report Version : Rev. 01

Report Template No.: BU5-FGLTE Version 1.5

Test (	Conditions	LTE Band 17 (QPSK) / Middle Channel	Limit
		BW 10MHz	Note 2.
Temperature (°C)	Voltage (Volt)	Deviation (ppm)	Result
50	Normal Voltage	0.0352	
40	Normal Voltage	0.0183	
30	Normal Voltage	0.0141	
20(Ref.)	Normal Voltage	0.0000	
10	Normal Voltage	0.0183	
0	Normal Voltage	0.0239	
-10	Normal Voltage	0.0042	PASS
-20	Normal Voltage	0.0070	
-30	Normal Voltage	0.0085	
20	Maximum Voltage	0.0239	
20	Normal Voltage	0.0000	
20	Battery End Point	0.0014	

- 1. Normal Voltage =3.8 V.; Battery End Point (BEP) =3.4 V.; Maximum Voltage =4.35 V.
- 2. Note: The frequency fundamental emissions stay within the authorized frequency block.

TEL: 86-755-8637-9589 FAX: 86-755-8637-9595 FCC ID: YHLBLUGRANDXLTE Page Number : A150 of A150
Report Issued Date : May 31, 2017
Report Version : Rev. 01

Report Template No.: BU5-FGLTE Version 1.5

## **Appendix B. Test Results of Radiated Test**

# **ERP/EIRP**

	LTE Band 2 / 1.4MHz (Average)											
Channel	Modulation	F	RB	Horizo	ontal	Vert	ical					
Chamilei	Wodulation	Size	Offset	EIRP(dBm)	EIRP(W)	EIRP(dBm)	EIRP(W)					
Lowest		3	0	16.36	0.0433	15.61	0.0364					
Middle	QPSK	3	0	16.59	0.0456	16.69	0.0467					
Highest		3	0	15.96	0.0394	15.68	0.0370					
Lowest		1	3	15.33	0.0341	15.34	0.0342					
Middle	16QAM	1	3	15.64	0.0366	15.69	0.0371					
Highest		1	0	15.13	0.0326	15.16	0.0328					
Limit	EIRI	o < 2W		Res	sult	PAS	SS					

	LTE Band 2 / 3MHz (Average)											
Channal	Meduleties	F	RB	Horiz	ontal	Vert	ical					
Channel	Modulation	Size	Offset	EIRP(dBm)	EIRP(W)	EIRP(dBm)	EIRP(W)					
Lowest		1	8	16.15	0.0412	16.14	0.0411					
Middle	QPSK	1	8	16.35	0.0432	16.31	0.0428					
Highest		1	8	15.76	0.0377	15.34	0.0342					
Lowest		1	8	15.33	0.0341	15.34	0.0342					
Middle	16QAM	1	8	15.55	0.0359	15.61	0.0364					
Highest		1	8	14.90	0.0309	14.64	0.0291					
Limit	EIRI	o < 2W		Res	sult	PAS	SS					

TEL: 86-755-8637-9589 FAX: 86-755-8637-9595 FCC ID: YHLBLUGRANDXLTE Page Number : B1 of B19 Report Issued Date: May 31, 2017 Report Version : Rev. 01

Report Template No.: BU5-FGLTE Version 1.5

	LTE Band 2 / 5MHz (Average)											
Channel	Modulation	F	RB	Horizo	ontal	Vert	ical					
Channel	Wodulation	Size	Offset	EIRP(dBm)	EIRP(W)	EIRP(dBm)	EIRP(W)					
Lowest		1	12	16.40	0.0437	16.39	0.0436					
Middle	QPSK	1	0	16.63	0.0460	16.70	0.0468					
Highest		1	12	16.12	0.0409	16.37	0.0434					
Lowest		1	12	15.56	0.0360	15.55	0.0359					
Middle	16QAM	1	0	15.86	0.0385	15.92	0.0391					
Highest		1	12	15.29	0.0338	15.48	0.0353					
Limit	EIRI	o < 2W		Res	sult	PAS	SS					

	LTE Band 2 / 10MHz (Average)											
	Modulation	F	RB	Horizo	ontal	Vert	ical					
Channel	Wiodulation	Size	Offset	EIRP(dBm)	EIRP(W)	EIRP(dBm)	EIRP(W)					
Lowest		1	0	16.46	0.0443	16.42	0.0439					
Middle	QPSK	1	0	16.69	0.0467	16.66	0.0463					
Highest		1	0	16.35	0.0432	16.24	0.0421					
Lowest		1	0	15.62	0.0365	15.60	0.0363					
Middle	16QAM	1	0	15.92	0.0391	15.89	0.0388					
Highest		1	49	15.41	0.0348	15.40	0.0347					
Limit	EIRI	P < 2W		Res	sult	PAS	SS					

Page Number : B2 of B19
Report Issued Date : May 31, 2017
Report Version : Rev. 01

Report Template No.: BU5-FGLTE Version 1.5

	LTE Band 2 / 15MHz (Average)											
Channel	Modulation	F	RB	Horizo	ontal	Vert	ical					
Channel	Wiodulation	Size	Offset	EIRP(dBm)	EIRP(W)	EIRP(dBm)	EIRP(W)					
Lowest		1	0	16.06	0.0404	16.01	0.0399					
Middle	QPSK	1	0	16.13	0.0410	16.12	0.0409					
Highest		1	0	15.59	0.0362	15.74	0.0375					
Lowest		1	0	15.52	0.0356	15.41	0.0348					
Middle	16QAM	1	37	15.45	0.0351	15.31	0.0340					
Highest		1	0	14.82	0.0303	14.89	0.0308					
Limit	EIRI	o < 2W		Res	sult	PAS	SS					

	LTE Band 2 / 20MHz (Average)											
	Modulation	F	RB	Horiz	ontal	Vert	ical					
Channel	Wiodulation	Size	Offset	EIRP(dBm)	EIRP(W)	EIRP(dBm)	EIRP(W)					
Lowest		1	0	16.41	0.0438	16.33	0.0430					
Middle	QPSK	1	0	16.40	0.0437	16.44	0.0441					
Highest		1	0	16.04	0.0402	16.05	0.0403					
Lowest		1	0	15.40	0.0347	15.46	0.0352					
Middle	16QAM	1	49	15.46	0.0352	15.51	0.0356					
Highest		1	0	15.21	0.0332	15.19	0.0330					
Limit	EIRI	P < 2W		Res	sult	PAS	SS					

Page Number : B3 of B19
Report Issued Date : May 31, 2017
Report Version : Rev. 01
Report Template No.: BU5-FGLTE Version 1.5

	LTE Band 4 / 1.4MHz (Average)											
Channel	Modulation	F	RB	Horizo	ontal	Vert	ical					
Channel	Wiodulation	Size	Offset	EIRP(dBm)	EIRP(W)	EIRP(dBm)	EIRP(W)					
Lowest		3	3	16.13	0.0410	13.59	0.0229					
Middle	QPSK	3	0	16.46	0.0443	14.96	0.0313					
Highest		3	3	15.49	0.0354	15.02	0.0318					
Lowest		3	0	16.24	0.0421	14.07	0.0255					
Middle	16QAM	3	3	16.66	0.0463	13.79	0.0239					
Highest		3	0	15.22	0.0333	14.01	0.0252					
Limit	EIRP < 1W			Res	sult	PASS						

	LTE Band 4 / 3MHz (Average)											
01 1		RB		Horiz	ontal	Vert	ical					
Channel	Modulation	Size	Offset	EIRP(dBm)	EIRP(W)	EIRP(dBm)	EIRP(W)					
Lowest		1	14	15.82	0.0382	13.56	0.0227					
Middle	QPSK	1	8	15.85	0.0385	14.82	0.0303					
Highest		1	14	15.70	0.0372	15.10	0.0324					
Lowest		1	0	15.58	0.0361	12.33	0.0171					
Middle	16QAM	1	8	15.32	0.0340	13.49	0.0223					
Highest		8	0	15.54	0.0358	13.82	0.0241					
Limit	EIRP < 1W			Res	sult	PASS						

	LTE Band 4 / 5MHz (Average)											
01 1		RB		Horiz	ontal	Vert	ical					
Channel	Modulation	Size	Offset	EIRP(dBm)	EIRP(W)	EIRP(dBm)	EIRP(W)					
Lowest		1	12	16.09	0.0406	13.33	0.0215					
Middle	QPSK	1	12	15.81	0.0381	14.77	0.0300					
Highest		1	0	15.98	0.0396	14.50	0.0282					
Lowest		1	0	15.06	0.0321	12.31	0.0170					
Middle	16QAM	1	0	15.02	0.0318	13.29	0.0213					
Highest		1	0	15.07	0.0321	13.74	0.0237					
Limit	EIRP < 1W			Res	sult	PASS						

TEL: 86-755-8637-9589 FAX: 86-755-8637-9595 FCC ID: YHLBLUGRANDXLTE Page Number : B4 of B19
Report Issued Date : May 31, 2017
Report Version : Rev. 01

Report Template No.: BU5-FGLTE Version 1.5

	LTE Band 4/ 10MHz (Average)											
Channel		RB		Horizo	ontal	Vert	ical					
Channel	Modulation	Size	Offset	EIRP(dBm)	EIRP(W)	EIRP(dBm)	EIRP(W)					
Lowest		1	25	16.09	0.0406	13.73	0.0236					
Middle	QPSK	1	25	16.05	0.0403	14.54	0.0284					
Highest		1	25	15.94	0.0393	14.74	0.0298					
Lowest		1	25	15.12	0.0325	12.71	0.0187					
Middle	16QAM	1	0	15.08	0.0322	13.32	0.0215					
Highest		1	0	15.03	0.0318	13.75	0.0237					
Limit	EIRP < 1W			Res	sult	PASS						

	LTE Band 4 / 15MHz (Average)											
61 1	Madulation	F	RB	Horizo	ontal	Verti	ical					
Channel	Modulation	Size	Offset	EIRP(dBm)	EIRP(W)	EIRP(dBm)	EIRP(W)					
Lowest		1	0	16.48	0.0445	12.92	0.0196					
Middle	QPSK	1	0	16.89	0.0489	14.79	0.0301					
Highest		1	0	15.32	0.0340	15.67	0.0369					
Lowest		1	37	15.21	0.0332	13.01	0.0200					
Middle	16QAM	1	37	15.97	0.0395	14.16	0.0261					
Highest		1	0	14.21	0.0264	13.97	0.0249					
Limit	EIRP < 1W			Res	sult	PASS						

	LTE Band 4 / 20MHz (Average)											
01 1	Modulation	RB		Horiz	ontal	Vert	ical					
Channel		Size	Offset	EIRP(dBm)	EIRP(W)	EIRP(dBm)	EIRP(W)					
Lowest		1	0	16.50	0.0447	13.29	0.0213					
Middle	QPSK	1	0	16.44	0.0441	14.05	0.0254					
Highest		1	0	16.05	0.0403	14.68	0.0294					
Lowest		1	0	15.21	0.0332	12.07	0.0161					
Middle	16QAM	1	0	15.25	0.0335	13.01	0.0200					
Highest		1	49	14.81	0.0303	12.86	0.0193					
Limit	EIRP < 1W			Res	sult	PASS						

TEL: 86-755-8637-9589 FAX: 86-755-8637-9595 FCC ID: YHLBLUGRANDXLTE Page Number : B5 of B19
Report Issued Date : May 31, 2017
Report Version : Rev. 01

Report Template No.: BU5-FGLTE Version 1.5

	LTE Band 7 / 5MHz (Average)											
Ohamad		RB		Horizo	ontal	Vert	ical					
Channel	Modulation	Size	Offset	EIRP(dBm)	EIRP(W)	EIRP(dBm)	EIRP(W)					
Lowest		1	0	18.45	0.0700	18.15	0.0653					
Middle	QPSK	1	12	18.53	0.0713	17.76	0.0597					
Highest		1	0	16.69	0.0467	16.02	0.0400					
Lowest		1	0	17.53	0.0566	17.13	0.0516					
Middle	16QAM	1	12	17.63	0.0579	16.87	0.0486					
Highest		1	12	15.50	0.0355	14.76	0.0299					
Limit	EIRP < 2W		Result		PASS							

	LTE Band 7 / 10MHz (Average)											
		F	RB	Horizo	ontal	Vert	ical					
Channel	Modulation	Size	Offset	EIRP(dBm)	EIRP(W)	EIRP(dBm)	EIRP(W)					
Lowest		1	0	18.60	0.0724	18.08	0.0643					
Middle	QPSK	1	25	17.60	0.0575	16.95	0.0495					
Highest		1	25	16.46	0.0443	15.57	0.0361					
Lowest		1	0	17.67	0.0585	17.26	0.0532					
Middle	16QAM	1	25	16.96	0.0497	16.23	0.0420					
Highest		1	0	15.56	0.0360	14.54	0.0284					
Limit	EIRI	P < 2W		Res	sult	PASS						

Page Number : B6 of B19 Report Issued Date: May 31, 2017 Report Version : Rev. 01

Report Template No.: BU5-FGLTE Version 1.5

	LTE Band 7 / 15MHz (Average)											
Ok annual		F	RB	Horiz	ontal	Vert	ical					
Channel	Modulation	Size	Offset	EIRP(dBm)	EIRP(W)	EIRP(dBm)	EIRP(W)					
Lowest		1	0	18.73	0.0746	18.62	0.0728					
Middle	QPSK	1	37	18.94	0.0783	18.20	0.0661					
Highest		1	37	17.89	0.0615	17.00	0.0501					
Lowest		1	0	17.16	0.0520	17.05	0.0507					
Middle	16QAM	1	37	17.53	0.0566	16.94	0.0494					
Highest		1	37	15.88	0.0387	15.30	0.0339					
Limit	EIRP < 2W			Res	sult	PASS						

	LTE Band 7 / 20MHz (Average)											
	Madulation	F	RB	Horizo	ontal	Vert	ical					
Channel	Modulation	Size	Offset	EIRP(dBm)	EIRP(W)	EIRP(dBm)	EIRP(W)					
Lowest		1	0	18.68	0.0738	18.41	0.0693					
Middle	QPSK	1	49	18.24	0.0667	17.59	0.0574					
Highest		1	49	17.49	0.0561	16.69	0.0467					
Lowest		1	0	17.37	0.0546	17.00	0.0501					
Middle	16QAM	1	49	17.35	0.0543	16.61	0.0458					
Highest		1	49	15.81	0.0381	15.01	0.0317					
Limit	EIRI	P < 2W		Res	sult	PASS						

Page Number : B7 of B19 Report Issued Date: May 31, 2017 Report Version : Rev. 01

Report Template No.: BU5-FGLTE Version 1.5

	LTE Band 12 / 1.4MHz (Average)											
Ohamad		RB		Horizo	ontal	Vert	ical					
Channel	Modulation	Size	Offset	ERP(dBm)	ERP(W)	ERP(dBm)	ERP(W)					
Lowest		3	0	16.35	0.0432	1.35	0.0014					
Middle	QPSK	3	1	16.30	0.0427	1.19	0.0013					
Highest		3	0	15.92	0.0391	0.56	0.0011					
Lowest		1	3	15.09	0.0323	0.20	0.0010					
Middle	16QAM	1	0	15.42	0.0348	0.34	0.0011					
Highest		1	3	14.57	0.0286	-0.57	0.0009					
Limit	ERP < 3W			Res	sult	PASS						

	LTE Band 12 / 3MHz (Average)											
Ob annual		RB		Horiz	ontal	Vert	ical					
Channel	Modulation	Size	Offset	ERP(dBm)	ERP(W)	ERP(dBm)	ERP(W)					
Lowest		1	8	16.32	0.0429	1.01	0.0013					
Middle	QPSK	1	8	15.69	0.0371	0.48	0.0011					
Highest		1	8	15.90	0.0389	0.48	0.0011					
Lowest		1	8	16.00	0.0398	-0.01	0.0010					
Middle	16QAM	1	0	14.98	0.0315	-0.24	0.0009					
Highest		1	8	15.27	0.0337	-0.42	0.0009					
Limit	ERP < 3W			Res	sult	PASS						

Page Number : B8 of B19
Report Issued Date : May 31, 2017
Report Version : Rev. 01
Report Template No.: BU5-FGLTE Version 1.5

	LTE Band 12 / 5MHz (Average)											
Channel		RB		Horizo	ontal	Vert	ical					
Channel	Modulation	Size	Offset	ERP(dBm)	ERP(W)	ERP(dBm)	ERP(W)					
Lowest		1	12	16.70	0.0468	0.17	0.0010					
Middle	QPSK	1	12	15.80	0.0380	-0.19	0.0010					
Highest		1	12	16.11	0.0408	0.32	0.0011					
Lowest		1	24	15.56	0.0360	-0.75	0.0008					
Middle	16QAM	1	0	15.08	0.0322	-0.42	0.0009					
Highest		1	12	15.28	0.0337	-0.72	0.0008					
Limit	ERP < 3W			Res	sult	PASS						

	LTE Band 12 / 10MHz (Average)											
Channal	Modulation	F	RB	Horiz	ontal	Vertical						
Channel	Wodulation	Size	Offset	ERP(dBm)	ERP(W)	ERP(dBm)	ERP(W)					
Lowest		1	25	16.22	0.0419	0.02	0.0010					
Middle	QPSK	1	25	16.16	0.0413	0.23	0.0011					
Highest		1	25	16.07	0.0405	-0.01	0.0010					
Lowest		1	25	15.41	0.0348	-0.78	0.0008					
Middle	16QAM	1	25	15.40	0.0347	-0.57	0.0009					
Highest		1	0	15.13	0.0326	-0.93	0.0008					
Limit	ERF	o < 3W		Res	sult	PASS						

Page Number : B9 of B19 Report Issued Date: May 31, 2017 Report Version : Rev. 01

Report Template No.: BU5-FGLTE Version 1.5

	LTE Band 17 / 5MHz (Average)											
Channel	Modulation	F	RB	Horizo	ontal	Vertical						
Channel	Wiodulation	Size	Offset	ERP(dBm)	ERP(W)	ERP(dBm)	ERP(W)					
Lowest		1	24	15.89	0.0388	1.16	0.0013					
Middle	QPSK	1	0	15.88	0.0387	0.59	0.0011					
Highest		1	12	15.73	0.0374	0.40	0.0011					
Lowest		1	12	15.34	0.0342	0.48	0.0011					
Middle	16QAM	1	0	15.11	0.0324	0.12	0.0010					
Highest		1	12	14.82	0.0303	-0.23	0.0009					
Limit	ERF	o < 3W		Res	sult	PASS						

	LTE Band 17 / 10MHz (Average)											
Channal	Madulation	F	RB	Horiz	ontal	Vertical						
Channel	Modulation	Size	Offset	ERP(dBm)	ERP(W)	ERP(dBm)	ERP(W)					
Lowest		1	0	16.51	0.0448	1.45	0.0014					
Middle	QPSK	1	0	16.30	0.0427	1.40	0.0014					
Highest		1	0	15.71	0.0372	1.47	0.0014					
Lowest		1	0	15.26	0.0336	0.35	0.0011					
Middle	16QAM	1	0	15.23	0.0333	0.49	0.0011					
Highest		1	0	15.31	0.0340	0.49	0.0011					
Limit	ERF	o < 3W		Res	sult	PASS						

Page Number : B10 of B19
Report Issued Date : May 31, 2017
Report Version : Rev. 01
Report Template No.: BU5-FGLTE Version 1.5

## **Radiated Spurious Emission**

			LTE Band 2	/ 1.4MHz / 0	PSK/RBS	ize 1 Offset (	)		
Channel	Frequency ( MHz )	EIRP ( dBm )	Limit ( dBm )	Over Limit ( dB )	SPA Reading (dBm)	S.G. Power ( dBm )	TX Cable loss ( dB )	TX Antenna Gain (dBi)	Polarization (H/V)
	3758.92	-52.89	-13	-39.89	-68.17	-58.93	6.56	12.60	Н
	5638.38	-44.80	-13	-31.80	-64.15	-49.90	8.00	13.10	Н
Middle	7517.84	-53.37	-13	-40.37	-77.07	-55.10	9.57	11.30	Н
Middle	3758.92	-55.09	-13	-42.09	-70.64	-61.13	6.56	12.60	V
	5638.38	-52.15	-13	-39.15	-72.07	-57.25	8.00	13.10	V
	7517.84	-53.85	-13	-40.85	-77.58	-55.58	9.57	11.30	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.

	LTE Band 2 / 3MHz / QPSK / RB Size 1 Offset 0												
Channel	Frequency ( MHz )	EIRP (dBm)	Limit ( dBm )	Over Limit ( dB )	SPA Reading (dBm)	S.G. Power ( dBm )	TX Cable loss ( dB )	TX Antenna Gain (dBi)	Polarization (H/V)				
	3757.48	-52.55	-13	-39.55	-67.83	-58.59	6.56	12.60	Н				
	5636.22	-46.97	-13	-33.97	-66.32	-52.07	8.00	13.10	Н				
Middle	7514.96	-52.47	-13	-39.47	-76.20	-54.20	9.57	11.30	Н				
Middle	3757.48	-54.55	-13	-41.55	-70.10	-60.59	6.56	12.60	V				
	5636.22	-52.02	-13	-39.02	-71.94	-57.12	8.00	13.10	V				
	7514.96	-53.78	-13	-40.78	-77.54	-55.51	9.57	11.30	V				

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.

	LTE Band 2 / 5MHz / QPSK / RB Size 1 Offset 0												
Channel	Frequency ( MHz )	EIRP ( dBm )	Limit ( dBm )	Over Limit ( dB )	SPA Reading (dBm)	S.G. Power ( dBm )	TX Cable loss ( dB )	TX Antenna Gain (dBi)	Polarization (H/V)				
	3755.68	-52.19	-13	-39.19	-67.47	-58.23	6.56	12.60	Н				
	5633.52	-45.25	-13	-32.25	-64.60	-50.35	8.00	13.10	Н				
Middle	7511.36	-51.27	-13	-38.27	-75.00	-53.00	9.57	11.30	Н				
Middle	3755.68	-54.39	-13	-41.39	-69.94	-60.43	6.56	12.60	V				
	5633.52	-50.16	-13	-37.16	-70.08	-55.26	8.00	13.10	V				
	7511.36	-53.34	-13	-40.34	-77.1	-55.07	9.57	11.30	V				

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.

SPORTON International (ShenZhen) INC.

TEL: 86-755-8637-9589 FAX: 86-755-8637-9595 FCC ID: YHLBLUGRANDXLTE Page Number : B11 of B19
Report Issued Date : May 31, 2017
Report Version : Rev. 01

Report Template No.: BU5-FGLTE Version 1.5

	LTE Band 2 / 10MHz / QPSK / RB Size 1 Offset 0												
Channel	Frequency ( MHz )	EIRP (dBm)	Limit ( dBm )	Over Limit ( dB )	SPA Reading (dBm)	S.G. Power ( dBm )	TX Cable loss ( dB )	TX Antenna Gain (dBi)	Polarization (H/V)				
	3751.18	-55.94	-13	-42.94	-71.22	-61.98	6.56	12.60	Н				
	5626.77	-47.36	-13	-34.36	-66.78	-52.46	8.00	13.10	Н				
Middle	7502.36	-53.17	-13	-40.17	-77.01	-54.90	9.57	11.30	Н				
Middle	3751.18	-53.75	-13	-40.75	-69.3	-59.79	6.56	12.60	V				
	5626.77	-52.34	-13	-39.34	-72.34	-57.44	8.00	13.10	V				
	7502.36	-54.15	-13	-41.15	-78	-55.88	9.57	11.30	V				

	LTE Band 2 / 15MHz / QPSK / RB Size 1 Offset 0												
Channel	Frequency (MHz)	EIRP ( dBm )	Limit ( dBm )	Over Limit ( dB )	SPA Reading (dBm)	S.G. Power ( dBm )	TX Cable loss ( dB )	TX Antenna Gain (dBi)	Polarization (H/V)				
	3746.68	-57.50	-13	-44.50	-72.78	-63.54	6.56	12.60	Н				
	5620.02	-47.90	-13	-34.90	-67.32	-53.00	8.00	13.10	Н				
Middle	7493.36	-52.25	-13	-39.25	-76.09	-53.98	9.57	11.30	Н				
Middle	3746.68	-55.95	-13	-42.95	-71.5	-61.99	6.56	12.60	V				
	5620.02	-51.05	-13	-38.05	-71.05	-56.15	8.00	13.10	V				
	7493.36	-53.64	-13	-40.64	-77.49	-55.37	9.57	11.30	V				

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.

	LTE Band 2 / 20MHz / QPSK / RB Size 1 Offset 0												
Channel	Frequency ( MHz )	EIRP (dBm)	Limit ( dBm )	Over Limit ( dB )	SPA Reading (dBm)	S.G. Power ( dBm )	TX Cable loss ( dB )	TX Antenna Gain (dBi)	Polarization (H/V)				
	3742.18	-57.59	-13	-44.59	-72.85	-63.63	6.56	12.60	Н				
	5613.27	-47.98	-13	-34.98	-67.47	-53.08	8.00	13.10	Н				
Middle	7484.36	-51.76	-13	-38.76	-75.71	-53.49	9.57	11.30	Н				
ivildale	3742.18	-56.11	-13	-43.11	-71.66	-62.15	6.56	12.60	V				
	5613.27	-51.21	-13	-38.21	-71.28	-56.31	8.00	13.10	V				
	7484.36	-53.76	-13	-40.76	-77.7	-55.49	9.57	11.30	V				

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.

SPORTON International (ShenZhen) INC.

TEL: 86-755-8637-9589 FAX: 86-755-8637-9595 FCC ID: YHLBLUGRANDXLTE Page Number : B12 of B19
Report Issued Date : May 31, 2017
Report Version : Rev. 01

Report Template No.: BU5-FGLTE Version 1.5

	LTE Band 4 / 1.4MHz / QPSK / RB Size 1 Offset 0												
Channel	Frequency ( MHz )	EIRP (dBm)	Limit ( dBm )	Over Limit ( dB )	SPA Reading (dBm)	S.G. Power ( dBm )	TX Cable loss ( dB )	TX Antenna Gain (dBi)	Polarization (H/V)				
	3463.74	-57.46	-13	-44.46	-71.28	-63.88	6.18	12.60	Н				
	5195.61	-53.47	-13	-40.47	-72.80	-58.43	7.74	12.70	Н				
Middle	6927.48	-56.01	-13	-43.01	-78.22	-58.71	9.00	11.70	Н				
Middle	3463.74	-57.03	-13	-44.03	-71.21	-63.45	6.18	12.60	V				
	5195.61	-48.80	-13	-35.80	-68.80	-53.76	7.74	12.70	V				
	6927.48	-54.88	-13	-41.88	-77.62	-57.58	9.00	11.70	V				

	LTE Band 4 / 3MHz / QPSK / RB Size 1 Offset 0												
Channel	Frequency ( MHz )	EIRP (dBm)	Limit ( dBm )	Over Limit ( dB )	SPA Reading (dBm)	S.G. Power ( dBm )	TX Cable loss ( dB )	TX Antenna Gain (dBi)	Polarization (H/V)				
	3462.48	-57.75	-13	-44.75	-71.57	-64.17	6.18	12.60	Н				
	5193.72	-53.27	-13	-40.27	-72.61	-58.23	7.74	12.70	Н				
Middle	6924.96	-55.83	-13	-42.83	-78.04	-58.53	9.00	11.70	Н				
Middle	3462.48	-56.62	-13	-43.62	-70.8	-63.04	6.18	12.60	V				
	5193.72	-48.52	-13	-35.52	-68.53	-53.48	7.74	12.70	V				
	6924.96	-55.35	-13	-42.35	-78.09	-58.05	9.00	11.70	V				

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.

			LTE Band	4 / 5MHz / Q	PSK / RB Si	ze 1 Offset 0			
Channel	Frequency ( MHz )	EIRP (dBm)	Limit ( dBm )	Over Limit ( dB )	SPA Reading (dBm)	S.G. Power ( dBm )	TX Cable loss ( dB )	TX Antenna Gain (dBi)	Polarization (H/V)
	3460.68	-56.58	-13	-43.58	-70.40	-63.00	6.18	12.60	Н
	5191.02	-53.13	-13	-40.13	-72.47	-58.09	7.74	12.70	Н
Middle	6921.36	-55.70	-13	-42.70	-77.77	-58.40	9.00	11.70	Н
Middle	3460.68	-56.24	-13	-43.24	-70.42	-62.66	6.18	12.60	V
	5191.02	-51.23	-13	-38.23	-71.24	-56.19	7.74	12.70	V
	6921.36	-54.51	-13	-41.51	-77.13	-57.21	9.00	11.70	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.

SPORTON International (ShenZhen) INC.

TEL: 86-755-8637-9589 FAX: 86-755-8637-9595 FCC ID: YHLBLUGRANDXLTE Page Number : B13 of B19
Report Issued Date : May 31, 2017
Report Version : Rev. 01
Report Template No.: BU5-FGLTE Version 1.5

	LTE Band 4 / 10MHz / QPSK / RB Size 1 Offset 0												
Channel	Frequency ( MHz )	EIRP (dBm)	Limit ( dBm )	Over Limit ( dB )	SPA Reading (dBm)	S.G. Power ( dBm )	TX Cable loss ( dB )	TX Antenna Gain (dBi)	Polarization (H/V)				
	3456.18	-56.88	-13	-43.88	-70.54	-63.30	6.18	12.60	Н				
	5184.27	-55.09	-13	-42.09	-74.43	-60.05	7.74	12.70	Н				
Middle	6912.36	-55.84	-13	-42.84	-77.91	-58.54	9.00	11.70	Н				
Middle	3456.18	-56.72	-13	-43.72	-70.73	-63.14	6.18	12.60	V				
	5184.27	-49.26	-13	-36.26	-69.28	-54.22	7.74	12.70	V				
	6912.36	-55.18	-13	-42.18	-77.8	-57.88	9.00	11.70	V				

	LTE Band 4 / 15MHz / QPSK / RB Size 1 Offset 0												
Channel	Frequency ( MHz )	EIRP (dBm)	Limit ( dBm )	Over Limit ( dB )	SPA Reading (dBm)	S.G. Power ( dBm )	TX Cable loss ( dB )	TX Antenna Gain (dBi)	Polarization (H/V)				
	3451.68	-57.46	-13	-44.46	-71.12	-63.88	6.18	12.60	Н				
	5177.52	-54.22	-13	-41.22	-73.56	-59.18	7.74	12.70	Н				
Middle	6903.36	-55.97	-13	-42.97	-77.91	-58.67	9.00	11.70	Н				
Middle	3451.68	-56.98	-13	-43.98	-70.99	-63.40	6.18	12.60	V				
	5177.52	-49.86	-13	-36.86	-69.88	-54.82	7.74	12.70	V				
	6903.36	-54.67	-13	-41.67	-77.17	-57.37	9.00	11.70	V				

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.

	LTE Band 4 / 20MHz / QPSK / RB Size 1 Offset 0												
Channel	Frequency ( MHz )	EIRP (dBm)	Limit ( dBm )	Over Limit ( dB )	SPA Reading (dBm)	S.G. Power ( dBm )	TX Cable loss ( dB )	TX Antenna Gain (dBi)	Polarization (H/V)				
	3447.18	-59.30	-13	-46.30	-72.96	-65.72	6.18	12.60	Н				
	5170.77	-54.55	-13	-41.55	-73.88	-59.51	7.74	12.70	Н				
Middle	6894.36	-55.77	-13	-42.77	-77.72	-58.47	9.00	11.70	Н				
Middle	3447.18	-57.98	-13	-44.98	-71.99	-64.40	6.18	12.60	V				
	5170.77	-49.63	-13	-36.63	-69.66	-54.59	7.74	12.70	V				
	6894.36	-54.17	-13	-41.17	-76.68	-56.87	9.00	11.70	V				

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.

SPORTON International (ShenZhen) INC.

TEL: 86-755-8637-9589 FAX: 86-755-8637-9595 FCC ID: YHLBLUGRANDXLTE Page Number : B14 of B19
Report Issued Date : May 31, 2017
Report Version : Rev. 01

Report Template No.: BU5-FGLTE Version 1.5

	LTE Band 7 / 5MHz / QPSK / RB Size 1 Offset 0												
Channel	Frequency ( MHz )	EIRP ( dBm )	Limit ( dBm )	Over Limit ( dB )	SPA Reading (dBm)	S.G. Power ( dBm )	TX Cable loss ( dB )	TX Antenna Gain (dBi)	Polarization (H/V)				
	5065.68	-54.38	-25	-29.38	-73.72	-66.14	0.94	12.70	Н				
	7598.52	-53.56	-25	-28.56	-76.62	-63.57	1.69	11.70	Н				
Middle	10131.36	-50.27	-25	-25.27	-77.67	-60.93	1.44	12.10	Н				
Middle	5065.68	-51.92	-25	-26.92	-72.05	-63.68	0.94	12.70	V				
	7598.52	-51.45	-25	-26.45	-74.64	-61.46	1.69	11.70	V				
	10131.36	-49.13	-25	-24.13	-76.3	-59.79	1.44	12.10	V				

	LTE Band 7 / 10MHz / QPSK / RB Size 1 Offset 0												
Channel	Frequency ( MHz )	EIRP (dBm)	Limit ( dBm )	Over Limit ( dB )	SPA Reading (dBm)	S.G. Power ( dBm )	TX Cable loss ( dB )	TX Antenna Gain (dBi)	Polarization (H/V)				
	5061.18	-55.37	-25	-30.37	-74.71	-67.13	0.94	12.70	Н				
	7591.77	-53.91	-25	-28.91	-76.97	-63.92	1.69	11.70	Н				
Middle	10122.36	-50.59	-25	-25.59	-77.99	-61.25	1.44	12.10	Н				
Middle	5061.18	-51.63	-25	-26.63	-71.76	-63.39	0.94	12.70	V				
	7591.77	-51.36	-25	-26.36	-74.55	-61.37	1.69	11.70	V				
	10122.36	-48.43	-25	-23.43	-75.6	-59.09	1.44	12.10	V				

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.

SPORTON International (ShenZhen) INC.

TEL: 86-755-8637-9589 FAX: 86-755-8637-9595 FCC ID: YHLBLUGRANDXLTE Page Number : B15 of B19
Report Issued Date : May 31, 2017
Report Version : Rev. 01

Report Template No.: BU5-FGLTE Version 1.5

	LTE Band 7 / 15MHz / QPSK / RB Size 1 Offset 0												
Channel	Frequency ( MHz )	EIRP ( dBm )	Limit ( dBm )	Over Limit ( dB )	SPA Reading (dBm)	S.G. Power ( dBm )	TX Cable loss ( dB )	TX Antenna Gain (dBi)	Polarization (H/V)				
	5056.68	-54.61	-25	-29.61	-73.95	-66.37	0.94	12.70	Н				
	7585.02	-53.23	-25	-28.23	-76.43	-63.24	1.69	11.70	Н				
Middle	10113.36	-50.71	-25	-25.71	-78.17	-61.37	1.44	12.10	Н				
Middle	5056.68	-52.42	-25	-27.42	-72.55	-64.18	0.94	12.70	V				
	7585.02	-52.60	-25	-27.60	-75.91	-62.61	1.69	11.70	V				
	9000.00	-53.83	-25	-28.83	-78.81	-64.49	1.44	12.10	V				

	LTE Band 7 / 20MHz / QPSK / RB Size 1 Offset 0												
Channel	Frequency (MHz)	EIRP ( dBm )	Limit ( dBm )	Over Limit ( dB )	SPA Reading (dBm)	S.G. Power ( dBm )	TX Cable loss ( dB )	TX Antenna Gain (dBi)	Polarization (H/V)				
	5052.18	-52.98	-25	-27.98	-72.31	-64.74	0.94	12.70	Н				
	7578.27	-53.94	-25	-28.94	-77.14	-63.95	1.69	11.70	Н				
Middle	10104.36	-50.67	-25	-25.67	-78.13	-61.33	1.44	12.10	Н				
Middle	5052.18	-51.96	-25	-26.96	-72.1	-63.72	0.94	12.70	V				
	7578.27	-52.61	-25	-27.61	-75.92	-62.62	1.69	11.70	V				
	10104.36	-47.67	-25	-22.67	-74.87	-58.33	1.44	12.10	V				

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.

SPORTON International (ShenZhen) INC.

TEL: 86-755-8637-9589 FAX: 86-755-8637-9595 FCC ID: YHLBLUGRANDXLTE Page Number : B16 of B19
Report Issued Date : May 31, 2017
Report Version : Rev. 01

Report Template No.: BU5-FGLTE Version 1.5

	LTE Band 12 / 1.4MHz / QPSK / RB Size 1 Offset 0												
Channel	Frequency ( MHz )	ERP (dBm)	Limit ( dBm )	Over Limit ( dB )	SPA Reading (dBm)	S.G. Power ( dBm )	TX Cable loss ( dB )	TX Antenna Gain (dBi)	Polarization (H/V)				
	1413.74	-41.36	-13	-28.36	-49.11	-48.05	0.56	9.40	Н				
	2120.61	-50.05	-13	-37.05	-61.56	-57.76	0.74	10.60	Н				
Middle	2827.48	-61.63	-13	-48.63	-74.32	-71.23	0.85	12.60	Н				
Middle	1413.74	-40.43	-13	-27.43	-47.83	-47.12	0.56	9.40	V				
	2120.61	-51.26	-13	-38.26	-62.89	-58.97	0.74	10.60	V				
	2827.48	-62.26	-13	-49.26	-75.01	-71.86	0.85	12.60	V				

	LTE Band 12 / 3MHz / QPSK / RB Size 1 Offset 0												
Channel	Frequency (MHz)	ERP (dBm)	Limit ( dBm )	Over Limit ( dB )	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss ( dB )	TX Antenna Gain (dBi)	Polarization (H/V)				
	1412.3	-41.40	-13	-28.40	-49.15	-48.09	0.56	9.40	Н				
	2118.45	-47.42	-13	-34.42	-58.93	-55.13	0.74	10.60	Н				
Middle	2824.6	-60.99	-13	-47.99	-73.68	-70.59	0.85	12.60	Н				
Middle	1412.3	-43.19	-13	-30.19	-50.59	-49.88	0.56	9.40	V				
	2118.45	-50.50	-13	-37.50	-62.13	-58.21	0.74	10.60	V				
	2824.6	-62.85	-13	-49.85	-75.60	-72.45	0.85	12.60	V				

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.

SPORTON International (ShenZhen) INC.

TEL: 86-755-8637-9589 FAX: 86-755-8637-9595 FCC ID: YHLBLUGRANDXLTE Page Number : B17 of B19
Report Issued Date : May 31, 2017
Report Version : Rev. 01

Report Template No.: BU5-FGLTE Version 1.5

	LTE Band 12 / 5MHz / QPSK / RB Size 1 Offset 0												
Channel	Frequency ( MHz )	ERP (dBm)	Limit ( dBm )	Over Limit ( dB )	SPA Reading (dBm)	S.G. Power ( dBm )	TX Cable loss ( dB )	TX Antenna Gain (dBi)	Polarization (H/V)				
	1410.5	-43.20	-13	-30.20	-50.95	-49.89	0.56	9.40	Н				
	2115.75	-55.27	-13	-42.27	-66.78	-62.98	0.74	10.60	Н				
Middle	2821	-61.35	-13	-48.35	-74.03	-70.95	0.85	12.60	Н				
Middle	1410.5	-44.11	-13	-31.11	-51.51	-50.80	0.56	9.40	V				
	2115.75	-51.74	-13	-38.74	-63.37	-59.45	0.74	10.60	V				
	2821	-62.44	-13	-49.44	-75.18	-72.04	0.85	12.60	V				

	LTE Band 12 / 10MHz / QPSK / RB Size 1 Offset 0												
Channel	Frequency ( MHz )	ERP (dBm)	Limit ( dBm )	Over Limit ( dB )	SPA Reading (dBm)	S.G. Power ( dBm )	TX Cable loss ( dB )	TX Antenna Gain (dBi)	Polarization (H/V)				
	1406	-66.07	-13	-53.07	-73.82	-72.76	0.56	9.40	Н				
	2109	-64.09	-13	-51.09	-75.35	-71.80	0.74	10.60	Н				
Middle	2812	-62.99	-13	-49.99	-75.67	-72.59	0.85	12.60	Н				
Middle	1406	-66.73	-13	-53.73	-74.13	-73.42	0.56	9.40	V				
	2109	-63.93	-13	-50.93	-75.29	-71.64	0.74	10.60	V				
	2812	-63.04	-13	-50.04	-75.78	-72.64	0.85	12.60	V				

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.

SPORTON International (ShenZhen) INC.

TEL: 86-755-8637-9589 FAX: 86-755-8637-9595 FCC ID: YHLBLUGRANDXLTE Page Number : B18 of B19
Report Issued Date : May 31, 2017
Report Version : Rev. 01

Report Template No.: BU5-FGLTE Version 1.5

	LTE Band 17 / 5MHz / QPSK / RB Size 1 Offset 0												
Channel	Frequency ( MHz )	ERP (dBm)	Limit ( dBm )	Over Limit ( dB )	SPA Reading (dBm)	S.G. Power ( dBm )	TX Cable loss ( dB )	TX Antenna Gain (dBi)	Polarization (H/V)				
	1415.68	-39.49	-13	-26.49	-47.24	-46.18	0.56	9.40	Н				
	2123.58	-54.26	-13	-41.26	-65.77	-61.97	0.74	10.60	Н				
Middle	2831.36	-61.02	-13	-48.02	-73.75	-70.62	0.85	12.60	Н				
Middle	1415.68	-44.39	-13	-31.39	-51.79	-51.08	0.56	9.40	V				
	2123.58	-50.10	-13	-37.10	-61.73	-57.81	0.74	10.60	V				
	2831.36	-62.20	-13	-49.20	-74.98	-71.80	0.85	12.60	V				

LTE Band 17 / 10MHz / QPSK / RB Size 1 Offset 0									
Channel	Frequency ( MHz )	ERP (dBm)	Limit ( dBm )	Over Limit ( dB )	SPA Reading (dBm)	S.G. Power ( dBm )	TX Cable loss ( dB )	TX Antenna Gain (dBi)	Polarization (H/V)
Middle	1411.18	-43.75	-13	-30.75	-51.50	-50.44	0.56	9.40	Н
	2116.77	-51.65	-13	-38.65	-63.16	-59.36	0.74	10.60	Н
	2822.36	-61.66	-13	-48.66	-74.34	-71.26	0.85	12.60	Н
	1411.18	-45.86	-13	-32.86	-53.26	-52.55	0.56	9.40	V
	2116.77	-47.90	-13	-34.90	-59.53	-55.61	0.74	10.60	V
	2822.36	-62.55	-13	-49.55	-75.29	-72.15	0.85	12.60	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.

SPORTON International (ShenZhen) INC.

TEL: 86-755-8637-9589 FAX: 86-755-8637-9595 FCC ID: YHLBLUGRANDXLTE Page Number : B19 of B19
Report Issued Date : May 31, 2017
Report Version : Rev. 01

Report Template No.: BU5-FGLTE Version 1.5