




Plot on IEEE 802.11ac NSS1 MCS0 VHT80 / 5210 MHz / Average / Port 2 / 9GHz~18GHz



Date: 6.JUL.2018 15:29:55

Plot on IEEE 802.11ac NSS1 MCS0 VHT80 / 5210 MHz / Peak / Port 2 / 9GHz~18GHz



Date: 6.JUL.2018 15:30:06

Plot on IEEE 802.11ac NSS1 MCS0 VHT80 / 5775 MHz / Average / Port 1 / 9GHz~18GHz



Date: 6.JUL.2018 11:09:35

Plot on IEEE 802.11ac NSS1 MCS0 VHT80 / 5775 MHz / Peak / Port 1 / 9GHz~18GHz


Date: 6.JUL.2018 11:08:49

Plot on IEEE 802.11ac NSS1 MCS0 VHT80 / 5775 MHz / Average / Port 2 / 9GHz~18GHz


Date: 6.JUL.2018 11:08:01

Plot on IEEE 802.11ac NSS1 MCS0 VHT80 / 5775 MHz / Peak / Port 2 / 9GHz~18GHz


Date: 6.JUL.2018 11:08:10





IEEE 802.11ac NSS1 MCS0 VHT20



Average



Frequency (MHz)	Correlated Antenna Gain (dBi)	TX1 Spurious Level (dBm)	TX2 Spurious Level (dBm)	Total Spurious Level (dBm)	Limit (dBm)	Margin (dB)
5180	2.00	-73.83	-73.80	-68.80	-41.25	27.55
5200	2.00	-73.71	-73.79	-68.74	-41.25	27.49
5240	2.00	-74.18	-73.81	-68.98	-41.25	27.73
5745	2.00	-73.00	-73.28	-68.13	-41.25	26.88
5785	2.00	-73.82	-73.89	-68.84	-41.25	27.59
5825	2.00	-73.27	-73.19	-68.22	-41.25	26.97



Peak


Frequency (MHz)	Correlated Antenna Gain (dBi)	TX1 Spurious Level (dBm)	TX2 Spurious Level (dBm)	Total Spurious Level (dBm)	Limit (dBm)	Margin (dB)
5180	2.00	-62.53	-61.96	-57.23	-21.25	35.98
5200	2.00	-61.02	-61.80	-56.38	-21.25	35.13
5240	2.00	-62.94	-63.05	-57.98	-21.25	36.73
5745	2.00	-61.40	-62.06	-56.71	-21.25	35.46
5785	2.00	-63.22	-63.48	-58.34	-21.25	37.09
5825	2.00	-62.34	-62.27	-57.29	-21.25	36.04

Plot on IEEE 802.11ac NSS1 MCS0 VHT20 / 5180 MHz / Average / Port 1 / 1GHz~3GHz

Plot on IEEE 802.11ac NSS1 MCS0 VHT20 / 5180 MHz / Peak / Port 1 / 1GHz~3GHz



Plot on IEEE 802.11ac NSS1 MCS0 VHT20 / 5180 MHz / Average / Port 2 / 1GHz~3GHz

Plot on IEEE 802.11ac NSS1 MCS0 VHT20 / 5180 MHz / Peak / Port 2 / 1GHz~3GHz


Plot on IEEE 802.11ac NSS1 MCS0 VHT20 / 5200 MHz / Average / Port 1 / 1GHz~3GHz

Plot on IEEE 802.11ac NSS1 MCS0 VHT20 / 5200 MHz / Peak / Port 1 / 1GHz~3GHz




Plot on IEEE 802.11ac NSS1 MCS0 VHT20 / 5200 MHz / Average / Port 2 / 1GHz~3GHz

Plot on IEEE 802.11ac NSS1 MCS0 VHT20 / 5200 MHz / Peak / Port 2 / 1GHz~3GHz



Plot on IEEE 802.11ac NSS1 MCS0 VHT20 / 5240 MHz / Average / Port 1 / 1GHz~3GHz


Date: 6.JUL.2018 17:09:16


Plot on IEEE 802.11ac NSS1 MCS0 VHT20 / 5240 MHz / Peak / Port 1 / 1GHz~3GHz


Date: 6.JUL.2018 17:09:39



Plot on IEEE 802.11ac NSS1 MCS0 VHT20 / 5240 MHz / Average / Port 2 / 1GHz~3GHz

Plot on IEEE 802.11ac NSS1 MCS0 VHT20 / 5240 MHz / Peak / Port 2 / 1GHz~3GHz




Plot on IEEE 802.11ac NSS1 MCS0 VHT20 / 5745 MHz / Average / Port 1 / 1GHz~3GHz




Date: 5.JUL.2018 18:45:26



Plot on IEEE 802.11ac NSS1 MCS0 VHT20 / 5745 MHz / Peak / Port 1 / 1GHz~3GHz



Date: 5.JUL.2018 18:44:11

Plot on IEEE 802.11ac NSS1 MCS0 VHT20 / 5745 MHz / Average / Port 2 / 1GHz~3GHz

Plot on IEEE 802.11ac NSS1 MCS0 VHT20 / 5745 MHz / Peak / Port 2 / 1GHz~3GHz



Plot on IEEE 802.11ac NSS1 MCS0 VHT20 / 5785 MHz / Average / Port 1 / 1GHz~3GHz

Plot on IEEE 802.11ac NSS1 MCS0 VHT20 / 5785 MHz / Peak / Port 1 / 1GHz~3GHz


Plot on IEEE 802.11ac NSS1 MCS0 VHT20 / 5785 MHz / Average / Port 2 / 1GHz~3GHz

Plot on IEEE 802.11ac NSS1 MCS0 VHT20 / 5785 MHz / Peak / Port 2 / 1GHz~3GHz


Plot on IEEE 802.11ac NSS1 MCS0 VHT20 / 5825 MHz / Average / Port 1 / 1GHz~3GHz

Plot on IEEE 802.11ac NSS1 MCS0 VHT20 / 5825 MHz / Peak / Port 1 / 1GHz~3GHz


Plot on IEEE 802.11ac NSS1 MCS0 VHT20 / 5825 MHz / Average / Port 2 / 1GHz~3GHz


Date: 5.JUL.2018 18:51:02

Plot on IEEE 802.11ac NSS1 MCS0 VHT20 / 5825 MHz / Peak / Port 2 / 1GHz~3GHz


Date: 5.JUL.2018 18:51:19




IEEE 802.11ac NSS1 MCS0 VHT40

Average


Frequency (MHz)	Correlated Antenna Gain (dBi)	TX1 Spurious Level (dBm)	TX2 Spurious Level (dBm)	Total Spurious Level (dBm)	Limit (dBm)	Margin (dB)
5190	2.00	-73.78	-73.76	-68.76	-41.25	27.51
5230	2.00	-73.88	-73.97	-68.91	-41.25	27.66
5755	2.00	-73.84	-74.04	-68.93	-41.25	27.68
5795	2.00	-73.86	-73.70	-68.77	-41.25	27.52

Peak



Frequency (MHz)	Correlated Antenna Gain (dBi)	TX1 Spurious Level (dBm)	TX2 Spurious Level (dBm)	Total Spurious Level (dBm)	Limit (dBm)	Margin (dB)
5190	2.00	-62.75	-62.79	-57.76	-21.25	36.51
5230	2.00	-62.99	-62.37	-57.66	-21.25	36.41
5755	2.00	-63.92	-62.30	-58.02	-21.25	36.77
5798	2.00	-62.73	-61.57	-57.10	-21.25	35.85



Plot on IEEE 802.11ac NSS1 MCS0 VHT40 / 5190 MHz / Average / Port 1 / 1GHz~3GHz



Date: 6.JUL.2018 16:03:05

Plot on IEEE 802.11ac NSS1 MCS0 VHT40 / 5190 MHz / Peak / Port 1 / 1GHz~3GHz



Date: 6.JUL.2018 16:01:40

Plot on IEEE 802.11ac NSS1 MCS0 VHT40 / 5190 MHz / Average / Port 2 / 1GHz~3GHz

Plot on IEEE 802.11ac NSS1 MCS0 VHT40 / 5190 MHz / Peak / Port 2 / 1GHz~3GHz



Plot on IEEE 802.11ac NSS1 MCS0 VHT40 / 5230 MHz / Average / Port 1 / 1GHz~3GHz

Plot on IEEE 802.11ac NSS1 MCS0 VHT40 / 5230 MHz / Peak / Port 1 / 1GHz~3GHz


Plot on IEEE 802.11ac NSS1 MCS0 VHT40 / 5230 MHz / Average / Port 2 / 1GHz~3GHz



Date: 6.JUL.2018 16:07:21

Plot on IEEE 802.11ac NSS1 MCS0 VHT40 / 5230 MHz / Peak / Port 2 / 1GHz~3GHz



Date: 6.JUL.2018 16:07:43

Plot on IEEE 802.11ac NSS1 MCS0 VHT40 / 5755 MHz / Average / Port 1 / 1GHz~3GHz



Date: 6.JUL.2018 11:34:02

Plot on IEEE 802.11ac NSS1 MCS0 VHT40 / 5755 MHz / Peak / Port 1 / 1GHz~3GHz




Date: 6.JUL.2018 11:32:35



Plot on IEEE 802.11ac NSS1 MCS0 VHT40 / 5755 MHz / Average / Port 2 / 1GHz~3GHz


Date: 6.JUL.2018 11:34:20

Plot on IEEE 802.11ac NSS1 MCS0 VHT40 / 5755 MHz / Peak / Port 2 / 1GHz~3GHz


Date: 6.JUL.2018 11:32:46

Plot on IEEE 802.11ac NSS1 MCS0 VHT40 / 5795 MHz / Average / Port 1 / 1GHz~3GHz

Plot on IEEE 802.11ac NSS1 MCS0 VHT40 / 5795 MHz / Peak / Port 1 / 1GHz~3GHz


Plot on IEEE 802.11ac NSS1 MCS0 VHT40 / 5795 MHz / Average / Port 2 / 1GHz~3GHz

Plot on IEEE 802.11ac NSS1 MCS0 VHT40 / 5795 MHz / Peak / Port 2 / 1GHz~3GHz






IEEE 802.11ac NSS1 MCS0 VHT80


Average

Frequency (MHz)	Correlated Antenna Gain (dBi)	TX1 Spurious Level (dBm)	TX2 Spurious Level (dBm)	Total Spurious Level (dBm)	Limit (dBm)	Margin (dB)
5210	2.00	-73.86	-74.02	-68.93	-41.25	27.68
5775	2.00	-73.87	-73.81	-68.83	-41.25	27.58


Peak

Frequency (MHz)	Correlated Antenna Gain (dBi)	TX1 Spurious Level (dBm)	TX2 Spurious Level (dBm)	Total Spurious Level (dBm)	Limit (dBm)	Margin (dB)
5210	2.00	-62.88	-62.73	-57.79	-21.25	36.54
5775	2.00	-62.34	-62.91	-57.61	-21.25	36.36



Plot on IEEE 802.11ac NSS1 MCS0 VHT80 / 5210 MHz / Average / Port 1 / 1GHz~3GHz

Plot on IEEE 802.11ac NSS1 MCS0 VHT80 / 5210 MHz / Peak / Port 1 / 1GHz~3GHz



Plot on IEEE 802.11ac NSS1 MCS0 VHT80 / 5210 MHz / Average / Port 2 / 1GHz~3GHz


Date: 6.JUL.2018 16:00:03


Plot on IEEE 802.11ac NSS1 MCS0 VHT80 / 5210 MHz / Peak / Port 2 / 1GHz~3GHz


Date: 6.JUL.2018 16:00:22

Plot on IEEE 802.11ac NSS1 MCS0 VHT80 / 5775 MHz / Average / Port 1 / 1GHz~3GHz

Plot on IEEE 802.11ac NSS1 MCS0 VHT80 / 5775 MHz / Peak / Port 1 / 1GHz~3GHz


Plot on IEEE 802.11ac NSS1 MCS0 VHT80 / 5775 MHz / Average / Port 2 / 1GHz~3GHz


Date: 6.JUL.2018 11:18:55

Plot on IEEE 802.11ac NSS1 MCS0 VHT80 / 5775 MHz / Peak / Port 2 / 1GHz~3GHz


Date: 6.JUL.2018 11:17:40




IEEE 802.11ac NSS1 MCS0 VHT20 / Average


Frequency (MHz)	Correlated Antenna Gain (dBi)	TX1 Bandedge Level (dBm)	TX2 Bandedge Level (dBm)	Total TX Bandedge Level (dBm)	Limit (dBm)	Margin (dB)
5180	16.00	-61.39	-59.61	-41.40	-41.25	0.15
5200	16.00	-61.06	-60.77	-41.90	-41.25	0.65
5240	16.00	-61.46	-60.31	-41.84	-41.25	0.59

IEEE 802.11ac NSS1 MCS0 VHT20 / Peak


Frequency (MHz)	Correlated Antenna Gain (dBi)	TX1 Bandedge Level (dBm)	TX2 Bandedge Level (dBm)	Total TX Bandedge Level (dBm)	Limit (dBm)	Margin (dB)
5180	16.00	-51.11	-48.90	-30.86	-21.25	9.61
5200	16.00	-51.71	-49.60	-31.52	-21.25	10.27
5240	16.00	-51.21	-48.24	-30.47	-21.25	9.22
5745	16.00	-49.55	-49.67	-30.60	-27.00	3.60
5785	16.00	-47.75	-46.92	-28.30	-27.00	1.30
5825	16.00	-45.37	-47.46	-27.28	-27.00	0.28

Plot on IEEE 802.11ac NSS1 MCS0 VHT20 / 5180 MHz / Average / Port 1



Date: 4.JUL.2018 22:34:49

Plot on IEEE 802.11ac NSS1 MCS0 VHT20 / 5180 MHz / Peak / Port 1



Date: 4.JUL.2018 22:36:26

Plot on IEEE 802.11ac NSS1 MCS0 VHT20 / 5180 MHz / Average / Port 2



Date: 4.JUL.2018 22:34:15

Plot on IEEE 802.11ac NSS1 MCS0 VHT20 / 5180 MHz / Peak / Port 2



Date: 4.JUL.2018 22:35:56

Plot on IEEE 802.11ac NSS1 MCS0 VHT20 / 5200 MHz / Average / Port 1



Date: 4.JUL.2018 22:37:51

Plot on IEEE 802.11ac NSS1 MCS0 VHT20 / 5200 MHz / Peak / Port 1



Date: 4.JUL.2018 22:39:33

Plot on IEEE 802.11ac NSS1 MCS0 VHT20 / 5200 MHz / Average / Port 2



Date: 4.JUL.2018 22:38:28

Plot on IEEE 802.11ac NSS1 MCS0 VHT20 / 5200 MHz / Peak / Port 2




Date: 4.JUL.2018 22:38:47



Plot on IEEE 802.11ac NSS1 MCS0 VHT20 / 5240 MHz / Average / Port 1



Date: 4.JUL.2018 22:41:46

Plot on IEEE 802.11ac NSS1 MCS0 VHT20 / 5240 MHz / Peak / Port 1



Date: 4.JUL.2018 22:43:07

Plot on IEEE 802.11ac NSS1 MCS0 VHT20 / 5240 MHz / Average / Port 2

Plot on IEEE 802.11ac NSS1 MCS0 VHT20 / 5240 MHz / Peak / Port 2




Plot on IEEE 802.11ac NSS1 MCS0 VHT20 / 5745 MHz / Peak / Port 1

Plot on IEEE 802.11ac NSS1 MCS0 VHT20 / 5745 MHz / Peak / Port 2


Plot on IEEE 802.11ac NSS1 MCS0 VHT20 / 5785 MHz / Peak / Port 1


Date: 3.JUL.2018 00:04:11

Plot on IEEE 802.11ac NSS1 MCS0 VHT20 / 5785 MHz / Peak / Port 2


Date: 3.JUL.2018 00:03:12

Plot on IEEE 802.11ac NSS1 MCS0 VHT20 / 5825 MHz / Peak / Port 1

Plot on IEEE 802.11ac NSS1 MCS0 VHT20 / 5825 MHz / Peak / Port 2




IEEE 802.11ac NSS1 MCS0 VHT40 / Average


Frequency (MHz)	Correlated Antenna Gain (dBi)	TX1 Bandedge Level (dBm)	TX2 Bandedge Level (dBm)	Total TX Bandedge Level (dBm)	Limit (dBm)	Margin (dB)
5190	16.00	-59.92	-60.72	-41.29	-41.25	0.04
5230	16.00	-60.90	-59.78	-41.29	-41.25	0.04

IEEE 802.11ac NSS1 MCS0 VHT40 / Peak



Frequency (MHz)	Correlated Antenna Gain (dBi)	TX1 Bandedge Level (dBm)	TX2 Bandedge Level (dBm)	Total TX Bandedge Level (dBm)	Limit (dBm)	Margin (dB)
5190	16.00	-49.58	-49.36	-30.46	-21.25	9.21
5230	16.00	-51.08	-49.01	-30.91	-21.25	9.66
5755	16.00	-48.18	-45.34	-27.52	-27.00	0.52
5795	16.00	-46.84	-46.68	-27.75	-27.00	0.75


Plot on IEEE 802.11ac NSS1 MCS0 VHT40 / 5190 MHz / Average / Port 1


Date: 4.JUL.2018 22:49:48


Plot on IEEE 802.11ac NSS1 MCS0 VHT40 / 5190 MHz / Peak / Port 1


Date: 4.JUL.2018 22:50:27


Plot on IEEE 802.11ac NSS1 MCS0 VHT40 / 5190 MHz / Average / Port 2

Plot on IEEE 802.11ac NSS1 MCS0 VHT40 / 5190 MHz / Peak / Port 2


Plot on IEEE 802.11ac NSS1 MCS0 VHT40 / 5230 MHz / Average / Port 1



Date: 4.JUL.2018 22:59:10

Plot on IEEE 802.11ac NSS1 MCS0 VHT40 / 5230 MHz / Peak / Port 1



Date: 4.JUL.2018 23:01:20

Plot on IEEE 802.11ac NSS1 MCS0 VHT40 / 5230 MHz / Average / Port 2



Date: 4.JUL.2018 23:00:12

Plot on IEEE 802.11ac NSS1 MCS0 VHT40 / 5230 MHz / Peak / Port 2




Date: 4.JUL.2018 23:00:41

Plot on IEEE 802.11ac NSS1 MCS0 VHT40 / 5755 MHz / Peak / Port 1


Date: 2.JUL.2018 23:50:32

Plot on IEEE 802.11ac NSS1 MCS0 VHT40 / 5755 MHz / Peak / Port 2


Date: 2.JUL.2018 23:49:05

Plot on IEEE 802.11ac NSS1 MCS0 VHT40 / 5795 MHz / Peak / Port 1

Plot on IEEE 802.11ac NSS1 MCS0 VHT40 / 5795 MHz / Peak / Port 2




IEEE 802.11ac NSS1 MCS0 VHT80 / Average


Frequency (MHz)	Correlated Antenna Gain (dBi)	TX1 Bandedge Level (dBm)	TX2 Bandedge Level (dBm)	Total TX Bandedge Level (dBm)	Limit (dBm)	Margin (dB)
5210	16.00	-59.63	-61.02	-41.26	-41.25	0.01

IEEE 802.11ac NSS1 MCS0 VHT80 / Peak

Frequency (MHz)	Correlated Antenna Gain (dBi)	TX1 Bandedge Level (dBm)	TX2 Bandedge Level (dBm)	Total TX Bandedge Level (dBm)	Limit (dBm)	Margin (dB)
5210	16.00	-47.65	-47.40	-28.51	-21.25	7.26
5775	16.00	-44.68	-48.49	-27.17	-27.00	0.17

Plot on IEEE 802.11ac NSS1 MCS0 VHT80 / 5210 MHz / Average / Port 1


Date: 4.JUL.2018 23:03:43

Plot on IEEE 802.11ac NSS1 MCS0 VHT80 / 5210 MHz / Peak / Port 1


Date: 4.JUL.2018 23:05:16

Plot on IEEE 802.11ac NSS1 MCS0 VHT80 / 5210 MHz / Average / Port 2

Plot on IEEE 802.11ac NSS1 MCS0 VHT80 / 5210 MHz / Peak / Port 2
