LTE Band 7 / 10MHz / 16QAM Lowest Band Edge / 1 RB Highest Band Edge / 1 RB Spectrum Ref Level 25.80 dBm Offset 5.80 dB Mode Auto Sweep Ref Level 25.80 Offset 5.80 dB Mode Auto Sween Count 100/100 1 AvqPwr PURIOUS\_LINE\_ABS -10 dBn -10 dBm 20 dBm -30 dBm-30 dBm 40 dBr 50 dBr Stop 2.595 GHz Start 2.475 GHz 10005 pts Stop 2.51 GHz rious Emission: Range Up Frequency
2.48321 GHz
2.49162 GHz
2.49897 GHz
2.50000 GHz
2.50064 GHz Power Abs -51.73 dBm -44.90 dBm -41.47 dBm -29.05 dBm 16.33 dBm nge Up 2.490 GHz 2.496 GHz 2.499 GHz Frequency 2.56941 GHz 2.57000 GHz 2.57101 GHz 2.57836 GHz 2.58687 GHz Range Low 2.475 GH ∆Limit 2.570 GHz 2.571 GHz 2.575 GHz 2.580 GHz 2.595 GHz 200.000 kHz 200.000 kHz 1.000 MHz 1.000 MHz 1.000 MHz -12.54 dB -18.22 dB -31.27 dB -29.06 dB -19.30 dB -28.22 dBm -41.27 dBm Date: 3.JAN.2020 14:34:54 Highest Band Edge / Full RB Lowest Band Edge / Full RB Spectrum Mode Auto Sweep Ref Level 25.80 dBm Offset 5.80 dB SGL Count 100/100 Mode Auto Sweep Ref Level 25.80 dBm Offset 5.80 dB SGL Count 100/100 1 AvgPwr ∍1 AvgPw SPURIONIS CHINELABS\_ 20 dBm SPURIOUS 20 dBm line si 20 dBm 30 dBm-30 dBm -40 dBm 40 dBm -50 dBm -50 dBm -60 dBm Start 2.56 GHz 10005 pts Stop 2.595 GHz urious Emissions urious Emissions 2.490 GHz 2.496 GHz 2.496 GHz 2.499 GHz 2.500 GHz Power Abs -40.99 dBm -29.56 dBm -26.45 dBm -29.92 dBm ΔLimit
-15.99 dB
-16.56 dB
-16.45 dB
-19.92 dB
-29.09 dB 1.000 MHz 1.000 MHz 1.000 MHz 2.49042 GHz 2.49597 GHz 2.49886 GHz 2.49897 GHz 2.56191 GHz 2.57000 GHz 2.57112 GHz 2.57502 GHz 2.58026 GHz Range Low ate: 3.JAN.2020 14:36:02 Date: 3.JAN.2020 14:39:27

Sporton International (Kunshan) Inc.

TEL: +86-512-57900158 FAX: +86-512-57900958 FCC ID: ZL5B35EPA Page Number : A21 of A32 Issued Date : Mar. 02, 2020

Report Version : 01

Report Template No.: BU5-FGLTE Version 2.4

LTE Band 7 / 15MHz / QPSK Lowest Band Edge / 1 RB Highest Band Edge / 1 RB Spectrum Ref Level 25.80 dBm Offset 5.80 dB Mode Auto Sweep Ref Level 25.80 Offset 5.80 dB Mode Auto Sweep Count 100/100 1 AvqPwr PURIOUS\_LINE\_ABS -10 dBn -10 dBm 20 dBm -30 dBm-30 dBm 40 dBr 50 dBn Start 2.555 GHz Stop 2.595 GHz Start 2.475 GHz 10005 pts Stop 2.515 GHz 10005 pt rious Emission: Range Up Frequency
2.48750 GHz
2.49418 GHz
2.49895 GHz
2.49999 GHz
2.50083 GHz Power Abs -42.74 dBm -44.01 dBm -41.13 dBm -25.07 dBm 18.22 dBm Range Low nge Up 2.490 GHz 2.496 GHz 2.499 GHz Range Low 2.475 GH ∆Limit -17.74 dB -31.01 dB -31.13 dB -15.07 dB -11.78 dB -11.82 dB -15.47 dB -26.98 dB -28.53 dB -26.00 dB 1.000 MHz 1.000 MHz 1.000 MHz 1.000 MHz Date: 3.JAN.2020 14:50:14 Highest Band Edge / Full RB Lowest Band Edge / Full RB Spectrum Mode Auto Sweep Offset 5.80 dB Mode Auto Sweep Ref Level 25.80 dBm Offset 5.80 dB SGL Count 100/100

1 AvgPwr
SPURIONS CHINELABS
20 dBm \_ SPURIOUS ∍1 AvgPw 20 dBm 20 dBm ine \_ \$1 20 dBm 30 dBm-40 dBm 40 dBm -50 dBm -50 dBm -60 dBm 10005 pts Stop 2.515 GHz Start 2.555 GHz 10005 pts Stop 2.595 GHz urious Emissions urious Emissions Power Abs
-33.86 dBm
-28.71 dBm
-26.56 dBm
-29.06 dBm
0.52 dBm -8.86 dB -15.71 dB -16.56 dB -19.06 dB -29.48 dB 2.490 GHz 2.496 GHz 2.496 GHz 2.499 GHz 1.000 MHz 1.000 MHz 1.000 MHz 2.49045 GHz 2.49581 GHz 2.49898 GHz 2.49894 GHz 2.49994 GHz 2.56371 GHz 2.56371 GHz 2.57034 GHz 2.57102 GHz 2.57530 GHz 2.58506 GHz Range Low ate: 3.JAN.2020 14:53:39 Date: 3.JAN.2020 14:54:47

Sporton International (Kunshan) Inc.

TEL: +86-512-57900158 FAX: +86-512-57900958 FCC ID: ZL5B35EPA Page Number : A22 of A32 Issued Date : Mar. 02, 2020

Report Version : 01

Report Template No.: BU5-FGLTE Version 2.4

LTE Band 7 / 15MHz / 16QAM Lowest Band Edge / 1 RB Highest Band Edge / 1 RB Spectrum Ref Level 25.80 dBm Offset 5.80 dB Mode Auto Sweep Ref Level 25.80 Offset 5.80 dB Mode Auto Sweep Count 100/100 1 AvqPwr PURIOUS\_LINE\_ABS -10 dBn -10 dBm 20 dBm -30 dBm-30 dBm 40 dBr 50 dBn Start 2.555 GHz Stop 2.595 GHz Start 2.475 GHz 10005 pts Stop 2.515 GHz rious Emission: Erequency
2.48770 GHz
2.49431 GHz
2.49896 GHz
2.49997 GHz
2.50084 GHz Range Low nge Up 2.490 GHz 2.496 GHz 2.499 GHz Range Low 2.475 GH Power Abs ∆Limit -20.34 dB -32.74 dB -30.08 dB -13.70 dB -12.89 dB 1.000 MHz 1.000 MHz 1.000 MHz 1.000 MHz 2.57000 GHz 2.57111 GHz 2.58247 GHz 2.58912 GHz Date: 3.JAN.2020 14:51:22 Highest Band Edge / Full RB Lowest Band Edge / Full RB Spectrum Mode Auto Sweep Offset 5.80 dB Mode Auto Sweep Ref Level 25.80 dBm Offset 5.80 dB SGL Count 100/100

1 AvgPwr
SPURIONS CHINELABS
20 dBm \_ SPURIOUS ∍1 AvgPw 20 dBm line si 0 dBm 20 dBm 30 dBm-40 dBm 40 dBm -50 dBm -50 dBm -60 dBm 10005 pts Stop 2.515 GHz Start 2.555 GHz 10005 pts Stop 2.595 GHz urious Emissions urious Emissions ΔLimit
-11.05 dB
-17.44 dB
-18.47 dB
-21.01 dB
-30.59 dB 2.490 GHz 2.496 GHz 2.499 GHz 1.000 MHz 1.000 MHz 1.000 MHz 2.49043 GHz 2.49591 GHz 2.49876 GHz 2.49899 GHz -36.05 dBm -30.44 dBm -28.47 dBm 2.56296 GHz 2.57003 GHz 2.57126 GHz 2.57523 GHz 2.58506 GHz Range Low ate: 3.JAN.2020 14:52:30 Date: 3.JAN.2020 14:55:55

Sporton International (Kunshan) Inc.

TEL: +86-512-57900158 FAX: +86-512-57900958 FCC ID: ZL5B35EPA Page Number : A23 of A32 Issued Date : Mar. 02, 2020

Report Version : 01

Report Template No.: BU5-FGLTE Version 2.4

LTE Band 7 / 20MHz / QPSK Lowest Band Edge / 1 RB Highest Band Edge / 1 RB Spectrum Ref Level 25.80 dBm Offset 5.80 dB Mode Auto Sweep Ref Level 25.80 Offset 5.80 dB Mode Auto Sween Count 100/100 1 AvqPwr -10 dBn -10 dBm 20 dBm -30 dBm 40 dBr 50 dBr Start 2.55 GHz Stop 2.595 GHz Start 2.475 GHz 10005 pts Stop 2.52 GHz 10005 pt rious Emission: Range Up nge Up 2.490 GHz 2.496 GHz 2.499 GHz 2.48316 GHz 2.49572 GHz 2.49854 GHz Frequency 2.56892 GHz 2.57000 GHz 2.57202 GHz 2.57777 GHz 2.59003 GHz Range Low 2.475 GH -42.83 dB ∆Limit -11.43 dB -14.42 dB -28.32 dB -25.00 dB -26.60 dB 2.576 GHz 2.571 GHz 2.575 GHz 2.590 GHz 2.595 GHz 1.000 MHz 1.000 MHz 1.000 MHz 1.000 MHz Date: 3.JAN.2020 15:06:42 Highest Band Edge / Full RB Lowest Band Edge / Full RB Spectrum Mode Auto Sweep Offset 5.80 dB Mode Auto Sweep Ref Level 25.80 dBm Offset 5.80 dB SGL Count 100/100 1 AvgPwr ∍1 AvgPw SPURIONISCHINEKABS\_ 20 dBm SPURIOUS 20 dBm 20 dBm ine \_ \$1 10 dBm 20 dBm 30 dBm-40 dBm 40 dBm 50 dBn -50 dBm -60 dBm 10005 pts Start 2.55 GHz Stop 2.595 GHz irious Emissions urious Emissions Power Abs -34.87 dBm -31.12 dBm -29.43 dBm -30.29 dBm -9.87 dB -18.12 dB -19.43 dB -20.29 dB -30.91 dB 1.000 MHz 1.000 MHz 1.000 MHz 2.49030 GHz 2.49556 GHz 2.49887 GHz nge Up 2.490 GHz Range Low Frequency 2.490 GHz 2.496 GHz 2.499 GHz 2.500 GHz ate: 3.JAN.2020 15:10:07 Date: 3.JAN.2020 15:11:15

Sporton International (Kunshan) Inc.

TEL: +86-512-57900158 FAX: +86-512-57900958 FCC ID: ZL5B35EPA Page Number : A24 of A32 Issued Date : Mar. 02, 2020

Report Version : 01

Report Template No.: BU5-FGLTE Version 2.4

LTE Band 7 / 20MHz / 16QAM Lowest Band Edge /1 RB **Highest Band Edge / 1RB** Spectrum Ref Level 25.80 dBm Offset 5.80 dB Mode Auto Sweep Ref Level 25.80 Offset 5.80 dB Mode Auto Sween Count 100/100 1 AvqPwr PURIOUS\_LINE\_ABS -10 dBn -10 dBm -30 dBm-30 dBm 40 dBr 50 dBr Frequency
2.48315 GHz
2.49550 GHz
2.49594 GHz
49999 GHz
197 GHz Start 2.55 GHz Stop 2.595 GHz Start 2.475 GHz 10005 pts Stop 2.52 GHz 10005 pt rious Emission: Range Up 2.490 GHz 2.496 GHz 2.496 GHz 2.499 GHz 2.500 GHz 2.520 GHz -49.69 dBm -48.20 dBm -44.19 dBm 2.56891 GHz 2.57002 GHz 2.57105 GHz 2.57788 GHz 2.59084 GHz Range Low 2.475 GH ∆Limit -24.69 dB -35.20 dB -34.19 dB -16.20 dB -13.98 dB 2.576 GHz 2.571 GHz 2.575 GHz 2.590 GHz 2.595 GHz 1.000 MHz 1.000 MHz 1.000 MHz 1.000 MHz Date: 3.JAN.2020 15:07:51 Highest Band Edge / Full RB Lowest Band Edge / Full RB Spectrum Mode Auto Sweep Offset 5.80 dB Mode Auto Sweep Ref Level 25.80 dBm Offset 5.80 dB SGL Count 100/100 1 AvgPwr ∍1 AvgPw SPURIONISCHINEKABS\_ 20 dBm SPURIOUS 20 dBm 20 dBm ine \_ \$1 ao dBm 30 dBm-40 dBm 40 dBm -50 dBn -50 dBm -60 dBm Start 2.55 GHz Stop 2.595 GHz irious Emissions urious Emissions Power Abs
-36.53 dBm
-32.32 dBm
-30.46 dBm
-32.17 dBm
-1.72 dBm 1.000 MHz 1.000 MHz 1.000 MHz 2.49044 GHz 2.49534 GHz 2.49898 GHz nge Up 2.490 GHz 2.56151 GHz 2.56151 GHz 2.57009 GHz 2.57151 GHz 2.57537 GHz 2.59020 GHz Range Low ate: 3.JAN.2020 15:08:59 Date: 3.JAN.2020 15:12:24


Sporton International (Kunshan) Inc.

TEL: +86-512-57900158 FAX: +86-512-57900958 FCC ID: ZL5B35EPA Page Number : A25 of A32 Issued Date : Mar. 02, 2020

Report Version : 01

Report Template No.: BU5-FGLTE Version 2.4

### **Conducted Spurious Emission**




Sporton International (Kunshan) Inc.

TEL: +86-512-57900158 FAX: +86-512-57900958 FCC ID: ZL5B35EPA Page Number : A26 of A32 Issued Date : Mar. 02, 2020

Report No.: FG9D1021-02B

Report Version : 01



Sporton International (Kunshan) Inc.

TEL: +86-512-57900158 FAX: +86-512-57900958 FCC ID: ZL5B35EPA Page Number : A27 of A32 Issued Date : Mar. 02, 2020

Report Version : 01

Report Template No.: BU5-FGLTE Version 2.4

LTE Band 7 / 10MHz Middle Channel / QPSK Middle Channel / 16QAM Spectrum Spectrum Ref Level 0.00 dBm Offset 5.80 dB Mode Auto Sweep Ref Level 0.00 dBm Offset 5.80 dB Mode Auto Sweep GL Count 100/100 SGL Count 100/100 ●1 AvgPwr □ imit ( -10 ddne 10 ddne 40 dBm 40 dBm -70 dBm -70 dBm 80 dBm -80 dBm Start 30.0 MHz 520 Stop 26.0 GHz Start 30.0 MHz 52000 Stop 26.0 GHz rious Emissio Spurious Emissions Range Up RBW 1.000 MHz 1.000 MHz 1.000 MHz 1.000 MHz 1.000 MHz 1.000 MHz 930.92204 MHz 2.45897 GHz 4.99395 GHz 5.06124 GHz 17.04331 GHz Power Abs
-53.58 dBm
-53.27 dBm
-50.48 dBm
-46.97 dBm
-45.66 dBm
-45.43 dBm ΔLimit
-28.58 dB
-28.27 dB
-25.48 dB
-21.97 dB
-20.66 dB
-20.43 dB 1.000 MHz Power Abs -53.44 dBm -53.51 dBm -50.38 dBm -48.06 dBm -46.19 dBm -45.66 dBm ΔLimit
-28.44 dB
-28.51 dB
-25.38 dB
-23.06 dB
-21.19 dB
-20.66 dB Range Up 1.000 GHz 2.490 GHz 5.000 GHz Frequency 914.44028 MHz 2.47883 GHz 4.97653 GHz Range Low 30,000 MHz Range Low 30.000 MH; 30.000 MHz 1.000 GHz 2.580 GHz 5.000 GHz 10.000 GHz 18.000 GHz 2.490 GHz 5.000 GHz 1.000 GHz 2.580 GHz 5.06124 GHz 15.90738 GHz 19.87663 GHz .000 GHz 18.000 GHz 26.000 GHz ate: 3.JAN.2020 14:45:17 ate: 3.JAN.2020 14:44:23 **Highest Channel / QPSK Highest Channel / 16QAM** Spectrum Spectrum Ref Level 0.00 dBm Offset 5.80 dB Mode Auto Sweep Ref Level 0.00 dBm Offset 5.80 dB Mode Auto Sweep Count 100/100 GL Count 100/100 1 AvgPwr 'imit Check 1 AvgPwr -10 ddpc -10 ddne -20 dBm--20 dBm INE\_ABS 40 dBm 40 dam -50 dBm -80 dBm -80 dBm 90 dBm -90 dBm Start 30.0 MHz Stop 26.0 GHz Start 30.0 MHz Stop 26.0 GHz 52006 pts 52006 pts Spurious Emissions rious Emission Range Low 30.000 MHz 1.000 GHz 2.580 GHz 5.000 GHz 10.000 GHz 18.000 GHz 18.000 GHz ΔLimit
-28.50 dB
-28.52 dB
-25.49 dB
-23.46 dB
-21.17 dB
-20.74 dB -53.56 dBm -53.59 dBm -50.33 dBm -48.32 dBm -45.85 dBm -45.61 dBm 1.000 GHz 2.490 GHz 5.000 GHz 10.000 GHz 18.000 GHz 26.000 GHz Frequency 895.04998 MHz 2.45301 GHz 4.98040 GHz 5.12124 GHz 17.06731 GHz 19.85513 GHz Range Low 30.000 MHz ate: 3.JAN.2020 14:46:11 ate: 3.JAN.2020 14:47:04

Sporton International (Kunshan) Inc.

TEL: +86-512-57900158 FAX: +86-512-57900958 FCC ID: ZL5B35EPA Page Number : A28 of A32 Issued Date : Mar. 02, 2020

Report Version : 01

Report Template No.: BU5-FGLTE Version 2.4

LTE Band 7 / 15MHz **Lowest Channel / QPSK Lowest Channel / 16QAM** Spectrum Spectrum Ref Level 0.00 dBm Offset 5.80 dB Mode Auto Sweep Ref Level 0.00 dBm Offset 5.80 dB Mode Auto Sweep GL Count 100/100 SGL Count 100/100 ●1 AvgPwr □ imit ( -10 ddne 10 ddne 40 dBm 40 dBm -70 dBm -70 dBm 80 dBm -80 dBm Start 30.0 MHz 520 Stop 26.0 GHz Start 30.0 MHz 52000 Stop 26.0 GHz rious Emissions Spurious Emissions Range Up RBW 1.000 MHz 1.000 MHz 1.000 MHz 1.000 MHz 1.000 MHz 1.000 MHz Power Abs
-53.63 dBm
-39.95 dBm
-50.27 dBm
-46.52 dBm
-45.90 dBm ΔLimit
-28.63 dB
-14.95 dB
-25.27 dB
-21.52 dB
-20.90 dB
-20.61 dB 1.000 MHz Power Abs -53.48 dBm -47.84 dBm -50.25 dBm -47.54 dBm 942.07146 MHz 2.48777 GHz 4.97847 GHz Range Up 1.000 GHz 2.490 GHz 5.000 GHz **ΔLimit** -28.48 dB 873.72064 MHz 2.48777 GHz 4.98669 GHz Range Low 30,000 MHz Range Low 30.000 MH; 30.000 MHz 1.000 GHz 2.580 GHz 5.000 GHz 10.000 GHz 18.000 GHz 2.490 GHz 5.000 GHz 1.000 GHz 2.580 GHz 5.00175 GHz .000 GHz 15.89688 GHz 19.85013 GHz 18.000 GHz 26.000 GHz 18.000 GHz 45.61 dBm ate: 3.JAN.2020 14:59:04 ate: 3.JAN.2020 14:59:58 Middle Channel / QPSK Middle Channel / 16QAM Spectrum Spectrum Ref Level 0.00 dBm Offset 5.80 dB Mode Auto Sweep Ref Level 0.00 dBm Offset 5.80 dB Mode Auto Sweep Count 100/100 GL Count 100/100 1 AvgPwr 1 imit Check 1 AvgPwr -10 ddpc -10 ddne -20 dBm--20 dBm INE\_ABS 40 dBm 40 dam -50 dBm -80 dBm -80 dBm 90 dBm -90 dBm Start 30.0 MHz Stop 26.0 GHz Start 30.0 MHz Stop 26.0 GHz 52006 pts 52006 pts Spurious Emissions rious Emission Range Low
30.000 MHz
1.000 GHz
2.580 GHz
5.000 GHz
10.000 GHz Power Abs
-53.55 dBm
-53.39 dBm
-50.37 dBm
-47.47 dBm
-45.93 dBm
-45.72 dBm -53.62 dBm -53.32 dBm -50.49 dBm -47.04 dBm -46.12 dBm -45.63 dBm ΔLimit
-28.62 dB
-28.32 dB
-25.49 dB
-22.04 dB
-21.12 dB
-20.63 dB 1.000 GHz 2.490 GHz 5.000 GHz 10.000 GHz 18.000 GHz 26.000 GHz Range Low 30.000 MHz ate: 3.JAN.2020 15:01:45 ate: 3.JAN.2020 15:00:52

Sporton International (Kunshan) Inc.

TEL: +86-512-57900158 FAX: +86-512-57900958 FCC ID: ZL5B35EPA Page Number : A29 of A32 Issued Date : Mar. 02, 2020

Report No.: FG9D1021-02B

Report Version : 01


LTE Band7 / 15MHz **Highest Channel / QPSK Highest Channel / 16QAM** Spectrum Spectrum Ref Level 0.00 dBm Offset 5.80 dB Mode Auto Sweep Ref Level 0.00 dBm Offset 5.80 dB Mode Auto Sweep GL Count 100/100 SGL Count 100/100 ●1 AvgPwr □ imit ( -10 ddne 10 ddne 40 dBm 40 dBm -70 dBm -70 dBm 80 dBm -80 dBm Start 30.0 MHz 520 Stop 26.0 GHz Start 30.0 MHz 52000 Stop 26.0 GHz rious Emissio Spurious Emissions Range Up RBW 1.000 MHz 1.000 MHz 1.000 MHz 1.000 MHz 1.000 MHz 1.000 MHz 895.53473 MHz 2.48777 GHz 2.58266 GHz 5.11174 GHz 17.04581 GHz 19.87263 GHz Power Abs
-53.64 dBm
-53.51 dBm
-37.38 dBm
-48.02 dBm
-45.99 dBm ΔLimit
-28.64 dB
-28.51 dB
-12.38 dB
-23.02 dB
-20.99 dB
-20.35 dB 1.000 MHz Power Abs -53.70 dBm -53.42 dBm -38.91 dBm -48.62 dBm -46.11 dBm -45.64 dBm 876.62919 MHz 2.46493 GHz 2.58266 GHz 6.99955 GHz Range Low 30,000 MHz Range Low 30.000 MH; **∆Limit** -28.70 -28.70 dB -28.42 dB -13.91 dB -23.62 dB -21.11 dB -20.64 dB 30.000 MHz 1.000 GHz 2.580 GHz 5.000 GHz 10.000 GHz 18.000 GHz 2.490 GHz 5.000 GHz 2.490 GHz 5.000 GHz 1.000 GHz 2.580 GHz .000 GHz 18.000 GHz 26.000 GHz 15.90688 GHz 19.88513 GHz ate: 3.JAN.2020 15:02:39 ate: 3.JAN.2020 15:03:33 LTE Band 7 / 20MHz Lowest Channel / QPSK Lowest Channel / 16QAM Spectrum Spectrum Ref Level 0.00 dBm Offset 5.80 dB Mode Auto Sweep Ref Level 0.00 dBm Offset 5.80 dB Mode Auto Sweep SGL Count 100/100 SGL Count 100/100 ●1 AvgPwr ●1 AvgPw -10 dine -10 dishi 40 dBm 40 dBm -70 dBm -70 dBm 80 dBm 80 dBm Start 30.0 MHz Stop 26.0 GHz Stop 26.0 GHz Start 30.0 MH 52006 Spurious Emission: Range Up Irious E.... Range Low 20 000 MHz ΔLimit
-28.40 dB
-19.15 dB
-25.40 dB
-22.39 dB
-21.19 dB
-20.47 dB 882.93103 MHz 2.48379 GHz 4.99831 GHz 5.00225 GHz -53.40 dBm -44.15 dBm -50.40 dBm -47.39 dBm 1.000 MHz 1.000 MHz 1.000 MHz 1.000 MHz Range Up Frequency 896.01949 MHz Range Low 30.000 MHz Power Abs -53.69 dBr ΔLimit 1.000 GHz 2.490 GHz 5.000 GHz 10.000 GHz 18.000 GHz 26.000 GHz 1.000 MHz 1.000 MHz 1.000 MHz 1.000 MHz 1.000 MHz 1.000 MHz -53.69 dBm -50.61 dBm -50.17 dBm -47.88 dBm -46.01 dBm -45.26 dBm 1.000 GHz 2.490 GHz 5.000 GHz 10.000 GHz 18.000 GHz 26.000 GHz 30.000 MHz 1.000 GHz 2.580 GHz 5.000 GHz 10.000 GHz 18.000 GHz -28.69 dB -25.61 dB -25.17 dB -22.88 dB -21.01 dB -20.26 dB 1.000 MHz 1.000 GHz 2.580 GHz 5.000 GHz 2.48379 GHz 4.97895 GHz 5.00225 GHz 5.00225 GHz 15.90188 GHz 19.88663 GHz ate: 3.JAN.2020 15:15:32 ate: 3.JAN.2020 15:16:26

Sporton International (Kunshan) Inc.

TEL: +86-512-57900158 FAX: +86-512-57900958 FCC ID: ZL5B35EPA Page Number : A30 of A32 Issued Date : Mar. 02, 2020

Report Version : 01

Report Template No.: BU5-FGLTE Version 2.4



Sporton International (Kunshan) Inc.

TEL: +86-512-57900158 FAX: +86-512-57900958 FCC ID: ZL5B35EPA Page Number : A31 of A32 Issued Date : Mar. 02, 2020

Report Version : 01

Report Template No.: BU5-FGLTE Version 2.4

# Frequency Stability

Test 0	Conditions	LTE Band 7 (QPSK) / Middle Channel		
Temperature (°C)	V-16	BW 10MHz	Note 2.	
	Voltage (Volt)	Deviation (ppm)	Result	
50	Normal Voltage	0.0023		
40	Normal Voltage	0.0028		
30	Normal Voltage	0.0008		
20(Ref.)	Normal Voltage	0.0000		
10	Normal Voltage	0.0019		
0	Normal Voltage	0.0032	]	
-10	Normal Voltage	0.0022	PASS	
-20	Normal Voltage	0.0004		
-30	Normal Voltage	0.0030		
20	Maximum Voltage	0.0006	]	
20	Normal Voltage	0.0014		
20	Battery End Point	0.0027		

#### Note:

- 1. Normal Voltage =3.85 V.; Battery End Point (BEP) =3.45 V.; Maximum Voltage =4.35 V.
- 2. The frequency fundamental emissions stay within the authorized frequency block.

Sporton International (Kunshan) Inc.

TEL: +86-512-57900158 FAX: +86-512-57900958 FCC ID: ZL5B35EPA Page Number : A32 of A32 Issued Date : Mar. 02, 2020

Report No.: FG9D1021-02B

Report Version : 01

## **Appendix B. Test Results of Radiated Test**

## **Radiated Spurious Emission**

LTE Band 7 / 20MHz / QPSK												
Channel	Frequency (MHz)	EIRP (dBm)	Limit ( dBm )	Over Limit ( dB )	SPA Reading (dBm)	S.G. Power ( dBm )	TX Cable loss ( dB )	TX Antenna Gain (dBi)	Polarization (H/V)			
Middle	5052	-55.66	-25	-30.66	-48.77	-65.87	3.03	13.24	Н			
	7580	-35.73	-25	-10.73	-35.82	-45.18	3.56	13.01	Н			
	10100	-41.50	-25	-16.50	-46.24	-51.02	3.92	13.44	Н			
	5052	-51.79	-25	-26.79	-45.33	-62.00	3.03	13.24	V			
	7580	-38.46	-25	-13.46	-39.14	-47.91	3.56	13.01	V			
	10100	-43.22	-25	-18.22	-47.16	-52.74	3.92	13.44	V			

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.

Sporton International (Kunshan) Inc.

TEL: +86-512-57900158 FAX: +86-512-57900958 FCC ID: ZL5B35EPA Page Number : B1 of B1 Issued Date : Mar. 02, 2020

Report No.: FG9D1021-02B

Report Version : 01