

FUEL-COOLED OIL COOLER (FCOC) - INSPECTION/CHECK

EFFECTIVITY: ALL

1. General

- A. This section gives the procedures to do the visual check of the fuel-cooled oil cooler assembly (FCOC).
- B. These procedures are applicable to the LH and RH engines.
- C. The procedures in this section are given in the sequence below. The tasks identified with (◆) are part of the Scheduled Maintenance Requirements Document (SMRD).

TASK NUMBER	DESCRIPTION	EFFECTIVITY
79-25-02-200-801-A	FCOC ASSEMBLY - VISUAL CHECK	ALL

TASK 79-25-02-200-801-A

EFFECTIVITY: ALL

2. FCOC ASSEMBLY - VISUAL CHECK

A. General

(1) To do this task, refer to the instructions given in Rolls-Royce MM CSP 34022.

B. References

REFERENCE	DESIGNATION
AMM TASK 71-12-01-000-801-A/400	ENGINE LOWER COWLING - OPENING
AMM TASK 71-12-01-400-801-A/400	ENGINE LOWER COWLING - CLOSING
Rolls-Royce MM CSP 34022	-

C. Zones and Accesses

ZONE	PANEL/DOOR	LOCATION
413		LH Engine lower cowling
423		RH Engine lower cowling

D. Tools and Equipment

Not Applicable

E. Auxiliary Items

ITEM	DESCRIPTION	PURPOSE	QTY
Commercially available	Workstand	To get access to the work area	1

F. Consumable Materials

Not Applicable

G. Expandable Parts

Not Applicable

H. Persons Recommended

QTY	FUNCTION	PLACE
1	Does the task	Engine work area

I. Preparation

SUBTASK 840-002-A

(1) Open the engine lower cowling (LH) or (RH). Refer to [AMM TASK 71-12-01-000-801-A/400](#).

J. Visually Check Fuel Cooled Assembly (FCOC)

SUBTASK 211-003-A

- (1) Do the visual check of the fuel-cooled oil cooler assembly (FCOC). Refer to the latest revision of Rolls-Royce MM CSP 34022.

K. Follow-on

SUBTASK 840-003-A

- (1) Close the lower cowling. Refer to [AMM TASK 71-12-01-400-801-A/400](#).

