

OIL PLUMBING - INSPECTION/CHECK

EFFECTIVITY: ALL

1. General

- A. This section gives the procedures to do the visual check of the oil plumbing.
- B. These procedures are applicable to the LH and RH engines.
- C. The procedures in this section are given in the sequence below. The tasks identified with (♦) are part of the Scheduled Maintenance Requirements Document (SMRD).

TASK NUMBER	DESCRIPTION	EFFECTIVITY
79-27-00-200-801-A ♦	OIL PLUMBING - VISUAL CHECK	ALL

TASK 79-27-00-200-801-A

EFFECTIVITY: ALL

2. OIL PLUMBING - VISUAL CHECK

A. General

(1) To do this task, refer to the instructions given in Rolls-Royce MM CSP 34022.

B. References

REFERENCE	DESIGNATION
AMM TASK 71-12-01-000-801-A/400	ENGINE LOWER COWLING - OPENING
AMM TASK 71-12-01-400-801-A/400	ENGINE LOWER COWLING - CLOSING
Rolls-Royce MM CSP 34022	-

C. Zones and Accesses

ZONE	PANEL/DOOR	LOCATION
413		LH Engine Lower Cowling
423		RH Engine Lower Cowling

D. Tools and Equipment

Not Applicable

E. Auxiliary Items

ITEM	DESCRIPTION	PURPOSE	QTY
Commercially available	Workstand	To get access to the work area	01

F. Consumable Materials

Not Applicable

G. Expandable Parts

Not Applicable

H. Persons Recommended

QTY	FUNCTION	PLACE
01	Does the task	Engine work area

I. Preparation

SUBTASK 841-002-A

(1) Open the engine lower cowling ([AMM TASK 71-12-01-000-801-A/400](#)).

J. Visually Check Oil Plumbing

SUBTASK 211-002-A

- (1) Visually check the oil plumbing. Refer to the latest revision of Rolls-Royce MM CSP 34022.

K. Follow-on

SUBTASK 842-002-A

- (1) Close the engine lower cowling ([AMM TASK 71-12-01-400-801-A/400](#)).

