

## FAN BLADE - REPAIR

*EFFECTIVITY: ALL*

1. General

- A. This section gives the procedures to repair the fan blades.
- B. The procedures in this section are given in the sequence below. The tasks identified with (◆) are part of the Scheduled Maintenance Requirements Document (SMRD).

<i>TASK NUMBER</i>	<i>DESCRIPTION</i>	<i>EFFECTIVITY</i>
72-21-01-300-801-A	FAN BLADES - REPAIR	ALL

TASK 72-21-01-300-801-A

EFFECTIVITY: ALL

## 2. FAN BLADES - REPAIR

### A. General

(1) To repair of the fan blades, see the instructions contained in Rolls-Royce MM CSP 34022.

### B. References

REFERENCE	DESIGNATION
<a href="#">AMM MPP 71-00-00/200</a>	- MAINTENANCE PRACTICES

### C. Zones and Accesses

Not Applicable

### D. Tools and Equipment

Not Applicable

### E. Auxiliary Items

ITEM	DESCRIPTION	PURPOSE	QTY
Commercially available	Ladder	To get access to the engine air intake	1

### F. Consumable Materials

Not Applicable

### G. Expandable Parts

Not Applicable

### H. Persons Recommended

QTY	FUNCTION	PLACE
1	Does the task	Engine

### I. Preparation

SUBTASK 841-002-A

**WARNING: BEFORE YOU DO THE TASK OBEY THE SAFETY PRECAUTIONS GIVEN IN [AMM MPP 71-00-00/200](#) TO PREVENT INJURY TO PERSONS AND DAMAGE TO THE MATERIAL.**

- (1) On the circuit breaker panel, open the circuit breakers and attach a DO-NOT-CLOSE tag to them.
  - START 1/2.
- (2) Put the ladder in the work area.

J. Repair the Fan Blades

*SUBTASK 350-002-A*

- (1) Repair the fan blades. Refer to the last revision of Rolls-Royce MM CSP 34022.

K. Follow-on

*SUBTASK 842-002-A*

- (1) Remove the ladder.
- (2) On the circuit breaker panel, close the circuit breaker as below and remove the DO-NOT-CLOSE tag from it.
  - START 1/2.
- (3) Refer to the Rolls-Royce MM CSP 34022 to do the check procedures after an engine LRU maintenance action as applicable.

