

- Details of your forest
- Distribution of minimal depth
- Importance measures
- Multi-way importance plot
- Compare importance measures
- Compare rankings of variables

A graphical summary of your random forest

randomForestExplainer

June 05, 2019


Details of your forest

```
##
## Call:
## randomForest(x = x, y = y, mtry = res[which.min(res[, 2]), 1],      importance = TRUE, proximity = TRUE, stepfactor = 0.5)
##           Type of random forest: regression
##           Number of trees: 500
## No. of variables tried at each split: 8
##
##           Mean of squared residuals: 2.841035e+15
##           % Var explained: 30.96
```

Distribution of minimal depth

The plot below shows the distribution of minimal depth among the trees of your forest. Note that:

- the mean of the distribution is marked by a vertical bar with a value label on it (the scale for it is different than for the rest of the plot),
- the scale of the X axis goes from zero to the maximum number of trees in which any variable was used for splitting.



Minimal depth for a variable in a tree equals to the depth of the node which splits on that variable and is the closest to the root of the tree. If it is low than a lot of observations are divided into groups on the basis of this variable

Importance measures

Below you can explore the measures of importance for all variables in the forest:

Show

10

 entries

Search:

	variable	mean_min_depth	no_of_nodes	mse_increase	node_purity_increase	no_of_trees	times_a_root	p_value
1	Apr	3.4760	13389	698,233,934,516,934.0000	265,647,479,578,792,992.0000	500	1	0.0000
2	Aug	3.9180	12743	587,451,207,018,166.0000	262,001,297,203,160,992.0000	500	0	0.9519
3	Dec	3.5220	12309	532,774,812,545,074.0000	229,241,279,754,112,992.0000	500	2	1.0000

6/5/2019

A graphical summary of your random forest

	variable	mean_min_depth	no_of_nodes	mse_increase	node_purity_increase	no_of_trees	times_a_root	p_value
4	Feb	2.9080	13318	220,601,864,995,228.0000	213,318,196,104,772,992.0000	500	13	0.0002
5	Jan	1.6520	14127	1,708,118,810,473,310.0000	475,557,877,761,670,016.0000	500	121	0.0000
6	Jul	2.5760	13905	284,916,325,252,832.0000	229,641,596,614,324,992.0000	500	13	0.0000
7	Jun	2.0780	15192	1,672,765,502,774,250.0000	608,230,088,337,186,944.0000	500	42	0.0000
8	Mar	4.0300	12039	51,984,390,158,006.6016	120,766,326,790,652,992.0000	500	0	1.0000
9	May	1.9740	14050	1,952,251,317,786,630.0000	394,585,928,260,326,016.0000	500	78	0.0000
10	Nov	2.7700	12907	384,876,105,500,470.0000	388,812,857,715,225,024.0000	500	55	0.5629

Showing 1 to 10 of 13 entries

Previous

1


2Next

Multi-way importance plot


The multi-way importance plot shows the relation between three measures of importance and labels 10 variables which scored best when it comes to these three measures (i.e. for which the sum of the ranks for those measures is the lowest).

The first multi-way importance plot focuses on three importance measures that derive from the structure of trees in the forest:

- mean depth of first split on the variable,
- number of trees in which the root is split on the variable,
- the total number of nodes in the forest that split on that variable.




The second multi-way importance plot shows two importance measures that derive from the role a variable plays in prediction: with the additional information on the *p*-value based on a binomial distribution of the number of nodes split on the variable assuming that variables are randomly drawn to form splits (i.e. if a variable is significant it means that the variable is used for splitting more often than would be the case if the selection was random).



Compare importance measures

The plot below shows bilateral relations between the following importance measures: , if some variables are strongly related to each other it may be worth to consider focusing only on one of them.

Relations between measures of importance



Compare rankings of variables

The plot below shows bilateral relations between the rankings of variables according to chosen importance measures. This approach might be useful as rankings are more evenly spread than corresponding importance measures. This may also more clearly show where the different measures of importance disagree or agree.

Relations between rankings according to different measures

