Codigos SQL:
MySQL Script generated by MySQL Workbench
Thu Sep 8 13:26:57 2022
Model: New Model Version: 1.0
MySQL Workbench Forward Engineering
SET @OLD_UNIQUE_CHECKS=@@UNIQUE_CHECKS, UNIQUE_CHECKS=0;
SET @OLD_FOREIGN_KEY_CHECKS=@@FOREIGN_KEY_CHECKS, FOREIGN_KEY_CHECKS=0;
SET @OLD_SQL_MODE=@@SQL_MODE, SQL_MODE='ONLY_FULL_GROUP_BY,STRICT_TRANS_TABLES,NO_ZERO_I N_DATE,NO_ZERO_DATE,ERROR_FOR_DIVISION_BY_ZERO,NO_ENGINE_S UBSTITUTION';
Schema mydb
DROP SCHEMA IF EXISTS `mydb`;
Schema mydb
CREATE SCHEMA IF NOT EXISTS `mydb` DEFAULT CHARACTER SET utf8; USE `mydb`;
DROP TABLE IF EXISTS `mydb`.`Aluno`;
CREATE TABLE IF NOT EXISTS `mydb`.`Aluno` (
`CPF` CHAR(11) NOT NULL,

```
'Nome' VARCHAR(150) NOT NULL,
 `Sobrenome` VARCHAR(80) NOT NULL,
 `Sexo` CHAR(1) NOT NULL,
 `DataNascimento` DATE NULL,
 PRIMARY KEY (`CPF`))
ENGINE = InnoDB;
-- Table `mydb`.`Area`
DROP TABLE IF EXISTS `mydb`.`Area`;
CREATE TABLE IF NOT EXISTS `mydb`.`Area` (
 `Sigla` CHAR(8) NOT NULL,
 'Nome' VARCHAR(250) NOT NULL,
 `SuperArea` CHAR(8) NULL,
 PRIMARY KEY (`Sigla`),
 UNIQUE INDEX `Sigla_UNIQUE` (`Sigla` ASC) VISIBLE,
 INDEX `fk_Area_Area1_idx` (`SuperArea` ASC) VISIBLE,
 CONSTRAINT `fk_Area_Area1`
  FOREIGN KEY (`SuperArea`)
  REFERENCES `mydb`.`Area` (`Sigla`)
  ON DELETE NO ACTION
  ON UPDATE NO ACTION)
ENGINE = InnoDB;
-- Table `mydb`.`Curso`
```

```
DROP TABLE IF EXISTS `mydb`.`Curso`;
CREATE TABLE IF NOT EXISTS `mydb`.`Curso` (
`Sigla` CHAR(8) NOT NULL,
'Nome' VARCHAR(250) NOT NULL,
 'Horas' INT NULL,
 `Custo` DECIMAL(12,2) NOT NULL,
 `Area` CHAR(8) NOT NULL,
 PRIMARY KEY (`Sigla`),
 UNIQUE INDEX `Sigla_UNIQUE` (`Sigla` ASC) VISIBLE,
 INDEX `fk_CURSO_Area_idx` (`Area` ASC) VISIBLE,
 CONSTRAINT `fk_CURSO_Area`
  FOREIGN KEY (`Area`)
  REFERENCES `mydb`.`Area` (`Sigla`)
  ON DELETE NO ACTION
  ON UPDATE NO ACTION)
ENGINE = InnoDB;
-- Table `mydb`.`Matricula`
DROP TABLE IF EXISTS `mydb`.`Matricula`;
CREATE TABLE IF NOT EXISTS `mydb`.`Matricula` (
 `Curso` CHAR(8) NOT NULL,
`Aluno` CHAR(11) NOT NULL,
 `Data` DATE NOT NULL,
 'Pago' TINYINT(1) NOT NULL,
```

```
PRIMARY KEY ('Curso', 'Aluno'),
 INDEX `fk_Matricula_Aluno1_idx` (`Aluno` ASC) VISIBLE,
 CONSTRAINT `fk_Matricula_Curso1`
 FOREIGN KEY ('Curso')
  REFERENCES `mydb`.`Curso` (`Sigla`)
  ON DELETE NO ACTION
  ON UPDATE NO ACTION.
 CONSTRAINT `fk_Matricula_Aluno1`
 FOREIGN KEY ('Aluno')
  REFERENCES 'mydb'. 'Aluno' ('CPF')
  ON DELETE NO ACTION
  ON UPDATE NO ACTION)
ENGINE = InnoDB;
-- Table `mydb`.`Modulo`
DROP TABLE IF EXISTS `mydb`.`Modulo`;
CREATE TABLE IF NOT EXISTS `mydb`.`Modulo` (
 `Sigla` CHAR(8) NOT NULL,
 'Nome' VARCHAR(250) NOT NULL,
 `Curso` CHAR(8) NOT NULL,
 PRIMARY KEY (`Sigla`),
 INDEX `fk_Modulo_Curso1_idx` (`Curso` ASC) VISIBLE,
 CONSTRAINT `fk_Modulo_Curso1`
 FOREIGN KEY (`Curso`)
  REFERENCES `mydb`.`Curso` (`Sigla`)
  ON DELETE NO ACTION
```

ON UPDATE NO ACTION) ENGINE = InnoDB; -- Table `mydb`.`Professor` DROP TABLE IF EXISTS `mydb`.`Professor`; CREATE TABLE IF NOT EXISTS `mydb`.`Professor` (`CPF` VARCHAR(11) NOT NULL, 'Nome' VARCHAR(250) NOT NULL, `Curso_Sigla` CHAR(8) NOT NULL, PRIMARY KEY (`CPF`, `Curso_Sigla`), INDEX `fk_Professor_Curso1_idx` (`Curso_Sigla` ASC) VISIBLE, CONSTRAINT `fk_Professor_Curso1` FOREIGN KEY (`Curso_Sigla`) REFERENCES `mydb`.`Curso` (`Sigla`) ON DELETE NO ACTION ON UPDATE NO ACTION) ENGINE = InnoDB; -- Table `mydb`.`Topicos` DROP TABLE IF EXISTS 'mydb'. 'Topicos'; CREATE TABLE IF NOT EXISTS 'mydb'. 'Topicos' (

'Modulo' CHAR(8) NOT NULL,

```
`Sigla` CHAR(8) NOT NULL,
```

'Nome' VARCHAR(250) NOT NULL,

`Horas` INT NOT NULL,

PRIMARY KEY (`Sigla`, `Modulo`),

INDEX `fk_Topicos_Modulo1_idx` (`Modulo` ASC) VISIBLE,

CONSTRAINT `fk_Topicos_Modulo1`

FOREIGN KEY (`Modulo`)

REFERENCES `mydb`.`Modulo` (`Sigla`)

ON DELETE NO ACTION

ON UPDATE NO ACTION)

ENGINE = InnoDB;

SET SQL_MODE=@OLD_SQL_MODE;
SET FOREIGN_KEY_CHECKS=@OLD_FOREIGN_KEY_CHECKS;

SET UNIQUE_CHECKS=@OLD_UNIQUE_CHECKS;

