



SKYSCANNER
IN COLLABORATION WITH
UNIVERSITAT POLITÈCNICA DE CATALUNYA (UPC)

FINAL DEGREE PROJECT

Skyscanner Heatmap

Skyscanner's data comparison

Author:
Fèlix Arribas

Director:
Francisco López
University supervisor:
Maria José Casañ

A Project for the Computer Engineering Degree in the
Software Engineering and Information Systems department
Facultat d'Informàtica de Barcelona (FIB)
working with
DeLorean squad *from* Marketplace Engine tribe

Friday 2nd March, 2018

Universitat Politècnica de Catalunya (UPC)

Abstract

Facultat d'Informàtica de Barcelona (FIB)
Software Engineering and Information Systems department

Computer Engineering Degree

Skyscanner Heatmap

by Fèlix Arribas

In the last century, the world has become smaller. Communications are easier and faster than fifty years ago. Back then, you could talk through a fix phone, but you were not able to send any kind of media, like photos, videos, etc. Only the latest technology of that moment was able to do that. Since the smart phone revolution in 2007 almost everyone can text messages, sending images, share live videos or almost whatever you can imagine in less than a second.

But the internet, phones and communications are not the only thing that made the world smaller. Ways of traveling helped to this earth flattening too. In 1918 visiting another place was very difficult. If you wanted to go through the sea, you had to do it by boat. The fastest way to travel very far in a continent was by train, but not all places were connected with rails. Nowadays, all along with the internet revolution, anyone can travel to the other side of the world in less than a day by plane. Even for traveling inside the same country people use planes.

But, is the air industry as efficient enough? Are all airlines users satisfied with their purchases and possibilities? Skyscanner provides an easy to use tool to search cheap flights from any airport to another. Sadly, sometimes is difficult for users to find what they really want.

This project wants to help solving this problem, providing a HeatMap to explore differences and similarities between what users search and what airlines provides. Being able to compare between specific dates to guess user behavior.

Contents

Abstract	i
1 Context	1
1.1 Skyscanner	1
1.2 Marketplace Engine tribe	2
1.3 DeLorean squad	2
2 State-of-the-art	3
2.1 Fare aggregators and metasearch engines	3
2.1.1 Google Flights	3
2.1.2 Kayak	3
2.1.3 Expedia	3
2.2 Skyscanner services	3
2.2.1 Marketplace Engine	3
2.2.2 Data tribe	4
2.2.3 The gap	4
3 Skyscanner Heatmap	5
3.1 Formulation of the problem	5
3.2 Scope	5
3.2.1 Pipeline	6
3.2.2 Service	6
3.2.3 Visual representation	6
3.2.4 Not list	7
3.3 Risks	7
3.3.1 Routes contract	7
3.3.2 Users information	8
3.3.3 Amount of data	8
3.3.4 Web UI	8
3.4 Methodology and rigor	8
3.4.1 Extreme Programming	8
3.4.2 GitLab	9
4 Stakeholders	10
4.1 DeLorean squad	10
4.2 Marketing Automation squad	10
4.3 Data tribe	11
4.4 User	11
A Skyscanner structure	12
Bibliography	13

Chapter 1

Context

This is a project developed in *Skyscanner* and evaluated by the *Universitat Politècnica de Catalunya (UPC)* as a Final Degree Project.

This project's purpose is to compare routes and airports in **user demand** and **flights provided** by airlines. This comparison could improve flights advertisement according to user demand. The company could also develop complex software using the huge amount of data it will compare through an Application Programming Interface.

Skyscanner have more than 75 million flights information and all its users queries. In order to compare all the data available and get significant results, the software should solve **Big Data**.

1.1 Skyscanner

Skyscanner[1] is a travel fare aggregate website. It was formed in 2004 when a group of people was frustrated by the difficulties of finding cheap flights.

In 12 years has evolved from a little office in the suburbs of Edinburgh to a world wide company with ten offices in seven different countries. In the next 5 years, Skyscanner wants to become the travel experience that people prefer to the myriad confusing and unconnected travel apps.

Now, is one of the top travel fare aggregate website. It has more than 4 million visitors every day and, more or less, a revenue of half a million pounds per day.

This growth is possible thanks to the revenue Skyscanner gets from the App and Website, but how does this company make money? Does it get money from its ads like Google and other top tech companies do? Or it sells valuable information to its stakeholders such as user trends like Facebook or Twitter?

Since Skyscanner does not actually sell the flights (neither hotel rooms nor car hires) it cannot take a percent of the purchase. Skyscanner serves to the user a lot of data from different providers and once the user has selected what he wants to buy, it is redirected to the provider website to finish the acquisition.

The provider knows where the user comes from and they give a percent of the profit to Skyscanner.

1.2 Marketplace Engine tribe

This tribe[2] is one of the most important tribes in Skyscanner¹, its mission is to provide the most comprehensive and accurate flight inventory for Skyscanner and her partners with minimum latency.

Its main goal is to evolve the search, pricing, routes and browse services to be horizontally scalable and set us up to build a lightning fast, super accurate and fully comprehensive flight search engine, enabling the traveler to instantly find the best flight at the best price with minimum effort.

1.3 DeLorean squad

DeLorean[3] is a squad of Marketplace Engine tribe, its mission is to provide the best data and services around the routes, timetables and modes of transportation to go from one point on Earth to another.

The squad now provides a very fast service that serves flights' logistic information between a given origin and a destination. Some information you can find in a route is the flight number, different carriers, stops, date ranges, etc.

¹Learn more about *Skyscanner structure* in Appendix A

Chapter 2

State-of-the-art

Since this project is not oriented for Skyscanner users but the company itself, the *State-of-the-art* relates to services inside Skyscanner. Even so, a brief explanation about other metasearch engines would help to find the gap this project is developed.

2.1 Fare aggregators and metasearch engines

2.1.1 Google Flights

In the last years Google Flights has become the main competitor of Skyscanner. The new version is very fast and has a complete new interface, following Android guidelines.

Google is one of the top tech companies worldwide and has a lot of different platforms. It is a competitor to be aware of, the integration with Gmail, Google Calendar and Android OS makes Google Flight a part of Google's ecosystem. The traveler may feel comfortable.

2.1.2 Kayak

Kayak has always been the main competitor, both companies started in 2004. Unlike Skyscanner, Kayak started with Flights, Hotels and Car hiring. Skyscanner added those two extra search engines between 2013 and 2014.

2.1.3 Expedia

Launched in November 1998, is one of the oldest fare aggregator and metasearch engine. Apart of its own website, is also a Skyscanner provider. Some of the prices are taken from Expedia and sometimes the user is redirected to their website to finish their purchase.

2.2 Skyscanner services

In Skyscanner the user has never been a product, in fact, one of the statements of Skyscanner's culture says *Traveler != Product*[4].

There has never been a project getting value from user information because it does not follows the company culture, so the definition of the problem and the scope of the project must be very accurate to ensure it is fulfilling with Skyscanner's strategy[1].

2.2.1 Marketplace Engine

This tribe is formed by five squads, those constantly work to improve the routes and pricing service all along with an efficient search.

Marketplace Engine works with data *from the provider to the user*. In other words, it just serves **information to the user** but does not get any from him/her. All five squads take all the **data from providers**.




FIGURE 2.1: Simple explanation of Marketplace Engine data flow.

2.2.2 Data tribe

In the other hand, Data tribe has a lot of squads with services used to collect **data from user's activity**. The flow of the information is *from the user to Skyscanner*.




FIGURE 2.2: Simple explanation of Data tribe data flow.

2.2.3 The gap

There is no tribe or squad that works with both **data sources**: Providers and Users. And here is where the *Heatmap* will be.




FIGURE 2.3: First approach of the Heatmap's data flow.

Chapter 3

Skyscanner Heatmap

3.1 Formulation of the problem

The main goal of this project is creating a tool for *Skyscanner* to ease the routes and airports comparison by different parameters, taking into account values like **user demand** and **flights provided** by airlines.

In any team of Skyscanner, user queries and providers data is compared in order to guess valuable trends.

Found that gap, a bunch of new ideas appeared. After some talks with product owners of different squads and some senior engineers, a promising idea showed up:

Comparison of **user demand** and **flights offered** by airlines, enabling finding *over-requested* routes or airports. Those routes or airports with more user demand than offers by the providers.

DeLorean squad manages a huge amount of data: All flights planned for the next two years, this are more than 75 million records. The database of all user queries in the website or mobile application is even bigger¹. Not much more information needed to say that this is **Big Data** problem.

With DeLorean squad's product owner help, we found some use cases for the processing of those 75 million routes and all user session's queries to get some significant results:

Provide a **visual tool** to find routes and airports with much **more demand than offer** and be able to observe the **evolution** of it through time:

- A route or airport with a lot of demand, but not enough offer to cover it, will be **over-requested**.
- A route or airport with much more offer, but not that amount of demand, will be **non-profitable**.

3.2 Scope

Merging both data sources (providers and users) generates a lot of new valuable data with a lot of different application: From simply selling it to providers, to complex deep learning systems.

¹For instance, if there were only one query per visitor the database would have 4 million new records per day

The final goal of this project is displaying the comparison in a simple Web UI for Marketing squads or tribes. This can be split in three smaller goals or components:

3.2.1 Pipeline

Distributed application that maps and merge all the data from both sources in its given format to the required data model.

The pipeline reads from Marketplace Engine and Data tribe services. Then, it maps the provider and user data to the desired data model. The new entities are stored in a database where the service will read from.

The application will be split in two sub applications, one for providers data and other for users. So both of them can vary independently without depending on each others' sources and changes may have in the future.

3.2.2 Service

Simple HTTP Service with a basic Application Programming Interface to serve Pipeline's results. The service will have an internal endpoint only available for other Skyscanner applications or developers.

3.2.3 Visual representation

Website with a visual representation of the data. There are plenty of ways to draw charts and maps visualizations. The Web UI will be composed by three main pages:

World Map

Interactive world map with all airports represented with a dot. The radius of the dot depends on the amount of flights the airport operates.

The Heatmap user will be able to select an airport, set a date and go to Chart visualization page. Another option is to select two airports, first the origin, then the destination, set a date and go to the Chart visualization page. If the user does not want to select the entity through the map, he/she can search it using the Browser.




FIGURE 3.1: Example of the world map style. Only displaying the US to make it look clearer.

Browser

Simple browser with two tabs: *Route* and *Airport*. In the route browser will appear three input text fields, one for the origin airport, the second for the destination and the last one for the date. In the airport browser will only appear two input text fields, airport and date.

Once the inputs are set, the user will be able to click the *Search* button and move to the next page.

Chart visualization

Simple chart with the comparison between providers offer and user demand of the selected entity through time.




FIGURE 3.2: Chart mock-up. One color goes for Providers Offer and the other one for User Demand.

3.2.4 Not list

It is also important to define what this project will **not** be.

- **Prices or quotes:** In any moment will check for flight prices or quotes.
- **Carriers, cities and countries:** The comparison will be only available between routes and airports, not airlines (carriers), cities nor countries.
- **Create, update or delete data through the Server:** The only input will come from the pipeline. Entities are never deleted or modified in order to keep historical data.
- **Create, update or delete data through the Web UI:** The only input will come from the pipeline. Entities are never deleted or modified in order to keep historical data.

3.3 Risks

There are several risks can appear while developing the project. Most risks appear because of the dependencies with other tribes and squads and dependencies with other services. In the other hand, all performance risks of the Pipeline can be ignored because Skyscanner's hardware is enough for big applications, like this one.

3.3.1 Routes contract

DeLorean squad's routes service is under development and during the Heatmap development the routes data model may change a little bit. For example, the origin and destination recently changed: In December 2017 the service was giving an *Airport ID*, but now

is giving an Airport object with more parameters like IATA Code[5], Country ID, City ID, etc.

3.3.2 Users information

In the website and mobile application, the user have plenty of different ways to search the perfect flight. The most common one is by origin, destination and date, but he/she can also search by month or by destination. The user does not search flights for a given route in a given date. It sets the period of time he/she can travel and Skyscanner offers cheap destinations.

This way of searching flights may be difficult for comparing with routes and airports offer, because sometimes the route is the actual result and not the query.

3.3.3 Amount of data

As explained before in the Formulation of the problem, there is a very big amount of data that need to be mapped. Luckily, Skyscanner have great cloud machines and *unlimited* space. Anyway, still an issue to be aware of.

3.3.4 Web UI

Creating the interactive map and plots for the proposed website from zero, is a whole project itself. In order to avoid failing in the *Visual representation* goal, the best option is to use reliable libraries, like Vega[6].

3.4 Methodology and rigor

3.4.1 Extreme Programming

This project will be developed along with DeLorean squad's work. This squad is following Scrum, an agile methodology. After some research and discussions with the rest of the team, Extreme Programming (XP)[7] showed up as the best option.

XP is a style of software development focused in excellent applications, programming techniques and clear communication. To accomplish that, XP includes a philosophy of software development, body of practices, complementary principles and a community that shares these values.

This methodology works with short development cycles, resulting in early, concrete and continuing feedback. Has an incremental approach, making way to a flexible schedule for the implementation. It relies in oral communication and tests to reach the goal of the project.

The original Extreme Programming methodology is for teams of developers, but this project will be only developed by myself, so the original idea has been modified a little bit. The pair programming and pair negotiation has been removed because I have nobody to pair with.




FIGURE 3.3: Extreme programming planning loops.

3.4.2 GitLab

This platform will be the main tool for version control of the source code and issue tracking of different tasks.

git

All code projects (pipelines, service and website) will be stored in my personal projects space in Skyscanner's GitLab domain. Task and issue projects will be related to each project.

Using `git`, the versions will be forked in branches, each branch will stand for an specific issue. *Master* will be the main branch where the latest production version will be.

Tasks and issues

The **issue tracking** will be very helpful in order to monitor the evolution of the project. Issues will be composed by a title, description, milestone, labels (if needed), due date and weight, and represents a new functionality. In order to know the status, issues will be listed in three columns:

Backlog: Known tasks that haven been started yet. Could be a well defined task, with a very clear description, a due date and weight, or just a draft with empty fields.

WIP: Work in Progress. The task is being considered, developed or tested.

Done: Tasks finished, tested and working fine. Ready for production.

Chapter 4

Stakeholders

Initially it seemed difficult to find stakeholders and actors in these project apart from the providers. It is not a tool for the user of Skyscanner.

After talking with the squad Lead and then the Product Own of DeLorean squad a lot of stakeholders appeared: DeLorean squad, Marketing Automation squad, Data tribe, etc. Each of these stakeholders has different use cases and the project became very interesting for a considerable part of Skyscanner.

4.1 DeLorean squad

DeLorean's Single Flight Number service, also known as *Timetable SFN Service*, provides all the **current** flights. This is a little bit of a problem when trying to get historical data because Timetable SFN Service does not provide past flights information, it is always **up-to-date**. In order to get this data it is needed to go one step back in the whole DeLorean data processing: *Timetable Pipeline*.

The heatmap must look old versions of the file created by the *Timetable Pipeline* to get older routes. Then, DeLorean squad is interested in the Heatmap because it will be using Pipeline's data.

Product Owner

Jen Agerton is the Product Owner of DeLorean squad. She realized that the Heatmap is very useful for other squads like Marketing Automation squad and providers (air carrier companies).

DeLorean's squad Lead

Francisco López is also the supervisor of this project. We both had the initial idea for this project. He saw an opportunity for the future (after project's deliverment) orienting the Heatmap for Machine Learning purpose: The information that the heatmap stores is very useful for constructed routes.

4.2 Marketing Automation squad

Marketing Automation squad enables scalable growth by automating workflows, and the collection of insightful data. They have three main goals:

- Provide data to support decision making

- Automated, data driven campaign management
- Budget process automation

The Heatmap will be very useful for the first goal. The data provided by the Heatmap has high value in marketing decisions. Looking at historical data, Marketing Automation squad could post an advertisement about trend routes in a specific time of the year.

4.3 Data tribe

In Data tribe, State Machine squad captures the user actions, so they know where the user gets stuck or if they finally reach the provider of the flight. Other squads like Clan A and Clan B just get users' queries in flights, hotels and car hiring. The second data source of the Heatmap (user requests and queries) will be obtained from these squads.

4.4 User

The user of this project can change a lot in the future. Now it will be only Marketing Automation squad developers and Skyscanner employees. In the future, providers could take profit from Heatmap comparison.

Companies will be able to know which of their routes or airports work better with user tendencies, they will be able to improve the flights service and make it more efficient, reducing number of flights in *non-profitable* routes. They will also know which are the best places to invest looking at *over-requested* airports.

Appendix A

Skyscanner structure

Skyscanner has a very horizontal structure, based on Spotify's[8].

In the top of the company hierarchy there is Gareth Williams (CEO and Co-founder). Below the rest of CxOs: CCO, CTO, CPO, CFO, CLO and the Senior Executive Assistant. Then vice presidents, senior managers, managers and then developers and interns[9].

Apart from this hierarchy structure, the whole team, except the CEO, CxOs and the Senior Executive Assistant, is mainly split in **Squads**, each of those belong to a **Tribes**. Apart from Squads and Tribes there are also Chapters, Guilds and XBT'S[10].

Squad

Are independent teams of no more than 8 people that are focused on delivering a core mission. Each squad has the freedom to act and be accountable to its mission.

Tribe

Squads belong to a Tribe. The tribe will have an aligning mission linking to each squad's mission and is only achievable depending on the success of each squad. The Tribe lead is responsible for providing the right environment to deliver and providing direction.

Chapters

Are people who do similar work. This is a secondary home, and how people are line managed. Chapter leads are responsible for developing people and in tribe practices.

Guilds

Are communities of interest of people who do not necessarily do similar work. It is people from across the business that want to share knowledge, tools, and work practices.

XBT'S (cross business teams)

XBT'S provide a platform to help solve business problems or opportunities with no natural home while giving all employees the ability to make an impact across any area of Skyscanner.

Bibliography

- [1] Mark Logan. *Skyscanner's Strategy*. 2015. URL: <https://skyspace.sharepoint.com/sites/CxOGMblogs/Marksblog/Lists/Posts/Post.aspx?ID=2> (visited on 02/27/2018).
- [2] Francisco Lopez. *Marketplace Engine Tribe Home*. 2017. URL: <https://confluence.skyscannertools.net/display/MET/Marketplace+Engine+Tribe+Home> (visited on 02/27/2018).
- [3] Francisco Lopez. *DeLorean Home*. 2017. URL: <https://confluence.skyscannertools.net/display/DEL> (visited on 01/28/2018).
- [4] Skyscanner Ltd. *The Road Ahead*. 2016. URL: <https://skyspace.sharepoint.com/docs/Internal%20Communications%20and%20Events%20Squad/The%20Road%20Ahead.pdf> (visited on 02/28/2018).
- [5] Multiple authors. *IATA airport code*. 2018. URL: https://en.wikipedia.org/wiki/IATA_airport_code (visited on 03/01/2018).
- [6] Interactive Data Lab. *Vega: A visualization grammars*. 2013. URL: <https://vega.github.io/vega/> (visited on 03/01/2018).
- [7] Kent Beck. *Extreme Programming Explained. Embrace Change*. John Wait, 2005.
- [8] Skyscanner Engineering. *The Culture of Growth Squads in Skyscanner*. 2016. URL: https://www.youtube.com/watch?v=5_x-_EJNWPs (visited on 03/01/2018).
- [9] Skyscanner Ltd. *Crew Chart hierarchy*. 2017. URL: <https://flightdeck.skyscannertools.net/crewchart.html> (visited on 06/26/2017).
- [10] Skyscanner Ltd. *How Skyscanner Works*. 2017. URL: <https://skyspace.sharepoint.com/sites/Information/Pages/How-Skyscanner-Works.aspx> (visited on 03/01/2018).