

Lab 2. Record and Play



The facility of recording user steps on a computer and playing them back has made **Robotic Process Automation (RPA)** highly successful. Without this feature, the adoption of the technology might have been very slow and it would have been seen as another automation/scripting tool.

In the previous lab, we gained a basic understanding of Robotic process automation. In this lab, we will see how to use the recorder as the first step of automation in our journey. Before that, let us understand the UiPath tool and learn how to install it (you can only use the recorder after installing it). We will cover:

- The UiPath stack and components of the platform.
- How to download and install UiPath components.
- Understanding the Project Studio in detail. The Project Studio is the place where developers spend most of their time configuring the Robots.
- The recorder, with two step-by-step examples to quickly master record and play.

UiPath stack

In order to make the UiPath platform fully operational at an enterprise level, there are various components that need to be in place. There are three basic components in UiPath:

1. UiPath Studio
2. UiPath Robot
3. UiPath Orchestrator


Downloading and installing UiPath Studio

The UiPath Community Edition has the following features:

- Auto update
- No server integration
- Community forum for support
- Online self-learning
- No complex installation required
- Online activation is mandatory

To get your Community Edition of UiPath Studio, type the following link in your browser: <https://www.UiPath.com/community>{.ulink}:

1. Signup using one of the options.
2. You must register yourself in order to download the Community Edition. So, use the correct details and remember them because the same email will be used to activate the software. Fill in the following details: **First Name*** , **Last Name*** , and **Email*** :
3. Click on the link to download UiPath Studio. You may also directly download UiPath Studio.
4. Once the download is complete, open the downloaded file, `UiPathStudioSetup.Exe` .
5. The installation will then begin. Once the installation is complete, options will be displayed. Click on the **UiPath Studio** option:



Note:

For more convenient use, you can pin it to your taskbar immediately; otherwise, you may have to unnecessarily search for `UiPath.exe` in your computer every time you wish to use it.

Your UiPath Studio is now ready for use!

Learning UiPath Studio

The **UiPath Studio** platform helps to design Robotic processes with a visual interface. Automation in UiPath Studio requires no or very little prior programming knowledge. It is a Flowchart-based modeling tool. Thus, automation is faster and more convenient. The presence of a visual signal that points out errors in the model, along with the recorder, which performs what users execute, makes modeling much easier.


We will study UiPath Studio in detail now. First and foremost, let us understand the types of project available and which should be used when.

Projects

The main types of project supported by UiPath Studio are as follows:

- **Sequence:** This is suitable for simple actions or tasks. It enables you to go from one activity to another, without interfering with your project. It consists of various activities. Creating sequences is also useful for debugging purposes. One activity from a particular sequence can easily be tracked. The Basic type of project can be started using the **Blank** option in the start tab and then adding the sequence in the diagram from the toolbox.
- **Flowchart:** This is suitable for dealing with more complex projects. It enables you to integrate decisions and connect activities. To start this kind of project, choose the **Flowchart - Simple Process** option from the new project menu.

- **Assistant:** This is suitable for developing attended or Front Office Robots: sometimes these Robots are called assistants. To start this kind of project, choose the **Assistant - Agent Process Improvement** option from the new project menu.
- **State machine:** This is suitable for very large projects that use a finite number of states in their execution, triggered by a condition. To start this kind of project, choose the **Process - Transaction Business Process** option from the new project menu:



Please remember, the four types of project mentioned in the preceding screenshot are only available in the **Start** tab of the studio. However, if you click on the **New** option in the DESIGN tab, you only get three options:


- Sequence
- Flowchart
- State Machine

The preceding options selected from the DESIGN tab's **New** menu become part of an existing project and are referred to as a diagram.

UiPath Studio basically helps in automating various tasks through the designing of projects. A project is a graphical representation of any rule-based business process. It is usually in Flowchart form. One can design projects by customizing and defining the various steps, known as activities, ranging from a simple click to entering particular data.

The user interface


When you first open UiPath Studio, you are directed to the page shown in the following screenshot:



Start tab of UiPath Studio

You can either open an old project or create a new one. Let us say we are making a new project. We click on **Blank** and name it. We will then be directed to a screen, which will display the following:

□




1. The Ribbon
2. Quick Access Toolbar
3. Designer panel
4. Properties panel
5. Outline panel
6. Arguments panel
7. Variable panel

8. Import panel
9. Activity panel
10. Library panel
11. Project panel
12. Output panel


The Ribbon

This panel located at the top of the user interface and consists of four tabs:


1. **START** : This is used to start new projects or to open projects previously made.
2. **DESIGN** : This is to create new sequences, Flowcharts, or state machines, or to manage variables:



3. **EXECUTE** : This is used to run projects or to stop them, and also to debug projects:




4. **SETUP** : This panel is for deployment and configuration options; it has three tools available:
 - **Publish** : This is used to publish a project or create a shortcut for it and schedule tasks
 - **Setup Extensions** : This is used to install extensions for Chrome, Firefox, Java, and Silverlight
 - **Reset Settings** : This is used to reset all settings to defaults:



The Quick Access Toolbar

This panel gives the user a shortcut to the most used commands. One can also add new commands to this panel. This is located above the Ribbon on the user interface.** **The Quick Access Toolbar has been circled in the following screenshot and is indicated by the arrow:



It can be moved above or below the Ribbon. By default, there are two buttons available, **Save** and **Run**, which are also available in the **DESIGN** tab of the Ribbon.

Designer panel


This is the panel where one defines the steps and activities of the projects. It is where a developer does most of the things to record activities or manually drop activities on the canvas. In UiPath, this is equivalent to the code windows of Microsoft Visual Studio. When we develop a Robot, this is the window where we will be organizing various activities in a flow or chain to accomplish a task.

The project a user makes is clearly displayed on the Designer panel and the user has the option of making any changes to it.

Properties panel

The panel located on the right-hand side of the user interface is for viewing the properties of the activities and for making any changes, if required. You need to select an activity first and then go to the **Properties** panel to view or change any of its properties:

□



** **


Activities panel

Located on the left-hand side of the user interface, this panel contains all the activities that can be used in building the project. The activities can easily be used in making a project by simply dragging and dropping the required activity into the required location in the Designer panel.

Project panel


With the **Project** panel, you can view the details of your current project and open it in a **Windows Explorer** window. It is located on the extreme left-hand side of the design panel, below the **Library** panel:

□




Outline panel

As the name suggests, this panel gives a basic outline of the project. The activities that make up the workflow are visible in this panel. Using this, you may see a high-level outline of the project and you can drill down to see deeper. This panel is especially helpful of large automation projects, where one may otherwise have a tough time going through it:




Output panel

This panel displays the output of the [log message] or [write line] activities. It also displays the output during the debugging process. This panel also shows errors, warnings, information, and traces of the executed project. It is very helpful during debugging. The desired level of detail can be changed in **Execute** | * Options | * Log activities :



Library panel

With this panel, you can reuse automation snippets. It is located on the extreme left-hand side of the Designer panel:



Variable panel

This allows the user to create variables and make changes to them. This is located below the Designer panel.

In UiPath Studio, variables are used to store multiple types of data ranging from words, numbers, arrays, dates, times, and timetables. As the name suggests, the value of the variable can be changed.

An important point to note is that variables can only be created if there is an activity in the Designer panel.

To create new variables, you can go to the **DESIGN** tab on the Ribbon and click on **create variable**, then choose the type of variable. Otherwise, one can simply go to the Variable panel located below the Designer panel and create a variable. Also, if one renames a variable in the Variables panel, the variable is renamed in every place it is used in the workflow. The Scope of the variable shows where the variable is located.

Argument

While variables pass data from one activity to another in a project, arguments are used for passing data from one project to another. Like variables, they can be of various types---String, Integer, Boolean, Array, Generic, and so on.

Since arguments are used to transfer data between different workflows, they also have an added property of *[direction]*. There are four types of direction:

- In
- Out
- In/Out
- Property

These depend on whether we are giving or receiving data to or from another workflow.

Task recorder

The task recorder is the main reason for RPA's success. With the task recorder, we can create a basic framework for automation. The user's actions on the screen are recorded by the recorder and turned into a recording sequence in the current project. That's how Robots are able to mimic human actions.

The recording is collection of execution steps that has to be taken, on the applications in the scope, in order to accomplish a task.

These steps can be recorded one by one (manually) by pointing it on the screen or many steps in a go that is, automatically.


There are four types of recording in UiPath Studio:

- Basic
- Desktop
- Web
- Citrix


We will talk about them later. The user can modify the recorded sequence even after the recording is over. This is especially helpful in cases where small changes have to be made to the recording sequence. The option to modify an existing recorded sequence thus ensures that there is no need to record the entire process again.

There are four basic types of recording:

- **Basic recorder:** Basic recorder is used to record activities on the desktop. This type of recorder is used for single activities and simple workflows. The actions here are self-contained and not contained in separate windows, as shown in the following screenshot:



- **Desktop recorder:** The desktop recorder, like the basic recorder, is used to record activities on the desktop. However, it is used to record and automate multiple actions and complex workflows. Each activity here is contained in an **Attach Window** component, as shown in the following screenshot. The **Attach Window** component is especially important to ensure that other windows of the same application do not interfere in the workflow. UiPath uses the name of the app, the title of the window, and the currently opened file to locate and identify the correct window. However, there may be cases where, for example, two untitled Notepads are open on the screen. Without **Attach Window**, UiPath may select the wrong Notepad, thus causing errors:



- **Web recorder:** The web recorder, as the name suggests, is used to record actions on web applications and browsers.
- **Citrix recorder:** Citrix is used to record virtual machines, VNC, and Citrix environments. This recording allows only keyboard, text, and image automation.

Some actions are recordable while others are not:

- **Recordable actions:** Left-click on buttons, check boxes, drop-down lists, and other GUI elements. Text typing is also recordable.
- **Actions that cannot be recorded:** Keyboard shortcuts, mouse hover, right-click. Modifier keys such as *[Ctrl]* and *[Alt]* cannot be recorded.

There are two types of recording:

- **Automatic recording:** This is for recording multiple actions in one go. This is a very good feature for preparing a solid foundation for automating a task. It can be invoked with the **Record** icon available in basic, desktop, and web recorders. The Citrix recorder does not support automatic or multiple step recording. A few types of action cannot be recorded using automatic, for example, hotkeys, right-click, double-click, and a few more. For all these activities, you should use a single step recorder, also known as a manual recorder.
- **Manual recording:** This type of recording is used to record each step one at a time and hence offers more control over the recording. Also, it can record all actions that cannot be recorded using automatic recording such as keyboard shortcuts, mouse hover, right-click, modifier keys, such as *[Ctrl]* and *[Alt]*, finding text from apps, and many other activities.

While the desktop, basic, and web recorders can automatically record multiple actions and manually record single actions on the screen, the Citrix recorder can only record a single action (manual recording).

Note:


Shortcut keys :

- [F2] key: This pauses the recording for 3 seconds. The countdown menu is also shown on the screen.
- Right-click: Exits the recording.
- [Esc] key: Exits the recording. If one presses the [Esc] key again, then the recording will be saved.


Let us now explore the functions of these recordings. The operations that can be completed with the help of recording are as follows:

- Click (clicking a UI element: button, image, or icon)
- Type (typing any value into the available text field)
- Copy and paste


We can see a **Recording** icon at the top of the user interface on the **DESIGN** tab of the Ribbon, as shown in the following screenshot:



After clicking on this **Recording** icon, a list of the recording types are displayed, as shown in the following screenshot:





Clicking on each type of recording will result in the display of a recording panel with features specific to the type of recording. When clicking on **Basic** from the recording options, then the recording panel that appears looks as follows:




The panel that appears in the previous screenshot contains features specific to **Basic** Recording. For example; **Start App** , **Click** , **Type** , **Copy** , and so on.

- **Start App** : This is used to start an application. When we left-click on this option, we are asked to point to an application that we want to open. When we are done, we can click on the **Save & Exit** option. The following screenshot shows the recorded sequence.

As we can see in the screenshot, an open `explorer.exe` program appears. This is the title of the application. Below it, the path of this application is shown. As mentioned previously, the features that appear in the panel are specific to the type of recording. In case of web recording, there is an option of **Open Browser** rather than **Open Application** :




- **Click** : Another option is **Click** , which is used to click on a UI element. This feature is used as a mouse input. That is, it is used for clicking, checking, or selecting an item. When we click on this option, we are asked to indicate the location of the UI element we want to click. We can change the type of click to right-click or double-click in the **Click Type** property from the **Properties** panel.
- **Type** : Another option shown in the recording panel is Type. As the name suggests, it is used for typing something inside the indicated element. Say, for example, you want to type something in Command Prompt. All you need to do is to indicate the area where you want to type. Then, you need to type your input in the popup that appears for typing. Checking the empty field box (shown in the following screenshot) ensures that text written in the past (if any) will be emptied, leaving you with only the current text you have typed:



After you are done typing, do not forget to press the `[Enter]` key. When the `[Enter*]` key is pressed, the step is recorded. You can then click on `* Save & Exit` to view the recording sequence.

The recording sequence is shown in the following screenshot. You can change the text you have written (by changing the value of the `Type` in the block). You can write the desired text in double quotes (`" "`), or you can simply use a variable to store the data:



- There are three more options in the recording panel:

- Element
- Text
- Image

These three are UI elements; the same keyboard and mouse options can be performed on them as explained in the preceding screenshot.

- You can see by clicking on the **Element** option that the click and type options are available as shown in the following screenshot:

Similarly, in case of **Text** and **Image** options, there are basically two events that come into play:

- Clicking any text or image indicated as the UI element
- Get text or get image

Advanced UI interactions

Advanced UI interactions are input and output interactions. In other words, it refers to the types of input methods and output techniques that are used while automating.

Input methods

The input that we give in the form of text can be of three types:

1. Default
2. Simulate
3. Window message

Default is the generated method, while the other two are available in the **Properties** panel.

There are two checkboxes for these two methods. The Default method is the slowest process and is the best way to test whether our input option is working or not.


The other two methods work in the background. Out of these three methods, the simulate type is the fastest method and is mostly preferred because in the window message input type, it types only the lowercase characters.

Output methods

These are the methods we use for getting our output, which can be in the form of text or images. The available methods are:

- Native
- Full text
- OCR

Native is, by default, the generated method to extract data from the window. When you indicate to any element, the scraping window appears, and here all of the options can be found. We can choose any one that displays better results. OCR is preferred when the other two fail to extract data:



The screenshot shows a window titled "Indicate Another UI Element or Region to Scrape." It features a "Scraping Method" dropdown menu currently set to "Native". Below this is a "Scrape Options" section with two checkboxes: "No Formatting" (checked) and "Get Words Info" (unchecked). A "Refresh" button is located at the bottom right of the options section. The window has standard minimize, maximize, and close buttons at the top.

As shown in the screenshot, the scraping methods are **Native**, **Full text**, and **OCR**.

In OCR, there are two types of **OCR engine**: One is Google OCR and the other is Microsoft OCR. We can choose whichever displays better results. Also, we can adjust the scale mentioned in the properties of the OCR. This scale can be used to improve the efficiency of the OCR.

Step-by-step examples using the recorder

In this section, we will illustrate two examples of using the UiPath recorder:

1. Emptying the trash folder in Gmail
2. Emptying Recycle Bin


The first one is to show a recording of a web-based application, and the second is Windows-based. These are very simple examples, and show how a simple task can be automated quickly.

Emptying trash in Gmail

This is an example of how we can empty a folder in Gmail with the help of a UiPath Robot, solely on the basis of recording.

To do this, we are going to record all the actions that have to be performed to empty this Trash folder so that our Robot understands the sequence to be performed.


We can see the process flow of this simple activity in the following diagram:




Process flow for emptying Gmail trash

We need to see all process flows, however small or big, as shown in the previous diagram. This makes developing RPA much easier and, organized.

First and foremost, we begin with a blank project in UiPath Studio and then choose **Web** recorder from the **Recording** drop-down list:



We have to click on the **Recording** option and select the type of recording. As discussed before, we will use **Web** recording for this process since we are working on a website. Just click on the **Recording** icon at the top of the page. From the four types of recording that appear, choose **Web** recording. A **Web Recording** panel will appear, as shown in the following screenshot:




Notice **Open Browser** between **Record** and **Click** ; this is available with web recorder to record steps in browser-based applications.

Note:

Preparation : Open your favorite browser, navigate to** **<https://gmail.com>{.ulink}, and keep this browser open.

The following are the six steps in our process flow:

1. **Open Browser** : Although we have already opened Gmail in the browser, we did not record that step. Here, we will note that step in the recorder using the **Open Browser** button in the recorder. A drop-down menu will appear. Again, choose **Open Browser** from the drop-down menu. It will ask to highlight the browser, highlight the already opened browser and click on the top of the browser.
2. **Go to gmail.com**: You will be prompted to enter the **URL** of the website to navigate to. Type <https://gmail.com> or gmail.com and press **OK** :



Please remember the first step will merely make note of the steps in the recording but will not do anything on the screen. From the next step onwards, we will use the already opened gmail.com.

3. **Sign In:** Start recording by clicking on the **Record** icon of the recording panel.

Go to the already open Gmail and click on the Email or Phone field. UiPath will pop up a prompt for typing the email:



Sign in

to continue to Gmail

Email or phone

Type the desired value

- add
- alt
- lalt
- ralt
- back
- break
- caps

☐ Type password ☐ Empty field

Press enter when you are done

NEXT

English (United States) ▼

Help

Privacy

Terms

Type `Email` in the box provided by the UiPath recorder and press `[Enter]`. The Gmail textbox will automatically fill up with your typed content.

Click on the **NEXT** button of the Gmail interface; it will also get recorded.


Now, you have recorded an entry in the password field. For simplicity, you may type the password in the prompt provided by UiPath.

Note:

In a real-world environment, you will select the **Type password** checkbox if you are entering a password (details on this will be discussed in later labs).


Type your password in the text field of the popup that appears. Then, click **NEXT** to log in to your account. Clicking on the **NEXT** button will also get recorded.

4. **Locate Trash Folder:** In this step, we have to click on the search box of Gmail and type `in:trash` in the UiPath prompt and hit `[Enter]`:



Now, click on the Search button beside the search box. It will also get recorded automatically and the Trash folder will appear.

5. **Click on Empty Trash now:** Once you are done with clicking on the Trash action, You can see a link showing **Empty Trash now**. Hover mouse on this link and it will get highlighted, click on it to delete all the messages in the Trash folder:



6. **Confirm:** When you click on **Empty Trash` `now**, a confirmation dialog will appear asking your permission for the action. Just confirm your action by clicking on the **OK** button.

Note:

After clicking on any button, the recorder may display a dialog for using the **Indicate Anchor**. In that case, just click on the **Indicate Anchor** button and indicate the element adjacent to the button you want to click. This is used to confirm the location of the element on which you are performing the action.

In the indicate anchor wizard, we have to indicate the adjacent button, that is, the **Cancel** button, so that the recorder will identify that the button is adjacent to **Cancel**.


Now recording is complete, press `[Esc]` to get to the recording dialog. Click on the **Save & Exit** button.

Then, in UiPath Studio, you can see a recording sequence in the Designer panel. Rename it to `emptying trash folder`. This will help in easy recognition of the purpose of the sequence.

Now run it by pressing the `[F5]` key; it should perform the same task again. You have created your first Robot, which empties trash from your Gmail!

Emptying Recycle Bin


We are going to automate emptying the Recycle Bin. There are various steps that are involved. Let's map the process of how to empty the Recycle Bin:



Steps to empty Recycle Bin

This diagram is simpler and more detailed than in the Emptying trash in Gmail example; we need to do exactly the same steps in order to perform this task.

Open UiPath Studio and choose a blank project. Since we are working in the recorder, and since we are working on the desktop and not a web application, we are required to choose the **desktop** recorder:




Start the recorder and simply perform the following steps:


1. Go to the desktop by pressing the **[Windows] + [D]** keys.
2. Open Recycle Bin by clicking on Recycle Bin and then pressing **[Enter]** key.
3. Click on the **Manage** tab of the **Recycle Bin** folder.
4. Click on the **Empty Recycle Bin** button.
5. Confirm by clicking on the **Yes** button in the dialog box.
6. Close the Recycle Bin folder by pressing the **cross** button.
7. Press the **[Esc]** key and **Save & Exit** the recorder.

Now your recording is ready to view, let's examine each step recorded:


1. Go to the desktop by pressing **[Windows + D]** keys: This step is not recorded! Never mind, it is not needed. Please note that the recorded steps attach themselves to an application, and execute commands for that application, so the next step (Open Recycle Bin) will be executed on the desktop whether you are there or not.
2. Open Recycle Bin by clicking on Recycle Bin and then pressing the **[Enter]** key---We can see the recorded step in the following screenshot:




Please note that only selecting the Recycle Bin is recorded, not the [Enter] key. We should manually add that step. Search for *Send hotkey* in the **Activities** window and insert it into the workflow just below the **Select item 'list Desktop'** step, as shown in the following screenshot:



3. Click on the **Manage** tab of the Recycle Bin folder: This is recorded as it is and so is the fourth step, click on the** **Empty Recycle Bin** ** button:



4. Confirming by clicking on the **Yes** button on the dialog box is also recorded smoothly:



In the last step, closing the Recycle Bin folder by pressing the** **cross** ** button, you may have to indicate an anchor.

Save it and press [F5] to run it. Voila! It runs like a charm. You see how easy it is to record steps taken on a computer and automate them.

Note:

In some scenarios, the second step of opening Recycle Bin may get recorded as a single-click instead of Selection; in that scenario, you may not manually insert **Send hotspot** for [Enter] but instead, change the single click Recycle Bin activity from single to double. For that, open your recording sequence and find the click Recycle Bin activity. Now click this activity, and you will see that its properties contain the click activity, and we have to change the** **ClickType**; from single to double.

Summary

In this lab, we have learned about components of the UiPath platform and their functions. In the next lab, readers will examine the project that we generated with the recorder, explain the structure of the program flow (workflow), and understand the use of sequences and the nesting of activities. Readers will learn how to use the building blocks of a workflow Flowchart and control flow (looping and decision making).