










A portable, self-contained script that converts Markdown files to beautifully formatted PDFs with no headers or footers.

## Features

---

-  **Beautiful styling** with Lato font and professional layout
-  **Image support** - automatically converts SVG icons to PNG when available
-  **Clean PDFs** - no headers, footers, or browser chrome
-  **Portable** - works from any project directory
-  **Print-optimized** - responsive layout that looks great in PDF format
-  **Icon processing** - handles complex HTML icons and converts them to simple colored squares
-  **Page breaks** - supports manual page break comments ( `<!-- PAGE-BREAK -->` )
-  **PDF-only content** - special tags for content that only appears in PDF ( `<!-- PDF-ONLY` or `<!-- PDF ONLY` )
-  **Table column widths** - precise control over table column sizing with comments ( `<!--! col-widths:` )

## Usage

---

### Basic Usage

---

```
# Convert README.md in current directory
./md-to-pdf.sh

# Convert a specific markdown file
./md-to-pdf.sh myfile.md
```

### Installation in New Projects

---

#### Option 1: Manual Copy

1. Copy the entire `md-to-pdf` folder to your project root
2. Run from your project directory:

```
./md-to-pdf/md-to-pdf.sh
```

#### Option 2: Using Install Script

1. From within the `md-to-pdf` directory:

```
./install.sh /path/to/your/project
```

2. The script will copy everything needed and make it executable

## Dependencies

---

The script automatically handles dependencies:

- **Pandoc** - Auto-installed via Homebrew on macOS
- **Google Chrome or Chromium** - Used for PDF generation

## Manual Installation

---

If auto-installation fails:

### macOS:

```
brew install pandoc
# Chrome: Download from https://www.google.com/chrome/
```

### Linux:

```
# Ubuntu/Debian
sudo apt-get install pandoc google-chrome-stable

# CentOS/RHEL
sudo yum install pandoc google-chrome-stable
```

## Output

---

- Input: `README.md` → Output: `README.pdf`
- Input: `myfile.md` → Output: `myfile.pdf`
- PDFs are created in the same directory as the input file

## Styling Features

---

### Typography

---

- **Headers:** Purple H1 with underline, clean hierarchy for H2-H6
- **Body text:** Inter font family with optimized line spacing
- **Code blocks:** Syntax highlighting with rounded corners
- **Tables:** Professional styling with alternating row colors

### Images & Icons

---

- **SVG Support:** Automatically converts to PNG when available
- **Icon Processing:** Complex HTML icons become simple colored squares
- **Responsive:** Images scale appropriately for print

### Print Optimization

---

- **Page margins:** 0.5 inch on all sides
- **Font scaling:** Optimized sizes for print readability
- **Table formatting:** Fixed column widths for consistent layout
- **Page breaks:** Manual control with HTML comments

## Advanced Features

---

### Manual Page Breaks

---

Add page breaks in your Markdown by including HTML comments:

```
## Section 1

Content here...

<!-- PAGE-BREAK -->

## Section 2

Content on new page...
```

## PDF-Only Content Tags

---

You can include content that only appears in the PDF version using special HTML comments:

This content will only appear in the PDF, not in web/GitHub rendering.

- Perfect for print-specific instructions
- Copyright notices for printed versions
- Page-specific formatting notes

Alternative format with space instead of dash - both work identically

The script automatically processes these tags:

- `<!-- PDF-ONLY` - Content block that only appears in PDF (with dash)
- `<!-- PDF ONLY` - Alternative format with space instead of dash
- Content is processed as **both HTML and Markdown** during PDF generation
- Completely invisible in web/GitHub rendering
- Supports complex formatting including lists, links, and styling

### Common Use Cases:

```
**Print Version - Generated:** January 2025  
**Copyright:** © 2025 Your Company Name  
**Internal Use Only** - Not for distribution
```

```
## Project Documentation
```

Regular content here...

```
> 📄 **Note for printed version:** This document contains interactive links  
> that are not clickable in print. See the digital version for full functionality.
```

For technical support, contact: [support@company.com](mailto:support@company.com)

## Advanced Features:

- **Dual processing:** Content is converted from Markdown to HTML, then embedded in PDF
- **Rich formatting:** Supports all Markdown features including tables, code blocks, and links
- **Flexible syntax:** Use either `PDF-ONLY` or `PDF ONLY` - both formats work identically
- **Clean integration:** No impact on web rendering or GitHub display

## Troubleshooting

---

### Common Issues

---

#### “Pandoc not found”

- Install manually: `brew install pandoc` (macOS) or use your package manager

#### “Chrome not found”

- Install Google Chrome from <https://www.google.com/chrome/>
- Or install Chromium as alternative

#### “PDF generation failed”

- Check that input Markdown file exists
- Ensure Chrome/Chromium is properly installed
- Check `/tmp/md_styled.html` for debugging

### Debug Mode






---

The script saves the intermediate HTML file at `/tmp/md_styled.html` for inspection if issues occur.

## Portability

---

This script is designed to be completely portable:

-  No Node.js dependencies
-  No project-specific configurations
-  Works from any directory
-  Self-contained styling and logic
-  Cross-platform (macOS, Linux)

Simply copy the `md-to-pdf` folder to any project and run the script.

## License

---

This script is provided as-is for personal or commercial use or whatever.