

Permissions

Adapted from materials by Dr. Carrier



Permissions

Who can access your files?

Permissions

Who can access your files?

We break things into categories:

Permissions

Who can access your files?

We break things into categories:

Who?

- Owner (you)
- Group
- Others (everyone!)

Permissions

Who can access your files?

We break things into categories:

Who?

- Owner (you)
- Group
- Others (everyone!)

What can they do?

Permissions

Who can access your files?

We break things into categories:

Who?

- Owner (you)
- Group
- Others (everyone!)

What can they do?

- Read
- Write
- Execute

Permissions

Who can access your files?

We break things into categories:

Who?

- Owner (you)
- Group
- Others (everyone!)

How many yes/no
options do we have?

What can they do?

- Read
- Write
- Execute

Permissions

Who can access your files?

We break things into categories:

Who?

- Owner (you)
- Group
- Others (everyone!)

How many yes/no
options do we have?

9

What can they do?

- Read
- Write
- Execute

Viewing permissions

How do we see what files we have?

Viewing permissions

How do we see what files we have?

```
ls
```

Viewing permissions

How do we see what files we have?

```
ls
```

ls has an extra flag to tell us more about files:

Viewing permissions

How do we see what files we have?

```
ls
```

ls has an extra flag to tell us more about files:

```
ls -l
```

```
-rw-rw-r--  1 ferguaus ferguaus      118 Sep  6 10:06 test_2.cpp
```

Breaking it down

```
-rw-rw-r-- 1 ferguaus ferguaus 118 Sep  6 10:06 test_2.cpp
```

```
-rw-rw-r-- 1
```

Breaking it down

```
-rw-rw-r-- 1 ferguaus ferguaus 118 Sep 6 10:06 test_2.cpp
```

```
-rw-rw-r-- 1
```



What type of
file is this?


d = directory

l = link

Breaking it down

```
-rw-rw-r-- 1 ferguaus ferguaus 118 Sep 6 10:06 test_2.cpp
```

```
-rw-rw-r-- 1
```



What type of
file is this?

d = directory


l = link

Owner
permissions

Breaking it down

```
-rw-rw-r-- 1 ferguaus ferguaus 118 Sep 6 10:06 test_2.cpp
```

```
-rw-rw-r-- 1
```



What type of
file is this?

d = directory

l = link


Owner
permissions

Group
permissions

Breaking it down

```
-rw-rw-r-- 1 ferguaus ferguaus 118 Sep 6 10:06 test_2.cpp
```

```
-rw-rw-r-- 1
```



What type of
file is this?

Owner
permissions

Group
permissions

Other
permissions

d = directory

l = link

Breaking it down

```
-rw-rw-r-- 1 ferguaus ferguaus 118 Sep 6 10:06 test_2.cpp
```

```
-rw-rw-r-- 1
```

Number of links

Owner
permissions

Group
permissions

Other
permissions

What type of
file is this?
d = directory
l = link

Breaking it down

```
-rw-rw-r-- 1 ferguaus ferguaus 118 Sep 6 10:06 test_2.cpp
```

```
-rw-rw-r-- 1
```

Number of links

Owner
permissions

Group
permissions

Other
permissions

What type of
file is this?
d = directory
l = link

```
ferguaus ferguaus
```

Owner

Breaking it down

```
-rw-rw-r-- 1 ferguaus ferguaus 118 Sep 6 10:06 test_2.cpp
```

```
-rw-rw-r-- 1
```

Number of links

Owner permissions Group permissions Other permissions

What type of file is this?
d = directory
l = link

```
ferguaus ferguaus
```

Owner Group

Breaking it down

```
-rw-rw-r-- 1 ferguaus ferguaus 118 Sep 6 10:06 test_2.cpp
```

```
-rw-rw-r-- 1
```

Number of links

Owner permissions Group permissions Other permissions

What type of file is this?
d = directory
l = link

```
ferguaus ferguaus 118 Sep 6 10:06 test_2.cpp
```

Owner Group File size

Breaking it down

```
-rw-rw-r-- 1 ferguaus ferguaus 118 Sep 6 10:06 test_2.cpp
```

```
-rw-rw-r-- 1
```

Number of links

Owner permissions Group permissions Other permissions

What type of file is this?
d = directory
l = link

```
ferguaus ferguaus
```

```
118 Sep 6 10:06 test_2.cpp
```

Owner Group File size Modified date+time

Breaking it down

```
-rw-rw-r-- 1 ferguaus ferguaus 118 Sep 6 10:06 test_2.cpp
```

`-rw-rw-r-- 1`

Number of links

Owner permissions Group permissions Other permissions

What type of file is this?
d = directory
l = link

`ferguaus ferguaus`

Owner Group

`118 Sep 6 10:06 test_2.cpp`

File size Modified date+time Filename

Examples

What do each of these mean?

Examples

What do each of these mean?

`rxwxrwxr-x`

Examples

What do each of these mean?

`rxwxrx-r-x`

`rw-r-----`

Examples

What do each of these mean?

`rxwxrx-r-x`

`rw-r-----`

`-----rw-`

Changing permissions

New command: chmod (**CH**ange **MODe**)

Changing permissions

New command: chmod (**CH**ange **MODe**)

Usage 1: chmod (who)(op)(perms) file

Changing permissions

New command: chmod (**CH**ange **MODe**)

Usage 1: chmod (who)(op)(perms) file

```
chmod u+r file
```

Changing permissions

New command: chmod (**CH**ange **MODe**)

Usage 1: chmod (who)(op)(perms) file

```
chmod u+r file
```

```
chmod o-rw file
```

Changing permissions

New command: chmod (**CH**ange **MODe**)

Usage 1: chmod (who)(op)(perms) file

```
chmod u+r file
```

```
chmod o-rw file
```

Who: owner (u), group (g), other (o), all (a)

Changing permissions

New command: chmod (**CH**ange **MODe**)

Usage 1: chmod (who)(op)(perms) file

```
chmod u+r file
```

```
chmod o-rw file
```

Who: owner (u), group (g), other (o), all (a)

Perms: read (r), write (w), execute (x)

Changing permissions

New command: chmod (**CH**ange **MO**De)

Usage 1: chmod (who)(op)(perms) file

```
chmod u+r file
```

```
chmod o-rw file
```

Who: owner (u), group (g), other (o), all (a)

Perms: read (r), write (w), execute (x)

Give a command to do each for test.sh

- Allow everyone to write
- Take away execute permission for the group
- Make sure that only the user can read the file

Changing permissions

New command: chmod (**CH**ange **MODe**)

Usage 2: `chmod ### file`

Where each # is a number in $[0, 7]$

Changing permissions

New command: chmod (**CH**ange **MODe**)

Usage 2: `chmod ### file`

Where each # is a number in $[0, 7]$

Take each possible permission:

- 4 = read
- 2 = write
- 1 = execute

And sum them up for owner, group, other

Examples

What is the number code for each of these?

`rw-rwxr-x` `775`

`rw-r-----`

`-----rw-`

- 4 = read
- 2 = write
- 1 = execute

Examples

What is the number code for each of these?

`rxwxr-x` 775

`rw-r-----` 640

`-----rw-`

- 4 = read
- 2 = write
- 1 = execute

Examples

What is the number code for each of these?

`rxwxrwxr-x` 775

`rw-r-----` 640

`-----rw-` 006

- 4 = read
- 2 = write
- 1 = execute

Examples

What is the number code for each of these?

`rw-rwxr-x` `775`

`rw-r-----` `640`

`-----rw-` `006`

- 4 = read
- 2 = write
- 1 = execute

Go the other way:

What are the permissions for `541`