


bash scripting – conditionals

Adapted from materials by Dr. Carrier



if

if

General form:

```
if CONDITION  
then  
    # do stuff  
fi
```

if

General form:

```
if CONDITION  
then  
    # do stuff  
fi
```

Alternatively:

```
if CONDITION ; then  
    # do stuff  
fi
```

What are our conditions?

What do you think this does?

What are our conditions?

What do you think this does?

```
if [ $1 -lt 10 ]  
then  
    # do stuff  
fi
```

What are our conditions?

Don't worry about memorizing these:

<https://ryanstutorials.net/bash-scripting-tutorial/bash-if-statements.php>

What are our conditions?

Don't worry about memorizing these:

<https://ryanstutorials.net/bash-scripting-tutorial/bash-if-statements.php>

Operator	Description
! EXPRESSION	The EXPRESSION is false.
-n STRING	The length of STRING is greater than zero.
-z STRING	The length of STRING is zero (ie it is empty).
STRING1 = STRING2	STRING1 is equal to STRING2
STRING1 != STRING2	STRING1 is not equal to STRING2
INTEGER1 -eq INTEGER2	INTEGER1 is numerically equal to INTEGER2
INTEGER1 -gt INTEGER2	INTEGER1 is numerically greater than INTEGER2
INTEGER1 -lt INTEGER2	INTEGER1 is numerically less than INTEGER2
-d FILE	FILE exists and is a directory.
-e FILE	FILE exists.
-r FILE	FILE exists and the read permission is granted.
-s FILE	FILE exists and its size is greater than zero (ie. it is not empty).
-w FILE	FILE exists and the write permission is granted.
-x FILE	FILE exists and the execute permission is granted.

An alternative - arithmetic expansion

```
if (( $1 < 10 ))  
then  
    # do stuff  
fi
```

What are we missing?

```
if CONDITION  
then  
    # do stuff  
fi
```

What are we missing?

```
if CONDITION
then
    # do stuff
elif ANOTHER_CONDITION
then
    # do other stuff
fi
```

What are we missing?

```
if CONDITION
then
    # do stuff
elif ANOTHER_CONDITION
then
    # do other stuff
else
    # even more stuff
fi
```