

Remote file transfer

Adapted from materials by Dr. Carrier



scp

scp



scp



scp

scp

We've discussed ssh - **S**ecure **S**hell

scp

We've discussed ssh - **S**ecure **S**hell

Now, we're talking about scp - Secure CoPy

scp

We've discussed ssh - **S**ecure **SH**ell

Now, we're talking about scp - Secure CoPy

Reminder, we locally copy files like this:

scp

We've discussed ssh - **S**ecure **SH**ell

Now, we're talking about scp - Secure CoPy

Reminder, we locally copy files like this:

```
cp <source> <destination>
```

scp

We've discussed ssh - **S**ecure **SH**ell

Now, we're talking about scp - Secure CoPy

Reminder, we locally copy files like this:

```
cp <source> <destination>
```

scp is the same, but works remotely!

scp

We've discussed ssh - **Secure *SH*ell**

Now, we're talking about scp - Secure CoPy

Reminder, we locally copy files like this:

```
cp <source> <destination>
```

scp is the same, but works remotely!

However, we need more info!

scp

We've discussed ssh - **Secure *SH*ell**

Now, we're talking about scp - Secure CoPy

Reminder, we locally copy files like this:

```
cp <source> <destination>
```

scp is the same, but works remotely!

However, we need more info!

- The host we are copying to/from

scp

We've discussed ssh - **S**ecure **S**hell

Now, we're talking about scp - Secure CoPy

Reminder, we locally copy files like this:

```
cp <source> <destination>
```

scp is the same, but works remotely!

However, we need more info!

- The host we are copying to/from
- The username to use on that host

scp

We've discussed ssh - **Secure *SH*ell**

Now, we're talking about scp - Secure CoPy

Reminder, we locally copy files like this:

```
cp <source> <destination>
```

scp is the same, but works remotely!

However, we need more info!

- The host we are copying to/from
- The username to use on that host

Thus we get:

scp

We've discussed ssh - **Secure *SH*ell**

Now, we're talking about scp - Secure CoPy

Reminder, we locally copy files like this:

```
cp <source> <destination>
```

scp is the same, but works remotely!

However, we need more info!

- The host we are copying to/from
- The username to use on that host

Thus we get:

```
scp [[user@]src_host:]src_path [[user@]dest_host:]dest_path
```

scp

We've discussed ssh - **Secure *SH*ell**

Now, we're talking about scp - Secure CoPy

Reminder, we locally copy files like this:

```
cp <source> <destination>
```

scp is the same, but works remotely!

However, we need more info!

- The host we are copying to/from
- The username to use on that host

Thus we get:

```
scp [[user@]src_host:]src_path [[user@]dest_host:]dest_path
```

Note that items in [] can sometimes be omitted

scp

We've discussed ssh - **Secure *SH*ell**

Now, we're talking about scp - Secure CoPy

Reminder, we locally copy files like this:

```
cp <source> <destination>
```

scp is the same, but works remotely!

However, we need more info!

- The host we are copying to/from
- The username to use on that host

Thus we get:

```
scp [[user@]src_host:]src_path [[user@]dest_host:]dest_path
```

Note that items in [] can sometimes be omitted

Example, transfer local file to EOS

```
scp local_file username@eos01.cis.gvsu.edu:~/my_dir
```

rsync

rsync

rsync is like a fancier scp

rsync

rsync is like a fancier scp

It checks to make sure there are differences between the files

rsync

rsync is like a fancier scp

It checks to make sure there are differences between the files

If there are differences, it only copies them, not the whole file

rsync

rsync is like a fancier scp

It checks to make sure there are differences between the files

If there are differences, it only copies them, not the whole file

Command format is very similar to scp:

rsync

rsync is like a fancier scp

It checks to make sure there are differences between the files

If there are differences, it only copies them, not the whole file

Command format is very similar to scp:

```
rsync [[user@]src_host:]src_path  
[[user@]dest_host:]dest_path
```

rsync

rsync is like a fancier scp

It checks to make sure there are differences between the files

If there are differences, it only copies them, not the whole file

Command format is very similar to scp:

```
rsync [[user@]src_host:]src_path  
[[user@]dest_host:]dest_path
```

Note that rsync has a ton of options!