

Karting report


Denis Festa

February 3, 2024



This web information systems allows different actors to cooperate to give a wonderful experience to all go-karting lovers. The visitor will be able to explore our different tracks: longer and shorter, indoor and outdoor, asphalt and resin... which will be your favourite? Come to visit our go-karting centers to find out. You will need to register before his first race, then

User groups



Specification sheet

Group name	User
Description	Empty
Profile data	None
Supergroup	None
Subgroups	None
Use cases	<ul style="list-style-type: none">- Explore karting centers by city- Explore karting centers by number of races- Explore karting centers by number of pilots- Explore karting centers by number of events- Explore karting centers by average review score- View all karting centers hosting upcoming events- Read details on karting center- Read reviews on karting center- Explore tracks in a karting center- Explore events by karting center- Explore tracks by asphalt type- Explore tracks by difficulty- Explore tracks by length- Explore tracks by city- Explore tracks by number of races- Explore tracks by number of pilots- Explore tracks by number of events- Explore tracks by average review score

Use cases	<ul style="list-style-type: none"> - Read details on track - Read reviews on track - Explore events by track - Explore leaderboards - Explore races from track - Explore lap-times of a race - Explore pilots from track - Read details on pilot - Explore events from pilot - Explore races from pilot - Explore events by city - Explore events by average review score - Explore events by price - Explore events by category - Explore events by popularity - Explore upcoming events - Explore controversial events - Read details on event - Explore karting centers by event - Explore tracks by event - Explore pilots from event - Explore races from event - Read reviews on event
Read	Karting center, Track (and Popular track) and implicitly Timetable, Race, Pilot, Event (and its subentities), Review on karting center, Review on track, Review on event, Leaderboard, Lap-time, City, Go-kart model, Track asphalt type, Track length range, Review score range, N. pilots range, N. races range, N. events range, Price range, Event category.
Write	None

Specification sheet

Group name	Intranet
Description	Empty
Profile data	None
Supergroup	User
Subgroups	Information System Administrator, Karting center administrator, Clerk
Use cases	- Login/Logout - Read my details
Read	Everything the generic user can read
Write	None

Specification sheet

Group name	Information System Administrator
Description	Empty
Profile data	Username, Password, Email, Name, Surname, Address
Supergroup	Intranet
Subgroups	None
Use cases	<ul style="list-style-type: none">- Explore karting center administrators- Read details on karting center administrator- U.D. karting center administrator- Create karting center administrator- Explore karting centers- Read details on karting center- U.D. karting center- Create karting center- Explore organizers- Read details on organizer- U.D. organizer- Create organizer- C.R.U.D. cities- C.R.U.D. go-kart models- C.R.U.D. track asphalt types- C.R.U.D. track difficulties- C.R.U.D. track length ranges- C.R.U.D. review score ranges- C.R.U.D. n. pilots ranges- C.R.U.D. n. races ranges- C.R.U.D. n. events ranges- C.R.U.D. price ranges- C.R.U.D. event categories

Read	Everything
Write	Karting center, Karting center administrator, Organizer, City, Go-kart model, Track asphalt type, Track length range, Review score range, N. pilots range, N. races range, N. events range, Price range, Event category, everything that every karting center administrator can write (thus, also everything that every clerk can write) and everything that every organizer can write.

Specification sheet

Group name	Karting center administrator
Description	Empty
Profile data	Username, Password, Email, Name, Surname, Address
Supergroup	Intranet
Subgroups	None
Use cases	<ul style="list-style-type: none">- Explore my karting centers- Explore pilots by karting center- Explore pilots- Read details on pilot- U.D. pilot- Create pilot- Explore clerks by karting center- Explore clerks- Read details on clerk- U.D. clerk- Create clerk- Explore tracks (related to my karting centers)- Explore tracks by karting center- Read details on track- U.D. track- Create track- Explore races (related to my karting centers)- Read details on race- U.D. race- Create race- Explore go-karts dedicated to tracks of my karting centers- U.D. go-kart dedicated to track- Create go-kart

Read	Clerks (related to my karting centers), go-karts (related to my karting centers), everything that every clerk of my karting centers can read, everything that the generic user can read.
Write	Karting center (only mine, only to update, not to create nor delete), Clerk (only mine), Track (only mine), Race (only for my karting centers) and implicitly Reservation, Go-kart (only for my karting centers), everything that every clerk of my karting centers can write.

Specification sheet

Group name	Clerk
Description	Empty
Profile data Supergroup	Username, Password, Email, Name, Surname, Address Intranet
Subgroups	None
Use cases	<ul style="list-style-type: none">- Explore reservations (related to my karting center)- Confirm reservation- Explore reviews on my karting center- Read review on karting center- Delete review on karting center- Explore reviews on the tracks of my karting center- Read review on track- Delete review on track- Explore reviews on events (that involved my karting center)- Read review on event- Delete review on event
Read	Reservation (only for my karting centers), everything that the generic user can read.
Write	Review on Karting center (only mine, only deleting), Review on Track (only of mine karting center, only deleting), Review on Event (only involving my karting center, only deleting), Reservation (only for my karting centers, only to confirm). Indirectly: Karting center, Track, Event (when deleting a review, implicitly some of their attributes are altered, e.g. <i>avgReviewScore</i> , <i>nReviews</i>).

Specification sheet

Group name	Organizer
Description	Empty
Profile data	Username, Password, Email, Name, Surname, Address
Supergroup	User
Subgroups	None
Use cases	<ul style="list-style-type: none">- Explore my events- Read details on my event- U.D. events- Create event- Explore not yet confirmed applications- Confirm application- Explore races of the event- Read details on race- U.D. race- Create race
Read	Application (only to my events), everything that the generic user can read.
Write	Event (C.R.U.D. only mine), Race (C.R.U.D. only for my events) and implicitly Reservation, Application (only to my events, only to confirm). Indirectly: Karting center, Track, Pilot (when organizing events, implicitly some of their attributes are altered, e.g. <i>nRaces</i> , <i>nEvents</i>).

Specification sheet

Group name	Internet
Description	Empty
Profile data	None
Supergroup	User
Subgroups	Pilot, Visitor
Use cases	None
Read	Everything the generic user can read
Write	None

Specification sheet

Group name	Pilot
Description	Empty
Profile data Supergroup	Username, Password, Email, Name, Surname, Address Internet
Subgroups	None
Use cases	<ul style="list-style-type: none">- Login/Logout- Read my details- Explore not yet confirmed reservations- C.U.D. races and reservations - Explore confirmed reservations- Explore my past races- Read details on race- Create review of karting center- Create review of track- Explore upcoming events applied to but not confirmed yet- Explore upcoming events not applied to- Explore my past events- Apply to an event- Read details on event- Create review of event
Read	Reservation (only mine), everything that the generic user can read, Race (those that still have to take place, created by me) and implicitly Review, Application (only mine).
Write	Race (only mine) and implicitly Reservation, Review on karting center, Review on track, Review on event, Application (only mine). Indirectly: Karting center, Track, Event (when participating to a race or writing a review, implicitly some of their attributes are altered, e.g. <i>nPilots</i> , <i>nRaces</i> , <i>avgReviewScore</i>).

Specification sheet

Group name	Visitor
Description	Empty
Profile data	None
Supergroup	Internet
Subgroups	None
Use cases	- Register
Read	Everything the generic user can read
Write	None



Specification sheet

Title	Explore karting centers by city
Goal	The user explores karting centers selecting one city at a time.
Precondition	The user is in the area (of the public view) dedicated to karting centers.
Postcondition	The user obtains the list of karting centers from which he can move on.
Workflow	<ul style="list-style-type: none">- The user moves to the area dedicated to karting centers.- The user selects a city.

Specification sheet

Title	Explore karting centers by number of races
Goal	The user explores karting centers selecting one range of number of races (that were hosted on any of the tracks of the karting center) at a time.
Precondition	The user is in the area (of the public view) dedicated to karting centers.
Postcondition	The user obtains the list of karting centers from which he can move on.
Workflow	<ul style="list-style-type: none">- The user moves to the area dedicated to karting centers.- The user selects a range of number of races.

Specification sheet

Title	Explore karting centers by number of pilots
Goal	The user explores karting centers selecting one range of number of pilots (who had a race on any of the tracks of the karting center) at a time.
Precondition	The user is in the area (of the public view) dedicated to karting centers.
Postcondition	The user obtains the list of karting centers from which he can move on.
Workflow	<ul style="list-style-type: none">- The user moves to the area dedicated to karting centers.- The user selects a range of number of pilots.

Specification sheet

Title	Explore karting centers by number of events
Goal	The user explores karting centers selecting one range of number of events (that had at least one race hosted on any of the tracks of the karting center) at a time.
Precondition	The user is in the area (of the public view) dedicated to karting centers.
Postcondition	The user obtains the list of karting centers from which he can move on.
Workflow	<ul style="list-style-type: none">- The user moves to the area dedicated to karting centers.- The user selects a range of number of events.

Title	Explore karting centers by average review score
Goal	The user explores karting centers selecting one range of average review scores (given to the karting center by all the pilots that had at least one race on one of the tracks of the karting center) at a time.
Precondition	The user is in the area (of the public view) dedicated to karting centers.
Postcondition	The user obtains the list of karting centers from which he can move on.
Workflow	<ul style="list-style-type: none">- The user moves to the area dedicated to karting centers.- The user selects a range of scores (the ranges are the same for karting centres, tracks and events).

Title	View all karting centers hosting upcoming events
Goal	The user scrolls through the list of karting centers that are going to host an upcoming event.
Precondition	The user already has this information in the homepage.
Postcondition	The user obtains the list of karting centers from which he can move on.
Workflow	- The user reaches the homepage.

Title	Read details on karting center
Goal	The user chooses one karting center to focus on and reads its details.
Precondition	The user chose a karting center from a list of karting centers (obtained from any of the previous use cases).
Postcondition	The user obtains the details on the karting center and can move on to other related informations (e.g. tracks, reviews)
Workflow	- The user chooses one karting center from a list.

Specification sheet

Title	Read reviews on karting center
Goal	The user chooses one karting center to focus on and scrolls the reviews it received (from pilots that had at least one race on one track of the karting center).
Precondition	The user chose a karting center from a list of karting centers (obtained from any of the previous use cases).
Postcondition	The user obtains the reviews on the karting center in the area dedicated to reviews.
Workflow	- The user moves from the page dedicated to the details of the karting center to the page dedicated to reviews through a click.

Specification sheet

Title	Explore tracks in a karting center
Goal	The user chooses one karting center to focus on and explores the tracks it offers.
Precondition	The user chose a karting center from a list of karting centers (obtained from any of the previous use cases).
Postcondition	The user obtains the tracks offered by the karting center in the area dedicated to tracks.
Workflow	- The user moves from the page dedicated to the details of the karting center to the page dedicated to tracks through a click.

Title	Explore events by karting center
Goal	The user chooses one karting center to focus on and explores the events that had at least one of their races hosted by a track of the karting center.
Precondition	The user chose a karting center from a list of karting centers (obtained from any of the previous use cases).
Postcondition	The user obtains the events in the area dedicated to events.
Workflow	- The user moves from the page dedicated to the details of the karting center to the page dedicated to events through a click.

Specification sheet

Title	Explore tracks by asphalt type
Goal	The user explores tracks selecting one asphalt type at a time.
Precondition	The user is in the area (of the public view) dedicated to tracks.
Postcondition	The user obtains the list of tracks from which he can move on.
Workflow	<ul style="list-style-type: none">- The user moves to the area dedicated to tracks.- The user selects an asphalt type.

Specification sheet

Title	Explore tracks by difficulty
Goal	The user explores tracks selecting one difficulty at a time.
Precondition	The user is in the area (of the public view) dedicated to tracks.
Postcondition	The user obtains the list of tracks from which he can move on.
Workflow	<ul style="list-style-type: none">- The user moves to the area dedicated to tracks.- The user selects a difficulty.

Specification sheet

Title	Explore tracks by length
Goal	The user explores tracks selecting one range of lengths at a time.
Precondition	The user is in the area (of the public view) dedicated to tracks.
Postcondition	The user obtains the list of tracks from which he can move on.
Workflow	<ul style="list-style-type: none">- The user moves to the area dedicated to tracks.- The user selects a range of lengths.

Specification sheet

Title	Explore tracks by city
Goal	The user explores tracks selecting one city at a time.
Precondition	The user is in the area (of the public view) dedicated to tracks.
Postcondition	The user obtains the list of tracks from which he can move on.
Workflow	<ul style="list-style-type: none">- The user moves to the area dedicated to tracks.- The user selects a city.

Specification sheet

Title	Explore tracks by number of races
Goal	The user explores tracks selecting one range of number of races (that took place on the track) at a time.
Precondition	The user is in the area (of the public view) dedicated to tracks.
Postcondition	The user obtains the list of tracks from which he can move on.
Workflow	<ul style="list-style-type: none">- The user moves to the area dedicated to tracks.- The user selects a range of number of races.

Specification sheet

Title	Explore tracks by number of pilots
Goal	The user explores tracks selecting one range of number of pilots (who had a race on the track) at a time.
Precondition	The user is in the area (of the public view) dedicated to tracks.
Postcondition	The user obtains the list of tracks from which he can move on.
Workflow	<ul style="list-style-type: none">- The user moves to the area dedicated to tracks.- The user selects a range of number of pilots.

Specification sheet

Title	Explore tracks by number of events
Goal	The user explores tracks selecting one range of number of events (that had at least one race hosted on the track) at a time.
Precondition	The user is in the area (of the public view) dedicated to tracks.
Postcondition	The user obtains the list of tracks from which he can move on.
Workflow	<ul style="list-style-type: none">- The user moves to the area dedicated to tracks.- The user selects a range of number of events.

Specification sheet

Title	Explore tracks by average review score
Goal	The user explores tracks selecting one range of average review scores (given to the track by all the pilots that had at least one race on the track) at a time.
Precondition	The user is in the area (of the public view) dedicated to tracks.
Postcondition	The user obtains the list of tracks from which he can move on.
Workflow	<ul style="list-style-type: none">- The user moves to the area dedicated to tracks.- The user selects a range of scores (the ranges are the same for karting centres, tracks and events).

Specification sheet

Title	Read details on track
Goal	The user chooses one track to focus on and reads its details.
Precondition	The user chose a track from a list of tracks (obtained from any of the previous use cases).
Postcondition	The user obtains the details on the track and can move on to other related informations (e.g. pilots, leaderboards, races, reviews)
Workflow	- The user chooses one karting center from a list.

Specification sheet

Title	Read reviews on track
Goal	The user chooses one track to focus on and scrolls the reviews it received (from pilots that had at least one race on it).
Precondition	The user chose a track from a list of tracks (obtained from any of the previous use cases).
Postcondition	The user obtains the reviews on the tracks in the area dedicated to reviews.
Workflow	- The user moves from the area dedicated to the details of the track to the area dedicated to reviews through a click.

Specification sheet

Title	Explore events by track
Goal	The user chooses one track to focus on and explores the events that had at least one of their races hosted by the track.
Precondition	The user chose a track from a list of tracks (obtained from any of the previous use cases).
Postcondition	The user obtains the events in the area dedicated to events.
Workflow	- The user moves from the area dedicated to the details of the track to the area dedicated to events through a click.

Specification sheet

Title	Explore leaderboards
Goal	The user chooses one track to focus on and explores the leaderboards associated to the track (leaderboards are filtering on the whole record of laptimes obtained by pilots in a race, a leaderboard can focus on the last month, the last year, sex, weight...)
Precondition	The user chose a track from a list of tracks (obtained from any of the previous use cases).
Postcondition	The user obtains the list of leaderboards in the area dedicated to leaderboards.
Workflow	- The user moves from the area dedicated to the details of the track to the area dedicated to leaderboards through a click.

Title	Explore races from track
Goal	The user chooses one track to focus on and explores the races that took place on the track.
Precondition	The user chose a track from a list of tracks (obtained from any of the previous use cases).
Postcondition	The user obtains the list of races in the area dedicated to races.
Workflow	- The user moves from the area dedicated to the details of the track to the area dedicated to races through a click.

Specification sheet

Title	Explore lap-times of a race
Goal	The user chooses one race to focus on and reads all the lap-times made by all the pilots that participated to the race.
Precondition	The user chose a race from a list of races (obtained from a track, an event or a pilot).
Postcondition	The user obtains the list of lap-times in the area dedicated to lap-times.
Workflow	- The user moves from the area dedicated to the details of the race to the area dedicated to lap-times through a click.

Title	Explore pilots from track
Goal	The user chooses one track to focus on and explores the pilots that had at least one race on the track.
Precondition	The user chose a track from a list of tracks (obtained from any of the previous use cases).
Postcondition	The user obtains the list of pilots in the area dedicated to pilots.
Workflow	- The user moves from the area dedicated to the details of the track to the area dedicated to pilots through a click.

Specification sheet

Title	Read details on pilot
Goal	The user chooses one pilot to focus on and reads its details.
Precondition	The user chose a pilot from a list of pilots (obtained from a track, a race, an event).
Postcondition	The user obtains the details on the pilot and can move on to other related informations (e.g. races, events).
Workflow	- The user chooses one pilot from a list.

Title	Explore events from pilot
Goal	The user chooses one pilot to focus on and explores the events that the pilot attended.
Precondition	The user chose a pilot from a list of pilots (obtained from a track, a race, an event).
Postcondition	The user obtains a list of events in the area dedicated to events.
Workflow	- The user moves from the area dedicated to the details of the pilot to the area dedicated to events through a click.

Title	Explore races from pilot
Goal	The user chooses one pilot to focus on and explores the races that the pilot had.
Precondition	The user chose a pilot from a list of pilots (obtained from a track, a race, an event).
Postcondition	The user obtains a list of races in the area dedicated to races.
Workflow	- The user moves from the area dedicated to the details of the pilot to the area dedicated to races through a click.

Specification sheet

Title	Explore events by city
Goal	The user explores events selecting one city at a time.
Precondition	The user is in the area (of the public view) dedicated to events.
Postcondition	The user obtains the list of events from which he can move on.
Workflow	<ul style="list-style-type: none">- The user moves to the area dedicated to events.- The user selects a city.

Specification sheet

Title	Explore events by average review score
Goal	The user explores events selecting one range of average review scores (given to the event by all the pilots that participated to it) at a time.
Precondition	The user is in the area (of the public view) dedicated to events.
Postcondition	The user obtains the list of events from which he can move on.
Workflow	<ul style="list-style-type: none">- The user moves to the area dedicated to events.- The user selects a range of scores (the ranges are the same for karting centres, tracks and events).

Specification sheet

Title	Explore events by price
Goal	The user explores events selecting one range of prices at a time.
Precondition	The user is in the area (of the public view) dedicated to events.
Postcondition	The user obtains the list of events from which he can move on.
Workflow	<ul style="list-style-type: none">- The user moves to the area dedicated to events.- The user selects a range of prices.

Specification sheet

Title	Explore events by category
Goal	The user explores events selecting one category at a time.
Precondition	The user is in the area (of the public view) dedicated to events.
Postcondition	The user obtains the list of events from which he can move on.
Workflow	<ul style="list-style-type: none">- The user moves to the area dedicated to events.- The user selects a category.

Title	Explore events by popularity
Goal	The user explores only the events considered popular (those that have at least N participants and at least M reviews)
Precondition	The user is in the area (of the public view) dedicated to events.
Postcondition	The user obtains the list of events from which he can move on.
Workflow	<ul style="list-style-type: none">- The user moves to the area dedicated to events.- The user chooses an event from the list of popular events already provided in the area dedicated to events.

Title	Explore upcoming events
Goal	The user explores only the upcoming events (those whose first race still has to take place).
Precondition	The user is in the area (of the public view) dedicated to events or in the homepage (which already shows the list of upcoming events, the list of tracks that will be involved and the list of karting centers that will be involved).
Postcondition	The user obtains the list of events from which he can move on.
Workflow	<ul style="list-style-type: none">- A: the user chooses an event from the list of upcoming events already provided in the homepage.- B.1: the user moves to the area dedicated to events.- B.2: the user chooses an event from the list of upcoming events already provided in the area dedicated to events.

Specification sheet

Title	Explore controversial events
Goal	The user explores only the controversial events (those that have at least N reviews under 25% of the maximum score and at least M reviews over 75% of the maximum score).
Precondition	The user is in the area (of the public view) dedicated to events.
Postcondition	The user obtains the list of events from which he can move on.
Workflow	<ul style="list-style-type: none">- The user moves to the area dedicated to events.- The user chooses an event from the list of controversial events already provided in the area dedicated to events.

Specification sheet

Title	Read details on event
Goal	The user chooses one event to focus on and reads its details.
Precondition	The user chose an event from a list of events (obtained from any of the previous use cases).
Postcondition	The user obtains the details on the event and can move on to other related informations (e.g. races, pilots)
Workflow	- The user chooses one event from a list.

Title	Explore karting centers by event
Goal	The user chooses one event to focus on and explores the karting centers that hosted at least one race of the event.
Precondition	The user chose an event from a list of events (obtained from any of the previous use cases).
Postcondition	The user obtains the list of karting centers in the area dedicated to karting centers.
Workflow	- The user moves from the area dedicated to the details of the event to the area dedicated to karting centers through a click.


Title	Explore tracks by event
Goal	The user chooses one event to focus on and explores the tracks that hosted at least one race of the event.
Precondition	The user chose an event from a list of events (obtained from any of the previous use cases).
Postcondition	The user obtains the list of tracks in the area dedicated to tracks.
Workflow	- The user moves from the area dedicated to the details of the event to the area dedicated to tracks through a click.

Title	Explore pilots from event
Goal	The user chooses one event to focus on and explores the pilots that participated to the event.
Precondition	The user chose an event from a list of events (obtained from any of the previous use cases).
Postcondition	The user obtains a list of pilots in the area dedicated to pilots.
Workflow	- The user moves from the area dedicated to the details of the event to the area dedicated to pilots through a click.


Title	Explore races from event
Goal	The user chooses one event to focus on and explores the races that the event organized.
Precondition	The user chose an event from a list of events (obtained from any of the previous use cases).
Postcondition	The user obtains a list of races in the area dedicated to races.
Workflow	- The user moves from the area dedicated to the details of the event to the area dedicated to races through a click.

Specification sheet

Title	Read reviews on event
Goal	The user chooses one event to focus on and scrolls the reviews it received (from pilots that participated to the event).
Precondition	The user chose an event from a list of events (obtained from any of the previous use cases).
Postcondition	The user obtains the reviews on the event in the area dedicated to reviews.
Workflow	- The user moves from the area dedicated to the details of the event to the area dedicated to reviews through a click.



Karting center administrator



Title	Explore my karting centers
Goal	The user explores the karting centers he manages.
Precondition	The user logged in and manages at least one karting center.
Postcondition	The user obtains the list of karting centers he manages.
Workflow	<ul style="list-style-type: none">- A: the user already has a list of karting centers he manages in the homepage.- B: the user moves to the area dedicated to karting centers and the list is already provided.

Specification sheet

Title	Explore pilots by karting center
Goal	The user explores the pilots that participated in at least one race on a track of a karting center the user manages.
Precondition	The user logged in, manages at least one karting center and at least one pilot had a race on a track of the karting center.
Postcondition	The user obtains the list of pilots in the area dedicated to pilots.
Workflow	- The user chooses the option to explore pilots of a karting center from the list (provided in the homepage) of karting centers he manages.

Specification sheet

Title	Explore pilots
Goal	The user explores all the pilots that were registered in any karting center by any karting center administrator.
Precondition	The user logged in.
Postcondition	The user obtains the list of pilots in the area dedicated to pilots.
Workflow	- The user moves to the area dedicated to pilots (the list is already provided).

Specification sheet

Title	Read details on pilot
Goal	The user chooses one pilot to focus on and reads its details.
Precondition	The user chose a pilot from a list of pilots (obtained from the homepage, from the area dedicated to pilots or from the area dedicated to races).
Postcondition	The user obtains the details on the pilot (in the area dedicated to pilots).
Workflow	- The user chooses one pilot from a list (from the homepage, the area dedicated to pilots or the area dedicated to races).

Specification sheet

Title	U.D. pilots
Goal	The user updates or deletes a pilot.
Precondition	The user logged in.
Postcondition	The chosen pilot is updated or deleted.
Workflow	<ul style="list-style-type: none">- The user moves to the area dedicated to pilots.- The user chooses the option to update or delete a pilot from the list of all pilots (provided in the area dedicated to pilots).

Specification sheet

Title	Create pilots
Goal	The user creates a new pilot.
Precondition	The user logged in.
Postcondition	The pilot is created.
Workflow	<ul style="list-style-type: none">- The user moves to the area dedicated to pilots.- The user chooses the option to create a new pilot.

Specification sheet

Title	Explore clerks by karting center
Goal	The user explores the clerks that work in a karting center the user manages.
Precondition	The user logged in, manages at least one karting center and at least one clerk works in the karting center.
Postcondition	The user obtains the list of clerks in the area dedicated to clerks.
Workflow	- The user chooses the option to explore clerks of a karting center (among the list of karting centers displayed in the homepage) he manages.

Title	Explore tracks by karting center
Goal, Precondition, Postcondition, Workflow	Similar to the use case Explore clerks by karting center . The user explores the tracks that are part of a karting center the user manages. It is of course possible for a karting center administrator to explore all the tracks of all the karting centers the same way is for a visitor, but the site view dedicated to the karting center administrator focuses on showing him custom informations. This is not true for the access of the karting center administrator to clerks, he cannot even read informations about clerks from other karting centers, not in his dedicated site view, neither in the visitor's site view.

Specification sheet

Title	Explore clerks
Goal	The user explores all the clerks that were registered in any karting center the user manages.
Precondition	The user logged in, manages at least one karting center and at least one clerk works in the karting center.
Postcondition	The user obtains the list of clerks in the area dedicated to clerks.
Workflow	- The user moves to the area dedicated to clerks (the list is already provided). Note: a karting center admin can see all the pilots (also from other karting centers) in the area dedicated to pilots but can only see the clerks of the karting centers he manages in the area dedicated to clerks.

Title	Explore tracks
Goal, Precondition, Postcondition, Workflow	Similar to the use case Explore clerks .

Title	Explore races
Goal, Precondition, Postcondition, Workflow	Similar to the use case Explore clerks . The user explores all the races that were hosted on any of the tracks in any of the karting centers he manages.

Specification sheet

Title	Read details on clerk
Goal	The user chooses one clerk to focus on and reads its details.
Precondition	The user chose a clerk from a list of clerks (obtained from the homepage, from the area dedicated to clerks.)
Postcondition	The user obtains the details on the clerk (in the area dedicated to clerks).
Workflow	- The user chooses one clerk from a list (from the homepage or the area dedicated to clerks).

Title	Read details on track
Goal, Precondition, Postcondition, Workflow	Similar to the use case Read details on clerk .

Title	Read details on race
Goal, Precondition, Postcondition, Workflow	Similar to the use case Read details on clerk .

Specification sheet

Title	U.D. clerks
Goal	The user updates or deletes a clerk.
Precondition	The user logged in.
Postcondition	The chosen clerk is updated or deleted.
Workflow	<ul style="list-style-type: none">- The user moves to the area dedicated to clerks.- The user chooses the option to update or delete a clerk from the list of all clerks (provided in the area dedicated to clerks). The user can only update or delete clerks that work for a karting center he manages.

Title	U.D. tracks
Goal, Precondition, Postcondition, Workflow	Similar to the use case U.D. clerks . The user can update or delete only tracks of karting centers he manages.

Title	U.D. races
Goal, Precondition, Postcondition, Workflow	Similar to the use case U.D. races . The user can update or delete races that took place or are going to take place on a track of a karting center he manages; when he does, the list of reservations on the same track associated to the race being updated/deleted is shown.

Specification sheet

Title	Create clerks
Goal	The user creates a new clerk.
Precondition	The user logged in.
Postcondition	The clerk is created.
Workflow	<ul style="list-style-type: none">- The user moves to the area dedicated to clerks.- The user chooses the option to create a new clerk tht will be visible only to him.

Title	Create tracks
Goal, Precondition, Postcondition, Workflow	Similar to the use case Create clerks . The track created will be visible to everybody.


Title	Create races
Goal, Precondition, Postcondition, Workflow	Similar to the use case Create clerks . When the race is created, an associated reservation (weak entity) is created as well and all the clerks working for the karting center that hosts the new race will be able to confirm it. The reservation stores the information of the pilot or the organizer that created the race, in this case a fictitious organizer that is created apriori is used.

Title	Explore go-karts dedicated to track (TODO)
Goal	The user explores the go-karts that are dedicated to a track.
Precondition	The user logged in, manages at least one karting center that has at least one track that has at least one go-kart dedicated to it.
Postcondition	The user obtains the list of go-karts in the area dedicated to go-karts.
Workflow	<ul style="list-style-type: none">- A: the user chooses a track from the list of tracks (provided in the homepage) of the karting centers he manages.- B: the user moves to the area dedicated to tracks and chooses a track from the list of tracks (provided in the area dedicated to tracks) of the karting centers he manages.- The user chooses the option to explore go-karts dedicated to the track.

Title	U.D. go-karts (TODO)
Goal	The user updates or deletes a go-kart.
Precondition	The user logged in and manages at least one karting center that has at least one track that has at least one go-kart dedicated to it.
Postcondition	The chosen go-kart is updated or deleted.
Workflow	<ul style="list-style-type: none">- A: the user chooses a track from the list of tracks (provided in the homepage) of the karting centers he manages.- B: the user moves to the area dedicated to tracks and chooses a track from the list of tracks (provided in the area dedicated to tracks) of the karting centers he manages.- The user chooses the option to update or delete a go-kart from the list of go-karts provided in the same page with the details on the track.

Specification sheet

Title	Create go-karts (TODO)
Goal	The user creates a new go-kart.
Precondition	The user logged in and manages at least one karting center that has at least one track.
Postcondition	The go-kart is created.
Workflow	<ul style="list-style-type: none">- A: the user chooses a track from the list of tracks (provided in the homepage) of the karting centers he manages.- B: the user moves to the area dedicated to tracks and chooses a track from the list of tracks (provided in the area dedicated to tracks) of the karting centers he manages.- The user chooses the option to create a new go-kart dedicated to the track from the same page with the details on the track.




Clerk

Title	Explore reservations
Goal	The user explores the reservations asked by pilots on any track of the karting center the user works for (a clerk can work on one karting center at a time.)
Precondition	The user logged in and works for a karting center that received at least a request for reservation on a track.
Postcondition	The user obtains the list of reservations in the area dedicated to reservations.
Workflow	- The user moves to the area dedicated to reservations (a list of the reservations grouped by track is provided).

Specification sheet

Title	Confirm reservation
Goal	The user confirms a reservation.
Precondition	The user logged in and works for a karting center that received at least a request for reservation on a track.
Postcondition	The reservation is confirmed (it now has both a pilot/organizer and a clerk associated to it).
Workflow	<ul style="list-style-type: none">- The user moves to the area dedicated to reservations.- The user chooses the option to confirm a reservation from the list of reservations.

Specification sheet

Title	Explore reviews on my karting center
Goal	The user explores the reviews that were written on the karting center the user works for.
Precondition	The user logged in and works for a karting center that received at least one review.
Postcondition	The user obtains the list of reviews on the karting centers.
Workflow	- The user already has a list of reviews on the karting center he works for in the homepage.

Title	Explore reviews on tracks
Goal	The user explores the reviews that were written on tracks of the karting center the user works for.
Precondition	The user logged in and works for a karting center that received at least one review on a specific track.
Postcondition	The user obtains the list of reviews on the tracks.
Workflow	- The user already has a list of reviews on the karting center he works for in the homepage.

Title	Explore reviews on events
Goal	The user explores the reviews that were written on events that hosted at least one race on a track of the karting center the user works for.
Precondition	The user logged in and works for a karting center that hosted at least one race of an event that received at least one review.
Postcondition	The user obtains the list of reviews on the events.
Workflow	- The user already has a list of reviews on the karting center he works for in the homepage.

Specification sheet

Title	Read review on karting center
Goal	The user chooses one review to focus on and reads its details.
Precondition	The user logged in and chose a review from the list of reviews on the karting center.
Postcondition	The user obtains reads the review and can decide to delete it.
Workflow	- The user chooses one review from the list of reviews on the karting center (from the homepage).

Title	Read review on track
Goal, Precondition, Postcondition, Workflow	Similar to the use case Read review on karting center .

Title	Read review on event
Goal, Precondition, Postcondition, Workflow	Similar to the use case Read review on karting center .


Specification sheet

Title	Delete review on karting center
Goal	The user deletes a review on the karting center.
Precondition	The user logged in and chose a review from the list of reviews on the karting center.
Postcondition	The user deletes the review.
Workflow	<ul style="list-style-type: none">- The user chooses one review from the list of reviews on the karting center (from the homepage).- The user chooses the option to delete the review.

Title	Delete review on track
Goal, Precondition, Postcondition, Workflow	Similar to the use case Delete review on karting center .

Title	Delete review on event
Goal, Precondition, Postcondition, Workflow	Similar to the use case Delete review on karting center .

Information system administrator



Specification sheet

Title	Explore karting center administrators
Goal	The user explores the karting center administrators
Precondition	The user logged in and has already created at least a karting center administrator.
Postcondition	The user obtains the list of karting center administrators.
Workflow	- The user moves to the area dedicated to karting center administrators.

Title	Explore karting centers
Goal, Precondition, Postcondition, Workflow	Similar to the use case Explore karting center administrators .

Title	Explore organizers
Goal, Precondition, Postcondition, Workflow	Similar to the use case Explore karting center administrators .

Specification sheet

Title	Read details on karting center administrator
Goal	The user chooses one karting center administrator to focus on and reads its details.
Precondition	The user logged in and has already created at least a karting center administrator.
Postcondition	The user obtains the details on the karting center administrator.
Workflow	<ul style="list-style-type: none">- The user moves to the area dedicated to karting center administrators.- The user chooses one karting center administrator from the list of karting center administrators.

Title	Read details on karting center
Goal, Precondition, Postcondition, Workflow	Similar to the use case Read details on karting center administrator .

Title	Read details on organizer
Goal, Precondition, Postcondition, Workflow	Similar to the use case Read details on karting center administrator .

Specification sheet

Title	U.D. karting center administrator
Goal	The user updates or deletes a karting center administrator.
Precondition	The user logged in and has already created at least a karting center administrator.
Postcondition	The chosen karting center administrator is updated or deleted.
Workflow	<ul style="list-style-type: none">- The user moves to the area dedicated to karting center administrators.- The user chooses one karting center administrator from the list of karting center administrators.- The user chooses the option to update or delete the karting center administrator.

Title	U.D. karting center
Goal, Precondition, Postcondition, Workflow	Similar to the use case U.D. karting center administrator .

Title	U.D. organizer
Goal, Precondition, Postcondition, Workflow	Similar to the use case U.D. karting center administrator .

Specification sheet

Title	Create karting center administrator
Goal	The user creates a new karting center administrator.
Precondition	The user logged in.
Postcondition	The karting center administrator is created.
Workflow	<ul style="list-style-type: none">- The user moves to the area dedicated to karting center administrators.- The user chooses the option to create a new karting center administrator.


Title	Create karting center
Goal, Precondition, Postcondition, Workflow	Similar to the use case Create karting center administrator .

Title	Create organizer
Goal, Precondition, Postcondition, Workflow	Similar to the use case Create karting center administrator .

The information system administrator is responsible for the management of all those entities useful to the visitors to navigate the site. He has the possibility to create, update and delete the following entities:

- City
- Go-kart model
- Track asphalt type
- Track difficulty
- Track length range
- Review score range
- Number of pilots range
- Number of races range
- Number of events range
- Price range
- Event category

Organizer



Title	Explore my events
Goal	The user explores the events he created.
Precondition	The user logged in and created at least one event.
Postcondition	The user obtains the list of events he created.
Workflow	<ul style="list-style-type: none">- A: the user already has a list of events he created and the applications received for each event in the homepage.- B: the user moves to the area dedicated to events and the list is already provided.

Specification sheet

Title	Read details on my event
Goal	The user chooses one event to focus on and reads its details.
Precondition	The user logged in.
Postcondition	The user obtains the details on the event and can move on to other related informations (e.g. applications).
Workflow	<ul style="list-style-type: none">- A: the user chooses one event from the list of events he created in the homepage.- B.1: the user moves to the area dedicated to events.- B.2: the user chooses one event from the list of events he created in the area dedicated to events.

Title	U.D. events
Goal	The user updates or deletes an event he created.
Precondition	The user logged in and he created at least one event.
Postcondition	The event is updated or deleted, the modifications might affect the races created for the track and the participations of the pilots to the races of the event but the applications made by pilots are not affected.
Workflow	<ul style="list-style-type: none">- A: the user chooses one event from the list of events he created in the homepage.- B.1: the user moves to the area dedicated to events.- B.2: the user chooses one event from the list of events he created in the area dedicated to events.- The user chooses the option to update or delete the event.

Specification sheet

Title	Create event
Goal	The user creates a new event.
Precondition	The user logged in and created at least one race.
Postcondition	The event is created and pilots can apply to it.
Workflow	<ul style="list-style-type: none">- The user moves to the area dedicated to events.- The user chooses the option to create a new event (he will need to choose among races he created to fill the event).

Specification sheet

Title	Explore not yet confirmed applications
Goal	The user explores the applications received for his events that he did not confirm yet.
Precondition	The user logged in, created at least one event and at least one pilot applied to it.
Postcondition	The user obtains the list of applications that he did not confirm yet.
Workflow	<ul style="list-style-type: none">- A: the user chooses one event from the list of events he created in the homepage.- B.1: the user moves to the area dedicated to events.- B.2: the user chooses one event from the list of events he created in the area dedicated to events. (- The list of applications not yet confirmed is already provided.)

Specification sheet

Title	Confirm application
Goal	The user confirms an application received for one of his events.
Precondition	The user logged in, created at least one event and at least one pilot applied to it.
Postcondition	The application is confirmed and the pilot is automatically inserted as a participant to all of the races of the event (this might change, e.g. in case the organizer decides to organize races in a tournament fashion, but the application will not be affected).
Workflow	<ul style="list-style-type: none">- A: the user chooses one event from the list of events he created in the homepage.- B.1: the user moves to the area dedicated to events.- B.2: the user chooses one event from the list of events he created in the area dedicated to events.- The user chooses the option to accept an application from the list of applications not yet confirmed.

Title	Explore races of the event
Precondition	The user logged in, created at least one event and the event has at least one race.
Postcondition	The user obtains the list of races of a specific event.
Workflow	<ul style="list-style-type: none">- A: the user chooses one event from the list of events he created in the homepage.- B.1: the user moves to the area dedicated to events.- B.2: the user chooses one event from the list of events he created in the area dedicated to events.(- The list of races of the chosen event is already provided.)


Title	Read details on race
Precondition	The user logged in, created at least one event and the event has at least one race.
Postcondition	The user obtains the details on the race and can move on (e.g. updating or deleting it.)
Workflow	<ul style="list-style-type: none">- A: the user chooses one event from the list of events he created in the homepage.- B.1: the user moves to the area dedicated to events.- B.2: the user chooses one event from the list of events he created in the area dedicated to events.- The user chooses one race from the list of races of the chosen event.

Specification sheet

Title	U.D. race
Precondition	The user logged in, created at least one event and the event has at least one race.
Postcondition	The race gets updated or deleted, this affects the relations with the pilots (<i>participation</i>) but not the application of the pilots to the event.
Workflow	<ul style="list-style-type: none">- A: the user chooses one event from the list of events he created in the homepage.- B.1: the user moves to the area dedicated to events.- B.2: the user chooses one event from the list of events he created in the area dedicated to events.- The user chooses one race from the list of races of the chosen event.- The user chooses the option to update or delete the race.

Specification sheet

Title	Create race
Precondition	The user logged in.
Postcondition	A new race is available to the user to be added to an event.
Workflow	<ul style="list-style-type: none">- The user moves to the area dedicated to events.- The user chooses the option to create a new race.



Title	Read my details
Goal	The user reads its own personal informations, already available in the homepage.
Precondition	The user logged in.
Postcondition	The user obtains its personal informations.
Workflow	- The user logs in and reads the informations already present in the homepage.

Title	Explore not yet confirmed reservations
Goal	The user explores the reservations he made that are not yet confirmed by any clerk
Precondition	The user logged in.
Postcondition	The user obtains the list of reservations that are not yet confirmed by any clerk.
Workflow	- The user moves to the area dedicated to reservations and the list is already provided.

Specification sheet

Title	C.U.D. races and reservations
Goal	The user asks for a reservation to have a race on a track of a karting center.
Precondition	The user logged in.
Postcondition	A race and its relative reservation (a weak entity of the race) are created, updated or deleted.
Workflow	<ul style="list-style-type: none">- The user moves to the area dedicated to reservations.- A: the user selects a reservation from those not yet confirmed and updates it or deletes it.- B: the user creates a new reservation without the need to select one from those not yet confirmed. <p>Note: the existence of the reservation is hidden to the user when he creates/updates/deletes the race, the reservation just takes some of the attributes of the race (Date, Start, End) and is shared with the clerks of the karting center, who can confirm it or not. The user can only see the reservations that are confirmed or not, he does not edit them directly but only through the actions on the race.</p>

Title	Explore confirmed reservations
Goal	The user explores the reservations he made that are confirmed by a clerk
Precondition	The user logged in.
Postcondition	The user obtains the list of reservations that are confirmed by a clerk.
Workflow	- The user moves to the area dedicated to reservations and the list is already provided.

Title	Explore my past races
Goal	The user explores the races he had in the past (not the races he booked through the previous use case).
Precondition	The user logged in.
Postcondition	The user obtains the list of past races.
Workflow	- The user moves to the area dedicated to races and the list is already provided.

Specification sheet

Title	Read details on race
Goal	The user chooses one race to focus on and reads its details.
Precondition	The user logged in.
Postcondition	The user obtains the details on the race and related informations such as the best lap-time of that race (it could be from the user himself or another pilot).
Workflow	<ul style="list-style-type: none">- The user moves to the area dedicated to races.- The user chooses one race from the list of past races.

Specification sheet

Title	Create review of karting center
Goal	The user creates a review of a karting center.
Precondition	The user logged in and had at least one race that will allow him to write reviews for the track and the karting center that hosted that race.
Postcondition	The review is stored and a clerk of the karting center will be able to read it and remove it if it is considered inappropriate.
Workflow	<ul style="list-style-type: none">- The user moves to the area dedicated to reviews.- From the list of past races, the user selects the option to write a review of the karting center that hosted the chosen race from the list.- The user chooses a score, writes the review and submits it.

Title	Create review of track
Goal, precondition, postcondition, workflow	Equivalent to the previous use case, but the review is of a track.

Title	Explore upcoming events applied to but not confirmed yet
Goal	The user explores the events that he applied to and that have not been confirmed by an organizer yet.
Precondition	The user logged in.
Postcondition	The user obtains the list of events that he applied to and that have not been confirmed yet.
Workflow	- The user moves to the area dedicated to events and the list is already provided.

Specification sheet

Title	Explore upcoming events not applied to
Goal	The user explores the upcoming events that he did not apply to.
Precondition	The user logged in.
Postcondition	The user obtains the list of upcoming events that he did not apply to.
Workflow	- The user moves to the area dedicated to events and the list is already provided.

Specification sheet

Title	Explore my past events
Goal	The user explores the events that he attended in the past.
Precondition	The user logged in and attended at least one event in the past.
Postcondition	The user obtains the list of events that he attended in the past.
Workflow	<ul style="list-style-type: none">- The user moves to the area dedicated to events.- The user selects the option to explore the events that he attended in the past.

Title	Apply to an event
Goal	The user applies to an event.
Precondition	The user logged in and he has not already applied to the event.
Postcondition	The user applies to the event and the organizer will be able to see and confirm the application.
Workflow	<ul style="list-style-type: none">- The user moves to the area dedicated to events.- The user selects one event from the list of upcoming events that he did not apply to.- The user applies to the event.

Specification sheet

Title	Read details on event
Goal	The user chooses one event to focus on and reads its details.
Precondition	The user logged in.
Postcondition	The user obtains the details on the event.
Workflow	<ul style="list-style-type: none">- The user moves to the area dedicated to events.- A: the user chooses one event from the list of upcoming events (both applied to and not applied to).- B.1: the user chooses the option to explore the events that he attended in the past.- B.2: the user chooses one event from the list of past events.

Specification sheet

Title	Create review of event
Goal	The user creates a review of an event he has attended in the past.
Precondition	The user logged in and attended at least one event in the past.
Postcondition	The review is stored and the organizer of the event and the clerks of all the karting centers that hosted at least one race of the event will be able to read it, clerks will be able to remove it if it is considered inappropriate.
Workflow	<ul style="list-style-type: none">- The user moves to the area dedicated to events.- The user chooses the option to explore the events that he attended in the past.- The user selects the option to write a review from one of the events in the list.- The user chooses a score, writes the review and submits it.



Visitor

Name	KartingCenter
Synonym	Go-karting center
Description	Karting center
Example of instance	Name: Mantova Karting Center City: Mantova nPilots: 5937 nRaces: 12485 nEvents:74 avgReviewScore: 3.9
Properties	Name: the name of the karting center City: the city where the karting center is located nPilots: the number of pilots that have raced in the karting center nRaces: the number of races that took place in the karting center nEvents: the number of events that had at least one race hosted by the karting center avgReviewScore: the average score of the reviews of the karting center
Components	KartingCenterReview

Relations	<p>KartingCenter.City (N:1): the city where the karting center is located</p> <p>KartingCenter.KartingCenterAdmin (N:1): the karting center administrator of the karting center</p> <p>KartingCenter.Clerk (1:N): the clerks of the karting center</p> <p>KartingCenter.KartingCenterReview (1:N): the reviews of the karting center</p> <p>KartingCenter.Track (1:N): the tracks of the karting center</p> <p><i>KartingCenter.NPilotsRange</i> (N:1) the range within the number of pilots that have raced in the karting center falls</p> <p><i>KartingCenter.NRacesRange</i> (N:1) the range within the number of races that took place in the karting center falls</p> <p><i>KartingCenter.NEventsRange</i> (N:1) the range within the number of events that took place in the karting center falls</p> <p><i>KartingCenter.ReviewScoreRange</i> (N:1) the range within the average score of the reviews of the karting center falls</p> <p><i>KartingCenter.Event</i> (N:N) the events the karting center hosted</p>
Superconcepts	None
Subconcepts	None

Name	City
Synonym	None
Description	City
Example of instance	Name: Mantova
Properties	Name: the name of the city
Components	None
Relations	<i>City_KartingCenter</i> (1:N): the karting centers located in the city <i>City_Track</i> (1:N): the tracks (inside a karting center) located in the city <i>City_Event</i> (N:N): the events that had at least one race on a track of a karting center located in the city
Superconcepts	None
Subconcepts	None

Name	Track
Synonym	Circuit
Description	Track
Example of instance	<p>Name: T1</p> <p>Length: 700m</p> <p>City: Mantova</p> <p>AsphaltType: resin</p> <p>nRentalGoKarts: 23</p> <p>Difficulty: Intermediate</p> <p>nPilots: 3873</p> <p>nRaces: 7437</p> <p>nEvents: 43</p> <p>avgReviewScore: 4.2</p>
Properties	<p>Name: the name of the track</p> <p>Length: the length of the track</p> <p>City: the city where the karting center the track belongs to is located</p> <p>AsphaltType: the type of asphalt of the track</p> <p>nRentalGoKarts: the number of rental go-karts available in the track</p> <p>Difficulty: the difficulty of the track</p> <p>nPilots: the number of pilots that have raced on the track</p> <p>nRaces: the number of races that took place on the track</p> <p>nEvents: the number of events that had at least one race on the track</p> <p>avgReviewScore: the average score of the reviews of the track</p>
Components	Timetable, Leaderboard, TrackReview

Relations	<p>Track.KartingCenter (N:1): the karting center the track belongs to</p> <p>Track.TrackReview (1:N): the reviews of the track</p> <p>Track.Timetable (1:1): the timetable of the track</p> <p>Track.Leaderboard (1:N): the leaderboards of the track</p> <p>Track.Race (1:N): the races that took place on the track</p> <p>Track.GoKart (1:N): the go-karts dedicated to the track</p> <p>Track.GoKartModel (N:N): the go-kart models allowed on the track</p> <p>Track.TrackAshpalt (N:1): the asphalt of the track</p> <p>Track.TrackDifficulty (N:1): the difficulty of the track</p> <p>Track.Pilot (N:N): the pilots that have the track as one of their favourite</p> <p>Track.City (N:1): the city where the karting center the track belongs to is located</p> <p>Track.TrackLengthRange (N:1): the range within the length of the track falls</p> <p>Track.NPilotsRange (N:1): the range within the number of pilots that have raced on the track falls</p> <p>Track.NRacesRange (N:1): the range within the number of races that took place on the track falls</p> <p>Track.NEventsRange (N:1): the range within the number of events that took place on the track falls</p> <p>Track.ReviewScoreRange (N:1): the range within the average score of the reviews of the track falls</p>
Superconcepts	None
Subconcepts	PopularTrack: a track that is recurrent in the list of favourite tracks of pilots

Name	Go-kart
Synonym	Kart
Description	Go-kart
Example of instance	Name: T1.1 GoKartModel: Sodi RX7
Properties	Name: the name of the go-kart <i>GoKartModel</i> : the model of the go-kart
Components	None
Relations	GoKart.Track (N:1): the track the go-kart is dedicated to GoKart.GoKartModel (N:1): the model of the go-kart
Superconcepts	None
Subconcepts	None

Name	Timetable
Synonym	None
Description	Timetable
Example of instance	<i>TrackName</i> : T1
Properties	<i>TrackName</i> : the name of the track
Components	None
Relations	Timetable_Track (1:1): the track the timetable belongs to Timetable_Reservation (1:N): the reservations of the timetable
Superconcepts	None
Subconcepts	None

Name	Leaderboard
Synonym	Ranking
Description	Leaderboard
Example of instance	Title: Best of the week <i>TrackName</i> : T1
Properties	Title: the title of the leaderboard <i>TrackName</i> : the name of the track
Components	None
Relations	Leaderboard.Track (N:1): the track each leaderboard belongs to Leaderboard.LapTime (N:N): the lap times the leaderboard focuses on
Superconcepts	None
Subconcepts	None

Data dictionary

Name	Race
Synonym	None
Description	Race
Example of instance	ID: 2036 Date: 2024-02-15 Start: 15:00 End: 15:09 ForEvent: false <i>GoKartingCenterName</i> : Mantova Karting Center <i>TrackName</i> : T1 <i>nParticipants</i> : 8 <i>fastestLapTime</i> : 00:00:48.595
Properties	ID Date Start End ForEvent: whether the race was created by an organizer for an event or not <i>GoKartingCenterName</i> <i>TrackName</i> : the name of the track that hosts the race <i>nParticipants</i> <i>fastestLapTime</i>
Components	Reservation

Relations	<p>Race_Track (N:1): the track the race has been raced on</p> <p>Race_Reservation (1:1): the reservation that has been made for the race</p> <p>Race_Pilot (N:N): the pilots that participated in the race</p> <p>Race_LapTime (1:N): every lap-time of every pilot that participated in the race</p> <p>Race_Event (N:1): the event the race is part of</p> <p><i>Race_Pilot</i> (1:N): the pilots who have this race as their last race</p> <p><i>Race_Laptime</i> (1:1): the best lap-time of the race</p>
Superconcepts	None
Subconcepts	None

Name	Reservation
Synonym	Booking
Description	Reservation
Example of instance	Date: 2024-02-15 Start: 15:00 End: 15:09 <i>ReservedByPilot</i> : denisfesta <i>ReservedByOrganizer</i> : None <i>ConfirmedByClerk</i> : Jessica
Properties	Date Start End <i>ReservedByPilot</i> : the pilot who made the reservation (this property is mutually exclusive with <i>ReservedByOrganizer</i>) <i>ReservedByOrganizer</i> : the organizer who made the reservation (this property is mutually exclusive with <i>ReservedByPilot</i>) <i>ConfirmedByClerk</i> : the clerk who confirmed the reservation
Components	None
Relations	Reservation_Timetable (N:1): the timetable where the reservation is stored Reservation_Pilot (N:1): the pilot who made the reservation Reservation_Organizer (N:1): the organizer who made the reservation Reservation_Clerk (N:1): the clerk who confirmed the reservation Reservation_Race (1:1): the race this reservation has been made for
Superconcepts	None
Subconcepts	None

Name	Lap-time
Synonym	Lap
Description	Lap-time
Example of instance	LapNumber: 7 LapTime: 00:00:48.595
Properties	LapNumber: the <i>LapNumber</i> -th lap LapTime: the time measured for the <i>LapNumber</i> -th lap for a particular pilot
Components	None
Relations	LapTime.Pilot (N:1): the pilot who made the lap-time LapTime.Race (N:1): the race where the lap-time has been made <i>LapTime.Race</i> (1:1): in case the lap-time is the best of a race <i>LapTime.Leadersboard</i> (N:N): the leaderboards where the lap-time is displayed
Superconcepts	None
Subconcepts	None

Name	Application
Synonym	Request
Description	Application
Example of instance	Confirmed: true <i>EventName</i> : Mantova Karting Cup 2024 <i>RequestFromPilot</i> : denisfesta
Properties	Confirmed: whether the application has been confirmed or not (the organizer who created the event is the only one who can accept an application) <i>EventName</i> : the name of the event the application has been made for <i>RequestFromPilot</i> : the pilot who made the application
Components	None
Relations	Application.Pilot (N:1): the pilot who made the application Application.Event (N:1): the event the application has been made for
Superconcepts	None
Subconcepts	None

Name	Event
Synonym	Tournament
Description	Event
Example of instance	Name: Mantova Karting Cup 2024 Price: 100 <i>FirstDate</i> : 2024-02-15 <i>OrganizerName</i> : WD40 <i>EventCategory</i> : Open <i>nParticipants</i> : 64 <i>nRaces</i> : 12 <i>nReviews</i> : 23 <i>avgReviewScore</i> : 4.5
Properties	Name: the name of the event Price: the price of the event <i>FirstDate</i> : the date of the first race of the event <i>OrganizerName</i> : the username of the organizer who created the event <i>EventCategory</i> : the category of the event (<i>open</i> , <i>intermediate</i> , <i>pro</i>) <i>nParticipants</i> : the number of pilots who applied for the event and whose application was confirmed <i>nRaces</i> : the number of races of the event <i>nReviews</i> : the number of written reviews about the event <i>avgReviewScore</i> : the average score of the reviews about the event
Components	EventReview

Relations	<p>Event_Organizer (N:1): the organizer who created the event</p> <p>Event_Application (1:N): the applications received for the event</p> <p>Event_Race (1:N): the races of the event</p> <p>Event_EventCategory (N:1): the category of the event</p> <p>Event_EventReview (1:N): the reviews about the event</p> <p>Event_ReviewScoreRange (N:1): the range within the average score of the reviews about the event falls</p> <p>Event_Pilot (N:N): the pilots who applied for the event and whose application was confirmed</p> <p>Event_PriceRange (N:1): the range within the price of the event falls</p> <p>Event_City (N:N): the cities where the races of the event took place</p> <p>Event_Track (N:N): the tracks that hosted the races of the event</p> <p>Event_KartingCenter (N:N): the karting centers whose tracks hosted the races of the event</p>
Superconcepts	None
Subconcepts	Controversial event, Popular event, Upcoming event

Data dictionary

Name	Review
Synonym	Opinion
Description	Review
Example of instance	TextReview: Fantastic track, with a lot of bumps and holes. Score: 4/5
Properties	TextReview: the text of the review Score: the score of the review
Components	None
Relations	None
Superconcepts	None
Subconcepts	KartingCenterReview, TrackReview, EventReview

Name	KartingCenterReview
Synonym	None
Description	Karting center review
Example of instance	TextReview (inherited from Review): Very rude and violent staff, but nice tracks! Score (inherited from Review): 4/5
Properties	None
Components	None
Relations	KartingCenterReview_KartingCenter (N:1): the karting center the review is about KartingCenterReview_Pilot (N:1): the pilot who wrote the review
Superconcepts	Review
Subconcepts	None

Name	TrackReview
Synonym	None
Description	Track review
Example of instance	TextReview (inherited from Review): The track is very nice, but the asphalt is not in good conditions. Score (inherited from Review): 3/5
Properties	None
Components	None
Relations	TrackReview_Track (N:1): the track the review is about TrackReview_Pilot (N:1): the pilot who wrote the review
Superconcepts	Review
Subconcepts	None

Name	EventReview
Synonym	None
Description	Event review
Example of instance	TextReview (inherited from Review): The event was a mess, delayed a couple of times and some pilots were not correctly registered. Score (inherited from Review): 2/5
Properties	None
Components	None
Relations	EventReview.Event (N:1): the event the review is about EventReview.Pilot (N:1): the pilot who wrote the review
Superconcepts	Review
Subconcepts	None

Data dictionary

Name	User
Synonym	None
Description	User
Example of instance	Username: denisfesta Password: 12345asdf! Email: d.festa004@studenti.unibs.it Name: Denis Surname: Festa Address: Via Trento 5, Rovato (BS)
Properties	Username: the username of the user Password: the password of the user Email: the email address of the user Name: the name of the user Surname: the surname of the user Address: the address of the user
Components	None
Relations	None
Superconcepts	None
Subconcepts	Admin, KartingCenterAdmin, Clerk, Organizer, Pilot

Name	Admin
Synonym	Administrator
Description	The administrator does not have any relation with other entities of the information system but is needed to create karting center administrators, organizers and all the auxiliary objects useful for the visitor to explore easily.
Example of instance	Empty (all the properties are inherited from User)
Properties	None
Components	None
Relations	None
Superconcepts	User
Subconcepts	None

Name	KartingCenterAdmin
Synonym	None
Description	Karting center administrator
Example of instance	Empty (all the properties are inherited from User)
Properties	None
Components	None
Relations	KartingCenterAdmin_KartingCenter (1:N): the karting centers the administrator is in charge of
Superconcepts	User
Subconcepts	None

Name	Clerk
Synonym	None
Description	Clerk
Example of instance	Empty (all the properties are inherited from User)
Properties	None
Components	None
Relations	Clerk_KartingCenter (N:1): the karting center the clerk works for Clerk_Reservation (1:N): the reservations the clerk confirmed
Superconcepts	User
Subconcepts	None

Name	Organizer
Synonym	None
Description	Organizer
Example of instance	Empty (all the properties are inherited from User)
Properties	None
Components	None
Relations	Organizer_Event (1:N): the events the organizer created Organizer_Reservation (1:N): the reservations the organizer requested
Superconcepts	User
Subconcepts	None

Name	Pilot
Synonym	None
Description	Pilot
Example of instance	<p>Username (inherited from User): denisfesta</p> <p>Password (inherited from User): 12345asdf!</p> <p>Email (inherited from User): d.festa004@studenti.unibs.it</p> <p>Name (inherited from User): Denis</p> <p>Surname (inherited from User): Festa</p> <p>Address (inherited from User): Via Trento 5, Rovato (BS)</p> <p>Age: 25</p> <p>Weight: 70</p>
Properties	<p>Age: the age of the pilot</p> <p>Weight: the weight of the pilot</p>
Components	None
Relations	<p>Pilot_KartingCenterReview (1:N): the reviews the pilot wrote about karting centers</p> <p>Pilot_TrackReview (1:N): the reviews the pilot wrote about tracks</p> <p>Pilot_EventReview (1:N): the reviews the pilot wrote about events</p> <p>Pilot_Application (1:N): the applications the pilot made</p> <p>Pilot_Reservation (1:N): the reservations the pilot made</p> <p>Pilot_Track (N:N): the tracks the pilot has as favorite</p> <p>Pilot_Race (N:N): the races the pilot participated in</p> <p>Pilot_LapTime (1:N): the lap-times the pilot made</p> <p><i>Pilot_Race</i> (N:1): the last race the pilot participated in</p> <p><i>Pilot_Event</i> (N:N): the events the pilot was accepted to participate in</p>
Superconcepts	User
Subconcepts	None

Name	ReviewScoreRange
Synonym	None
Description	Review score range
Example of instance	LowerBoundIncluded: 1 UpperBoundExcluded: 3
Properties	LowerBoundIncluded: the lower bound of the range UpperBoundExcluded: the upper bound of the range
Components	None
Relations	ReviewScoreRange.KartingCenter (1:N): the karting centers whose average review score falls in the range ReviewScoreRange.Track (1:N): the tracks whose average review score falls in the range ReviewScoreRange.Event (1:N): the events whose average review score falls in the range
Superconcepts	None
Subconcepts	None

Name	NPilotsRange
Synonym	None
Description	A range of number of pilots
Example of instance	LowerBoundIncluded: 0 UpperBoundExcluded: 100
Properties	LowerBoundIncluded: the lower bound of the range UpperBoundExcluded: the upper bound of the range
Components	None
Relations	NPilotsRange_KartingCenter (1:N): the karting centers whose number of pilots falls in the range NPilotsRange_Track (1:N): the tracks whose number of pilots falls in the range
Superconcepts	None
Subconcepts	None

Name	NRacesRange
Synonym	None
Description	A range of number of races
Example of instance	LowerBoundIncluded: 10000 UpperBoundExcluded: 20000
Properties	LowerBoundIncluded: the lower bound of the range UpperBoundExcluded: the upper bound of the range
Components	None
Relations	NRacesRange.KartingCenter (1:N): the karting centers whose number of races (the sum of all the races on all the tracks of that karting center) falls in the range NRacesRange.Track (1:N): the tracks whose number of races that took place on them falls in the range
Superconcepts	None
Subconcepts	None

Name	NEventsRange
Synonym	None
Description	A range of number of events
Example of instance	LowerBoundIncluded: 0 UpperBoundExcluded: 10
Properties	LowerBoundIncluded: the lower bound of the range UpperBoundExcluded: the upper bound of the range
Components	None
Relations	NEventsRange_KartingCenter (1:N): the karting centers whose number of hosted events falls in the range NEventsRange_Track (1:N): the tracks whose number of events that took place on them falls in the range
Superconcepts	None
Subconcepts	None

Name	GoKartModel
Synonym	None
Description	Go-kart model
Example of instance	GoKartModel: Sodi RX7
Properties	GoKartModel: the name of the go-kart model
Components	None
Relations	GoKartModel_GoKart (1:N): the go-karts of that model GoKartModel_Track (N:N): the tracks where that model is available
Superconcepts	None
Subconcepts	None

Name	TrackAsphalt
Synonym	None
Description	Track asphalt
Example of instance	TrackAsphalt: Asphalt
Properties	TrackAsphalt: the name of the track asphalt
Components	None
Relations	TrackAsphalt..Track (1:N): the tracks with that asphalt
Superconcepts	None
Subconcepts	None

Name	TrackDifficulty
Synonym	None
Description	Track difficulty
Example of instance	TrackDifficulty: Intermediate
Properties	TrackDifficulty: the name of the track difficulty
Components	None
Relations	TrackDifficulty_Track (1:N): the tracks with that difficulty
Superconcepts	None
Subconcepts	None

Name	TrackLengthRange
Synonym	None
Description	Track length range
Example of instance	LowerBoundIncluded: 0 UpperBoundExcluded: 300
Properties	LowerBoundIncluded: the lower bound of the range UpperBoundExcluded: the upper bound of the range
Components	None
Relations	TrackLengthRange..Track (1:N): the tracks whose length falls in the range
Superconcepts	None
Subconcepts	None

Name	PopularTrack
Synonym	None
Description	A popular track is a track that has been selected as favorite by at least N pilots. This subclass of Track is to be considered as a view of the database that invites the visitor during its navigation and at the same time speeds up the execution of the query.
Example of instance	Empty (all the properties are inherited from Track)
Properties	None
Components	None
Relations	None
Superconcepts	Track
Subconcepts	None

Name	ControversialEvent
Synonym	None
Description	<p>A controversial event is an event that has received at least N reviews with a score lower than 25% of the maximum score and at least N reviews with a score higher than 75% of the maximum score.</p> <p>This subclass of Event is to be considered as a view of the database.</p>
Example of instance	Empty (all the properties are inherited from Event)
Properties	None
Components	None
Relations	None
Superconcepts	Event
Subconcepts	None

Name	PopularEvent
Synonym	None
Description	A popular event is an event that already took place, to which at least N pilots participated and that received at least N reviews. This subclass of Event is to be considered as a view of the database.
Example of instance	Empty (all the properties are inherited from Event)
Properties	None
Components	None
Relations	None
Superconcepts	Event
Subconcepts	None

Name	UpcomingEvent
Synonym	None
Description	An upcoming event is an event that has not yet taken place, its attribute <i>FirstDate</i> is in the future. This subclass of Event is to be considered as a view of the database.
Example of instance	Empty (all the properties are inherited from Event)
Properties	None
Components	None
Relations	None
Superconcepts	Event
Subconcepts	None

Name	PriceRange
Synonym	None
Description	A range of price of the events
Example of instance	LowerBoundIncluded: 0 UpperBoundExcluded: 50
Properties	LowerBoundIncluded: the lower bound of the range UpperBoundExcluded: the upper bound of the range
Components	None
Relations	PriceRange.Event (1:N): the events whose price falls in the range
Superconcepts	None
Subconcepts	None

Name	EventCategory
Synonym	None
Description	The event can be open to every pilot (entry level difficulty), intermediate (for those pilots that feel more competitive) and pro (only pilots that show up at a high rank in the leaderboards can participate).
Example of instance	EventCategory: Open
Properties	EventCategory: the name of the event category
Components	None
Relations	EventCategory_Event (1:N): the events from that category
Superconcepts	None
Subconcepts	None

Site View	Public view		
Description	Empty		
User Groups	Visitor, Pilot, Clerk, Organizer, Karting center administrator, Information system administrator		
Use Cases	Register, Login, Explore karting centers by city, Explore karting centers by number of races, Explore karting centers by number of pilots, Explore karting centers by number of events, Explore karting centers by average review score, View all karting centers hosting upcoming events, Read details on karting center, Read reviews on karting center, Explore tracks in a karting center, Explore events by karting center, Explore tracks by asphalt type, Explore tracks by difficulty, Explore tracks by length, Explore tracks by city, Explore tracks by number of races, Explore tracks by number of pilots, Explore tracks by number of events, Explore tracks by average review score, Read details on track, Read reviews on track, Explore events by track, Explore leaderboards, Explore races from track, Explore lap-times of a race, Explore pilots from track, Read details on pilot, Explore events from pilot, Explore races from pilot, Explore events by city, Explore events by average review score, Explore events by price, Explore events by category, Explore events by popularity, Explore upcoming events, Explore controversial events, Read details on event, Explore karting centers by event, Explore tracks by event, Explore pilots from event, Explore races from event, Read reviews on event.		
Site View Map			
Area Name	Area Description	Objects	Priority
Home	Empty	UpcomingEvent, Track, KartingCenter	High

Site views

KartingCenter	Empty	KartingCenter, City, NPilotsRange, NRacesRange, NEventsRange, ReviewScoreRange	High
Tracks	Empty	Track, TrackAsphalt, TrackDifficulty, TrackLengthRange, City, NPilotsRange, NRacesRange, NEventsRange, ReviewScoreRange, GoKartModel, PopularTrack	High
Event	Empty	Event, City, ReviewScoreRange, PriceRange, EventCategory, PopularEvent, ControversialEvent, UpcomingEvent	High
Race	Empty	Race	Medium
Pilot	Empty	Pilot	Medium
Laptime	Empty	LapTime	Low
Leaderboard	Empty	Leaderboard	Medium
Review	Empty	KartingCenterReview, TrackReview, EventReview	Medium

Site View	Pilot		
Description	Empty		
User Groups	Pilot		
Use Cases	Logout, Read my details, Explore not yet confirmed reservations, C.U.D. races and reservations, Explore confirmed reservations, Explore my past races, Read details on race, Create review of karting center, Create review of track, Explore upcoming events applied to but not confirmed yet, Explore upcoming events not applied to, Explore my past events, Apply to an event, Read details on event, Create review of event.		
Site View Map			
Area Name	Area Description	Objects	Priority
Home	Empty	Pilot, Race, Event	High
Reservations	Empty	Race, Reservation	High
Race	Empty	Race, LapTime, KartingCenter, KartingCenterReview, Track, TrackReview (Pilot, Track, Timetable and KartingCenter when operating on Race)	High
Event	Empty	Event, EventReview, Application	High

Site views

Site View	Organizer		
Description	Empty		
User Groups	Organizer, Information system administrator		
Use Cases	Logout, Explore my events, Read details on my event, U.D. events, Create event, Explore not yet confirmed applications, Confirm application, Explore races of the event, Read details on race, U.D. race, Create race		
Site View Map			
Area Name	Area Description	Objects	Priority
Home	Empty	Event, Application	High
Event	Empty	Event, Application, Race (EventCategory and Organizer when operating on Event, Pilot, Track, Timetable and Karting-Center when operating on Race)	High

Site views

Site View	Clerk		
Description	Empty		
User Groups	Clerk, Information system administrator, Karting center administrator		
Use Cases	Logout, Explore reservations, Confirm reservation, Explore reviews on karting center, Read review on karting center, Delete review on karting center, Explore reviews on track, Read review on track, Delete review on track, Explore reviews on event, Read review on event, Delete review on event		
Site View Map			
Area Name	Area Description	Objects	Priority
Home	Empty	Clerk, KartingCenterReview, TrackReview, EventReview	High
Reservation	Empty	Track, Reservation (Timetable as the list of reservations)	High
Review	Empty	KartingCenterReview, TrackReview, EventReview, Pilot	High

Site views

Site View	Karting center administrator		
Description	Empty		
User Groups	Karting center administrator, Information system administrator		
Use Cases	Logout, Explore my karting centers, Explore pilots by karting center, Explore pilots, Read details on pilot, U.D. pilot, Create pilot, Explore clerks by karting center, Explore clerks, Read details on clerk, U.D. clerk, Create clerk, Explore tracks (related to my karting centers), Explore tracks by karting center, Read details on track, U.D. track, Create track, Explore races (related to my karting centers), Read details on race, U.D. race, Create race, Explore go-karts dedicated to tracks of my karting centers, U.D. go-kart dedicated to track, Create go-kart		
Site View Map			
Area Name	Area Description	Objects	Priority
Home	Empty	KartingCenterAdministrator, KartingCenter, Pilot, Clerk, Track	High
KartingCenter	Empty	KartingCenter, City	High
Track	Empty	Track, (GoKartModel, TrackAsphalt and Track when operating on Track)	High
Race	Empty	Race, Reservation (Timetable as the list of reservations, Pilot, Track and KartingCenter when operating on Race)	High
Pilot	Empty	Pilot	High
Clerk	Empty	Clerk (Karting center when operating on Clerk)	High

Site views

Site View	Information system administrator		
Description	Empty		
User Groups	Information system administrator		
Use Cases	Logout, Explore karting center administrators, Read details on karting center administrator, U.D. karting center administrator, Create karting center administrator, Explore karting centers, Read details on karting center, U.D. karting center, Create karting center, Explore organizers, Read details on organizer, U.D. organizer, Create organizer, C.R.U.D. cities, C.R.U.D. go-kart models, C.R.U.D. track asphalt types, C.R.U.D. track difficulties, C.R.U.D. track length ranges, C.R.U.D. review score ranges, C.R.U.D. n. pilots ranges, C.R.U.D. n. races ranges, C.R.U.D. n. events ranges, C.R.U.D. price ranges, C.R.U.D. event categories		
Site View Map			
Area Name	Area Description	Objects	Priority
Home	Empty	Admin	High
K.C.Administrator	Empty	KartingCenterAdministrator (KartingCenter when operating on KartingCenterAdministrator)	High
KartingCenter	Empty	KartingCenter, (City and KartingCenterAdministrator when creating KartingCenter, KartingCenterReview deleted when deleting KartingCenter)	High
Organizer	Empty	Organizer	High
AuxiliaryEntity	Empty	City, GoKartModel, TrackAsphalt, TrackDifficulty, TrackLengthRange, ReviewScoreRange, NPilotsRange, NRacesRange, NEventsRange, PriceRange, EventCategory	Medium

