Intro to R Statistical Software

UCLA - Econ 221 - Fall 2018

François Geerolf

"Programs must be written for people to read and only incidentally for machines to execute." (Hal Abelson)

Getting started with R Statistical Software

Downloading. You need to install R and Rstudio:

- 1. You can get **R statistical software** on the UCLA mirror here. Here is a direct link to "Feather Spray" (R version 3.5.1) for Mac OSX check first that there does not exist anything more recent. Here is a direct link for Windows.
- 2. I recommend you use a Graphical User Interface (GNU) for R such as **R Studio**. You can get the latest release here: download here.

Introduction to R. I recommend cheatsheets to get started on R. Many are available, but the 2 main cheatsheets are:

- A Base R Cheatsheet.
- An Advanced R Cheatsheet.

Datacamp also has great learning tools for R, as well as Python.

R-markdown (Rmd)

R-markdown is a great tool for keeping your workflow organized and keeping track of each one of your research projects: you can add IATEX very easily, images, regression tables, graphs, etc. Again, cheatsheets are a good way to learn. There are two main cheatsheets:

- A Beginner's R-Markdown Cheatsheet.
- An Advanced R-Markdown Cheatsheet.

You may also learn from the reference guide here.

Necessary Packages

I will mostly be using tidyverse, from Hadley Wickham, for data manipulation as well as plotting data. This cheatsheet has a beginner's introduction to tidyverse, and tidyverse is presented on this blogpost. tidyverse is a powerful collection of R packages that are data tools for transforming and visualizing data. Datacamp has a free tutorial for tidyverse, which can get you started. The following packages are particularly useful:

- dplyr for data manipulation. Cheatsheet. You will find a tutorial in 4 parts here: Part 1 / Part 2 / Part 3 / Part 4. Note, in particular, the use of pipes %>%:
 - x % > % f(y) is the same as f(x, y).
 - y %>% f(x, ., z) is the same as f(x, y, z). "Piping" with %>% makes code more readable. For example, the following code computes an average of Sepal.Width by Species the iris database, and then orders the Species by their average Sepal.Width. More generally, instead of writing i(h(g(f()))) which is very hard to read when f, g, h and i are complex functions, pipes allow you to write functions in the order they are being called: x % > % f %>% g %>% h %>% i. Try it!

```
iris %>%
  group_by(Species) %>%
  summarise(avg = mean(Sepal.Width)) %>%
  arrange(avg)

## # A tibble: 3 x 2


## Species avg
## <fct> <dbl>
## 1 versicolor 2.77

## 2 virginica 2.97

## 3 setosa 3.43
```

• ggplot2 for data visualization. Cheatsheet. Combined with tidyverse, ggplot2 proves very powerful. For example, below is a visualization of the RGB additive color model.

RGB Additive Color Model: By Levels of Blue (0 to 1)



• stringr for string manipulation. A cheatsheet is available here. If you do want to work on string variables a lot, for example to do web scrapping, then you should learn about regular expressions.

• readr to read in data. A cheatsheet is provided here.

In addition to the tidyverse collection of R packages, I also use the following packages:

• lubridate for working with dates (very useful in macroeconomics!). A cheatsheet is provided here.

Other Packages

Here are other potentially useful packages:

- tidytext for analyzing text with the tidyverse tools. A great introduction to this package is provided here.
- bookdown as a great complement to R-markdown, in order to write more advanced documents. A great introduction is also provided here.