

# Why our HTML Docs Don't Just Print and What to Do About It

---



Nikolaj Potashnikov

PhD in Economics, Solution architect, Course-IT

✉ consulting@yandex.ru 📧 @nmpotashnikoff



“

*The principal task of a conductor is not to put himself in evidence but to disappear behind his functions*

– Liszt Ferenc



Print, Export to Word, Export to PDF are very often just a trap

---

**What to do with a long line in a listing?**

Why our HTML Docs Don't  
Just Print and What to Do  
About It



# Print, Export to Word, Export to PDF are very often just a trap

---

## What to do with a long line in a listing?

- We may scale



# Print, Export to Word, Export to PDF are very often just a trap

---

**What to do with a long line in a listing?**

- We may scale
- Or use landscape orientation



# Print, Export to Word, Export to PDF are very often just a trap

---

## What to do with a long line in a listing?

- We may scale
- Or use landscape orientation
- Or both, but would it be enough?



# Print, Export to Word, Export to PDF are very often just a trap

---

## What to do with a long line in a listing?

- We may scale
- Or use landscape orientation
- Or both, but would it be enough?
- If not, we may fire error for long lines or wrap them



# Print, Export to Word, Export to PDF are very often just a trap

---

## What to do with a long line in a listing?

- We may scale
- Or use landscape orientation
- Or both, but would it be enough?
- If not, we may fire error for long lines or wrap them
- With linefeed and spaces? And how to copy?





# Print, Export to Word, Export to PDF are very often just a trap

---

## What to do with a long line in a listing?

- We may scale
- Or use landscape orientation
- Or both, but would it be enough?
- If not, we may fire error for long lines or wrap them
- With linefeed and spaces? And how to copy?
- With indents? Still impossible to copy from PDF



# Print, Export to Word, Export to PDF are very often just a trap

---

## What to do with a long line in a listing?

- We may scale
- Or use landscape orientation
- Or both, but would it be enough?
- If not, we may fire error for long lines or wrap them
- With linefeed and spaces? And how to copy?
- With indents? Still impossible to copy from PDF
- And on the web we can just add horizontal scroll bar



# Print, Export to Word, Export to PDF are very often just a trap

---

## What to do with a long line in a listing?

- We may scale
- Or use landscape orientation
- Or both, but would it be enough?
- If not, we may fire error for long lines or wrap them
- With linefeed and spaces? And how to copy?
- With indents? Still impossible to copy from PDF
- And on the web we can just add horizontal scroll bar



There is a core mismatch: semantic markup meets the rigid world of print

---



## Iterations in converting simple text markup to print formats

---

- <https://github.com/CourseOrchestra/course-doc>: XSL-FO templates for AsciiDoctor → DocBook backend
- <https://github.com/CourseOrchestra/asciidoctor-open-document>: Open Document Converter for AsciiDoc
- <https://github.com/fiddlededee/unidoc-publisher>: UniDoc Publisher – any markup to any printing rendering engine



# Main formats for printing

---

Why our HTML Docs Don't  
Just Print and What to Do  
About It



# Main formats for printing

---

## 1. PDF

Why our HTML Docs Don't  
Just Print and What to Do  
About It



# Main formats for printing

---

1. PDF
2. Text processing formats (Open XML – MS Office, Open Document – LibreOffice)



# Main formats for printing

---

1. PDF
2. Text processing formats (Open XML – MS Office, Open Document – LibreOffice)
3. HTML?





# Main formats for printing

---

1. PDF
2. Text processing formats (Open XML – MS Office, Open Document – LibreOffice)
3. HTML?



CSS Paged Media – CSS extension, defining style specific for printing

---



# Most widespread rendering approaches

---

Why our HTML Docs Don't  
Just Print and What to Do  
About It



# Most widespread rendering approaches

---

- PDF ← native PDF-generating libraries



# Most widespread rendering approaches

---

- PDF ← native PDF-generating libraries
- PDF ← XSL-FO with FOP-processors



# Most widespread rendering approaches

---

- PDF ← native PDF-generating libraries
- PDF ← XSL-FO with FOP-processors
- PDF ← via TeX



# Most widespread rendering approaches

---

- PDF ← native PDF-generating libraries
- PDF ← XSL-FO with FOP-processors
- PDF ← via TeX
- PDF ← HTML + Paged Media CSS



# Most widespread rendering approaches

---

- PDF ← native PDF-generating libraries
- PDF ← XSL-FO with FOP-processors
- PDF ← via TeX
- PDF ← HTML + Paged Media CSS
- DOCX/ODT, PDF ← +/- text processors (MS Word, LO Writer)



# Most widespread rendering approaches

---

- PDF ← native PDF-generating libraries
- PDF ← XSL-FO with FOP-processors
- PDF ← via TeX
- PDF ← HTML + Paged Media CSS
- DOCX/ODT, PDF ← +/- text processors (MS Word, LO Writer)

---

These technologies are not aligned in a great number of details like:



- Apache FOP has problems with Leader alignment (dots in a table of contents)
- LO Writer doesn't support typography (like keep with next) within table cells
- Microsoft doesn't recommend running automation tasks (like saving PDF) on a server





# Some brief conclusions

---

Why our HTML Docs Don't  
Just Print and What to Do  
About It



## Some brief conclusions

---



Feel like speleologist?

---

Why our HTML Docs Don't  
Just Print and What to Do  
About It



## Some brief conclusions

---



Feel like speleologist?

---

Why our HTML Docs Don't  
Just Print and What to Do  
About It



## Some brief conclusions

---



Feel like speleologist?

---

- The world of printing is the world of constraints

Why our HTML Docs Don't  
Just Print and What to Do  
About It



## Some brief conclusions

---



Feel like speleologist?

---

- The world of printing is the world of constraints
- And those constraints differ for each technology, you often need to support several chains (exquisitely looking PDF with TeX and LibreOffice for coordination)



## Some brief conclusions

---



Feel like speleologist?

---

- The world of printing is the world of constraints
- And those constraints differ for each technology, you often need to support several chains (exquisitely looking PDF with TeX and LibreOffice for coordination)
- With no universal solutions



## UniDoc Publisher approach suits best if at least one of

---

- You don't prepare documentation especially for printing purposes
- You are automating documentation generation and hope it will look good, no matter what will be generated
- Your output format is one of the text processing format



# In search for flexibility: AsciiDoctor open document

---

## Automation on the writer side

Why our HTML Docs Don't  
Just Print and What to Do  
About It





# In search for flexibility: Asciidoctor open document

---

## Automation on the writer side

1. Asciidoctor parses markup into AST (Abstract Syntax Tree)



# In search for flexibility: Asciidoctor open document

---

## Automation on the writer side

1. Asciidoctor parses markup into AST (Abstract Syntax Tree)
2. You may transform AST with Asciidoctor tree processor



# In search for flexibility: AsciiDoctor open document

---

## **Automation on the writer side**

1. AsciiDoctor parses markup into AST (Abstract Syntax Tree)
2. You may transform AST with AsciiDoctor tree processor
3. AsciiDoctor runs writer template for each AST node recursively



# In search for flexibility: Asciidoctor open document

---

## Automation on the writer side

1. Asciidoctor parses markup into AST (Abstract Syntax Tree)
2. You may transform AST with Asciidoctor tree processor
3. Asciidoctor runs writer template for each AST node recursively
4. You may override writer with pure Ruby or with special Slim templates



# A simplified processing AST example

---

```
- !<OrderedList>
  roles:
  - "arabic"
  id: "ol-1"
  captioned_title:
    children:
      - !<Text>
        text: "Automation"
  children:
  - !<ListItem>
    children:
      - !<Paragraph>
        children:
          - !<Text>
            text: "Asciidoctor..."
      - !<ListItem>
        ...
    ...
  - list_style = "#{get_basic_style} ordered-list"
  - if captioned_title?
    text:p text:style-name="#{list_style}"
    text:bookmark text:name="#{id}"
    =captioned_title
  text:list text:style-name="#{list_style}"
  - items.each_with_index do |item, index|
    ...
```

---



# Great, but

---

Why our HTML Docs Don't  
Just Print and What to Do  
About It



## Great, but

---

- You can't override part of a template



## Great, but

---

- You can't override part of a template
- You should invent something for styling





## Great, but

---

- You can't override part of a template
- You should invent something for styling

**Styling? But text processors do support styling!**

---



## Great, but

---

- You can't override part of a template
- You should invent something for styling

**Styling? But text processors do support styling!**



- `<span class="bold green">bold, green</span>` – impossible to apply two styles to one element
- 



## Great, but

---

- You can't override part of a template
- You should invent something for styling

**Styling? But text processors do support styling!**



- `<span class="bold green">bold, green</span>` – impossible to apply two styles to one element



- AsciiDoctor Open Document uses slightly extended intermediary OD format (to preserve AST attributes)
- It uses special functions that check, if style should be applied. It doesn't know styling attributes but forces the Open Document style structure



# And still

---

Why our HTML Docs Don't  
Just Print and What to Do  
About It



## And still

---

- Unexpectedly transforming this extended Open Document format became one of the most used features of AsciiDoctor Open Document



## And still

---

- Unexpectedly transforming this extended Open Document format became one of the most used features of AsciiDoctor Open Document
- Styling as separate task of writing proved also to be useful



## And still

---

- Unexpectedly transforming this extended Open Document format became one of the most used features of Asciidoctor Open Document
- Styling as separate task of writing proved also to be useful
- Gradle was magnificent in gluing all parts together



# Thoughts before the second step

---

Why our HTML Docs Don't  
Just Print and What to Do  
About It





## Thoughts before the second step

---

- If creating universal converter is impossible...



## Thoughts before the second step

---

- If creating universal converter is impossible...
- We should create **meta converter** – platform for building converters



## Thoughts before the second step

---

- If creating universal converter is impossible...
- We should create **meta converter** – platform for building converters

### Estimated requirements



## Thoughts before the second step

---

- If creating universal converter is impossible...
- We should create **meta converter** – platform for building converters

### Estimated requirements

- Native converter as a reader



## Thoughts before the second step

---

- If creating universal converter is impossible...
- We should create **meta converter** – platform for building converters

### Estimated requirements

- Native converter as a reader
- Sound ways of transforming AST



## Thoughts before the second step

---

- If creating universal converter is impossible...
- We should create **meta converter** – platform for building converters

### Estimated requirements

- Native converter as a reader
- Sound ways of transforming AST
- A good approach for styling as a separate focus



## Thoughts before the second step

---

- If creating universal converter is impossible...
- We should create **meta converter** – platform for building converters

### Estimated requirements

- Native converter as a reader
- Sound ways of transforming AST
- A good approach for styling as a separate focus
- Good integration with CI/CD with a focus on homogeneity



# Native converter as a reader?

---

Why our HTML Docs Don't  
Just Print and What to Do  
About It





# Native converter as a reader?

---




Each converter outputs HTML. HTML is quite semantic, why shouldn't we use it?

---

Why our HTML Docs Don't  
Just Print and What to Do  
About It




# Let's convert this presentation to LO Writer



## Why our HTML Docs Don't Just Print and What to Do About It

*The principal task of a conductor is not to put himself in evidence but to disappear behind his functions*  
— Liszt Ferenc

 Nikolaj Potashnikov  
PhD in Economics, Solution architect, Course-IT  
[consulting@yandex.ru](mailto:consulting@yandex.ru) @nmpotashnikoff


- As a solution architect, I want to share them? Via e-mail
- [REF] Why this epigram?
  - It's FOSDEM, and I met many people
  - Value is in the result, not in the process
  - A conductor should guide, not should we, no matter the format, rendering technique


**List of slides**

1. Introduction
2. Print, Export to Word, Export to PDF
3. Iterations in converting simple HTML to PDF
4. Main formats for printing...
  - 4.1. Most widespread rendering engines
5. Some brief conclusions.....
6. UniDoc Publisher approach
7. In search for flexibility: AsciiDoc
  - 7.1. A simplified processing of AsciiDoc
  - 7.2. Great, but.....

6

## Why our HTML Docs Don't Just Print and What to Do About It

 Nikolaj Potashnikov  
PhD in Economics, Solution architect, Course-IT  
[consulting@yandex.ru](mailto:consulting@yandex.ru) @nmpotashnikoff



Why our HTML Docs Don't  
Just Print and What to Do  
About It



# Notes on this demo

---

Why our HTML Docs Don't  
Just Print and What to Do  
About It



## Notes on this demo

---

- All conversion settings are written in Kotlin

Why our HTML Docs Don't  
Just Print and What to Do  
About It



## Notes on this demo

---

- All conversion settings are written in Kotlin
- Everything is in a single Gradle script (`build.gradle.kts`)



## Notes on this demo

---

- All conversion settings are written in Kotlin
- Everything is in a single Gradle script (`build.gradle.kts`)
- The following code listings are excerpts from this script



# Boilerplate

---

```
FodtConverter {  
    html = AsciiDocHtmlFactory()  
        .getHtmlFromFile(File("${project.projectDir}/$presentationFile.adoc"), true)  
    template = File("${project.projectDir}/template-1.fodt").readText()  
    adaptWith(AsciiDoctorOdAdapter)  
    unknownTagProcessingRule = unknownTagProcessingRuleRevealJs()  
    parse()  
        // Processing AST  
    ast2fodt()  
}
```

---

Why our HTML Docs Don't  
Just Print and What to Do  
About It



# Processing AST

---

```
ast().descendant { section ->
    section.sourceTagName == "section" &&
        section.descendant { it is Heading && it.level == 1 }
            .isEmpty()
}.first().also { it.insertBefore(makeTitle(it)) }.remove()
```

---

Why our HTML Docs Don't  
Just Print and What to Do  
About It





## Rearranging title (AsciiDoc source)

---

```
|===  
a|  
[.title-photo]  
image::images/nmp1.jpg[]  
a|  
[.full-name]  
Nikolaj Potashnikov  
  
[.bio]  
PhD in Economics, Solution architect, Course-IT  
.2+>.>a|{nbsp}  
[.logo]  
image::images/fosdem-logo.svg[]  
2+a|  
[.contact]  
icon:envelope[] consulting@yandex.ru icon:telegram[] {nbsp}@nmpotashnikoff  
|===
```

---



## Rearranging title, extracting semantics

---

```
val title = titleSlideSection.descendant { it is Heading && it.level == 1 }.first()
val notes = titleSlideSection.descendant { it.sourceTagName == "aside" }.first()
val (fullName, bio, photo, contact, logo) =
    arrayOf("full-name", "bio", "title-photo", "contact", "logo")
    .map { role -> titleSlideSection.descendant { it.roles.contains(role) }.first() }
```

---



## Rearranging/constructing title

---

```
appendChild(logo)
appendChild(title)
table {
  col(Length(18F)); col(Length(152F))
  roles("about-me")
  tableRowGroup(TRG.body) {
    tr {
      td { appendChild(photo) }
      td { arrayOf(fullName, bio, contact).forEach { appendChild(it) } }
    }
  }
}
appendChild(notes)
appendChild(Toc(2, "List of slides"))
normalizeImageDimensions()
```

---



# Styling


---

```
OdtStyle { p ->
    if (p !is Paragraph) return@OdtStyle
    if (p.ancestor { it.roles.contains("logo") }.isEmpty()) return@OdtStyle
    attributes("style:master-page-name" to "First_20_Page")
},
OdtStyle { tableCell ->
    if (tableCell !is TableCell) return@OdtStyle
    if (tableCell.ancestor { it.roles.contains("about-me") }.isEmpty()) return@OdtStyle
    tableCellProperties {
        arrayOf("top", "right", "bottom", "left")
            .forEach { attributes("fo:border-$it" to "none") }
    }
},
```

---




# Back to the result



## Why our HTML Docs Don't Just Print and What to Do About It

*The principal task of a conductor is not to put himself in evidence but to disappear behind his functions*  
— Liszt Ferenc

 Nikolaj Potashnikov  
PhD in Economics, Solution architect, Course-IT  
[consulting@yandex.ru](mailto:consulting@yandex.ru) @nmpotashnikoff


- As a solution architect, I want to share them? Via e-mail
- [REF] Why this epigram?
  - It's FOSDEM, and I'm a person
  - Value is in the result, not in the process
  - A conductor should guide, not should we, no matter the format, rendering technique


**List of slides**

1. Introduction
2. Print, Export to Word, Export to PDF
3. Iterations in converting simple HTML to PDF
4. Main formats for printing...
  - 4.1. Most widespread rendering engines
5. Some brief conclusions.....
6. UniDoc Publisher approach
7. In search for flexibility: AsciiDoc
  - 7.1. A simplified processing approach
  - 7.2. Great, but.....

6

## Why our HTML Docs Don't Just Print and What to Do About It

 Nikolaj Potashnikov  
PhD in Economics, Solution architect, Course-IT  
[consulting@yandex.ru](mailto:consulting@yandex.ru) @nmpotashnikoff



Why our HTML Docs Don't  
Just Print and What to Do  
About It



## Some more AST processing

---

```
ast().descendant { it.roles.contains("notes") }  
    .forEach { it.insertBefore(HorizontalLine()) } ❶  
ast().descendant { it.is Heading && it.level > 1 }  
    .forEach {  
        it.insertBefore(  
            Paragraph().apply { roles("slide-finish") }  
        )  
    } ❷  
odtStyleList.add(odtStyles())  
odtStyleList.add(rougeStyles()) ❸
```

---



# Extending AST

---

Why our HTML Docs Don't  
Just Print and What to Do  
About It



# Extending AST

---

```
class HorizontalLine() : NoWriterNode() {  
    override val isInline: Boolean get() = false  
}
```

---





# Extending AST

```
class HorizontalLine() : NoWriterNode() {  
    override val isInline: Boolean get() = false  
}
```

```
OdtCustomWriter { horizontalLine ->  
    if (horizontalLine !is HorizontalLine) return@OdtCustomWriter  
    preOdNode.apply {  
        "text:p" {  
            attributes("text:style-name" to "Horizontal Line")  
            process(horizontalLine)  
        }  
    }  
},
```



# Testing

| Content type | The result   |          |
|--------------|--|----------|
| paragraph    | Paragraph 1<br>Paragraph 2                                       |          |
| list         | 1. Item 1<br>1. Subitem<br>1. Subitem<br>1. Subitem<br>2. Item 2 |          |
| table        | <table><tr><td>Subtable</td></tr></table>                        | Subtable |
| Subtable     |  |          |

Some paragraph after table.  
Some paragraph after table.

Why our HTML Docs Don't  
Just Print and What to Do  
About It



# Focus and trade-offs

---

Why our HTML Docs Don't  
Just Print and What to Do  
About It



## Focus and trade-offs

---

- CI friendly – pure Gradle (or an ordinary Kotlin project) to rule them all



## Focus and trade-offs

---

- CI friendly – pure Gradle (or an ordinary Kotlin project) to rule them all
- No declarations, everything should be programmed



## Focus and trade-offs

---

- CI friendly – pure Gradle (or an ordinary Kotlin project) to rule them all
- No declarations, everything should be programmed
- Typed AST – check before run



## Focus and trade-offs

---

- CI friendly – pure Gradle (or an ordinary Kotlin project) to rule them all
- No declarations, everything should be programmed
- Typed AST – check before run
- Clean and testable code



## Focus and trade-offs

---

- CI friendly – pure Gradle (or an ordinary Kotlin project) to rule them all
- No declarations, everything should be programmed
- Typed AST – check before run
- Clean and testable code
- One styling approach, but different styling API for each backend





# Conclusion

---

Why our HTML Docs Don't  
Just Print and What to Do  
About It



# Conclusion

---

- Treat printing as engineering: design it, test it, automate it



# Conclusion

---

- Treat printing as engineering: design it, test it, automate it
- Printing is a lossy transformation – some semantics cannot survive it



# Conclusion

---

- Treat printing as engineering: design it, test it, automate it
- Printing is a lossy transformation – some semantics cannot survive it
- Keep rendering logic programmable and under your control



## Questions?

---

- <https://github.com/fiddlededee/unidoc-publisher>: UniDoc Publisher – any markup to any printing rendering engine
- <https://github.com/fiddlededee/fosdem-printing>: this presentation repository



