```
Alunos: Filipe Falção e Gabriel Nunes
Período: 2018.2
PROGRAM = FUNCTIONS MAINFUNC
PROGRAM = DECL 'endLine' GLDECL FUNCTIONS MAINFUNC
GLDECL = DECL 'endLine' GLDECL
GLDECL = \varepsilon
FUNCTIONS = 'funDecl' 'id' PARAMS RETURNTYPE BLOCK FUNCTIONS
FUNCTIONS = \varepsilon
MAINFUNC = 'main' 'paramBeg' 'paramEnd' TYPE BLOCK
PARAMS = 'paramBeg' LISTPARAMS 'paramEnd'
LISTPARAMS = TYPE NAME
LISTPARAMS = LISTPARAMS 'commaSep' TYPE NAME
LISTPARAMS = E
TYPE = 'typeInt'
TYPE = 'typeFloat'
TYPE = 'typeBool'
TYPE = 'typeChar'
TYPE = 'typeString'
TYPE = 'typeEmpty'
TYPE = 'typeNull'
RETURNTYPE = TYPE
RETURNTYPE = TYPE 'arrayBeg' 'arrayEnd'
NAME = 'id'
NAME = 'id' 'arrayBeg' EXPR 'arrayEnd'
NAME = 'id' 'arrayBeg' 'arrayEnd'
BLOCK = 'blockBeg' CMDS 'blockEnd'
CMDS = CMDS CMD
CMDS = CMD
```

Gramática da Linguagem GF

```
CMD = DECL 'endLine'
CMD = 'id' ASSG 'endLine'
CMD = 'id' 'arrayBeg' EXPR 'arrayEnd' ASSG 'endLine'
CMD = 'id' FUNCCALL 'endLine'
CMD = PRINT 'endLine'
CMD = READ 'endLine'
CMD = IFELSE
CMD = WHILE
CMD = REPEAT
CMD = RETURN 'endLine'
DECL = 'varDecl' TYPE NAME
ASSG = 'opAssign' VALUE
VALUE = ARRAY
VALUE = EXPR
ARRAY = 'arrayValBeg' ELEMENTS 'arrayValEnd'
ELEMENTS = EXPR
ELEMENTS = ELEMENTS 'commaSep' EXPR
CONSTANT = 'constNumInt'
CONSTANT = 'constNumFloat'
CONSTANT = 'constBool'
CONSTANT = 'constChar'
CONSTANT = 'constString'
FUNCCALL = 'paramBeg' LISTPARAMSCALL 'paramEnd'
LISTPARAMSCALL = PARAMITEM
LISTPARAMSCALL = LISTPARAMSCALL 'commaSep' PARAMITEM
PARAMITEM = CONSTANT
PARAMITEM = NAME
PARAMITEM = NAME FUNCCALL
PARAMITEM = E
PRINT = 'cmdPrint' 'paramBeg' MESSAGE 'paramEnd'
READ = 'cmdRead' 'paramBeg' NAME 'paramEnd'
```

```
MESSAGE = 'constString'
MESSAGE = NAME
MESSAGE = MESSAGE 'opConcat' NAME
MESSAGE = MESSAGE 'opConcat' 'constString'
IFELSE = IF ELIF ELSE
IF = 'cmdIf' 'paramBeg' EXPR 'paramEnd' BLOCK
ELIF = 'cmdElif' 'paramBeg' EXPR 'paramEnd' BLOCK ELIF
ELIF = \varepsilon
ELSE = 'cmdElse' BLOCK
ELSE = \varepsilon
WHILE = 'cmdWhile' 'paramBeg' EXPR 'paramEnd' BLOCK
REPEAT = 'cmdRepeat' 'id' 'cmdIn' 'paramBeg' EXPR 'commaSep'
EXPR 'commaSep' EXPR 'paramEnd' BLOCK
REPEAT = 'cmdRepeat' 'id' 'cmdIn' 'paramBeg' EXPR 'commaSep'
EXPR 'paramEnd' BLOCK
RETURN = 'cmdReturn' CONSTANT
RETURN = 'cmdReturn' NAME
EXPR = EXPROR
EXPROR = EXPROR 'opOr' EXPRAND
EXPROR = EXPRAND
EXPRAND = EXPRAND 'opAnd' EXPREQUALS
EXPRAND = EXPREQUALS
EXPREQUALS = EXPRREL 'opEquals' EXPRREL
EXPREQUALS = EXPRREL
EXPRREL = EXPRADD 'opRel' EXPRADD
EXPRREL = EXPRADD
EXPRADD = EXPRADD 'opAditiv' EXPRAMULT
EXPRADD = EXPRAMULT
```

```
EXPRAMULT = EXPRAMULT 'opMult' EXPRUN

EXPRAMULT = EXPRUN

EXPRUN = 'opUnaryNeg' EXPRUN

EXPRUN = EXPRPARAM

EXPRPARAM = 'paramBeg' EXPR 'paramEnd'

EXPRPARAM = EXPRVALUES

EXPRVALUES = 'id'

EXPRVALUES = 'constNumInt'

EXPRVALUES = 'constNumFloat'

EXPRVALUES = 'constChar'

EXPRVALUES = 'constChar'

EXPRVALUES = 'constString'

EXPRVALUES = 'id' 'arrayBeg' EXPR 'arrayEnd'

EXPRVALUES = 'id' FUNCCALL
```