

Prepared for submission to JHEP

Prob/Stats Cheatsheet

Steve Young

Abstract: Everything I know about prob/stats/maybe information theory too..

Contents

1	Conventions	1
2	Distributions	1
2.1	Gaussians	1
2.2	Bernoulli	1
3	Prob and stats	2
3.1	The Rules of Probability	2
3.2	Bayes' Rule	2
3.3	Covariance	2
4	Information Theory	2
5	Bayesian	2
6	Optimal Stopping Theory	2

1 Conventions

Math Notation

2 Distributions

2.1 Gaussians

To start with, remember that

$$\int_{-\infty}^{\infty} dx e^{-\alpha x^2} = \left(\frac{\pi}{\alpha}\right)^{1/2}, \quad \alpha = \frac{1}{2\sigma^2} \quad (2.1)$$

where σ^2 is the variance of a Gaussian distribution.

2.2 Bernoulli

For $x \in \{0, 1\}$, Bernoulli dist parametrized by μ , with

$$p(x; \mu) = \mu^x (1 - \mu)^{1-x} \quad (2.2)$$

3 Prob and stats

3.1 The Rules of Probability

- **Product Rule:** $p(x, y) = p(x|y)p(y) = p(y|x)p(x)$
- **Sum Rule:** $p(x) = \sum_y p(x, y) = \sum_y p(x|y)p(y)$

3.2 Bayes' Rule

Using $p(y|x)p(x) = p(x, y) = p(x|y)p(y)$, we have

$$p(y|x) = \frac{p(x|y)p(y)}{p(x)} = \frac{p(x|y)p(y)}{\sum_y p(x|y)p(y)} \quad (3.1)$$

3.3 Covariance

4 Information Theory

KL divergence:

$$\begin{aligned} KL[p(x)||q(x)] &= \sum_{x_i} p(x_i) \log \left(\frac{p(x_i)}{q(x_i)} \right) = - \sum_{x_i} p(x_i) \log \left(\frac{q(x_i)}{p(x_i)} \right) \\ &= - \sum_{x_i} p(x_i) \log q(x_i) + \sum_{x_i} p(x_i) \log p(x_i) \\ &= H(p, q) - H(p) \end{aligned} \quad (4.1)$$

where $H(p, q)$ is the cross entropy, and $H(p)$ is the entropy.

5 Bayesian

6 Optimal Stopping Theory