

Kinetic Energy

11SCI - Mechanics

Finn LeSueur

2019

Starter (2016 Exam)

Rhiana is riding a horse along New Brighton Beach. **Each** of the horse's hooves have a surface area of $0.0044m^2$ which sink into the sand when the horse stops. The horse exerts a pressure of $200155Pa$.

Calculate the weight of the horse.

Answer

A horse has four hooves, so the total surface area that the horse is exerting pressure through is:

$$A = 0.0044 \times 4 = 0.0176m^2$$

Recall that **weight is a force**, so we can rearrange $P = \frac{F}{A}$ for F .

$$F = P \times A$$

$$F = 200155 \times 0.0176 = 3522.728N$$

Kinetic Energy

What is Kinetic Energy?

Kinetic energy is the energy that an object possesses due to its **velocity**!

What Other Types of Energy Are There?

There are many types of energy in the universe:

- Gravitational potential energy
 - Heat energy
 - Sound energy
 - Light energy
 - Elastic potential energy
 - Electrical energy
-

What do they have in common?

- All energy is measured in **Joules** (J).
 - A change in energy is called **work** (measured in Joules).
-

Conservation of Energy

- Energy cannot be created or destroyed, only transformed.
 - This means that gravitational potential energy can be transformed into kinetic energy, and kinetic energy into other forms of energy. It is always *taken* from somewhere, never created from nothing.
-

Calculating Kinetic Energy

Kinetic energy depends on the **mass** and **velocity** of an object.

$$E_k = \frac{1}{2} \times m \times v^2$$

What does v^2 mean?

- It means $v \times v$
- This means we can also write the equation like this, if you find it easier:

$$E_k = \frac{1}{2} \times m \times v \times v$$

Example 1

Mr LeSueur rides his bike to work at 32km/h (8.89ms^{-1}). Both he and his bike have a combined mass of 80kg . **Calculate his kinetic energy.**

Answer We know $m = 80\text{kg}$ and $v = 8.89\text{ms}^{-1}$, and we are looking for E_k .

$$E_k = \frac{1}{2} \times 80 \times 8.89^2$$

$$E_k = 3161.284\text{J}$$

Example 2

Sophie is skiing down Upper Fascination at Mt Hutt, and is trying to go really fast. Her combined mass is 60kg and she is moving at 60km/h (16.67ms^{-1}). **Calculate her kinetic energy.**

Answer We know $m = 60\text{kg}$ and $v = 16.67\text{ms}^{-1}$, and we are looking for E_k .

$$E_k = \frac{1}{2} \times 60 \times 16.67^2$$

$$E_k = 8336.667\text{J}$$

Extra Work

- **Homework:** Education Perfect due Monday 29th 11:25am
- sciPAD Page 46