
<Company Name>

Sportify
Use-Case-Realization Specification

Version 1.0

Sportify	Version: 1.0
Use-Case-Realization Specification	Issue Date: 20/10/2024
UCRS	

Revision History

Date	Version	Description	Author
<23/10/2022>	<1.0>	Added the initial use-case-realization specifications	Firangiz Ganbarli

Sportify	Version: 1.0
Use-Case-Realization Specification	Issue Date: 20/10/2024
UCRS	

Table of Contents

1.	Introduction	5
1.1	Purpose	5
1.2	Scope	5
1.3	Definitions, Acronyms, and Abbreviations	5
1.4	References	5
1.5	Overview	5
2.	USE CASE <Login>	5
2.1	Brief Description	5
2.2	Flow of Events - Design	5
2.3	Interaction Diagrams	6
2.3.1	Sequence Diagrams	6
2.4.	Participating objects	6
2.5	Object Diagram	6
3.	USE CASE <Logout>	7
2.1	Brief Description	7
2.2	Flow of Events - Design	7
2.3	Interaction Diagrams	7
2.3.1	Sequence Diagrams	8
2.4.	Participating objects	8
2.5	Object Diagram	8
4.	USE CASE <Create an account>	9
2.1	Brief Description	9
2.2	Flow of Events - Design	9
2.3	Interaction Diagrams	9
2.3.1	Sequence Diagrams	10
2.4.	Participating objects	10
2.5	Object Diagram	10
5.	USE CASE <Create an event>	11
2.1	Brief Description	11
2.2	Flow of Events - Design	11
2.3	Interaction Diagrams	11
2.3.1	Sequence Diagrams	12
2.4.	Participating objects	12
2.5	Object Diagram	12
6.	USE CASE <Edit an event>	13
2.1	Brief Description	13
2.2	Flow of Events - Design	13
2.3	Interaction Diagrams	14
2.3.1	Sequence Diagrams	14
2.4.	Participating objects	14
2.5	Object Diagram	14

Sportify	Version: 1.0
Use-Case-Realization Specification	Issue Date: 20/10/2024
UCRS	

7.	USE CASE <Delete an event>	15
2.1	Brief Description	16
2.2	Flow of Events - Design	16
2.3	Interaction Diagrams	16
2.3.1	Sequence Diagrams	16
2.4.	Participating objects	16
2.5	Object Diagram	16
8.	USE CASE <View an event>	17
2.1	Brief Description	17
2.2	Flow of Events - Design	18
2.3	Interaction Diagrams	18
2.3.1	Sequence Diagrams	18
2.4.	Participating objects	19
2.5	Object Diagram	19
9.	USE CASE <Sign up for an event>	19
2.1	Brief Description	19
2.2	Flow of Events - Design	20
2.3	Interaction Diagrams	20
2.3.1	Sequence Diagrams	20
2.4.	Participating objects	21
2.5	Object Diagram	21
10.	USE CASE <Search for an event>	21
2.1	Brief Description	21
2.2	Flow of Events - Design	22
2.3	Interaction Diagrams	22
2.3.1	Sequence Diagrams	22
2.4.	Participating objects	22
2.5	Object Diagram	23

Sportify	Version: 1.0
Use-Case-Realization Specification	Issue Date: 20/10/2024
UCRS	

Use-Case-Realization Specification

1. Introduction

1.1 Purpose

This document provides a comprehensive overview of the system, using a number of different diagrams for representing the system functions.

1.2 Scope

Sportify is a social media app that allows sport enthusiasts to see recreational events around them and create their own events to gather sign-ups. This Use Case Realization document provides an overview of the use cases developed in Sportify.

1.3 References

1.3.1 *Sportify – Use Case Specification*

1.3.2 *Supplementary Specifications*

1.4 Overview

The sections of the Use Case Realization document describe use cases in terms of their flow of events, participating objects and corresponding diagrams.

2. Use-Case <Login>

2.1 Brief Description

This Use-Case defines how users are logged into the system and get access to their respective functionalities.




Figure 1: Login

2.2 Flow of Events

The user provides his username and password and submits the form. Data is validated and login process is activated.

Sportify	Version: 1.0
Use-Case-Realization Specification	Issue Date: 20/10/2024
UCRS	

2.3 Interaction Diagrams

- The user enters their username and password and submits the data
- Browser receives the query and loads the webpage

2.3.1 Sequence Diagrams




Figure 2: Sequence Diagram - Login

2.4 Participating Objects

The following objects collaborate and define the Use-Case <Login>:

- Observable: This object represents the visible interface of the application and allows the user to login to their account.
- Server: This object executes and validates the Login query by communicating with the database.

2.5 Object Diagram

The following Object Diagram shows the relations and constraints between Classes and Objects that are involved in this use-case.

Sportify	Version: 1.0
Use-Case-Realization Specification	Issue Date: 20/10/2024
UCRS	




Figure 3: Object Diagram - Login

3. Use-Case <Logout>

3.1 Brief Description

This Use-Case defines how users are logged out from the system and exit the application normally.




Figure 4: Logout

3.2 Flow of Events

The user exits the application by clicking the appropriate “Log out” button. Query is validated, and logout process is activated.

3.3 Interaction Diagrams

- The user clicks on the Logout button
- The Internet Browser receives the query and logs the user out of the system, redirecting to the appropriate webpage.

Sportify	Version: 1.0
Use-Case-Realization Specification	Issue Date: 20/10/2024
UCRS	

3.3.1 Sequence Diagrams




Figure 5: Sequence Diagram - Logout

3.4 Participating Objects

The following objects collaborate and define the Use-Case <Logout>:

- Observable: This object represents the visible interface of the application and allows the user to log out of their account.
- Server: This object executes and validates the Logout query by communicating with the database.

3.5 Object Diagram

The following Object Diagram shows the relations and constraints between Classes and Objects that are involved in this use-case.

Sportify	Version: 1.0
Use-Case-Realization Specification	Issue Date: 20/10/2024
UCRS	




Figure 6: Object Diagram: Logout

4. Use-Case <Create an account>

4.1 Brief Description

This Use-Case defines how users create an account on the website.




Figure 7: Create an account

4.2 Flow of Events

The user clicks on Create an account button and fills out the required information. The administrator authenticates their given info.

4.3 Interaction Diagrams

- The user clicks on Create an account button

Sportify	Version: 1.0
Use-Case-Realization Specification	Issue Date: 20/10/2024
UCRS	

- The query is received the Internet Browser, which communicates with the Authentication services to verify user and then redirects them to log in page.

4.3.1 Sequence Diagrams




Figure 8: Sequence Diagram - Create an account

4.4 Participating Objects

The following objects collaborate and define the Use-Case <Create an account>:

- Observable: This object represents the visible interface of the application and allows the user to create an account
- Server: This object interacts with the database to create the user’s account

4.5 Object Diagram

The following Object Diagram shows the relations and constraints between Classes and Objects that are involved in this use-case.

Sportify	Version: 1.0
Use-Case-Realization Specification	Issue Date: 20/10/2024
UCRS	




Figure 9: Object Diagram - Create an account

5. Use-Case <Create an event>

5.1 Brief Description

This Use-Case defines how users create their own event on the website.




Figure 10: Create an event

5.2 Flow of Events

The user creates a new event on the webpage by clicking the appropriate “Create an event” button. Query is validated, and they are directed to the “Create an event” page where they fill out the appropriate fields of the form and submit.

5.3 Interaction Diagrams

- The user clicks on Create an event button
- Query is received by the Internet Browser, and the user is redirected to the “Create an event” page
- Once the required information is filled out, the query is received and the event details are added to the database.

Sportify	Version: 1.0
Use-Case-Realization Specification	Issue Date: 20/10/2024
UCRS	

5.3.1 Sequence Diagrams




Figure 11: Sequence Diagram - Create an event

5.4 Participating Objects

The following objects collaborate and define the Use-Case <Create an event>:

- Observable: This object represents the visible interface of the application and allows the user to create an event
- Server: This object interacts with the database to create the user’s event.

5.5 Object Diagram

The following Object Diagram shows the relations and constraints between Classes and Objects that are involved in this use-case.

Sportify	Version: 1.0
Use-Case-Realization Specification	Issue Date: 20/10/2024
UCRS	



Figure 12: Object Diagram - Create an event

6. Use-Case <Edit an event>

6.1 Brief Description

This Use-Case defines how users can edit the event information after they have already created an event.




Figure 13: Edit an event

6.2 Flow of Events

The user can edit the event they already created by clicking on the “Edit event details” button and then change the appropriate field and submit the form again.

Sportify	Version: 1.0
Use-Case-Realization Specification	Issue Date: 20/10/2024
UCRS	

6.3 Interaction Diagrams

- The user clicks on “Edit event details” button
- The browser receives the query, and redirects to the event details page where user can change info
- This updated info is added to the database

6.3.1 Sequence Diagrams




Figure 14: Sequence Diagram - Edit event

6.4 Participating Objects

The following objects collaborate and define the Use-Case <Edit an event>:

- Observable: This object represents the visible interface of the application and allows the user to edit their event.
- Server: This object interacts with the database to edit the user’s event.

6.5 Object Diagram

The following Object Diagram shows the relations and constraints between Classes and Objects that are involved in this use-case.

Sportify	Version: 1.0
Use-Case-Realization Specification	Issue Date: 20/10/2024
UCRS	




Figure 15: Object diagram - Edit an event

7. Use-Case <Delete an event>

7.1 Brief Description

This Use-Case defines how users can delete the event they created.




Figure 16: Delete an event

Sportify	Version: 1.0
Use-Case-Realization Specification	Issue Date: 20/10/2024
UCRS	

7.2 Flow of Events

The user can simply click on edit event button to be redirected to that page, where they can click on “Delete event” button to delete the event all together.

7.3 Interaction Diagrams

- The user launches “Edit event” page where they click on “Delete the event” button
- The Internet Browser receives this query, and communicates with database to delete the appropriate information.

7.3.1 Sequence Diagrams




Figure 17: Sequence Diagram - Delete an event

7.4 Participating Objects

The following objects collaborate and define the Use-Case <Delete event>:

- **Observable:** This object represents the visible interface of the application and allows the user to delete their event.
- **Server:** This object executes and validates the Delete event query by communicating with the database.

7.5 Object Diagram

The following Object Diagram shows the relations and constraints between Classes and Objects that are involved in this use-case.

Sportify	Version: 1.0
Use-Case-Realization Specification	Issue Date: 20/10/2024
UCRS	




Figure 18: Object Diagram - Delete an event

8. Use-Case <View an event>

8.1 Brief Description

This Use-Case defines how users can view an event.

Sportify	Version: 1.0
Use-Case-Realization Specification	Issue Date: 20/10/2024
UCRS	




Figure 19: View an event

8.2 Flow of Events

The user can simply click on the event itself from the search or home page, when the query is recognized, the process of retrieving the event and host information will be initiated, and then the info will be displayed.

8.3 Interaction Diagrams

- The user clicks on the event
- The Internet Browser receives the query and communicates with the database to display the necessary information.

8.3.1 Sequence Diagrams




Figure 20: Sequence Diagram - View an event

Sportify	Version: 1.0
Use-Case-Realization Specification	Issue Date: 20/10/2024
UCRS	

8.4 Participating Objects

The following objects collaborate and define the Use-Case <View an event>:

- Observable: This object represents the visible interface of the application and allows the user to view an event.
- Server: This object interacts with the database to display an event.

8.5 Object Diagram

The following Object Diagram shows the relations and constraints between Classes and Objects that are involved in this use-case.




Figure 21: Object diagram - View an event

9. Use-Case <Sign up for an event>

9.1 Brief Description

This Use-Case defines how users can sign up for an event.

Sportify	Version: 1.0
Use-Case-Realization Specification	Issue Date: 20/10/2024
UCRS	




Figure 22: Sign up for an event

9.2 Flow of Events

On the event information page, the user can simply click on sign up for the event to be officially registered for it.

9.3 Interaction Diagrams

- The user clicks on “Sign up for event” button
- The Internet Browser receives the query, and updates the webpage accordingly
- Database adds the user to the list of registered people for the event

9.3.1 Sequence Diagrams




Figure 23: Sequence diagram - Sign up for an event

Sportify	Version: 1.0
Use-Case-Realization Specification	Issue Date: 20/10/2024
UCRS	

9.4 Participating Objects

The following objects collaborate and define the Use-Case <Sign up for an event>:

- Observable: This object represents the visible interface of the application and allows the user to sign up for an event.
- Server: This object executes and validates the Signup query by communicating with the database.

9.5 Object Diagram

The following Object Diagram shows the relations and constraints between Classes and Objects that are involved in this use-case.




Figure 24: Object diagram - Sign up for an event

10. Use-Case <Search for an event>

10.1 Brief Description

This Use-Case defines how users can search for an event using the search bar on the navbar.




Figure 25: Search for an event

Sportify	Version: 1.0
Use-Case-Realization Specification	Issue Date: 20/10/2024
UCRS	

10.2 Flow of Events

Anywhere on the website, the users have access to the navigation bar, so they can use the search field to search for the event they want and once the query is received and processed, the page will display the list of events that match that query.

10.3 Interaction Diagrams

- The user types their search query
- The Internet Browser receives this query and searches the database for the keywords and displays the events that match that query.

10.3.1 Sequence Diagrams




Figure 26: Sequence Diagram - Search for an event

10.4 Participating Objects

The following objects collaborate and define the Use-Case <Search for an event>:

- Observable: This object represents the visible interface of the application and allows the user to search for an event.
- Server: This object interacts with the database to display the search results of events.

10.5 Object Diagram

The following Object Diagram shows the relations and constraints between Classes and Objects that are involved in this use-case.

Sportify	Version: 1.0
Use-Case-Realization Specification	Issue Date: 20/10/2024
UCRS	




Figure 27: Object Diagram - Search for an event