


# Displaying and Rotating WindNinja-Derived Wind Vectors in ArcMap 10.5

Chuck McHugh  
RMRS, Fire Sciences Lab, Missoula, MT, 406-829-6953,  
[cmchugh@fs.fed.us](mailto:cmchugh@fs.fed.us)



08/01/2018

## Displaying WindNinja-generated gridded wind vectors

Data requirements are an ArcMap shapefile format. The shapefile generated during the WindNinja process will contain five data fields in the associated .DBF file (Figure ??).

	FID	Shape	speed	dir	AM_dir	QGIS_dir
▶	650	Point	34	279	9	99
	715	Point	33.8	279	9	99
	780	Point	31.7	280	10	100
	585	Point	31.3	276	6	96
	520	Point	29.8	268	358	88
	455	Point	29.7	262	352	82
	1770	Point	29.4	279	9	99
	1835	Point	29.4	278	8	98
	3498	Point	28.7	265	355	85
	845	Point	28.4	280	10	100
	3433	Point	28.3	267	357	87
	1704	Point	28.1	284	14	104
	1966	Point	27.9	289	19	109
	390	Point	27.7	259	349	79

Figure 1: Attribute table for WindNinja-generated shapefile as displayed in ArcMap.

- (a) **FID:** Feature ID, a unique number assigned to that point by ArcMap.
- (b) **Shape:** Point indicates that the feature type for the shapefile is a point
- (c) **speed:** WindNinja-generated wind speed at the specified output height and in the specified output units.
- (d) **dir:** WindNinja-generated azimuth direction the wind is coming from in degrees (e.g., 0 degrees is wind from the north).
- (e) **AM\_dir:** WindNinja-manipulated value required for use in ArcMap for display purposes.
- (f) **QGIS\_dir:** WindNinja-manipulated value required for use in QGIS for display purposes

## Steps:

1. Open ArcMap and load other data coverages and fire perimeter files of interest.
2. Load the ArcMap WindNinja shapefile for the fire of interest. The wind vector grid will appear on the coverage as individual points (Figure ??).




Figure 2: Example ArcMap project with WindNinja-generated shapefile as displayed in ArcMap prior to scaling and rotation of the WindNinja-generated vectors.

3. After loading the file into the ArcMap project, double click on the layer name in the **Table of Contents** to open the **Layer Properties**. This will open the dialog box in Figure 3.
4. Click on the **Symbology** tab (Figure ??).




Figure 3: Layer Properties dialog box as displayed in ArcMap

5. In the **Show** pane on the left side of the dialog box, select **Quantities** then **Graduated symbols** (Figure ??).




Figure 4: Changing the Symbol Size Range and choosing a new symbol set with arrows.

6. In the Value window click on the drop down arrow and select speed from the available options.





Figure 5: Selecting Quantities, Graduated Symbols, and Fields to speed.

**Note:** The following Warning Message may appear depending on the number of records in the WindNinja shapefile. Click on the OK button and the Warning Message will disappear. To change the number of records in ArcMap refer to the ?? of this document.



7. Select the display symbol and change the **Symbol Size** (Figure ??). Enter a **Symbol Size** range (20 -30). Arrows are not in the default symbol sets. To select an arrow to display you need to choose one of the symbol sets that have arrows in it. This is done by clicking on the **Template** button (Figure ??).




Figure 6: Select Template to access available symbol sets.

8. Select a symbol to represent the wind vectors (Figure ??). In the **Symbol Selector Category**, type Wind then enter. Scroll down until you see **Wind Speed Direction**.




Figure 7: Symbol Selector dialog box.

9. Select the **Wind Speed Direction** symbol, click **OK** to return to the **Layer Properties**.
10. Click on the **Advanced → Rotation** button which will open the Rotation dialog box (Figure ??). Click on the dropdown arrow and select **AM\_dir** to rotate the points from the available options and select **Geographic** in the radio button for **Rotation Style** (Figure ??).




Figure 8: Select Advanced to access Rotation options.




Figure 9: Rotation dialog box options.

11. Click **OK** to close the **Rotation** window and **OK** again to close the **Layer Properties** window.
12. The wind vectors will appear over the existing layers (Figure ??).
13. Symbol colors can be changed by clicking on the individual symbols in the **Table of Contents** for the respective shapefile (Figure ??).




Figure 10: Rotated WindNinja vectors displayed in ArcMap.

## Query the Gridded Wind Output in ArcMap

To correctly rotate the arrows in ArcMap as described above requires manipulation of the data generated by the WindNinja software for display purposes. In Figure 11 the query information for the circled arrow shows the wind speed as 24.3 mph with an AM\_dir of 359. The AM\_dir value for wind direction in the shapefile **IS NOT** the same value as generated by the WindNinja software; it is for rotation and display purposes only. For this point the wind speed is 24.3 mph (speed) and wind is coming from 269 degrees (Dir). The values for speed and dir are the WindNinja-derived values that should be used in any analysis using this shapefile.

**Note:** The appropriate angle file ASCII output from WindNinja will need to be converted to ESRI GRID format in order to use the information as illustrated here.




Figure 11: Query results of gridded wind shapefile in ArcMap showing the difference in the wind direction in the shapefile and the rotation angle of the arrow. Query done after the shapefile has been rotated following previous steps.

Figure ?? focuses on the same point on the landscape. However, in this case the ArcMap shapefile is overlayed on the GRID of wind direction generated by the WindNinja software. A query of the individual raster cell shows a pixel value of 269 which corresponds to the direction the wind is coming from.




Figure 12: Query of the gridded wind generated ArcMap shapefile overlayed on the GRID ASCII Raster output from the WindNinja software.

## Appendix

### How to Change the Number of Records Used In ArcMap when Displaying WindNinja Shapefile Output

Chuck McHugh, RMRS, Fire Sciences Lab, Missoula, MT, 406-829-6953, [cmchugh@fs.fed.us](mailto:cmchugh@fs.fed.us).

When displaying the WindNinja-derived wind direction-speed shapefile information in ArcMap, the warning displayed in Figure ?? will often occur. This is because the default number of records to be displayed in ArcMap is the **First 10,000 Records** regardless of the distribution and spatial location of the data. Depending on the output file resolution size selected in the WindNinja software and the landscape extent, this number can easily be exceeded. As a consequence, not all records in the shapefile will be used during display of the wind speed values. Additionally, within ArcMap your choice of **Classification Method** and the number of **Classes** will also affect the displayed ranges of information.






Figure 1: Error message when the number of records in the WindNinja ArcMap shapefile exceeds the default settings.

Because only the first 10,000 records are used, not all of the information will be used in defining the ranges of wind speed during the rotation process. This can lead to a misunder-

standing of what the maximum and minimum wind speed values really are. For example, in Figure ?? the maximum wind speed value displayed is 13 mph while in Figure ?? the maximum wind speed value displayed is 20 mph. These statistics are based on the total number of records used as limited by the **Number of Records** used.



(a) Using default setting of 10,000 records



(b) Setting Maximum Sample size so all records are used

Figure 2: Displayed ranges of wind speed values based on Maximum Sample Size.(??) Using default setting of 10,000 records and (??) Setting Maximum Sample size so all records are used

To change the number of records used for the shapefile is an easy change. This is not a universal change to the ArcMap settings but only applies to the shapefile while active in the view. Thus, every time you add this file to another ArcMap project you will have to repeat this step. To change the settings first click on the **OK** button in the warning message; this will remove the warning message box. Next, select **Classify** (Figure ??). Selecting the **Classify** button will open the window displayed in Figure ??.




Figure 3: Classify button to start the process of changing the default settings for number of records displayed in ArcMap.




Figure 4: Classification window showing the number of records used in the Classification Statistics displayed in ArcMap.

In the **Classification** Statistics pane in the upper right you can see the number of records used (Count), minimum and maximum, mean, and standard deviation. All of these values will change based on the **Data Sampling** method selected; in this case the number of values is the default value of **First 10,000 Records**.

**Note:** The number of records or sampling method chosen here does not affect summary or statistical operations performed on the data fields within the shapefile attribute table. Operations performed on the shapefile attribute table will use all of the records available for the selected data field unless a subset of the records has been selected.

To change the **Maximum Sampling Size**, select the **Sampling** button (Figure ??). This will open the Data Sampling dialog box displayed in Figure ??.




Figure 5: Dialog box to change the data sampling and sampling methods for the shapefile in ArcMap.

In the **Data Sampling** dialog box you will need to change the Maximum Sample Size used from 10,000 to a larger value (Figure ??). After changing the **Maximum Sample Size** value click on **OK** until all dialog boxes have closed. For most shapefiles changing this value to 100,000 should ensure that all records are being used. However, the number of records included in any one shapefile is determined by the size of the landscape as well as the output resolution selected in the WindNinja software. Because of this you may need to set this value higher in some cases.

To see how many records are in the shapefile, you can do the following.

1. In the Table of Contents pane right-click on the shapefile of interest.
2. Select Open Attribute Table.
3. On the bottom right-hand side will be the statement “Records (0 out of ## Selected). The ## will be the total number of records in the shapefile (Figure ??). If a subset of the total number of records has been selected this too can be determined. The number of selected records would show up where the 0 is for this example.

Attributes of ucfdem_80_225_300m					
FID	Shape	speed	dir	AV_dir	AM_dir
0	Point	32	224	316	314
1	Point	34	224	316	314
2	Point	33	224	316	314
3	Point	31	224	316	314
4	Point	29	224	316	314
5	Point	27	224	316	314
6	Point	26	224	316	314
7	Point	25	225	315	315
8	Point	24	224	316	314
9	Point	24	223	317	313
10	Point	23	222	318	312
11	Point	22	220	320	310
12	Point	22	218	322	308
13	Point	22	218	322	308
14	Point	22	215	325	305
15	Point	23	215	325	305
16	Point	23	214	326	304
17	Point	23	217	323	307
18	Point	23	217	323	307
19	Point	20	211	329	301

Figure 6: Attribute table for WindNinja-generated shapefile in ArcMap.