

Smart Kart (Project Initiation Document)

George Jacob Anthony Kokinis

April 2022

Student Number 201910280

Word Count: ??

0.1 Abstract

Average speed check zones (ASC zones), typically enforced using SPECS¹ in the UK, are being increasingly deployed in throughout the UK; doubling between 2013 and 2016 (BBC News, 2016). While useful for enforcing speed limits and increasing safety, with Owen et al. (2016) finding that fatal and serious collisions dropped by 36.4% at ASC zones installed purposely to reduce collisions, ASC Zones can lead to distracted driving, as the driver has to monitor their speed, which means looking away from the road to their speedometer for brief periods of time.

This project seeks to create a software application for a smartphone, that detects when a vehicle the phone is in enters an ASC zone, starts tracking the vehicle's speed, and gives the driver an audible alert if their average speed is at risk of breaking the speed limit, so as to reduce dependence on the driver to check their speedometer.

¹SPECS (Jenoptik Traffic Solutions UK, n.d.)

Contents

| | | |
|----------|---------------------------------|-----------|
| 0.1 | Abstract | 2 |
| 1 | Introduction | 4 |
| 1.1 | Context | 4 |
| 1.2 | The Problem | 4 |
| 1.3 | A solution | 5 |
| 1.4 | Report Structure | 5 |
| 2 | Background | 6 |
| 2.1 | Speed Cameras | 6 |
| 2.1.1 | Fixed-Point Cameras | 6 |
| 2.1.2 | Average Speed Cameras | 8 |
| 2.1.3 | Summary | 9 |
| 2.2 | | 9 |
| A | Development Log | 10 |

Chapter 1

Introduction

1.1 Context

Average speed check zones are an alternative to traditional fixed point speed cameras. Fixed point cameras take two photos a given time-delta apart and measure the car's distance using road markings, to calculate the speed: $speed = distance \div time$. This is good for enforcing speed in that one position, but does no enforcement for the road before or after the camera. In contrast, ASC zones effectively use the same methodology but across a longer distance (such as half a mile or 1.5 miles between cameras, and a series of cameras across tens of miles); hence effectively enforcing the speed limit across much larger areas of road.

Currently, there are various products for monitoring a driver's speed and for indicating speed cameras; the main smartphone applications in this space are Google Maps (Google LLC, n.d.) and Waze (Waze Mobile, 2021); while Apple Maps (Apple Inc., 2021) will inform you of fixed speed cameras¹, it does not inform you of ASC zones.

However, Google Maps does not register ASCs as actual "zones", but instead as a fixed speed camera at the start of the zone. Waze displays your progression through an ASC, but does not calculate your average speed. TomTom GO Navigation (TomTom International BV., 2021) does track your average speed in an ASC zone, but operates on a paid subscription model, so is not available to everyone. Hence, there is space in the market for a free solution to monitoring speed in ASC zones.

1.2 The Problem

While lawful drivers should be aware of their speed anyway, it is likely that many check their speed more often and with more discretion whilst

¹In the UK, these were originally "Gatso" cameras, later followed by Truvelo and Truvelo d-cam (Truvelo Ltd., 2020)

within an ASC zone. This means they may be focused on their speedometer when something important is passed, such as a direction sign, a signal from another road user, or an overhead gantry message - such as the "Red X" on Smart Motorways², or a speed limit change.

1.3 A solution

By creating a smartphone application that warns a user if they are about to exceed the speed limit, the load on the driver can be reduced, allowing them to have more awareness of the road. By making this application free to use (whether free or supported by advertisements), this increases availability, potentially increasing the impact of this project.

1.4 Report Structure

The rest of this report is structured into the following chapters:

- Background: Describing and laying out technologies and concepts that may be used in the development of the application or are useful for understanding other technologies.
- Aims and Objectives: Specification in detail about what features the application should have and how this will be tested or measured.
- Design: A description of the initial design, visual and technical, for the application, and design(s) for surveys to gain feedback on the UI of the application.
- Technical Development: Discussion around the development of the application. Note that the actual development log will be listed in Appendix A.
- Evaluation: Discussion and Evaluation of how closely the application meets the Aims and Objectives in the aforementioned chapter.

After which there will be Appendices and the Bibliography.

²Smart Motorways (RAC, 2022)

Chapter 2

Background

The development of this project requires understanding and examination of various topics across various fields; including Kinematics, Programming, Law, and UX. Hence this chapter discusses and describes relevant topics.

2.1 Speed Cameras

2.1.1 Fixed-Point Cameras

In the United Kingdom, traditional fixed-point speed cameras were of a "Gatso" type, later replaced by "Truvelo", and later Truvelo D-Cam. They are installed either by the Local Authority, the local Police Force, or the relevant highways agency¹; with all three often forming "Road Safety Partnerships" for given areas, that can then receive grants from the central government (King et al., 2011) to use for, among other things, the installation of speed cameras. The decision of where to install a speed camera is made on a few factors; with ageas (2019) claiming that at the proposed location, greater than 20% of drivers must exceed the speed limit, and that there must be a history of serious accidents.

At first glance, fixed-point cameras appear to work on a rather simple principle. As described in the Context, the simplest view of how to obtain the speed of a vehicle is $speed = \frac{distance}{time}$. Hence the camera can take two measurements a known time apart, work out the distance the vehicle travels between those measurements, and calculate the speed. Fixed-point cameras use K and Ku-band Radar signals to determine the speed of the vehicle; K-band meaning that the frequency used is between 18 and 27 GHz (IEEE, 2020); and Radar, an acronym for Radio Detection and Ranging (Rad, 1943), referring to the usage of a transmitter, receiver, and processing of K-Band or adjacent frequencies (in the Radio or Microwave ranges)

¹*National Highways* in England, *Transport Scotland* in Scotland, *Traffic Wales* in Wales, and *DfI Roads* in Northern Ireland.

to determine properties of an object. The time of flight is the total time between transmitting a signal and receiving the reflection; and this can be used to determine the distance. The speed of light is known², and so the distance can be calculated using a rearrangement of the previous formula: $distance = speed \cdot time$. Hence, overall, the speed of a vehicle travelling towards/away from the camera can be calculated by:

$$c' = \frac{c}{1.003} \quad (2.1)$$

$$first\ measurement = c' \cdot time\ of\ flight \quad (2.2)$$

$$second\ measurement = c' \cdot time\ of\ flight \quad (2.3)$$

$$speed = \frac{|second\ measurement - first\ measurement|}{time\ between\ measurements} \quad (2.4)$$

However, this requires storage and memory of two time of flight measurements, and two distance measurements. Instead, an inherent property of waves can be used to determine the speed. The Doppler effect, first described by Doppler (1842) but better described for Radar applications by Wolff (n.d.), is the property of waves that, as an emitter moves away or towards a stationary receiver (or vice versa), there is an apparent change in the frequency. The frequency is higher if the motion is towards the stationary point, as the receiver will receive a greater number of waves per second; and lower frequency if motion is away from the stationary point as it receives less waves per second. Due to this, the "doppler shift" - the difference between real and effective frequency, Δf - can be calculated as follows:

$$\Delta v = -(v_{receiver} - v_{source}) \quad (2.5)$$

$$\Delta f = \frac{\Delta v}{c'} \cdot f_{emitted} \quad (2.6)$$

In the case of the speed camera, we can control $f_{emitted}$, and we must take into account the fact that doppler shift will occur twice. Hence, the velocity v of a car can be calculated as such:

$$v = \frac{\Delta f}{f_{emitted}} \cdot \frac{c'}{2} \quad (2.7)$$

If the vehicle's velocity calculated by equation 2.7 exceeds the road's speed limit, the camera takes two photos in quick succession. In the original Gatso cameras these photos were on photographic film, which would be collected and processed by the local police force on a regular basis. Retrofitted

²299 792 458 metres per second in a vacuum, known as c , and slower in air: which can be calculated with $speed = c \div n$ (Hecht, 2002); where n is the refractive index of the medium. de Podesta (2002) gives 1.0003 as the approximate refractive index of light in air; approximate as it can be affected by factors such as moisture content.

Gatso and the newer Truvelo & DCam systems upload their photographs and Radar Measurements to a system with the local Police Force; these systems are believed to be connected with the Police National Computer (PNC) (ACRO, n.d.). These photos contain the registration plate of the vehicle³, and markings on the road. These markings are graduated and are used to determine the distance the vehicle travels between the photos, and hence a speed can be determined; this *secondary measurement* is used by prosecution teams to confirm an offence was made, but is not absolutely needed for a prosecution.

2.1.2 Average Speed Cameras

It may be wise to think, since average speed cameras were introduced after fixed-point cameras, that they would be significantly more advanced. In some ways they are, but in other ways they are much simpler.

NPCC (n.d.) tells us that ANPR, Automatic Number Plate Recognition, refers to the reading of vehicle number-plates using OCR⁴, storing information about those number-plates (such as the location and time of the scan), and querying a central system (such as the PNC) for details about the vehicle and its registered keeper. Number plates in the UK and generally in the EU are retroreflective; meaning that light is reflected back in direction it came from. Hence, most ANPR systems, including those used by Average Speed Cameras, take photos and use a flash in the infrared range to take a clearer image of a number plate.

Average Speed Cameras are deployed as systems consisting of multiple ANPR-equipped cameras, at known intervals, along a road or roads. These cameras can be permanently installed along roads, or temporarily installed at the site of roadworks. Installations come in various forms; they are installed on their own poles, on existing street furniture (EG lampposts), and on overhead gantries. The system has knowledge of the road distance (as opposed to direct distance, colloquially "as the crow flies") between cameras, and uses this knowledge combined with timestamped photographs of vehicles passing the cameras (with ANPR being used to match number-plates to timestamps) to calculate an average speed. This average takes into account factors such as changing lanes, and using junctions in an attempt to defeat the system.

A given system must have at least two cameras (so there are two measurements to calculate speed from), but there is no legal or algorithmic upper bound on the number of cameras in, or the length of, a single system (Car-

³Gatso cameras must take a photo of the rear of the vehicle due to the use of a bright flash, so will always obtain the registration plate; but do not photograph the driver and so the identity of the offender can be disputed. Truvelo & DCam may take photos of the front, thereby identifying the offender, but some vehicles lack front plates.

⁴Optical Character Recognition (Eikvil, 1993).

buyer, 2021). Any upper bound is likely to be budgetary, technological, or jurisdictional; that is, the authority responsible for the system cannot afford the number of cameras, the computers to store and process data from the cameras, or legally cannot deploy cameras past a county or city boundary.

Put simply, average speed cameras go back to using the simple equation of $speed = \frac{distance}{time}$. By applying this over a larger distance of road, rather than a small section, it encourages drivers to stay at or below the speed limit, and to drive in a smoother manner.

2.1.3 Summary

With regards to the application this project produces, from the previous knowledge, the following factors should be noted:

- Fixed-point cameras are not relevant to average speed cameras in terms of applied technology, and therefore aren't relevant to the application. At most, there may be scope to provide notice of fixed cameras within the app.
- There is no public knowledge of pairing between any two cameras in a system; they may be paired sequentially or randomly.
- Hence, if a dataset has specific locations of cameras within a system, it is reasonable that average speed should be calculated between sequential cameras - IE between the current position and the previous camera, then reset at the next camera.
- If the dataset does not have specific locations, and only the start and end, then the average speed should be calculated between the start and end.

2.2

Appendix A

Development Log

TestTestTest

Bibliography

- (1943) Radio detection and ranging. *Nature*), 152(3857), 391–392, URL <https://doi.org/10.1038/152391b0>.
- ACRO (n.d.) Police national computer services. Available online: <https://www.acro.police.uk/PNC-services> [Accessed 27/01/2022].
- ageas (2019) How dangerous does a road have to be to get a speed camera? Available online: <https://www.ageas.co.uk/solved/road-safety/how-dangerous-does-a-road-have-to-be-to-get-a-speed-camera/> [Accessed 25/01/2022].
- Apple Inc. (2021) Apple maps: You'll like where this is going. Available online: <https://www.apple.com/uk/maps/> [Accessed 25/11/2021].
- BBC News (2016) Average-speed camera coverage in uk 'doubles' in three years. Available online: <https://www.bbc.co.uk/news/uk-36399408> [Accessed 26/10/2021].
- Carbuyer (2021) Average speed cameras: how do they work? Available online: <https://www.carbuyer.co.uk/tips-and-advice/160228/average-speed-cameras-how-do-they-work> [Accessed 22/02/2022].
- de Podesta, M. (2002) *Understanding the properties of matter*. Second edition edition, Taylor & Francis.
- Doppler, C. (1842) Über das farbige licht der doppelsterne und einiger anderer gestirne des himmels. Originally published in *Abhandlungen der k. böhm. Gesellschaft der Wissenschaften (V. Folge, Bd. 2, S. 465-482)*; the 1903 reprint is available online at <https://archive.org/details/ueberdasfarbigel00doppuoft/mode/2up> [Accessed 27/01/2022].
- Eikvil, L. (1993) Optical character recognition. Available online: <https://citeseerx.ist.psu.edu/viewdoc/download?doi=10.1.1.1.217.4980&rep=rep1&type=pdf> [Accessed 01/02/2022].
- Google LLC (n.d.) Google Maps: Explore and navigate your world. Available online: <https://www.google.co.uk/maps/about/> [Accessed 25/11/2021].

- Hecht, E. (2002) *Optics*). Fourth edition international edition, Addison Wesley.
- IEEE (2020) Ieee standard letter designations for radar-frequency bands. *IEEE Std 521-2019 (Revision of IEEE Std 521-2002)*, 1–15.
- Jenoptik Traffic Solutions UK (n.d.) Specs - jenoptik. Available online: <https://www.jenoptik.co.uk/product/specs/> [Accessed 27/10/2021].
- King, B., Surtees-Goodall, S. & Jeanes, M. (2011) The road safety partnership grant programme. Available online: https://assets.publishing.service.gov.uk/government/uploads/system/uploads/attachment_data/file/4004/report.pdf [Accessed 25/01/2022].
- NPCC (n.d.) Automatic number plate recognition (anpr). Available online: <https://www.npcc.police.uk/FreedomofInformation/ANPR.aspx> [Accessed 01/02/2022].
- Owen, R., Ursachi, G. & Allsop, R. (2016) The effectiveness of average speed cameras in great britain. *Technical report*), Royal Automobile Club Foundation, URL https://www.racfoundation.org/wp-content/uploads/2017/11/Average_speed_camera_effectiveness_Owen_Ursachi_Allsop_September_2016.pdf.
- RAC (2022) Smart motorways - what are they and how do you use them? — Video guide. Available online: <https://www.rac.co.uk/drive/advice/driving-advice/smart-motorways/> [Accessed 25/01/2022].
- TomTom International BV. (2021) Turn your phone into a tomtom device. Available online: https://www.tomtom.com/en_gb/navigation/mobile-apps/go-navigation-app/ [Accessed 25/11/2021].
- Truvelo Ltd. (2020) TRUVELO “D-CAM”. Available online: <https://www.truvelouk.com/products/d-cam-speed-red-light-camera/> [Accessed 25/11/2021].
- Waze Mobile (2021) Waze. Available online: <https://www.waze.com/> [Accessed 25/11/2021].
- Wolff, C. (n.d.) Doppler- effect. Available online: <https://www.radartutorial.eu/11.coherent/co06.en.html> [Accessed 27/01/2022].