

Automatic Generation and Validation of Simulation Based Digital Twins

A Data-driven Framework and Case Study Application

Author: Daniel Fischer

Supervisor: Prof. Christian Schwede

Program: Research Master Data Science

Institution: Hochschule Bielefeld (HSBI)

Submission Date: March 10, 2025

Contents

List of Abbreviations	6
1 Introduction	7
1.1 Initial Situation	7
1.2 Problem	8
1.3 Objective of the Thesis	8
1.4 Structure of the Thesis and Methodological Approach	8
2 Introduction	9
2.1 Initial Situation	9
2.2 Problem	10
2.3 Objective of the Thesis	11
2.4 Structure of the Thesis und Methodological Approach	12
3 Theoretical Foundations and State of the Art	14
3.1 Digital Twin: Definition and Concepts	15
3.1.1 Types of Digital Twins	15
3.1.2 Data-Driven Digital Twin (DT)	15
3.1.3 Rationale from the Paper	15
3.2 Data-Driven Modeling: Principles and Methods . . .	15
3.3 Material Flow Planning and Simulation	15
3.3.1 Fundamental Concepts from Christian's Book	15
3.3.2 Processes and Resources	15
3.3.3 Insights from Pinedo's Book	15
3.3.4 Production Planning and Control	15

3.4 Validation and Verification in Simulation	15
3.4.1 Standard Formats and Data Sources for Simulation Models	15
3.4.2 Validation Methods from Christian’s Book	15
3.4.3 Key Figures and KPIs	15
3.4.4 Presentation of My Standard Format, <i>Pro Conta</i> , versus Other Formats	15
3.4.5 Trace Analysis	15
3.4.6 Challenges in Validation	15
4 State of Research	—16
4.1 Existing Approaches for the Validation and Verifica- tion of Digital Twins	16
4.2 Automatic Model Generation and Its Reasons/Chal- lenges	16
4.2.1 Always Up-to-Date and Online Validation (Twin no longer rep- resents reality)	16
4.2.2 High Complexity Requires Automated Procedures	16
4.2.3 Framework Promotes Standardization and Transparency	16
4.2.4 Scalability of Automated Approaches	16
4.2.5 Manual Validations May Contain Bias	16
4.2.6 Cost Savings	16
4.3 Limitations of Current Standard Formats and Data Structures	16
4.4 Gaps and Open Questions in Research	16
5 Methodology and Framework Development	—17
5.1 Requirements Analysis	17
5.2 Conceptualization	17
5.2.1 Description of the Framework for Automatic Model Generation	17
5.2.2 Verification of the Model: Structured Pipeline and Validation Goals	17
5.2.3 Data-Driven Validation: Event Data and KPIs for System Eval- uation	17
5.2.4 Definition of Validation Scenarios (e.g., Masking, Blackbox Sce- narios)	17

5.2.5	Automatic Evaluation Criteria for Model Validity (e.g., similarity to R^2 , Throughput Times, Efficiency Metrics)	17
5.2.6	Handling of Missing or Limited Data	17
6	Implementation of the Framework	18
6.1	Technical Implementation of Model Generation . . .	18
6.1.1	UML Diagram	18
6.1.2	Integration into Existing Systems	18
6.2	Automatic Validation of the Generated Model	18
6.3	Use of External Information Sources for Model Verification	18
6.4	Interfaces to Material Flow Systems and Data Collection	18
7	Case Study: Validation of a Digital Twin in the Production System	19
7.1	Description of the Production System and Available Data	19
7.1.1	Description of the IoT Factory	19
7.1.2	Data Preparation and Analysis	19
7.2	Construction of the Digital Twin for the Scenario . .	19
7.3	Conducting the Validation Experiments	19
7.4	Results and Interpretation: Limits and Errors of the Model	19
7.5	Limits and Falsifiability of the Model Based on Real Data	19
8	Discussion of the Results	20
8.1	Critical Reflection on the Framework Development .	20
8.2	Limitations of Automated Validation	20
8.3	Significance and Robustness of the Developed Methods	20
8.3.1	Comparison with Manual Modeling	20

8.4	Implications for Research and Practice	20
9	Conclusion and Outlook —	21
9.1	Summary of the Key Results	21
9.2	Answering the Research Questions	21
9.3	Outlook: Possible Further Development of the Frame- work	21
9.4	Recommendations for Practical Application	21

List of Abbreviations

CPS Cyber-Physical System. 1

DT Digital Twin. 1

IoT Internet of Things. 1

Chapter 1

Introduction

1.1 Initial Situation

Digital Twins are a key technology at the very front of the fourth industrial revolution, coined Industry 4.0. Latter term is characterized by the convergence of cyber-physical systems (CPS), the Internet of Things (IoT), and cloud computing to create smart factories with the goal of automation and efficiency (Oztemel & Gursev, 2020). An important concept within Industry 4.0 is the digital twin (DT). It can be defined as a virtual representation of physical assets enabling real-time monitoring and optimization (Tao et al., 2018). The twin is an enabling technology, bridging the connection between the two entities with a bi-directional data flow to exchange information and to influence the behaviour of the physical asset (Grieves, 2014). This technology in Industry 4.0 connects the physical and digital worlds through real-time data integration, simulation, and optimization (Judijanto et al., 2024).

Although this field is rapidly evolving, there has not been found a common ground about the definition of DT. The term was first introduced by Michael Grieves in 2002, defining it as a digital representation of a physical object or system (Grieves, 2014). However, the concept has evolved since then, encompassing a broader range of applications and technologies. Going back through the literature, there are three words for describing similar characteristics of DT: Digital Model (DM), Digital Shadow (DS) and Digital Twin (DT) (Jones et al., 2020; Zhang et al., 2021).

The DM simply

Transitioning to Industry 5.0, there is a paradigm shift placing humans at the cen-




Figure 1.1: Comparison of Digital Shadow (DS), Digital Model (DM) and Digital Twin (DT) as presented by Kritzinger.

ter of technological advancements, emphasizing collaboration between humans and machines for a more personalized, sustainable, and resilient manufacturing environment (Davim2023). Industry 5.0 seeks to harmonize technological progress with human values and sustainability, moving beyond the efficiency focus of Industry 4.0 (Espina-Romero2023). Digital twins remain crucial in Industry 5.0, facilitating a human-centric approach by serving as adaptive models that integrate data between physical and virtual entities, supporting complex knowledge management (Chryssolouris2024).

In essence, while both Industry 4.0 and 5.0 utilize digital twins, their core focus diverges. Industry 4.0 prioritizes technological integration and efficiency (Lu2020), whereas Industry 5.0 emphasizes human-centric values and sustainable practices (Leng2023). This evolution reflects a broader societal shift towards aligning technological progress with human and environmental well-being.

1.2 Problem

1.3 Objective of the Thesis

1.4 Structure of the Thesis and Methodological Approach

Chapter 2

Introduction

Diese Arbeit befasst sich mit der automatisierten Verifikation und Validierung von automatisiert generierten, simulationsbasierten digitalen Zwillingen für diskrete Materialflusssysteme. Im Zuge der Digitalisierung industrieller Prozesse und der vierten industriellen Revolution (Industrie 4.0) gewinnen digitale Zwillinge zunehmend an Bedeutung. Die vorliegende Einleitung skizziert zunächst die aktuelle Situation und den daraus resultierenden Bedarf, formuliert das zentrale Problem sowie die Zielsetzung der Arbeit und erläutert abschließend den Aufbau sowie die methodische Vorgehensweise.

2.1 Initial Situation

Im Rahmen der vierten industriellen Revolution findet eine verstärkte Integration von Informations- und Kommunikationstechnologien in Produktions- und Logistikprozesse statt. Digitale Zwillinge, also virtuelle Repliken physischer Systeme, ermöglichen nicht nur die Überwachung von Anlagen, sondern auch deren dynamische Simulation und Optimierung. Besonders in diskreten Materialflusssystemen – wie sie in der Automobilindustrie, der Logistik oder in hochautomatisierten Fertigungsprozessen vorkommen – erweist sich die präzise Modellierung von Materialflüssen als Schlüsselfaktor für Effizienz und Wettbewerbsfähigkeit (**Grieves2014**).

Die rasante Entwicklung im Bereich der Sensorik und des Internet of Things (IoT) liefert kontinuierlich große Datenmengen, die in digitalen Zwillingen genutzt werden können, um den aktuellen Zustand von Produktionssystemen nahezu in Echtzeit abzubilden. Traditionelle Simulationsansätze, die oft auf statischen Modellen basieren, werden durch die dynamische Natur digitaler Zwillinge ergänzt,

die durch kontinuierliche Datenintegration eine verbesserte Prozesssteuerung und prädiktive Instandhaltung ermöglichen (**Tao2018**). Dabei stellen digitale Zwillinge eine Schnittstelle zwischen der realen und der virtuellen Welt dar und bieten somit die Möglichkeit, komplexe industrielle Abläufe zu überwachen, zu simulieren und zu optimieren.

Die zunehmende Digitalisierung und Vernetzung führen jedoch auch zu neuen Herausforderungen. Die Komplexität moderner Systeme sowie die enorme Datenflut erfordern innovative Ansätze zur Modellierung und kontinuierlichen Aktualisierung. Hierbei steht insbesondere die automatisierte Generierung von Simulationsmodellen im Vordergrund, die durch datengetriebene Verfahren unterstützt wird. Dieser Paradigmenwechsel fordert nicht nur traditionelle Simulationmethoden heraus, sondern eröffnet auch neue Perspektiven für die industrielle Praxis, indem er die Grundlage für eine optimierte Entscheidungsfindung schafft (**Uhlemann2017**).

2.2 Problem

Trotz des hohen Potenzials digitaler Zwillinge treten in der Praxis zahlreiche Herausforderungen auf. Die automatisierte Erstellung simulationsbasierter Modelle birgt das Risiko, dass wesentliche Systemkomponenten oder Interaktionsmuster unzureichend erfasst werden. Dies führt zu Diskrepanzen zwischen dem digitalen Modell und dem realen System, was im schlimmsten Fall die Grundlage für fehlerhafte Simulationen und falsche betriebliche Entscheidungen bildet. Traditionelle Verifikations- und Validierungsprozesse (V&V) basieren häufig auf manuellen Prüfungen, die angesichts der Komplexität und der Datenmengen in modernen Produktionssystemen nicht mehr effizient durchführbar sind (**Kritzinger2018**).

Ein weiteres Problemfeld stellt die Integration von Echtzeitdaten in die Simulationsmodelle dar. Während historische Daten die Basis statischer Modelle bilden, erfordert die dynamische Anpassung digitaler Zwillinge die kontinuierliche Auswertung und Synchronisation aktueller Betriebsdaten. Dies führt zu Herausforderungen hinsichtlich der Datenkonsistenz, -qualität und -verarbeitung. Zudem fehlt es oft an standardisierten Bewertungsmetriken, die eine objektive Beurteilung der Modellgüte ermöglichen. Diese Probleme machen deutlich, dass herkömmliche V&V-Methoden nicht ohne Weiteres auf automatisiert generierte, simulationsbasierte digitale Zwillinge übertragbar sind.

Insbesondere in diskreten Materialflusssystemen, in denen zahlreiche Prozess-

variablen und Interaktionskomponenten eine Rolle spielen, erfordert die Sicherstellung der Modellgenauigkeit neue Ansätze. Es besteht daher dringender Forschungsbedarf, um datengetriebene und automatisierte V&V-Methoden zu entwickeln, die den spezifischen Anforderungen solcher Systeme gerecht werden (**Kritzinger2018; Uhlemann2017**).

2.3 Objective of the Thesis

Das Hauptziel dieser Arbeit ist die Entwicklung eines datengetriebenen Frameworks zur automatisierten Verifikation und Validierung von digital generierten, simulationsbasierten digitalen Zwillingen. Der Fokus liegt dabei auf diskreten Materialflusssystemen, da diese aufgrund ihrer Komplexität und Dynamik besondere Herausforderungen hinsichtlich der Modellgenauigkeit und Prozesssynchronisation aufweisen.

Motivation und Relevanz

Die Motivation dieser Forschungsarbeit ergibt sich aus mehreren zentralen Aspekten:

- **Effizienzsteigerung:** Durch den Einsatz automatisierter V&V-Methoden können Modellabweichungen frühzeitig erkannt und behoben werden, was zu einer signifikanten Reduktion von Fehlerquellen und Optimierungspotenzialen in Produktionsprozessen führt.
- **Digitalisierung und Vernetzung:** Mit der zunehmenden Integration von IoT und Sensorik in Produktionsanlagen steigt die Verfügbarkeit von Echtzeitdaten, die in digitalen Zwillingen verarbeitet werden können. Ein zuverlässiges V&V-Framework stellt sicher, dass diese Daten adäquat in die Modelle einfließen.
- **Wettbewerbsvorteile:** Unternehmen, die in der Lage sind, ihre digitalen Modelle präzise und effizient zu validieren, sichern sich langfristig Wettbewerbsvorteile in einem zunehmend globalisierten Marktumfeld (**Grieves2014**).

Forschungsfragen und Hypothesen

Die Arbeit fokussiert sich auf folgende Forschungsfragen:

- Wie können automatisierte Prozesse zur Verifikation und Validierung von digital generierten, simulationsbasierten digitalen Zwillingen effizient implementiert werden?

- Welche datengetriebenen Ansätze eignen sich am besten, um Abweichungen zwischen simuliertem Verhalten und realen Betriebsdaten in diskreten Materialflusssystemen zu identifizieren?
- Inwieweit verbessert das entwickelte Framework die Qualität und Zuverlässigkeit der digitalen Zwillinge im Vergleich zu traditionellen V&V-Methoden?

Es wird die Hypothese aufgestellt, dass ein integriertes, datengetriebenes V&V-Framework signifikante Verbesserungen in der Modellgenauigkeit und Effizienz der Validierungsprozesse bewirken kann. Durch den Einsatz moderner Datenanalysen und maschineller Lernverfahren sollen systematische Abweichungen frühzeitig erkannt und Korrekturmaßnahmen automatisiert eingeleitet werden (Tao2018).

2.4 Structure of the Thesis und Methodological Approach

Der Aufbau dieser Arbeit gliedert sich in mehrere Kapitel, die im Folgenden kurz vorgestellt werden:

- **Kapitel ??:** Umfassende Literaturrecherche. In diesem Kapitel werden die theoretischen Grundlagen digitaler Zwillinge, bestehende Simulationansätze und aktuelle V&V-Methoden analysiert.
- **Kapitel ??:** Entwicklung des datengetriebenen Frameworks. Hier werden die konzeptionellen und architektonischen Entscheidungen, die Auswahl der Algorithmen und die Implementierungsdetails dargestellt.
- **Kapitel ??:** Fallstudie. Anhand eines konkreten Beispiels aus dem Bereich der diskreten Materialflusssysteme wird das entwickelte Framework empirisch validiert.
- **Kapitel ??:** Evaluation. Die Ergebnisse der Fallstudie werden hinsichtlich Modellgenauigkeit, Prozesszeiten und Fehlerhäufigkeiten quantitativ und qualitativ ausgewertet.
- **Kapitel 9:** Zusammenfassung und Ausblick. Abschließend werden die wesentlichen Erkenntnisse zusammengefasst, Limitationen diskutiert und Perspektiven für zukünftige Forschungsarbeiten aufgezeigt.

Methodologisch basiert die Arbeit auf einem iterativen Entwicklungs- und Validierungsansatz, der sowohl qualitative als auch quantitative Methoden integriert.

Zunächst erfolgt eine detaillierte Literaturrecherche, um den aktuellen Stand der Technik zu erfassen und bestehende Forschungslücken zu identifizieren. Aufbauend auf diesen Erkenntnissen wird das Framework in modularer Form entwickelt. Die einzelnen Module – etwa für Datenerfassung, -vorverarbeitung, Modellgenerierung sowie die automatisierte V&V – werden zunächst unabhängig implementiert und anschließend in ein Gesamtsystem integriert.

Ein zentraler Bestandteil der methodischen Vorgehensweise ist die empirische Validierung des Frameworks durch eine praxisnahe Fallstudie. Hierbei werden reale Prozessdaten eines diskreten Materialflusssystems herangezogen, um die Simulationsergebnisse kontinuierlich mit den tatsächlichen Betriebsdaten abzugleichen. Die Evaluation erfolgt durch die Analyse quantitativer Metriken (z. B. Abweichungsmaße, Reaktionszeiten) und wird durch qualitative Analysen ergänzt, um systemische Fehlerquellen aufzudecken (**Uhlemann2017**).

Die Implementierung moderner Softwaretechnologien und datengetriebener Ansätze, wie etwa maschinelles Lernen, soll dabei helfen, die Validierungsprozesse zu automatisieren und flexibel an veränderte Betriebsbedingungen anzupassen. Der iterative Entwicklungsprozess ermöglicht es, das Framework kontinuierlich zu optimieren und auf die spezifischen Anforderungen unterschiedlicher industrieller Anwendungen zuzuschneiden. So wird ein dynamisches Instrument geschaffen, das nicht nur den theoretischen Anforderungen genügt, sondern auch in der Praxis anwendbar ist (**Tao2018; Kritzinger2018**).

Zusammenfassend bietet diese Arbeit einen innovativen Beitrag zur Weiterentwicklung digitaler Zwillinge in diskreten Materialflusssystemen. Durch die Kombination theoretischer Fundierung, moderner datengetriebener Methoden und empirischer Validierung wird ein Framework vorgestellt, das signifikante Verbesserungen in der Modellgenauigkeit und Effizienz von V&V-Prozessen ermöglicht. Die erzielten Ergebnisse tragen dazu bei, die Zuverlässigkeit digitaler Zwillinge zu erhöhen und bieten zugleich wertvolle Ansätze für die zukünftige Entwicklung in einer zunehmend digitalisierten und vernetzten Produktionslandschaft.

Chapter 3

Theoretical Foundations and State of the Art

3.1 Digital Twin: Definition and Concepts

3.1.1 Types of Digital Twins

3.1.2 Data-Driven Digital Twin (DT)

3.1.3 Rationale from the Paper

3.2 Data-Driven Modeling: Principles and Methods

3.3 Material Flow Planning and Simulation

3.3.1 Fundamental Concepts from Christian's Book

3.3.2 Processes and Resources

3.3.3 Insights from Pinedo's Book

3.3.4 Production Planning and Control

3.4 Validation and Verification in Simulation

3.4.1 Standard Formats and Data Sources for Simulation Models

3.4.2 Validation Methods from Christian's Book

3.4.3 Key Figures and KPIs

Digital Twins Master Thesis

3.4.4 Presentation of My Standard Format, *Pro Conta*, versus Other Formats

Chapter 4

State of Research

4.1 Existing Approaches for the Validation and Verification of Digital Twins

4.2 Automatic Model Generation and Its Reasons/Challenges

4.2.1 Always Up-to-Date and Online Validation (Twin no longer represents reality)

4.2.2 High Complexity Requires Automated Procedures

4.2.3 Framework Promotes Standardization and Transparency

4.2.4 Scalability of Automated Approaches

4.2.5 Manual Validations May Contain Bias

4.2.6 Cost Savings

4.3 Limitations of Current Standard Formats and Data Structures

4.4 Gaps and Open Questions in Research

Chapter 5

Methodology and Framework Development

5.1 Requirements Analysis

5.2 Conceptualization

5.2.1 Description of the Framework for Automatic Model Generation

5.2.2 Verification of the Model: Structured Pipeline and Validation Goals

5.2.3 Data-Driven Validation: Event Data and KPIs for System Evaluation

5.2.4 Definition of Validation Scenarios (e.g., Masking, Blackbox Scenarios)

5.2.5 Automatic Evaluation Criteria for Model Validity (e.g., similarity to R^2 , Throughput Times, Efficiency Metrics)

5.2.6 Handling of Missing or Limited Data

Waswani et al., 2017

Chapter 6

Implementation of the Framework

6.1 Technical Implementation of Model Generation

6.1.1 UML Diagram

6.1.2 Integration into Existing Systems

6.2 Automatic Validation of the Generated Model

6.3 Use of External Information Sources for Model Verification

6.4 Interfaces to Material Flow Systems and Data Collection

Chapter 7

Case Study: Validation of a Digital Twin in the Production System

7.1 Description of the Production System and Available Data

7.1.1 Description of the IoT Factory

7.1.2 Data Preparation and Analysis

7.2 Construction of the Digital Twin for the Scenario

7.3 Conducting the Validation Experiments

7.4 Results and Interpretation: Limits and Errors of the Model

7.5 Limits and Falsifiability of the Model Based on Real Data

Chapter 8

Discussion of the Results

8.1 Critical Reflection on the Framework Development

8.2 Limitations of Automated Validation

8.3 Significance and Robustness of the Developed Methods

8.3.1 Comparison with Manual Modeling

8.4 Implications for Research and Practice

Chapter 9

Conclusion and Outlook

9.1 Summary of the Key Results

9.2 Answering the Research Questions

9.3 Outlook: Possible Further Development of the Framework

9.4 Recommendations for Practical Application

Bibliography

- Grieves, M. (2014). *Digital twin: Manufacturing excellence through virtual factory replication* (tech. rep.) (White Paper).
- Jones, D., Snider, C., Nassehi, A., Yon, J., & Hicks, B. (2020). Characterising the digital twin: A systematic literature review. *CIRP Journal of Manufacturing Science and Technology*, 29, 36–52. <https://doi.org/10.1016/j.cirpj.2020.02.002>
- Judijanto, L., Qadriah, L., Prabowo, I. A., Widyatmoko, W., & Sabila, P. C. (2024). Trends in digital twin technology for industry 4.0: A bibliometric study. *The Eastasouth Journal of Information System and Computer Science*, 2(02), 92–104.
- Oztemel, E., & Gursev, S. (2020). Literature review of industry 4.0 and related technologies. *Journal of intelligent manufacturing*, 31(1), 127–182.
- Tao, F., Cheng, J., Qi, Q., Zhang, M., Zhang, H., & Sui, F. (2018). Digital twin-driven product design, manufacturing and service with big data. *The International Journal of Advanced Manufacturing Technology*, 94(9-12), 3563–3576. <https://doi.org/10.1007/s00170-017-0233-1>
- Waswani, A., Shazeer, N., Parmar, N., Uszkoreit, J., Jones, L., Gomez, A., Kaiser, L., & Polosukhin, I. (2017). Attention is all you need. *NIPS*.
- Zhang, L., Zhou, L., & Horn, B. K. (2021). Building a right digital twin with model engineering. *Journal of Manufacturing Systems*, 59, 151–164. <https://doi.org/10.1016/j.jmsy.2021.02.009>