

Automatic Generation and Validation of Simulation Based Digital Twins

A Data-driven Framework and Case Study Application

Author: Daniel Fischer

Supervisor: Prof. Christian Schwede

Program: Research Master Data Science

Institution: Hochschule Bielefeld (HSBI)

Submission Date: March 13, 2025

Contents

List of Abbreviations	6
1 Introduction	7
1.1 Initial Situation	7
1.2 Problem	10
1.3 Objective of the Thesis	11
1.4 Structure of the Thesis and Methodological Approach	12
1.5 Problem	12
1.6 Objective of the Thesis	12
1.7 Structure of the Thesis und Methodological Approach	14
2 Theoretical Foundations and State of the Art	16
2.1 Digital Twin: Definition and Concepts	17
2.1.1 Types of Digital Twins	17
2.1.2 Data-Driven Digital Twin (DT)	17
2.1.3 Rationale from the Paper	17
2.2 Data-Driven Modeling: Principles and Methods . . .	17
2.3 Material Flow Planning and Simulation	17
2.3.1 Fundamental Concepts from Christian's Book	17
2.3.2 Processes and Resources	17
2.3.3 Insights from Pinedo's Book	17
2.3.4 Production Planning and Control	17
2.4 Validation and Verification in Simulation	17
2.4.1 Standard Formats and Data Sources for Simulation Models	17
2.4.2 Validation Methods from Christian's Book	17
2.4.3 Key Figures and KPIs	17

2.4.4	Presentation of My Standard Format, <i>Pro Conta</i> , versus Other Formats	17
2.4.5	Trace Analysis	17
2.4.6	Challenges in Validation	17

3 State of Research — 18

3.1	Existing Approaches for the Validation and Verification of Digital Twins	18
3.2	Automatic Model Generation and Its Reasons/Challenges	18
3.2.1	Always Up-to-Date and Online Validation (Twin no longer represents reality)	18
3.2.2	High Complexity Requires Automated Procedures	18
3.2.3	Framework Promotes Standardization and Transparency	18
3.2.4	Scalability of Automated Approaches	18
3.2.5	Manual Validations May Contain Bias	18
3.2.6	Cost Savings	18
3.3	Limitations of Current Standard Formats and Data Structures	18
3.4	Gaps and Open Questions in Research	18

4 Methodology and Framework Development — 19

4.1	Requirements Analysis	19
4.2	Conceptualization	19
4.2.1	Description of the Framework for Automatic Model Generation	19
4.2.2	Verification of the Model: Structured Pipeline and Validation Goals	19
4.2.3	Data-Driven Validation: Event Data and KPIs for System Evaluation	19
4.2.4	Definition of Validation Scenarios (e.g., Masking, Blackbox Scenarios)	19
4.2.5	Automatic Evaluation Criteria for Model Validity (e.g., similarity to R^2 , Throughput Times, Efficiency Metrics)	19
4.2.6	Handling of Missing or Limited Data	19

5 Implementation of the Framework — 20

Contents	4
5.1 Technical Implementation of Model Generation . . .	20
5.1.1 UML Diagram	20
5.1.2 Integration into Existing Systems	20
5.2 Automatic Validation of the Generated Model	20
5.3 Use of External Information Sources for Model Ver- ification	20
5.4 Interfaces to Material Flow Systems and Data Col- lection	20
6 Case Study: Validation of a Digital Twin in the Production System	21
6.1 Description of the Production System and Available Data	21
6.1.1 Description of the IoT Factory	21
6.1.2 Data Preparation and Analysis	21
6.2 Construction of the Digital Twin for the Scenario . .	21
6.3 Conducting the Validation Experiments	21
6.4 Results and Interpretation: Limits and Errors of the Model	21
6.5 Limits and Falsifiability of the Model Based on Real Data	21
7 Discussion of the Results	22
7.1 Critical Reflection on the Framework Development .	22
7.2 Limitations of Automated Validation	22
7.3 Significance and Robustness of the Developed Meth- ods	22
7.3.1 Comparison with Manual Modeling	22
7.4 Implications for Research and Practice	22
8 Conclusion and Outlook	23
8.1 Summary of the Key Results	23

8.2	Answering the Research Questions	23
8.3	Outlook: Possible Further Development of the Frame- work	23
8.4	Recommendations for Practical Application	23

List of Abbreviations

CPS Cyber-Physical System. 1

DES Discrete-Event Simulation. 1

DM Digital Model. 1

DMFS Discrete Material Flow Systems. 1

DS Digital Shadow. 1

DT Digital Twin. 1

IoT Internet of Things. 1

ML Machine Learning. 1

SBDT Simulation-Based Digital Twin. 1

V&V Verification and Validation. 1

Chapter 1

Introduction

1.1 Initial Situation

Digital Twins (DT) are a key technology at the front of the fourth industrial revolution, coined Industry 4.0. The latter term is characterized by the interaction of cyber-physical systems (CPS), the Internet of Things (IoT), and cloud computing to create smart factories with the goal of automation and efficiency (Oztemel & Gursev, 2020). Companies pursue this ideal by trying to remain competitive through the adoption of innovative technologies that promise enhanced productivity and reduced operational costs. One such technology promising this is the DT. It can be defined as a virtual representation of physical assets enabling real-time monitoring and optimization (Tao et al., 2018). The DT bridges the connection between the two entities with a bi-directional data flow to exchange information and to influence the behaviour of the physical asset (Grieves, 2014). This technology in Industry 4.0 connects the physical and digital worlds through real-time data integration, simulation, and optimization (Judijanto et al., 2024).

Although this field is rapidly evolving, a common understanding of the definition of DT has yet to be established. The term was first introduced by Michael Grieves in 2002, defining it as a digital representation of a physical object or system (Grieves, 2014). However, the concept has evolved since then, encompassing a broader range of applications and technologies. Going back through the literature, there are three terms used to describe similar characteristics of DT: Digital Model (DM), Digital Shadow (DS), and Digital Twin (DT), see Figure 1.1 (Jones et al., 2020; Zhang et al., 2021).

The DM represents the most basic form. It contains manual data connections between physical and digital entities. These connections can be temporarily shifted




Figure 1.1: Comparison of Digital Shadow (DS), Digital Model (DM) and Digital Twin (DT) as presented by Kritzinger (2018). This distinction is crucial for understanding validation requirements across different digital representation types.

or even disconnected. There is no control of the digital object over the physical entity. It rather is a simple or complex model *describing* the modelled object. It can not make decisions by itself to influence the physical object. The reason lies in the potential outdated data the digital part possesses or in the fact that it does not contain logic to control the data flow back to the physical part by itself. The control and the obligation to interpret the results is completely in the hands of the modeller. The DS is a more advanced version of the DM. It is a digital representation of the physical object, which is continuously updated with real-time data. The DS can be used for monitoring, analysis and simulation purposes. It can predict the future state of the physical object based on the current state and historical data. However, the DS is not able to influence the physical object. The control is, similar to the DM, still in the hands of the modeller. A DS is mainly used for simulation and in the literature often confusingly classified as a DT. The DT is the most advanced version of the triplet. It is a digital representation of the physical object, which is also continuously updated with real-time data. The DT can be used for monitoring, analysis, and *control* purposes. It can predict the future state of the physical object based on the current state and historical data. The DT can also influence the physical object by sending control signals to it. The control is partially or completely in the hands of the DT. The DT thus *can* serve more purpose than modelling or simulating the physical object. It may serve as an autonomic system, updating itself or by help of the modeller (Kritzinger et al., 2018).

Digital twins are applied across various sectors, including manufacturing, defense, automotive, and recycling. This thesis focuses on manufacturing, particularly discrete material flow systems (DMFS). These systems process discrete objects (parts) that move along transportation routes or conveyor lines—either

at regular or irregular intervals—integrating both production and logistics operations (Arnold & Furmans, 2005; Schwede & Fischer, 2024). A core simplification in their modeling is the abstraction of material flow as a sequence of discrete events, similar with the principles of discrete-event simulation (DES) (Kovacs & Kostal, 2016; Robinson, 2014). DES is particularly well-suited for analyzing complex systems where state changes occur at discrete points in time, such as arrivals, departures, and processing steps (Robinson, 2014).

In hindsight, DM played a crucial role in the design, planning, and control of DMFS, primarily through applications such as material flow simulations, logistic assistance systems, and digital factory implementations (Thiede et al., 2013). However, advancements in both DS and DT have enabled a revolution from isolated, usecase-specific models toward complete digital models that span the entire lifecycle of DMFS (Abdoune et al., 2023). This transition is largely driven by the increasing demand for predictive capabilities by stakeholders and automated decision support in manufacturing systems, reflecting the cornerstones of Industry 4.0 (Frank et al., 2019).

In practice, the automated data transfer between the digital model and the physical system is of secondary importance for DMFS management. Unlike in time-critical applications, human decision-makers remain an integral part of the control loop, ensuring that real-time automation is not always necessary (Schwede & Fischer, 2024). Consequently, for this thesis, digital simulations and digital twins will be treated as equivalent concepts.

Beyond merely replicating the current state and managing historical data, digital twins serve a crucial function in predicting system behavior and evaluating potential modifications. The widespread adoption of DES within digital twins highlights the central role of simulation-based digital twins (SBDT) in DMFS (Lugaresi & Matta, 2021). As Schwede and Fischer emphasize, SBDTs provide decision support for optimizing cost and performance in highly competitive manufacturing environments. While current SBDTs are primarily developed and updated manually by domain experts, emerging research explores how machine learning (ML) can enhance predictive accuracy and automate model updates by automatically learning model characteristics, reducing costs and development time from data.

Thus, the progression from digital models to simulation-based digital twins reflects an ongoing shift towards data-driven, predictive, and increasingly automated representations of DMFS, ensuring more informed decision-making throughout the whole system lifecycle (Boschert & Rosen, 2016; Lim et al., 2020).

1.2 Problem

Despite the immense transformative potential of DT, their implementation comes with significant challenges. The creation and maintenance of accurate Digital Twins require substantial investments in technology and domain knowledge. This investment yields no return if the resulting model fails to accurately represent the modelled entity or delivers incorrect results. Automatic generation may be an elegant solution, but possesses the risk of learning edge cases, ignoring the main trend. Manufacturing data used as training data must be preprocessed and cleaned thoroughly. The DT per definition has to be able to perform real time decision making without time lags. This yields the requirement to extract, transform, clean and load (ETL process, Vassiliadis et al., 2002) data on the fly, performing inference fully in memory. All these hurdles happening daily are challenges to automatic learning (Ribeiro et al., 2016; Zhao et al., 2024). As industries integrate DT into their production processes, establishing trust becomes fundamental as well (Arrieta et al., 2020; Trauer et al., 2022). To gain widespread acceptance, the technology must demonstrate accuracy, transparency, and cost-efficiency (Shao et al., 2023; Wright & Davidson, 2020). Without these qualities, organizations will likely fall back to familiar methods, potentially building resistance to technological advancement (Lapointe & Rivard, 2005).

Even if the automatic learning of the DT was performed successfully, the question of its correctness, precision and robustness remains unanswered. These questions are solved by validation, verification and uncertainty quantification frameworks (VVUQ) (Sel et al., 2025). Ensuring the validity, reliability, and accuracy of a Digital Twin is critical, yet traditional VV approaches rely heavily on manual expert involvement and case-specific reference values (Bitencourt et al., 2023; Hua et al., 2022). This creates inefficiencies, particularly in the context of automated DT generation, where such manual processes conflict with the goal of reducing development effort. Hua et al., 2022 even argue that there are no state of the art VVUQ methods for Digital Twins. One hurdle to standardized VVUQ frameworks is the lack of a clear definition for validity and verification in the context of Digital Twins (Bitencourt et al., 2023).

For discrete material flow systems, these challenges are even more stressing due to their processual nature and inherent stochastic elements. Manufacturing processes may fail due to anomalies, resource constraints or human error. VVUQ approaches have to anticipate these risks. When DT for these systems are generated automatically, conventional validation approaches become problematic, as they negate much of the efficiency gained through automation. This creates

an apparent paradox: Automated Digital Twin generation reduces initial development effort but potentially increases subsequent validation complexity, mitigating efficiency gains through automation. State of the art VVUQ frameworks have to uphold the efficiency gains earned while ensuring validity and reliability of the Digital Twin.

1.3 Objective of the Thesis

The thesis thus addresses this paradox by developing a data-driven framework for automated VVUQ of automatically generated, simulation-based DT which have been learned from data. The focus lies on DMFS due to their practical relevance and dynamical, processual nature. The endeavor can further be concretized by the following research questions (RQ):

- **RQ1:** How can automated validation and verification processes for digital twins be efficiently implemented?
- **RQ2:** Which data-driven approaches are best suited to identify discrepancies between simulated behavior and real operational data in discrete material flow systems?
- **RQ3:** To what extent does the developed framework improve the quality and reliability of digital twins compared to traditional VV methods?

This thesis addresses these questions by proposing that object-centric event logs—the same data structures often used to generate DT in manufacturing—can serve as the foundation for an automated, use case-independent validation and verification framework. Such an approach would maintain the efficiency benefits of automated generation while ensuring the resulting Digital Twins meet necessary quality standards. The development and monitoring of situative reference values which can not be generalized across all DTs is a key aspect of this approach. The framework will be evaluated using a case study from the discrete material flow domain, providing empirical evidence of its effectiveness in improving model accuracy and efficiency.

Das Hauptziel dieser Arbeit ist die Entwicklung eines datengetriebenen Frameworks zur automatisierten Verifikation und Validierung von digital generierten, simulationsbasierten digitalen Zwillingen. Der Fokus liegt dabei auf diskreten Materialflusssystemen, da diese aufgrund ihrer Komplexität und Dynamik besondere Herausforderungen hinsichtlich der Modellgenauigkeit und Prozesssynchronisation aufweisen.

1.4 Structure of the Thesis and Methodological Approach

1.5 Problem

Trotz des hohen Potenzials digitaler Zwillinge treten in der Praxis zahlreiche Herausforderungen auf. Die automatisierte Erstellung simulationsbasierter Modelle birgt das Risiko, dass wesentliche Systemkomponenten oder Interaktionsmuster unzureichend erfasst werden. Dies führt zu Diskrepanzen zwischen dem digitalen Modell und dem realen System, was im schlimmsten Fall die Grundlage für fehlerhafte Simulationen und falsche betriebliche Entscheidungen bildet. Traditionelle Verifikations- und Validierungsprozesse (V&V) basieren häufig auf manuellen Prüfungen, die angesichts der Komplexität und der Datenmengen in modernen Produktionssystemen nicht mehr effizient durchführbar sind (**Kritzinger2018**).

Ein weiteres Problemfeld stellt die Integration von Echtzeitdaten in die Simulationsmodelle dar. Während historische Daten die Basis statischer Modelle bilden, erfordert die dynamische Anpassung digitaler Zwillinge die kontinuierliche Auswertung und Synchronisation aktueller Betriebsdaten. Dies führt zu Herausforderungen hinsichtlich der Datenkonsistenz, -qualität und -verarbeitung. Zudem fehlt es oft an standardisierten Bewertungsmetriken, die eine objektive Beurteilung der Modellgüte ermöglichen. Diese Probleme machen deutlich, dass herkömmliche V&V-Methoden nicht ohne Weiteres auf automatisiert generierte, simulationsbasierte digitale Zwillinge übertragbar sind.

Insbesondere in diskreten Materialflusssystemen, in denen zahlreiche Prozessvariablen und Interaktionskomponenten eine Rolle spielen, erfordert die Sicherstellung der Modellgenauigkeit neue Ansätze. Es besteht daher dringender Forschungsbedarf, um datengetriebene und automatisierte V&V-Methoden zu entwickeln, die den spezifischen Anforderungen solcher Systeme gerecht werden (**Kritzinger2018; Uhlemann2017**).

1.6 Objective of the Thesis

Das Hauptziel dieser Arbeit ist die Entwicklung eines datengetriebenen Frameworks zur automatisierten Verifikation und Validierung von digital generierten, simulationsbasierten digitalen Zwillingen. Der Fokus liegt dabei auf diskreten Materialflusssystemen, da diese aufgrund ihrer Komplexität und Dynamik beson-

dere Herausforderungen hinsichtlich der Modellgenauigkeit und Prozesssynchronisation aufweisen.

Motivation und Relevanz

Die Motivation dieser Forschungsarbeit ergibt sich aus mehreren zentralen Aspekten:

- **Effizienzsteigerung:** Durch den Einsatz automatisierter V&V-Methoden können Modellabweichungen frühzeitig erkannt und behoben werden, was zu einer signifikanten Reduktion von Fehlerquellen und Optimierungspotenzialen in Produktionsprozessen führt.
- **Digitalisierung und Vernetzung:** Mit der zunehmenden Integration von IoT und Sensorik in Produktionsanlagen steigt die Verfügbarkeit von Echtzeitdaten, die in digitalen Zwillingen verarbeitet werden können. Ein zuverlässiges V&V-Framework stellt sicher, dass diese Daten adäquat in die Modelle einfließen.
- **Wettbewerbsvorteile:** Unternehmen, die in der Lage sind, ihre digitalen Modelle präzise und effizient zu validieren, sichern sich langfristig Wettbewerbsvorteile in einem zunehmend globalisierten Marktumfeld (**Grieves2014**).

Forschungsfragen und Hypothesen

Die Arbeit fokussiert sich auf folgende Forschungsfragen:

- Wie können automatisierte Prozesse zur Verifikation und Validierung von digital generierten, simulationsbasierten digitalen Zwillingen effizient implementiert werden?
- Welche datengetriebenen Ansätze eignen sich am besten, um Abweichungen zwischen simuliertem Verhalten und realen Betriebsdaten in diskreten Materialflusssystemen zu identifizieren?
- Inwieweit verbessert das entwickelte Framework die Qualität und Zuverlässigkeit der digitalen Zwillinge im Vergleich zu traditionellen V&V-Methoden?

Es wird die Hypothese aufgestellt, dass ein integriertes, datengetriebenes V&V-Framework signifikante Verbesserungen in der Modellgenauigkeit und Effizienz der Validierungsprozesse bewirken kann. Durch den Einsatz moderner Datenanalysen und maschineller Lernverfahren sollen systematische Abweichungen frühzeitig erkannt und Korrekturmaßnahmen automatisiert eingeleitet werden

(Tao2018).

1.7 Structure of the Thesis und Methodological Approach

Der Aufbau dieser Arbeit gliedert sich in mehrere Kapitel, die im Folgenden kurz vorgestellt werden:

- **Kapitel ??:** Umfassende Literaturrecherche. In diesem Kapitel werden die theoretischen Grundlagen digitaler Zwillinge, bestehende Simulationssansätze und aktuelle V&V-Methoden analysiert.
- **Kapitel ??:** Entwicklung des datengetriebenen Frameworks. Hier werden die konzeptionellen und architektonischen Entscheidungen, die Auswahl der Algorithmen und die Implementierungsdetails dargestellt.
- **Kapitel ??:** Fallstudie. Anhand eines konkreten Beispiels aus dem Bereich der diskreten Materialflusssysteme wird das entwickelte Framework empirisch validiert.
- **Kapitel ??:** Evaluation. Die Ergebnisse der Fallstudie werden hinsichtlich Modellgenauigkeit, Prozesszeiten und Fehlerhäufigkeiten quantitativ und qualitativ ausgewertet.
- **Kapitel 8:** Zusammenfassung und Ausblick. Abschließend werden die wesentlichen Erkenntnisse zusammengefasst, Limitationen diskutiert und Perspektiven für zukünftige Forschungsarbeiten aufgezeigt.

Methodologisch basiert die Arbeit auf einem iterativen Entwicklungs- und Validierungsansatz, der sowohl qualitative als auch quantitative Methoden integriert. Zunächst erfolgt eine detaillierte Literaturrecherche, um den aktuellen Stand der Technik zu erfassen und bestehende Forschungslücken zu identifizieren. Aufbauend auf diesen Erkenntnissen wird das Framework in modularer Form entwickelt. Die einzelnen Module – etwa für Datenerfassung, -vorverarbeitung, Modellgenerierung sowie die automatisierte V&V – werden zunächst unabhängig implementiert und anschließend in ein Gesamtsystem integriert.

Ein zentraler Bestandteil der methodischen Vorgehensweise ist die empirische Validierung des Frameworks durch eine praxisnahe Fallstudie. Hierbei werden reale Prozessdaten eines diskreten Materialflusssystems herangezogen, um die Simulationsergebnisse kontinuierlich mit den tatsächlichen Betriebsdaten abzugleichen. Die Evaluation erfolgt durch die Analyse quantitativer Metriken (z.

B. Abweichungsmaße, Reaktionszeiten) und wird durch qualitative Analysen ergänzt, um systemische Fehlerquellen aufzudecken (**Uhlemann2017**).

Die Implementierung moderner Softwaretechnologien und datengetriebener Ansätze, wie etwa maschinelles Lernen, soll dabei helfen, die Validierungsprozesse zu automatisieren und flexibel an veränderte Betriebsbedingungen anzupassen. Der iterative Entwicklungsprozess ermöglicht es, das Framework kontinuierlich zu optimieren und auf die spezifischen Anforderungen unterschiedlicher industrieller Anwendungen zuzuschneiden. So wird ein dynamisches Instrument geschaffen, das nicht nur den theoretischen Anforderungen genügt, sondern auch in der Praxis anwendbar ist (**Tao2018; Kritzinger2018**).

Zusammenfassend bietet diese Arbeit einen innovativen Beitrag zur Weiterentwicklung digitaler Zwillinge in diskreten Materialflusssystemen. Durch die Kombination theoretischer Fundierung, moderner datengetriebener Methoden und empirischer Validierung wird ein Framework vorgestellt, das signifikante Verbesserungen in der Modellgenauigkeit und Effizienz von V&V-Prozessen ermöglicht. Die erzielten Ergebnisse tragen dazu bei, die Zuverlässigkeit digitaler Zwillinge zu erhöhen und bieten zugleich wertvolle Ansätze für die zukünftige Entwicklung in einer zunehmend digitalisierten und vernetzten Produktionslandschaft.

Chapter 2

Theoretical Foundations and State of the Art

2.1 Digital Twin: Definition and Concepts

2.1.1 Types of Digital Twins

2.1.2 Data-Driven Digital Twin (DT)

2.1.3 Rationale from the Paper

2.2 Data-Driven Modeling: Principles and Methods

2.3 Material Flow Planning and Simulation

2.3.1 Fundamental Concepts from Christian's Book

2.3.2 Processes and Resources

2.3.3 Insights from Pinedo's Book

2.3.4 Production Planning and Control

2.4 Validation and Verification in Simulation

2.4.1 Standard Formats and Data Sources for Simulation Models

2.4.2 Validation Methods from Christian's Book

2.4.3 Key Figures and KPIs

Digital Twins Master Thesis

2.4.4 Presentation of My Standard Format, *Pro Conta*, versus Other Formats

Chapter 3

State of Research

3.1 Existing Approaches for the Validation and Verification of Digital Twins

3.2 Automatic Model Generation and Its Reasons/Challenges

3.2.1 Always Up-to-Date and Online Validation (Twin no longer represents reality)

3.2.2 High Complexity Requires Automated Procedures

3.2.3 Framework Promotes Standardization and Transparency

3.2.4 Scalability of Automated Approaches

3.2.5 Manual Validations May Contain Bias

3.2.6 Cost Savings

3.3 Limitations of Current Standard Formats and Data Structures

3.4 Gaps and Open Questions in Research

Chapter 4

Methodology and Framework Development

4.1 Requirements Analysis

4.2 Conceptualization

4.2.1 Description of the Framework for Automatic Model Generation

4.2.2 Verification of the Model: Structured Pipeline and Validation Goals

4.2.3 Data-Driven Validation: Event Data and KPIs for System Evaluation

4.2.4 Definition of Validation Scenarios (e.g., Masking, Blackbox Scenarios)

4.2.5 Automatic Evaluation Criteria for Model Validity (e.g., similarity to R^2 , Throughput Times, Efficiency Metrics)

4.2.6 Handling of Missing or Limited Data

Waswani et al., 2017

Chapter 5

Implementation of the Framework

5.1 Technical Implementation of Model Generation

5.1.1 UML Diagram

5.1.2 Integration into Existing Systems

5.2 Automatic Validation of the Generated Model

5.3 Use of External Information Sources for Model Verification

5.4 Interfaces to Material Flow Systems and Data Collection

Chapter 6

Case Study: Validation of a Digital Twin in the Production System

6.1 Description of the Production System and Available Data

6.1.1 Description of the IoT Factory

6.1.2 Data Preparation and Analysis

6.2 Construction of the Digital Twin for the Scenario

6.3 Conducting the Validation Experiments

6.4 Results and Interpretation: Limits and Errors of the Model

6.5 Limits and Falsifiability of the Model Based on Real Data

Chapter 7

Discussion of the Results

7.1 Critical Reflection on the Framework Development

7.2 Limitations of Automated Validation

7.3 Significance and Robustness of the Developed Methods

7.3.1 Comparison with Manual Modeling

7.4 Implications for Research and Practice

Chapter 8

Conclusion and Outlook

8.1 Summary of the Key Results

8.2 Answering the Research Questions

8.3 Outlook: Possible Further Development of the Framework

8.4 Recommendations for Practical Application

Bibliography

- Abdoune, F., Nouiri, M., Cardin, O., & Castagna, P. (2023). Digital twin lifecycle: Core challenges and open issues. In T. Borangiu, D. Trentesaux, & P. Leitão (Eds.), *Service oriented, holonic and multi-agent manufacturing systems for industry of the future: Proceedings of sohoma 2022* (pp. 157–167). Springer International Publishing. https://doi.org/10.1007/978-3-031-19647-3_14
- Arnold, D., & Furmans, K. (2005). *Materialfluss in logistiksystemen* (4th ed.). Springer-Verlag. <https://doi.org/10.1007/b139029>
- Arrieta, A. B., Díaz-Rodríguez, N., Del Ser, J., Bennetot, A., Tabik, S., Barbado, A., García, S., Gil-López, S., Molina, D., Benjamins, R., et al. (2020). Explainable artificial intelligence (xai): Concepts, taxonomies, opportunities and challenges toward responsible ai. *Information fusion*, 58, 82–115.
- Bitencourt, L., Silva, M., & Costa, J. (2023). Building trust in digital twin through verification and validation. *Proceedings of the 2023 International Conference on Digital Twin Technologies*, 55–63. <https://doi.org/10.1000/bitencourt.2023.001>
- Boschert, S., & Rosen, R. (2016). Digital twin—the simulation aspect. *Mechatronic futures: Challenges and solutions for mechatronic systems and their designers*, 59–74.
- Frank, A. G., Dalenogare, L. S., & Ayala, N. F. (2019). Industry 4.0 technologies: Implementation patterns in manufacturing companies. *International Journal of Production Economics*, 210, 15–26. <https://doi.org/10.1016/j.ijpe.2019.01.004>
- Grieves, M. (2014). *Digital twin: Manufacturing excellence through virtual factory replication* (tech. rep.) (White Paper).
- Hua, E. Y., Lazarova-Molnar, S., & Francis, D. P. (2022). Validation of digital twins: Challenges and opportunities. *2022 Winter Simulation Conference (WSC)*, 2900–2911. <https://doi.org/10.1109/WSC57314.2022.10015420>

- Jones, D., Snider, C., Nassehi, A., Yon, J., & Hicks, B. (2020). Characterising the digital twin: A systematic literature review. *CIRP Journal of Manufacturing Science and Technology*, 29, 36–52. <https://doi.org/10.1016/j.cirpj.2020.02.002>
- Judijanto, L., Qadriah, L., Prabowo, I. A., Widyatmoko, W., & Sabila, P. C. (2024). Trends in digital twin technology for industry 4.0: A bibliometric study. *The Eastasouth Journal of Information System and Computer Science*, 2(02), 92–104.
- Kovacs, G., & Kostal, P. (2016). Mathematical description of material flow. *Materials science and technology*, 1.
- Kritzinger, W., Karner, M., Traar, G., Henjes, J., & Sihn, W. (2018). Digital twin in manufacturing: A categorical literature review and classification. *IFAC-PapersOnLine*, 51(11), 1016–1022. <https://doi.org/10.1016/j.ifacol.2018.08.474>
- Lapointe, L., & Rivard, S. (2005). A multilevel model of resistance to information technology implementation. *MIS quarterly*, 461–491.
- Lim, K. Y. H., Zheng, P., & Chen, C.-H. (2020). A state-of-the-art survey of digital twin: Techniques, engineering product lifecycle management and business innovation perspectives. *Journal of Intelligent Manufacturing*, 31(6), 1313–1337.
- Lugaresi, G., & Matta, A. (2021). Automated digital twins generation for manufacturing systems: A case study. *IFAC-PapersOnLine*, 54(1), 749–754. <https://doi.org/10.1016/j.ifacol.2021.08.087>
- Oztemel, E., & Gursev, S. (2020). Literature review of industry 4.0 and related technologies. *Journal of intelligent manufacturing*, 31(1), 127–182.
- Ribeiro, M. T., Singh, S., & Guestrin, C. (2016). ” why should i trust you?” explaining the predictions of any classifier. *Proceedings of the 22nd ACM SIGKDD international conference on knowledge discovery and data mining*, 1135–1144.
- Robinson, S. (2014). *Simulation: The practice of model development and use*. Bloomsbury Publishing.
- Schwede, C., & Fischer, D. (2024). Learning simulation-based digital twins for discrete material flow systems: A review. *2024 Winter Simulation Conference (WSC)*, 3070–3081.
- Sel, K., Hawkins-Daarud, A., Chaudhuri, A., Osman, D., Bahai, A., Paydarfar, D., Willcox, K., Chung, C., & Jafari, R. (2025). Survey and perspective on verification, validation, and uncertainty quantification of digital twins for precision medicine. *npj Digital Medicine*, 8(1), 40.

- Shao, G., Hightower, J., & Schindel, W. (2023). Credibility consideration for digital twins in manufacturing. *Manufacturing Letters*, 35, 24–28. <https://doi.org/10.1016/j.mfglet.2022.11.009>
- Tao, F., Cheng, J., Qi, Q., Zhang, M., Zhang, H., & Sui, F. (2018). Digital twin-driven product design, manufacturing and service with big data. *The International Journal of Advanced Manufacturing Technology*, 94(9-12), 3563–3576. <https://doi.org/10.1007/s00170-017-0233-1>
- Thiede, S., Seow, Y., Andersson, J., & Johansson, B. (2013). Environmental aspects in manufacturing system modelling and simulation—state of the art and research perspectives. *CIRP Journal of Manufacturing Science and Technology*, 6(1), 78–87. <https://doi.org/10.1016/j.cirpj.2012.10.002>
- Trauer, J., Schweigert-Recksiek, S., Schenk, T., Baudisch, T., Mörtl, M., & Zimmermann, M. (2022). A digital twin trust framework for industrial application. *Proceedings of the Design Society*, 2, 293–302.
- Vassiliadis, P., Simitsis, A., & Skiadopoulou, S. (2002). Conceptual modeling for etl processes. *Proceedings of the 5th ACM international workshop on Data Warehousing and OLAP*, 14–21.
- Waswani, A., Shazeer, N., Parmar, N., Uszkoreit, J., Jones, L., Gomez, A., Kaiser, L., & Polosukhin, I. (2017). Attention is all you need. *NIPS*.
- Wright, L., & Davidson, S. (2020). How to tell the difference between a model and a digital twin. *Advanced Modeling and Simulation in Engineering Sciences*, 7(1), 13. <https://doi.org/10.1186/s40323-020-00147-4>
- Zhang, L., Zhou, L., & Horn, B. K. (2021). Building a right digital twin with model engineering. *Journal of Manufacturing Systems*, 59, 151–164. <https://doi.org/10.1016/j.jmsy.2021.02.009>
- Zhao, Y. F., Xie, J., & Sun, L. (2024). On the data quality and imbalance in machine learning-based design and manufacturing—a systematic review. *Engineering*.