

The pdfmanagement-firstaid package – temporary patches and package replacements

The L^AT_EX3 Project*

Released XXXX-XX-XX

1 pdfmanagement-firstaid documentation

This code is temporary! It tries to patch commands of other packages or even replace package which are incompatible with the pdfmanagement, to remove clashes and test if everything works as expected. This code should disappear when packages adapt to the central interfaces.

The package contains an number of sections for various packages. Every section can be disabled in (the first) `\DeclareDocumentMetadata` with `firstaidoff={name1,name2,...}`.

```
1 <*package>
2 \ProvidesExplPackage {pdfmanagement-firstaid} {2021-02-10} {0.8}
3   {experimental pdf-resource management / firstaid}
4
5 <@@=pdfmanagement>
6 \clist_map_inline:nn {pgf,transparent,hyperxmp,pdflscape,xcolor}
7   {
8     \bool_new:c          { g__pdfmanagement_firstaid_#1_bool }
9     \bool_gset_true:c { g__pdfmanagement_firstaid_#1_bool }
10  }
11 \clist_map_inline:Nn \g__pdfmanagement_firstaidoff_clist
12   {
13     \bool_if_exist:cT { g__pdfmanagement_firstaid_#1_bool }
14     {
15       \bool_gset_false:c { g__pdfmanagement_firstaid_#1_bool }
16     }
17   }
18 \msg_new:nnn { pdfmanagement } { firstaid }
19             { loading~pdfmanagement~firstaid~code~for~#1 }
```

1.1 xcolor

`xcolor` is not incompatible, but the new `hyperref` driver makes use of `l3color` to set the colors. It is therefore necessary to patch `xcolor`, so that colors defined with its `\definecolor` command are known to `l3color` and so `hyperref`. This only supports the color model from `l3color`. Colors defined with the models `cm`, `hsv` and `named` are silently ignored.

```
20 \ifundefined{color_set:nn}{
```

*E-mail: latex-team@latex-project.org

```

21 \RequirePackage{l3color}}{}
22 \bool_if:NT \g__pdfmanagement_firstaid_xcolor_bool
23 {
24   \AddToHook{package/after/xcolor}
25     {\RequirePackage{xcolor-patches-tmp-ltx}\XC@@names}
26 }

```

1.2 pgf

In `pgf`, resource management is set up in the file `pgfutil-common.tex`. This then provides three functions for adding to the resources, all of which are objects:

- `\pgfutil@addpdfresource@extgs`: Extended graphics state
- `\pgfutil@addpdfresource@colorspaces`: Color spaces
- `\pgfutil@addpdfresource@patterns`: Patterns

These resource dictionaries are used by adding entries in a cumulative sense; the macro layer deals with ensuring that each entry is only given once. Note that the objects themselves must be given only once for each page.

To support these functions, there are a series of set-up macros which install these resources. That has to take place for every page: the exact route therefore depends on the driver.

For the `pdfmanagement` project we need to avoid that `pgf` interferes in `ExtGState`, `ColorSpace` and `Pattern` (Shadings are added to the `xform` resources and so probably unproblematic for now). The actual patch is in a file hook guarded by the boolean, the rest of the code is always defined.

```

27
28 \bool_if:NT \g__pdfmanagement_firstaid_pgf_bool
29 {
30   \msg_info:nnn{pdfmanagement }{firstaid}{pgf}
31   \AddToHook{file/after/pgfrcs.sty}
32   {
33     \cs_set_eq:NN
34       \__pdfmanagement_pgfori_pgfutil@setuppdfresources
35       \pgfutil@setuppdfresources
36     \def\pgfutil@setuppdfresources
37     {
38       \pdfmanagement_if_active:TF
39       {
40         \__pdfmanagement_pgf_sys_setuppdfresources_plain:
41       }
42       {
43         \__pdfmanagement_pgfori_pgfutil@setuppdfresources
44       }
45     }
46   }
47 }
48 %\def\pgfutil@addpdfresource@extgs#1{\pgf@sys@addpdfresource@extgs@plain{#1}}
49 %\def\pgfutil@addpdfresource@colorspaces#1{\pgf@sys@addpdfresource@colorspaces@plain{#1}}
50 %\def\pgfutil@addpdfresource@patterns#1{\pgf@sys@addpdfresource@patterns@plain{#1}}
51 %\def\pgfutil@setuppdfresources{\pgf@sys@setuppdfresources@plain}
52 % \pgf@sys@pdf@possible@resources %used in xform

```

```

53 %Trying to patch pgf ..
54 \cs_new_protected:Npn \__pdfmanagement_pgfsys_setuppdfresources_plain:
55 {
56   %objects are already created ...
57   \def\pgf@sys@pdf@possible@resources
58   {
59     /ColorSpace~\pdf_object_ref:n {Page/Resources/ColorSpace}
60     /Pattern ~\pdf_object_ref:n {Page/Resources/Pattern}
61     /ExtGState ~\pdf_object_ref:n {Page/Resources/ExtGState}
62   }
63   \let\pgf@sys@pdf@check@resources=\relax%
64   %not sure if needed, but perhaps the lists are used somewhere else ...
65   \let\pgf@sys@pgf@resource@list@extgs=\pgfutil@empty%
66   \let\pgf@sys@pgf@resource@list@patterns=\pgfutil@empty%
67   \let\pgf@sys@pgf@resource@list@colorspaces=\pgfutil@empty%
68   % the commands to add page resources
69   \def\pgf@sys@addpdfresource@extgs@plain##1
70   {
71     \exp_after:wN %for transparent which passes a command
72     \__pdfmanagement_patch_pgftextgs:w ##1\q_stop
73   }
74   \def\pgf@sys@addpdfresource@patterns@plain##1
75   {
76     \__pdfmanagement_patch_pgfpatterns:w ##1\q_stop
77   }
78   \def\pgf@sys@addpdfresource@colorspaces@plain##1
79   {
80     \__pdfmanagement_patch_pgfcolorspaces:w ##1\q_stop
81   }
82 }
83
84 %\AtEndPreamble{\pgfutil@setuppdfresources}
85 % helper commands as pgf doesn't pass resources as two arguments
86 % code to add to the resources existing stuff in the format "/name value":
87 \cs_new:Npn \__pdfmanagement_split_dict_entry_aux:NNw #1 #2 /#3~#4\q_stop
88 {
89   \tl_set:Nn #1 {#3}
90   \tl_set:Nn #2 {#4}
91 }
92
93 \cs_new:Npn \__pdfmanagement_patch_pgftextgs:w #1/#2<<#3>>#4\q_stop
94 {
95   \exp_args:Nne
96   \__pdf_backend_PageResources_gput:nnn
97   {ExtGState}{\tl_trim_spaces:n{#2}}{<<#3>>}
98 }
99 \cs_new:Npn \__pdfmanagement_patch_pgfpatterns:w #1/#2\space#3\q_stop
100 {
101   \exp_args:Nnxx
102   \__pdf_backend_PageResources_gput:nnn
103   {Pattern}{\tl_trim_spaces:n{#2}}{#3}
104 }
105 \cs_new:Npn \__pdfmanagement_patch_pgfcolorspaces:w #1/#2[#3]#4\q_stop
106 {

```

```

107 \exp_args:Nne
108 \__pdf_backend_PageResources_gput:nnn
109   {ColorSpace}{\tl_trim_spaces:n{#2}}{[#3]}
110 }
111

```

1.3 transparent

We simply replace by the new version.

```

112 \bool_if:NT \g__pdfmanagement_firstaid_transparent_bool
113 {
114   \declare@file@substitution{transparent.sty}{transparent-ltx.sty}
115 }

```

1.4 pdflscape

We simply replace by the new version.

```

116 \bool_if:NT \g__pdfmanagement_firstaid_pdflscape_bool
117 {
118   \declare@file@substitution{pdflscape.sty}{pdflscape-ltx.sty}
119 }

```

1.5 hyperxmp

We add some code at the end of hyperxmp.sty.

```

120 \bool_if:NT \g__pdfmanagement_firstaid_hyperxmp_bool
121 {
122   \AddToHook
123     {file/after/hyperxmp.sty}
124     {\RequirePackage{hyperxmp-patches-tmp-ltx}}
125 }
126 \</package>

```

1.6 colorspace

This is rather difficult as no real places to inject patches at first a try to avoid that its ExtGState is missing: it can not be avoided to recreate the objects (and so to get duplicates) as colorspace uses temporary macros whose contents is lost.

```

127 \<*package>
128 \<@@=pdf>
129 % this must be earlier, to avoid problems with luatex which has two pageresources
130 % lua/tex
131 \hook_gput_code:nnn {begindocument} {pdf}
132 {
133   \tl_if_exist:NT \spc@op
134   {
135     \def\spc@Pageresources#1{}
136   }
137 }
138 }
139
140 \hook_gput_code:nnn {begindocument/end} {pdf}

```

```

141 {
142   \tl_if_exist:NT \spc@op
143   {
144     \__pdf_backend_object_new:nn {__spc_extgstate_op_false}{dict}
145     \__pdf_backend_object_write:nn
146       {__spc_extgstate_op_false}
147       {/Type /ExtGState~/op~false~/OP~false}
148     \pdfmanagement_add:nnn
149       {Page/Resources/ExtGState}
150       {SPCko}
151     {\__pdf_backend_object_ref:n {__spc_extgstate_op_false}}
152     \__pdf_backend_object_new:nn {__spc_extgstate_op_true0}{dict}
153     \__pdf_backend_object_write:nn
154       {__spc_extgstate_op_true0}
155       {/Type /ExtGState~/op~true~/OP~true~/OPM~0}%
156     \pdfmanagement_add:nnn
157       {Page/Resources/ExtGState}
158       {SPCmz}
159     {\__pdf_backend_object_ref:n {__spc_extgstate_op_true0}}
160     \__pdf_backend_object_new:nn {__spc_extgstate_op_true1}{dict}
161     \__pdf_backend_object_write:nn
162       {__spc_extgstate_op_true1}
163       {/Type /ExtGState~/op~true~/OP~true~/OPM~1}%
164     \pdfmanagement_add:nnn
165       {Page/Resources/ExtGState}
166       {SPCp}
167     {\__pdf_backend_object_ref:n {__spc_extgstate_op_true1}}
168   }
169 }
170 </package>

```

Index

The italic numbers denote the pages where the corresponding entry is described, numbers underlined point to the definition, all others indicate the places where it is used.

A		cs commands:	
\AddToHook	24, 31, 122	\cs_new:Npn	87, 93, 99, 105
\AtEndPreamble	84	\cs_new_protected:Npn	54
		\cs_set_eq:NN	33
B		D	
bool commands:		\DeclareDocumentMetadata	1
\bool_gset_false:N	15	\def	36, 48, 49, 50, 51, 57, 69, 74, 78, 135
\bool_gset_true:N	9	\definecolor	1
\bool_if:NTF	22, 28, 112, 116, 120	E	
\bool_if_exist:NTF	13	exp commands:	
\bool_new:N	8	\exp_after:wN	71
C		\exp_args:Nne	95, 107
clist commands:		\exp_args:Nnxx	101
\clist_map_inline:Nn	11		
\clist_map_inline:nn	6		

H		Q	
hook commands:		_pdfmanagement_split_dict_	
\hook_gput_code:nnn	131, 140	entry_aux:NNw	87
		\ProvidesExplPackage	2
L		R	
\let	63, 65, 66, 67	quark commands:	
M		\q_stop	72, 76, 80, 87, 93, 99, 105
msg commands:		S	
\msg_info:nnn	30	\relax	63
\msg_new:nnn	18	\RequirePackage	21, 25, 124
P		T	
pdf commands:		TeX and L ^A T _E X 2 _ε commands:	
\pdf_object_ref:n	59, 60, 61	\@ifundefined	20
pdf internal commands:		\declare@file@substitution	114, 118
_pdf_backend_object_new:nn	144, 152, 160	\pgf@sys@addpdfresource@colorspaces@plain	49, 78
_pdf_backend_object_ref:n	151, 159, 167	\pgf@sys@addpdfresource@extgs@plain	48, 69
_pdf_backend_object_write:nn	145, 153, 161	\pgf@sys@addpdfresource@patterns@plain	50, 74
_pdf_backend_PageResources_gput:nnn	96, 102, 108	\pgf@sys@pdf@check@resources	63
pdfmanagement commands:		\pgf@sys@pdf@possible@resources	52, 57
\pdfmanagement_add:nnn	148, 156, 164	\pgf@sys@pgf@resource@list@colorspaces	67
\pdfmanagement_if_active:TF	38	\pgf@sys@pgf@resource@list@extgs	65
pdfmanagement internal commands:		\pgf@sys@pgf@resource@list@patterns	66
\g_pdfmanagement_firstaid_hyperxmp_bool	120	\pgf@sys@setuppdfresources@plain	51
\g_pdfmanagement_firstaid_pdfscape_bool	116	\pgfutil@addpdfresource@colorspaces	2, 49
\g_pdfmanagement_firstaid_pgf_bool	28	\pgfutil@addpdfresource@extgs	2, 48
\g_pdfmanagement_firstaid_transparent_bool	112	\pgfutil@addpdfresource@patterns	2, 50
\g_pdfmanagement_firstaid_xcolor_bool	22	\pgfutil@empty	65, 66, 67
\g_pdfmanagement_firstaidoff_clist	11	\pgfutil@setuppdfresources	35, 36, 51, 84
_pdfmanagement_patch_pgfcolorspaces:w	80, 105	\spc@op	133, 142
_pdfmanagement_patch_pgfextgs:w	72, 93	\spc@Pageresources	135
_pdfmanagement_patch_pgfpatterns:w	76, 99	\XC@@names	25
_pdfmanagement_pgf_sys_setuppdfresources_plain:	40, 54	tl commands:	
_pdfmanagement_pgfori_pgfutil@setuppdfresources	34, 43	\tl_if_exist:NTF	133, 142
		\tl_set:Nn	89, 90
		\tl_trim_spaces:n	97, 103, 109