DINESWIFT REQUIREMENTS TRACEABILITY MATRIX (P1 - PHASE 1)

Document Version: 1.0.0 **Date:** October, 13th, 2025

Status: Approved with Component Specification

Authors: Product Management Team

Revision Focus: Clear component responsibility assignment and phased implementation

NAME	RegNo	EMAIL	PHONE
Mushabe Moses	23/U/12131/EVE	Mosesmushae9@gmail.com	0752307875
Drate Hillary	23/U/23611	dratehillary@gmail.om	0758235980
Mukyala Dorcus Nandy	23/U/11911/EVE	mukyaladorcus@gmail.com	0755011795
Kiyimba Fahad	23/U/0628	kiyimbafwitty@gmail.com	0762938957



This document provides the high-level traceability from Use Cases to Requirements, Test Cases, and Sprints for all components in Phase 1 of the DineSwift project.

1. HIGH PRIORITY USE CASES TO REQUIREMENTS MAPPING

1.1. Mobile App Use Cases (P1)

High Priority Use Cases to Requirements Mapping

Use Case ID	Use Case Name	Functional Requirements	Non-Functional Requirements	Priority	Test Case ID	Sprint
UC-MOB- ORDER- 001	Scan QR Code	MOBILE-APP- FR-001-P1	MOBILE-NFR-301- P1, MOBILE-NFR- 302-P1	High	TC- MOB- 001	1
UC-MOB- ORDER- 002	Browse Menu	MOBILE-APP- FR-002-P1	MOBILE-NFR-001- P1, MOBILE-NFR- 002-P1	High	TC- MOB- 002	1
UC-MOB- ORDER- 003	Build Order	MOBILE-APP- FR-002-P1	MOBILE-NFR-002- P1	High	TC- MOB- 003	1
UC-MOB- BOOK-001	Search Available Tables	MOBILE-APP- FR-101-P1	MOBILE-NFR-001- P1	High	TC- MOB- 007	1
UC-MOB- BOOK-002	View Restaurant Layout	MOBILE-APP- FR-101-P1	MOBILE-NFR-002- P1	High	TC- MOB- 008	1
UC-MOB- BOOK-003	Select Table & Time	MOBILE-APP- FR-101-P1	MOBILE-NFR-002- P1	High	TC- MOB- 009	1
UC-MOB- ORDER- 004	Process Payment	MOBILE-APP- FR-004-P1	MOBILE-NFR-101- P1, MOBILE-NFR- 102-P1	High	TC- MOB- 004	2
UC-MOB- ORDER- 005	Display OTP Code	MOBILE-APP- FR-005-P1	MOBILE-NFR-002- P1	High	TC- MOB- 005	2
UC-MOB- ORDER- 006	Track Order Status	MOBILE-APP- FR-006-P1	MOBILE-NFR-002- P1	High	TC- MOB- 006	2
UC-MOB- BOOK-004	Pay Deposit	MOBILE-APP- FR-102-P1	MOBILE-NFR-101- P1	High	TC- MOB- 010	2

UC-MOB-	II)ıoıtal		MOBILE-NFR-002- P1	High	TC- MOB- 011	2	
---------	------------	--	-----------------------	------	--------------------	---	--

1.2. Local Server Use Cases (P1)

Use Case ID	Use Case Name	Functional Requirements	Non-Functional Requirements	Priority	Test Case ID	Sprint
UC- LOCAL- ORDER- 101		LOCAL-FR- 001-P1	LOCAL-NFR-201- P1, LOCAL-NFR- 101-P1	High	TC- LOCAL- 001	1
UC- LOCAL- ORDER- 104	Process Offline Orders	LOCAL-FR- 004-P1	LOCAL-NFR-201- P1	High	TC- LOCAL- 004	1
	_	LOCAL-FR- 005-P1	LOCAL-NFR-202- P1	High	TC- LOCAL- 005	1
UC- LOCAL- ORDER- 102	Generate OTP Codes	LOCAL-FR- 002-P1	LOCAL-NFR-001- P1	High	TC- LOCAL- 002	2
UC- LOCAL- ORDER- 103	Calculate Preparation ETA	LOCAL-FR- 003-P1	LOCAL-NFR-001- P1	High	TC- LOCAL- 003	2
	Apply Deposit to Bill	LOCAL-FR- 104-P1	LOCAL-NFR-001- P1	High	TC- LOCAL- 006	2

1.3. Cloud Server Use Cases (P1)

Use Case ID	Use Case Name	Functional Requirements	Non-Functional Requirements	Priority	Test Case ID	Sprint
		CLOUD-DR- 001-P1	CLOUD-NFR-002- P1, CLOUD-NFR- 005-P1	High	TC- CLOUD- 002	1

UC-CLOUD- MENU-203	Menu	CLOUD-FR- 001-P1	CLOUD-NFR-001- P1		TC- CLOUD- 003	1
UC-CLOUD- BOOK-201	Manage Booking Calendar	CLOUD-FR- 102-P1	CLOUD-NFR-001- P1		TC- CLOUD- 004	1
UC-CLOUD- PAYMENT- 201		CLOUD-FR- 002-P1	CLOUD-NFR-101- P1, CLOUD-NFR- 102-P1	\mathcal{C}	TC- CLOUD- 001	2
UC-CLOUD- BOOK-202	Process Deposit Payments	CLOUD-FR- 103-P1	CLOUD-NFR-101- P1		TC- CLOUD- 005	2
UC-CLOUD- BOOK-203	Generate Digital Tickets	CLOUD-FR- 104-P1	CLOUD-NFR-002- P1	High	HTC- CLOUD- 006	2

1.4. Web App Use Cases (P1)

Use Case ID	Use Case Name	Functional Requirements	Non-Functional Requirements	Priority	Test Case ID	Sprint
UC-WEB- KITCHEN-301	View Kitchen Orders	WEB-APP-FR- 001-P1	WEB-NFR-001-P1	High	TC- WEB- 001	1
UC-WEB- KITCHEN-302	1	WEB-APP-FR- 002-P1	WEB-NFR-001-P1	High	TC- WEB- 002	1
UC-WEB- KITCHEN-303	Mark Order Ready	WEB-APP-FR- 003-P1	WEB-NFR-001-P1	High	TC- WEB- 003	1
UC-WEB- HOST-304	Validate Booking on Arrival	WEB-APP-FR- 004-P1	WEB-NFR-001-P1	High	TC- WEB- 004	2
UC-WEB- HOST-305	Apply Deposit to Bill	WEB-APP-FR- 005-P1	WEB-NFR-001-P1	High	TC- WEB- 005	2

2. IMPLEMENTATION PRIORITY MATRIX

2.1. Quadrant 1: High Business Value, High Complexity (Start Immediately)

Use Case	Components	Requirements	Effort	Business Value
	Mobile App, Local Server Cloud Server	MOBILE-APP-FR-001-P1, LOCAL-FR-001-P1, CLOUD- FR-001-P1	High	Critical
	* * *	MOBILE-APP-FR-004-P1, CLOUD-FR-002-P1	High	Critical
UC-CLOUD- PAYMENT-201	L Tolid Server	CLOUD-FR-002-P1, CLOUD- NFR-101-P1	High	Critical

2.2. Quadrant 2: High Business Value, Low Complexity (Quick Wins)

Use Case	Components	Requirements	Effort	Business Value
	Mobile App, Local Server	MOBILE-APP-FR-002-P1, LOCAL-FR-001-P1	Medium	High
	Web App, Local Server	WEB-APP-FR-001-P1, LOCAL-FR-001-P1	Low	High
	Mobile App, Cloud Server	MOBILE-APP-FR-101-P1, CLOUD-FR-102-P1	Medium	High

3. DETAILED TEST CASE DEFINITIONS (P1)

3.1. Mobile App Test Cases (P1)

These test cases validate the core customer ordering and booking flow on the mobile application, focusing on performance, resilience, and security.

Test Case ID	Description	Preconditions	Test Steps	Expected Result
TC- MOB- 001	QR code scanning success rate >95%	Valid QR code is available.	1. Attempt to scan the QR code 100 times under various light/distance conditions.	Successful scan and restaurant/table ID extraction in at least 96 attempts.
TC- MOB- 001A	Offline QR code handling with cached data	App has successfully synced the menu once. Network connectivity is disabled.	1. Scan a valid QR code while offline.	The app opens the cached menu associated with the scanned table/restaurant without a network error.
TC- MOB- 001B	Error handling for invalid QR codes	Network is enabled.	1. Scan an invalid QR code (e.g., a generic barcode or a corrupted QR).	A clear, user-friendly error message is displayed (e.g., "Invalid QR Code") with an option for manual entry.
	Menu loading performance <3 seconds	App is connected to the Local Server.	time from scan complete	The full menu content loads and renders in less than 3 seconds (MOBILE-NFR-001-P1).
TC- MOB- 002A	Offline menu browsing capability	Menu is cached. Device has no connectivity.	Browse through all menu categories. 2. View item details.	All cached menu data is displayed accurately, allowing full browsing.
TC- MOB- 002B	Shopping cart functionality with real-time totals	User is adding items to the cart.	1. Add multiple items with different prices. 2. Verify the total price updates instantly and correctly.	Cart total, including tax, is calculated and updated in real-time as items are added/removed.
TC- MOB- 003	Order building with real-time calculations	User is modifying items in the cart.	1. Add a high-cost modifier. 2. Change the item quantity. 3. Verify the subtotals update instantly.	Subtotals and taxes are calculated correctly and in real-time for all item additions and modifications.

TC- MOB- 003A	Tax calculation accuracy	Cart contains items.	sales tax against the known tax rate.	The displayed tax amount is mathematically accurate according to the configured rate.	
MOB-	Special instructions handling	User is on the item detail screen.	line special instruction	Instructions are saved, displayed in the cart summary, and successfully transmitted with the order.	
TC- MOB- 004	Payment success rate >98%	User submits a valid payment through the integrated gateway (e.g., Momo).	1. Execute 100 successful payment attempts with valid credentials.	At least 99 out of 100 payments successfully process and receive confirmation from the Cloud Server.	
MOB-	Payment failure recovery with cart preservation	Payment gateway returns a specific failure code (e.g., "Insufficient Funds").	Check the cart content after failure.	The payment failure is clearly communicated. The user is returned to the cart, and all selected items/modifications are preserved.	
	Security compliance validation	Order processed successfully.	1. Inspect device storage and network traffic logs during payment.	No sensitive payment information (card numbers, tokens, etc.) is stored locally on the device or transmitted unencrypted (MOBILE-NFR-101-P1, MOBILE-NFR-102-P1).	
MOB-	OTP display with expiration timer	Order successfully placed and paid.	screen. 2. Monitor the	The OTP is displayed clearly alongside a visible and accurate 5-minute countdown timer.	
TC- MOB- 005A	OTP refresh functionality	The expiration timer reaches zero.		A new, unique OTP code is instantly displayed, and the timer is reset to 5 minutes.	
MOB-	OTP visibility and copy functionality	OTP is displayed.	conditions. 2. Attempt to	The OTP is highly legible. The user can successfully copy the code to the device clipboard.	

TC- MOB- 006	Real-time order status updates	Kitchen staff updates the order status (e.g., from "Received" to "In Prep").	1. Monitor the order status on the mobile app.	The status update is reflected on the mobile app within 2 seconds of the update being performed by staff.
TC- MOB- 006A	Status accuracy validation	Staff updates the order to "Ready for Pickup."	App matches the status	The displayed status (e.g., "Ready") is consistent across all application layers.
TC- MOB- 006B	Offline status access	Customer views the order status screen while offline.	1. Place an order, go offline, and navigate to the order status.	The last known order status is retrieved and displayed with a clear indication that it may be outdated (e.g., "Last updated: 10:30 AM").
	Table search and filtering functionality	Multiple tables are available and unavailable in the system.		The search returns only available tables matching all specified criteria and filters.
MOB-	Real-time availability accuracy	Staff manually marks a table as "Reserved" in the Web App.	the Mobile App	The newly reserved table is marked as unavailable or removed from the list within seconds.
MOB-	Performance validation <3 seconds	Booking search query is executed.	1. Measure the time taken from submitting search criteria to displaying results.	Search results are loaded and displayed in less than 3 seconds (MOBILE-NFR-001-P1).
MOB-	Layout rendering accuracy	Customer is viewing the restaurant layout screen.	digital layout to the actual restaurant floor	The displayed layout accurately reflects the position and relative size of tables.
TC- MOB- 008A	Interactive table selection	*	2. Tap an available table.	Tapping an available table proceeds to the confirmation screen. Tapping an unavailable table displays a status message.
TC- MOB- 008B	Maintenance status display	A table is temporarily marked "Out of Service" by management.	1. View the restaurant layout.	The specific table is visually marked (e.g., grayed out) and nonselectable, showing its maintenance status.

TC- MOB- 009	Table and time selection workflow	Table search is complete.	1. Select an available table and a time slot. 2. Proceed to the confirmation/deposit screen.	The correct table and time are carried through the workflow without error, and the deposit amount is shown.
_	Conflict detection and prevention	Two users attempt to book the same table/time simultaneously.	1. User A initiates booking. 2. User B tries to select the same table before User A confirms.	The system detects the conflict and prevents User B from proceeding, prompting them to select an alternative.
TC- MOB- 009B	Special requests handling	User is on the final booking confirmation screen.	1. Enter a detailed special request (e.g., "Need a high chair"). 2. Complete the booking.	The special request is correctly recorded in the Cloud Booking record.
MOB-	Deposit payment processing	User proceeds from table selection to payment.	mayment ellecees	The deposit payment is processed securely via the gateway, and a confirmation is received.
TC- MOB- 010A	Refund policy communication	User is on the deposit payment screen.		The refund policy details (e.g., refundable if canceled before 24 hours) are clearly displayed and accurate.
MOB-	Payment security validation	Deposit payment is executed.	1. Inspect network traffic and logging during the deposit transaction.	The payment transaction adheres to the same security standards as TC-MOB-004B (no local storage of payment data).
MOB-	Digital ticket display with QR code	Booking deposit successfully paid.	1. Navigate to the digital ticket screen.	A clean, readable digital ticket is displayed, including a unique QR code for check-in.
TC- MOB- 011A	Offline ticket access	Device has no connectivity.		The ticket, including the QR code, is cached and displayed successfully for check-in.
TC- MOB- 011B	Check-in QR functionality	Staff uses the Host Web App to check in a customer.	customer's digital ticket QR code.	The Host Web App successfully reads the QR code and loads the corresponding booking record for validation.

3.2. Local Server Test Cases (P1)

These cases validate the local environment's resilience, caching, and offline functionality, which are crucial for restaurant operations.

	for restaurant oper	iations.		
Test Case ID	Description	Preconditions	Test Steps	Expected Result
TC- LOCAL- 001	Menu cache synchronization with version control	Menu is updated on the Cloud Server.	1. Observe the Local Server's menu version identifier. 2. Verify the server pulls the new menu data.	Local Server detects the new Cloud version and successfully downloads/updates the local cache.
TC- LOCAL- 001A	Offline menu access performance	Local Server is offline. Mobile app requests cached data.	1. Simulate 100 concurrent mobile requests for menu data. 2. Measure the response time for each request.	Menu data is served from the cache with minimal latency, ensuring fast menu browsing performance even when offline.
TC- LOCAL- 001B	Cache encryption validation	Local Server cache storage is physically accessible.	1. Attempt to read the cached menu file directly from the file system.	The data retrieved is encrypted/obfuscated at rest (LOCAL-NFR-101-P1) and cannot be read as plain text.
TC- LOCAL- 002	OTP generation performance <500ms	A payment success notification is received.	1. Measure time from payment success notification to OTP generation completion.	The Local Server generates the unique OTP and makes it available for display in less than 500ms (LOCAL-NFR-001-P1).
TC- LOCAL- 002A	OTP uniqueness and expiration validation	Multiple concurrent orders are placed.	1. Generate 10 OTPs concurrently. 2. Validate that all 10 are unique. 3. Verify that all 10 expire precisely after 5 minutes.	All OTPs generated are unique and adhere strictly to the 5-minute expiration rule.
TC- LOCAL- 002B	Order routing to kitchen timing	OTP is successfully generated.	1. Measure time from OTP generation to the order appearing in the Kitchen Web App.	The order is successfully routed to the Kitchen Web App within the required performance window (e.g., <500ms of confirmation).
TC- LOCAL- 003	ETA calculation accuracy	System has historical data and	1. Submit an order (A) and measure the estimated ETA.	Order B's ETA is correctly longer than Order A's, demonstrating

		current kitchen load data.	2. Submit a large order (B) and measure its ETA.	that current kitchen load is factored into the calculation.
LOCAL-	Real-time kitchen load factoring	Kitchen staff marks 5 items as "In Prep."	1. Submit a new order immediately and observe the calculated ETA.	The ETA for the new order is dynamically adjusted (increased) to reflect the recent increase in kitchen load.
TC- LOCAL- 003B	Performance under load	Local Server is under maximum expected load (concurrent orders/lookups).	Execute multiple ETA calculations simultaneously.	ETA calculations are processed within system performance requirements without noticeable delay.
TC- LOCAL- 004	Offline order processing capability	Local Server connectivity is severed.	1. Mobile App submits an order to the Local Server.	The Local Server successfully processes the order, generates a local ID, and queues it for later sync.
LOCAL-	Order sync after connectivity restore	Multiple offline orders are queued.	1. Re-establish network connectivity. 2. Monitor the Local Server sync queue.	All queued orders are automatically and successfully synchronized to the Cloud Server.
TC- LOCAL- 004B	CRDT conflict resolution	Two orders are modified on two separate offline devices, causing potential data conflict upon sync.		The Conflict-Free Replicated Data Type (CRDT) logic resolves the conflict gracefully, resulting in a consistent final record without data loss.
	Order sync functionality and reliability	New orders are processed locally.	1. Monitor the sync process during normal operation. 2. Verify orders are passed to the cloud.	Orders are reliably synchronized to the Cloud Server as soon as connectivity is available.
TC- LOCAL- 005A	Sync performance validation	A batch of 50 queued orders is synced to the cloud.	1. Measure the total time taken to synchronize the entire batch.	The sync operation completes within the defined performance threshold (e.g., bulk sync takes less than 2 minutes).
TC- LOCAL- 005B	Data integrity during sync	Compare the local and cloud records	1. Verify that all items, quantities, special instructions,	The synchronization process preserves the integrity of all data fields

		after synchronization.	and timestamps exactly match the local record.	from local storage to the cloud.
	Deposit application accuracy	Booking deposit is recorded in the Cloud.	1. Host processes a bill for a customer with a deposit. 2. Verify the final bill amount.	The Local Server successfully retrieves the deposit record from the Cloud and accurately deducts the amount from the final bill.
TC- LOCAL- 006A	Manual adjustment capability	manually adjust the applied deposit amount.	1. Host attempts to override the automatically applied deposit value (e.g., set to \$0 or double it).	The system allows the manual adjustment with required supervisor override/audit logging.
TC- LOCAL- 006B	Validation workflow	Host applies deposit to a bill where the booking has been marked as a "no-show."	1. Attempt to apply the deposit.	The system prevents the deposit from being applied and displays an error due to the booking's invalid status.

3.3. Cloud Server Test Cases (P1)

These cases focus on security, data persistence, and master data management in the central cloud environment.

Test Case ID	Description	Preconditions	Test Steps	Expected Result
CLOUD-	validation and idempotent	Multiple payment requests for the same transaction ID are received.	successful payment token twice (rapidly).	The Cloud Server performs the validation call only once and returns a successful confirmation for both requests (idempotent).
CLOUD-	PCI DSS compliance verification	is active.	security audit focusing on payment data	The payment processing infrastructure meets all defined PCI DSS Level 1 compliance requirements (CLOUD-NFR-101-P1).

TC- CLOUD- 001B	Role-based access control validation	An unauthorized user attempts to access order data.	1. Log in as a Kitchen Staff and try to access Finance/Payment data endpoints.	The system denies access based on the user's role (CLOUD-NFR-102-P1), logging the attempted unauthorized access.
TC- CLOUD- 002	Order storage reliability and performance	Large volume of orders is being synced from Local Servers.	1. Insert 10,000 order records into the database. 2. Verify all records are present and correct.	All order records are stored persistently and reliably without data loss or corruption.
TC- CLOUD- 002A	Query performance <100ms validation	Execute a complex query (e.g., "Find all orders from Table 5 in the last 7 days").	1. Measure the database query execution time under normal load.	The query returns results within the required 100ms P95 threshold (CLOUD-NFR-002-P1).
TC- CLOUD- 002B	Backup and recovery procedures	Production data is active.	failure. 2. Initiate the recovery procedure	The database is successfully restored to a state no older than the last 6-hour backup point.
TC- CLOUD- 003	QR code resolution accuracy	Cloud maps QR codes to specific restaurant menu URLs.	1. Submit a QR code ID to the Cloud API. 2. Verify the returned menu URL and table map data.	The API correctly resolves the QR ID to the associated restaurant's menu URL and table identifier.
TC- CLOUD- 003A	Multi-tenant support validation	Two different restaurant tenants are configured.	1. Tenant A attempts to resolve a QR code belonging to Tenant B.	The system returns an error or a "Tenant Not Found" response, preventing cross-tenant data access (CLOUD-NFR-001-P1).
TC- CLOUD- 003B	Menu update propagation	Menu Master is updated.	1. Measure the time taken for the update to be signaled and pulled by all connected Local Servers.	The menu update is successfully propagated across the entire network within the specified time (e.g., <5 minutes).
TC- CLOUD- 004	Booking calendar management	Various tables are reserved and open across the calendar.	1. Query the calendar for a specific date/time/table. 2. Query for global availability.	The calendar accurately reflects all reservations, preventing doublebooking and showing

				correct global availability.
TC- CLOUD- 004A	Deposit requirement enforcement	Booking is attempted for a time/date that requires a deposit.	1. Attempt to confirm a booking without submitting the deposit payment.	The system prevents the booking from being confirmed until a successful deposit payment is processed.
TC- CLOUD- 004B	Policy communication accuracy	Deposit and Cancellation policies are configured.	1. Query the Cloud API for the current policy text. 2. Verify the text matches what is displayed to the customer.	The policy communication is accurate and consistently presented across all touchpoints (Mobile App, Web App).
TC- CLOUD- 005	Digital ticket generation with QR codes	Deposit payment is successful.	1. Verify the generated digital ticket in the database.	A unique, cryptographically secure digital ticket with a valid check-in QR code is generated and linked to the booking record.
TC- CLOUD- 005A	Staff notification system	A booking is successfully confirmed.	1. Check the staff notification logs (e.g., internal messaging/Web App flag).	The appropriate staff (e.g., Host/Manager) is automatically notified of the new booking.
TC- CLOUD- 005B	Security compliance validation	Digital ticket is generated.	1. Check the QR code data payload for sensitive customer PII.	The QR code payload contains only the necessary, nonsensitive booking ID for check-in validation.
TC- CLOUD- 006	Advance booking requirement enforcement	Advance booking requirement is set to "Minimum 1 hour."	1. Attempt to book a table 30 minutes in the future. 2. Attempt to book a table 61 minutes in the future.	The system blocks the 30-minute booking (Test 1 fails) and successfully allows the 61-minute booking (Test 2 succeeds).
TC- CLOUD- 006A	Configuration flexibility validation	Management changes the advance booking requirement (e.g., from 1 hour to 4 hours).	1. Verify the new requirement is immediately applied and enforced across all new booking requests.	The booking policy can be dynamically updated via configuration and takes effect instantly.

			1. Simulate 100	The booking system
TC-	Darformanca	High concurrent	concurrent availability	maintains performance
CLOUD-	Performance under load	requests to the	checks and 10	and accurately enforces
006B	under road	booking API.	concurrent booking	availability constraints
			requests.	under high load.

3.4. Web App Test Cases (P1)
These cases validate the functional and real-time requirements for the staff-facing Web Applications (Kitchen and Host).

Test Case ID	Description	Preconditions	Test Steps	Expected Result
TC- WEB- 001	Real-time order display accuracy	A new order is successfully synced from the Local Server.	1. Verify the new order appears on the Kitchen Order screen. 2. Compare item details, quantity, and special instructions.	The order appears instantly on the screen, and all data fields exactly match the submitted order.
TC- WEB- 001A	One-tap action functionality	An order is in the "Received" state.	1. Staff clicks the "Start Prep" button once.	The order status updates with a single click without any secondary confirmation dialogs (WEB-NFR-001-P1).
TC- WEB- 001B	Performance during peak hours	Kitchen Web App is under maximum expected concurrent staff usage.	1. Perform 10 status updates within 5 seconds.	The Web App remains responsive, and all updates are registered without freezing or significant lag.
TC- WEB- 002	Status update functionality	Staff changes an order status (e.g., "In Prep" to "Ready").	1. Click the status button. 2. Verify the order moves to the next logical state/column.	The status update is successful and the order is correctly moved/categorized in the UI.
TC- WEB- 002A	One-tap status changes	Staff attempts to move an order from "In Prep" to "Ready."	1. Click the 'Ready' button once.	The status changes instantly, demonstrating one-tap functionality for common status changes.
TC- WEB- 002B	Real-time propagation to mobile apps	Kitchen staff marks an order as "Ready."	1. Verify the Mobile App status for that order updates instantly.	The status change is immediately pushed and displayed on the customer's Mobile App (UC-MOB-ORDER-006).
TC- WEB- 003	Order ready marking with timestamps	Staff marks an order as ready.	Verify the order record in the Cloud DB.	The order record is updated with a precise timestamp indicating

				when the order was marked as ready.
TC- WEB- 003A	OTP synchronization with mobile app	Order is marked as ready.	1. Verify the corresponding OTP is available for the customer on the Mobile App.	The OTP generation/display is triggered and synchronized correctly with the "Order Ready" status change.
TC- WEB- 003B	One-tap ready confirmation	Staff marks the order ready.	1. Click the 'Ready' button once.	The action completes instantly, confirming the order is ready with a single tap.
TC- WEB- 004	Booking validation accuracy	Host validates a booking record.	1. Host enters a known booking ID into the lookup field. 2. Verifies customer name, party size, and table assignment.	The correct and current booking details are retrieved from the Cloud Server and displayed accurately for validation.
TC- WEB- 004A	QR code scanning for validation	Host scans the QR code from the customer's digital ticket.	1. Host uses the built- in scanner to capture the QR.	The system instantly resolves the QR code to the correct booking record.
TC- WEB- 004B	Manual lookup capability	Host searches by customer name or phone number.	1. Host enters a partial customer name.	The system returns a filtered list of matching bookings, allowing the Host to manually select the correct one.
TC- WEB- 005	Deposit application to bill	A validated booking with a deposit is linked to a customer's bill.	1. Host initiates the 'Apply Deposit' action on the final bill screen.	The deposit amount is correctly retrieved from the Cloud and automatically deducted from the Local Server's bill total.
TC- WEB- 005A	One-tap application functionality	Host applies the deposit.	1. Click the 'Apply Deposit' button once.	The deduction is applied to the bill instantly with a single tap.
TC- WEB- 005B	Manual adjustment capability	Host attempts to override the deposit amount or apply a partial amount.	1. Host manually enters a value different from the applied deposit.	The system allows the manual adjustment, requiring an administrative override/reason, and updates the bill accordingly.

4. DETAILED TRACEABILITY SUMMARY

4.1. MOBILE-APP Traceability Details

Use Case	Implements (FR/NFR)	Dependencies	Critical Test Cases
UC-MOB-ORDER- 001: Scan QR Code	MOBILE-APP-FR-001-P1, MOBILE-NFR-301-P1, MOBILE-NFR-302-P1	LOCAL-FR-001-P1, CLOUD-FR-001-P1	HTC-MOB-001, TC-MOB-001A, TC-MOB-001B
UC-MOB-ORDER- 002: Browse Menu	MOBILE-APP-FR-002-P1, MOBILE-NFR-001-P1, MOBILE-NFR-002-P1	LOCAL-FR-001-P1, CLOUD-FR-001-P1	HTC-MOB-002, TC-MOB-002A, TC-MOB-002B
UC-MOB-ORDER- 003: Build Order	MOBILE-APP-FR-002-P1, MOBILE-NFR-002-P1	LOCAL-FR-001-P1, LOCAL-FR-004-P1	HTC-MOB-003, TC-MOB-003A, TC-MOB-003B
UC-MOB-ORDER- 004: Process Payment	MOBILE-APP-FR-004-P1, MOBILE-NFR-101-P1, MOBILE-NFR-102-P1	CLOUD-FR-002-P1, LOCAL-FR-002-P1	HTC-MOB-004, TC-MOB-004A, TC-MOB-004B
UC-MOB-ORDER- 005: Display OTP Code	MOBILE-APP-FR-005-P1, MOBILE-NFR-002-P1	LOCAL-FR-002-P1, LOCAL-FR-003-P1	HTC-MOB-005, TC-MOB-005A, TC-MOB-005B
UC-MOB-ORDER- 006: Track Order Status	MOBILE-APP-FR-006-P1, MOBILE-NFR-002-P1	LOCAL-FR-003-P1, CLOUD-FR-001-P1	HTC-MOB-006, TC-MOB-006A, TC-MOB-006B
UC-MOB-BOOK- 001: Search Available Tables	MOBILE-APP-FR-101-P1, MOBILE-NFR-001-P1	CLOUD-FR-102-P1, CLOUD-FR-104-P1	HTC-MOB-007, TC-MOB-007A, TC-MOB-007B
UC-MOB-BOOK- 002: View Restaurant Layout	MOBILE-APP-FR-101-P1, MOBILE-NFR-002-P1	CLOUD-FR-102-P1, CLOUD-DR-104-P1	HTC-MOB-008, TC-MOB-008A, TC-MOB-008B
UC-MOB-BOOK- 003: Select Table & Time	MOBILE-APP-FR-101-P1, MOBILE-NFR-002-P1	CLOUD-FR-102-P1, CLOUD-FR-103-P1	HTC-MOB-009, TC-MOB-009A, TC-MOB-009B
UC-MOB-BOOK- 004: Pay Deposit	MOBILE-APP-FR-102-P1, MOBILE-NFR-101-P1	CLOUD-FR-103-P1, CLOUD-FR-104-P1	HTC-MOB-010, TC-MOB-010A, TC-MOB-010B
UC-MOB-BOOK- 005: Display Digital Ticket	MOBILE-APP-FR-103-P1, MOBILE-NFR-002-P1	CLOUD-FR-103-P1, LOCAL-FR-104-P1	HTC-MOB-011, TC-MOB-011A, TC-MOB-011B

4.2. LOCAL-SERVER Traceability Details

Use Case	Implements (FR/NFR)	Dependencies	Critical Test Cases
UC-LOCAL- ORDER-101: Cache Menu Data	LOCAL-FR-001-P1, LOCAL-NFR-201-P1, LOCAL-NFR-101-P1	CLOUD-FR-001-P1, LOCAL-DR-001-P1	HTC-LOCAL-001, TC-LOCAL-001A, TC-LOCAL-001B
UC-LOCAL- ORDER-102: Generate OTP Codes	LOCAL-FR-002-P1, LOCAL-NFR-001-P1	LOCAL-FR-001-P1, CLOUD-FR-002-P1	HTC-LOCAL-002, TC-LOCAL-002A, TC-LOCAL-002B
UC-LOCAL- ORDER-103: Calculate Preparation ETA	LOCAL-FR-003-P1, LOCAL-NFR-001-P1	LOCAL-FR-004-P1, CLOUD-FR-001-P1	HTC-LOCAL-003, TC-LOCAL-003A, TC-LOCAL-003B
UC-LOCAL- ORDER-104: Process Offline Orders	LOCAL-FR-004-P1, LOCAL-NFR-201-P1, LOCAL-EH-001-P1	LOCAL-FR-001-P1, LOCAL-FR-005-P1	HTC-LOCAL-004, TC-LOCAL-004A, TC-LOCAL-004B
UC-LOCAL- ORDER-105: Sync Orders to Cloud	LOCAL-FR-005-P1, LOCAL-NFR-202-P1	CLOUD-FR-002-P1, LOCAL-FR-004-P1	HTC-LOCAL-005, TC-LOCAL-005A, TC-LOCAL-005B
UC-LOCAL-BOOK-101: Apply Deposit to Bill	LOCAL-FR-104-P1, LOCAL-NFR-001-P1	CLOUD-FR-103-P1, WEB-APP-FR-005- P1	HTC-LOCAL-006, TC-LOCAL-006A, TC-LOCAL-006B

4.3. CLOUD-SERVER Traceability Details

Use Case	Implements (FR/NFR)	Dependencies	Critical Test Cases
UC-CLOUD-	CLOUD-FR-002-P1,	MOBILE-APP-FR-004-	HTC-CLOUD-001,
PAYMENT-201:	CLOUD-NFR-101-P1,	P1, External Momo	TC-CLOUD-001A,
Validate Payment	CLOUD-NFR-102-P1	payment gateway API	TC-CLOUD-001B
UC-CLOUD-	CLOUD-DR-001-P1,	LOCAL-FR-005-P1,	HTC-CLOUD-002,
ORDER-202: Store	CLOUD-NFR-002-P1,	MOBILE-APP-FR-004-	TC-CLOUD-002A,
Order Records	CLOUD-NFR-005-P1	P1	TC-CLOUD-002B
	CLOUD-FR-001-P1, CLOUD-NFR-001-P1	*	HTC-CLOUD-003, TC-CLOUD-003A, TC-CLOUD-003B
UC-CLOUD- BOOK-201: Manage Booking Calendar	CLOUD-FR-102-P1, CLOUD-NFR-001-P1		HTC-CLOUD-004, TC-CLOUD-004A, TC-CLOUD-004B
IRI II IK - /II / Process	CLOUD-FR-103-P1, CLOUD-NFR-101-P1	M/(C)	HTC-CLOUD-005, TC-CLOUD-005A, TC-CLOUD-005B

UC-CLOUD-			HTC-CLOUD-006,
BOOK-203: Generate	CLOUD-FR-104-P1, CLOUD-NFR-002-P1	MOBILE-APP-FR-103-	TC-CLOUD-006A,
Digital Tickets	CLOUD-NFR-002-P1	P1	TC-CLOUD-006B

4.4. WEB-APP Traceability Details

Use Case	Implements (FR/NFR)	Dependencies	Critical Test Cases
UC-WEB-KITCHEN-301: View Kitchen Orders	WEB-APP-FR-001- P1, WEB-NFR-001- P1	LOCAL-FR-001-P1, CLOUD-FR-001-P1	HTC-WEB-001, TC- WEB-001A, TC- WEB-001B
UC-WEB-KITCHEN-302: Update Order Status	WEB-APP-FR-002- P1, WEB-NFR-001- P1	,	HTC-WEB-002, TC- WEB-002A, TC- WEB-002B
UC-WEB-KITCHEN- 303: Mark Order Ready		,	HTC-WEB-003, TC- WEB-003A, TC- WEB-003B
III ('-W E'R-H()\$'T-304•	WEB-APP-FR-004- P1, WEB-NFR-001- P1	C () D_BR_ 07_P	HTC-WEB-004, TC- WEB-004A, TC- WEB-004B
UC-WEB-HOST-305: Apply Deposit to Bill	WEB-APP-FR-005- P1, WEB-NFR-001- P1	H ()(`A -BR- ()/ -P	HTC-WEB-005, TC- WEB-005A, TC- WEB-005B

5. SPRINT PLANNING MATRIX

5.1. Sprint 1: Foundation (Weeks 1-2)

Use Case	Component Team	Requirements	Acceptance Criteria
UC-MOB- ORDER-001	Mobile Team	MOBILE-APP- FR-001-P1	QR scan success rate >95% Error! Filename not specified.
UC-MOB- ORDER-002	Mobile Team	MOBILE-APP- FR-002-P1	Menu loads <3 seconds, cart functions
UC-MOB- BOOK-001	Mobile Team	MOBILE-APP- FR-101-P1	Table search functional
0 0 0 0 1 1 2	Backend Team	LOCAL-FR-001- P1	Menu caching with version control
	Backend Team	LOCAL-FR-004- P1	Offline order processing
UC-CLOUD- MENU-203	Cloud Team	CLOUD-FR-001- P1	QR resolution API ready
UC-CLOUD- ORDER-202	Cloud Team	CLOUD-DR-001- P1	Order storage operational
UC-CLOUD- BOOK-201	Cloud Team	CLOUD-FR-102- P1	Booking calendar management
UC-WEB- KITCHEN-301	Web Team	WEB-APP-FR- 001-P1	Kitchen order view operational
UC-WEB- KITCHEN-302	Web Team	WEB-APP-FR- 002-P1	Order status updates working

5.2. Sprint 2: Payments & Bookings (Weeks 3-4)

Use Case	Component Team	Requirements	Acceptance Criteria
UC-MOB-ORDER- 004	Mobile Team		Payment success >98%, PCI compliance
UC-MOB-ORDER- 005	Mobile Team	MOBILE-APP-FR- 005-P1	OTP display functional
UC-MOB-ORDER- 006	Mobile Team	MOBILE-APP-FR- 006-P1	Order tracking working
UC-MOB-BOOK-004	Mobile Team	MOBILE-APP-FR- 102-P1	Deposit payment working
UC-MOB-BOOK-005	Mobile Team	MOBILE-APP-FR- 103-P1	Digital tickets displayed

UC-LOCAL-ORDER- 102	Backend Team	LOCAL-FR-002-P1	OTP generation with expiration
UC-LOCAL-ORDER- 103	Backend Team	LOCAL-FR-003-P1	ETA calculation accurate
UC-LOCAL-ORDER- 105	Backend Team	LOCAL-FR-005-P1	Cloud sync functional
UC-LOCAL-BOOK- 101	Backend Team	LOCAL-FR-104-P1	Deposit application ready
UC-CLOUD- PAYMENT-201	Cloud Team	CLOUD-FR-002-P1	Momo integration complete
UC-CLOUD-BOOK- 202	Cloud Team	CLOUD-FR-103-P1	Deposit processing working
UC-CLOUD-BOOK- 203	Cloud Team	CLOUD-FR-104-P1	Ticket generation operational
UC-WEB-KITCHEN- 303	Web Team	WEB-APP-FR-003- P1	Order ready marking functional
UC-WEB-HOST-304	Web Team	WEB-APP-FR-004- P1	Booking validation working
UC-WEB-HOST-305	Web Team	WEB-APP-FR-005- P1	Deposit to bill application ready

6. RISK ASSESSMENT BY USE CASE

6.1. High Risk Use Cases

Use Case	Risk	Mitigation	Owner
		J 2	Mobile Team Lead
	Offline sync conflicts during connectivity restoration	<u> </u>	Backend Team Lead
UC-CLOUD- PAYMENT-201	IDI I I I S COMPLIANCA ICCUAC		Security Lead
		,	Cloud Team Lead

6.2. Medium Risk Use Cases

Use Case	Risk	Mitigation	Owner
	•	Multiple scanning libraries, manual entry fallback	Mobile Team
UC-LOCAL- ORDER-101		Load testing, hardware specifications validation	DevOps
UC-CLOUD- MENU-203	3	Version control, rollback procedures, validation	Cloud Team
UC-WEB- KITCHEN-301	,	WebSocket fallbacks, polling mechanisms	Web Team

7. SUCCESS METRICS TRACKING

Use Case	Primary Metric	Target	Measurement Method
UC-MOB-ORDER- 001	QR Scan Success Rate	>95%	Analytics dashboard
UC-MOB-ORDER- 002	Menu Load Time	<3 seconds	Performance testing
UC-MOB-ORDER- 004	Payment Success Rate	>98%	Payment gateway logs
UC-MOB-BOOK-001	Table Search Accuracy	>99%	Booking validation logs
UC-LOCAL-ORDER- 101	Offline Availability	99.9% during 8-hour outages	System monitoring
UC-LOCAL-ORDER- 104	Offline Order Sync Time	<2 minutes after connectivity	Sync performance logs
UC-CLOUD- PAYMENT-201	Payment Validation Time	<2 seconds	API response monitoring
UC-CLOUD-MENU- 203	Menu Update Propagation	<5 minutes to all nodes	Update timing logs
UC-WEB-KITCHEN- 301	Order Display Latency	<2 seconds	Real-time performance monitoring
UC-WEB-HOST-304	Booking Validation Time	<3 seconds	Validation process timing