



# Pentes-WEB-TrueNas

Site: <https://10.1.9.250>

Generated on Wed, 1 Oct 2025 19:00:52

ZAP Version: 2.16.1

ZAP by [Checkmarx](#)

## Summary of Alerts

Risk Level	Number of Alerts
High	0
Medium	1
Low	0
Informational	8

## Alerts

Name	Risk Level	Number of Instances
<a href="#">Content Security Policy (CSP) Header Not Set</a>	Medium	3
<a href="#">Information Disclosure - Suspicious Comments</a>	Informational	2
<a href="#">Modern Web Application</a>	Informational	3
<a href="#">Re-examine Cache-control Directives</a>	Informational	1
<a href="#">Tech Detected - HSTS</a>	Informational	1
<a href="#">Tech Detected - Mermaid</a>	Informational	1
<a href="#">Tech Detected - Nginx</a>	Informational	1
<a href="#">Tech Detected - PWA</a>	Informational	1
<a href="#">User Agent Fuzzer</a>	Informational	60

## Alert Detail

Medium	Content Security Policy (CSP) Header Not Set
Description	Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
URL	<a href="https://10.1.9.250">https://10.1.9.250</a>
Method	GET
Attack	

Evidence	
Other Info	
URL	<a href="https://10.1.9.250/ui/">https://10.1.9.250/ui/</a>
Method	GET
Attack	
Evidence	
Other Info	
URL	<a href="https://10.1.9.250/ui/assets/scripts/ie-support/ie-polyfills.min.js">https://10.1.9.250/ui/assets/scripts/ie-support/ie-polyfills.min.js</a>
Method	GET
Attack	
Evidence	
Other Info	
Instances	3
Solution	Ensure that your web server, application server, load balancer, etc. is configured to set the Content-Security-Policy header.
Reference	<a href="https://developer.mozilla.org/en-US/docs/Web/HTTP/Guides/CSP">https://developer.mozilla.org/en-US/docs/Web/HTTP/Guides/CSP</a> <a href="https://cheatsheetseries.owasp.org/cheatsheets/Content_Security_Policy_Cheat_Sheet.html">https://cheatsheetseries.owasp.org/cheatsheets/Content_Security_Policy_Cheat_Sheet.html</a> <a href="https://www.w3.org/TR/CSP/">https://www.w3.org/TR/CSP/</a> <a href="https://w3c.github.io/webappsec-csp/">https://w3c.github.io/webappsec-csp/</a> <a href="https://web.dev/articles/csp">https://web.dev/articles/csp</a> <a href="https://caniuse.com/#feat=contentsecuritypolicy">https://caniuse.com/#feat=contentsecuritypolicy</a> <a href="https://content-security-policy.com/">https://content-security-policy.com/</a>
CWE Id	<a href="#">693</a>
WASC Id	15
Plugin Id	<a href="#">10038</a>

Informational	Information Disclosure - Suspicious Comments
Description	The response appears to contain suspicious comments which may help an attacker.
URL	<a href="https://10.1.9.250/ui/chunk-OGJFLWR6.js">https://10.1.9.250/ui/chunk-OGJFLWR6.js</a>
Method	GET
Attack	
Evidence	user
Other Info	The following pattern was used: \bUSER\b and was detected in likely comment: "///"+n[0]:s=n[0]}return{type:"link",raw:n[0],text:r,href:s,tokens:[{type:"text",raw:r,text:r}}}}inlineText(t){let n=this.rules.i", see evidence field for the suspicious comment/snippet.
URL	<a href="https://10.1.9.250/ui/main-W3AS3NH3.js">https://10.1.9.250/ui/main-W3AS3NH3.js</a>
Method	GET
Attack	
Evidence	query
Other Info	The following pattern was used: \bQUERY\b and was detected in likely comment: "///npm.io/search?q=ponyfill.",l="Expected a function",d="Invalid `variable` option passed into `_.template`,y="`__lodash_hash_un", see evidence field for the suspicious comment/snippet.
Instances	2
Solution	Remove all comments that return information that may help an attacker and fix any underlying problems they refer to.

Reference	
CWE Id	<a href="#">615</a>
WASC Id	13
Plugin Id	<a href="#">10027</a>

Informational	Modern Web Application
Description	The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
URL	<a href="https://10.1.9.250">https://10.1.9.250</a>
Method	GET
Attack	
Evidence	<script nomodule src="assets/scripts/ie-support/ie-polyfills.min.js"></script>
Other Info	No links have been found while there are scripts, which is an indication that this is a modern web application.
URL	<a href="https://10.1.9.250/ui/">https://10.1.9.250/ui/</a>
Method	GET
Attack	
Evidence	<script nomodule src="assets/scripts/ie-support/ie-polyfills.min.js"></script>
Other Info	No links have been found while there are scripts, which is an indication that this is a modern web application.
URL	<a href="https://10.1.9.250/ui/assets/scripts/ie-support/ie-polyfills.min.js">https://10.1.9.250/ui/assets/scripts/ie-support/ie-polyfills.min.js</a>
Method	GET
Attack	
Evidence	<script nomodule src="assets/scripts/ie-support/ie-polyfills.min.js"></script>
Other Info	No links have been found while there are scripts, which is an indication that this is a modern web application.
Instances	3
Solution	This is an informational alert and so no changes are required.
Reference	
CWE Id	
WASC Id	
Plugin Id	<a href="#">10109</a>

Informational	Re-examine Cache-control Directives
Description	The cache-control header has not been set properly or is missing, allowing the browser and proxies to cache content. For static assets like css, js, or image files this might be intended, however, the resources should be reviewed to ensure that no sensitive content will be cached.
URL	<a href="https://10.1.9.250/ui/assets/favicons/browserconfig.xml">https://10.1.9.250/ui/assets/favicons/browserconfig.xml</a>
Method	GET
Attack	
Evidence	must-revalidate
Other Info	
Instances	1

Solution	For secure content, ensure the cache-control HTTP header is set with "no-cache, no-store, must-revalidate". If an asset should be cached consider setting the directives "public, max-age, immutable".
Reference	<a href="https://cheatsheetseries.owasp.org/cheatsheets/Session_Management_Cheat_Sheet.html#web-content-caching">https://cheatsheetseries.owasp.org/cheatsheets/Session_Management_Cheat_Sheet.html#web-content-caching</a> <a href="https://developer.mozilla.org/en-US/docs/Web/HTTP/Reference/Headers/Cache-Control">https://developer.mozilla.org/en-US/docs/Web/HTTP/Reference/Headers/Cache-Control</a> <a href="https://grayduck.mn/2021/09/13/cache-control-recommendations/">https://grayduck.mn/2021/09/13/cache-control-recommendations/</a>
CWE Id	<a href="#">525</a>
WASC Id	13
Plugin Id	<a href="#">10015</a>

Informational	Tech Detected - HSTS
Description	The following "Security" technology was identified: HSTS.  Described as:  HTTP Strict Transport Security (HSTS) informs browsers that the site should only be accessed using HTTPS.
URL	<a href="https://10.1.9.250">https://10.1.9.250</a>
Method	GET
Attack	
Evidence	Strict-Transport-Security
Other Info	
Instances	1
Solution	
Reference	<a href="https://www.rfc-editor.org/rfc/rfc6797#section-6.1">https://www.rfc-editor.org/rfc/rfc6797#section-6.1</a>
CWE Id	
WASC Id	13
Plugin Id	<a href="#">10004</a>

Informational	Tech Detected - Mermaid
Description	The following "JavaScript graphics" technology was identified: Mermaid.
URL	<a href="https://10.1.9.250/ui/chunk-OGJFLWR6.js">https://10.1.9.250/ui/chunk-OGJFLWR6.js</a>
Method	GET
Attack	
Evidence	<div class="mermaid">
Other Info	
Instances	1
Solution	
Reference	<a href="https://mermaidjs.github.io/">https://mermaidjs.github.io/</a>
CWE Id	
WASC Id	13
Plugin Id	<a href="#">10004</a>

Informational	Tech Detected - Nginx
	The following "Web servers, Reverse proxies" technology was identified: Nginx.  Described as:

Description	Nginx is a web server that can also be used as a reverse proxy, load balancer, mail proxy and HTTP cache.
URL	<a href="https://10.1.9.250">https://10.1.9.250</a>
Method	GET
Attack	
Evidence	nginx
Other Info	The following CPE is associated with the identified tech: cpe:2.3:a:f5:nginx:*:*:*:*:*:*
Instances	1
Solution	
Reference	<a href="https://nginx.org/en">https://nginx.org/en</a>
CWE Id	
WASC Id	13
Plugin Id	<a href="#">10004</a>

Informational	Tech Detected - PWA
Description	<p>The following "Miscellaneous" technology was identified: PWA.</p> <p>Described as:</p> <p>Progressive Web Apps (PWAs) are web apps built and enhanced with modern APIs to deliver enhanced capabilities, reliability, and installability while reaching anyone, anywhere, on any device, all with a single codebase.</p>
URL	<a href="https://10.1.9.250">https://10.1.9.250</a>
Method	GET
Attack	
Evidence	
Other Info	
Instances	1
Solution	
Reference	<a href="https://web.dev/progressive-web-apps/">https://web.dev/progressive-web-apps/</a>
CWE Id	
WASC Id	13
Plugin Id	<a href="#">10004</a>

Informational	User Agent Fuzzer
Description	Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.
URL	<a href="https://10.1.9.250/robots.txt">https://10.1.9.250/robots.txt</a>
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://10.1.9.250/robots.txt">https://10.1.9.250/robots.txt</a>

Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://10.1.9.250/robots.txt">https://10.1.9.250/robots.txt</a>
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://10.1.9.250/robots.txt">https://10.1.9.250/robots.txt</a>
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://10.1.9.250/robots.txt">https://10.1.9.250/robots.txt</a>
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://10.1.9.250/robots.txt">https://10.1.9.250/robots.txt</a>
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://10.1.9.250/robots.txt">https://10.1.9.250/robots.txt</a>
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://10.1.9.250/robots.txt">https://10.1.9.250/robots.txt</a>
Method	GET
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://10.1.9.250/robots.txt">https://10.1.9.250/robots.txt</a>
Method	GET

Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://10.1.9.250/robots.txt">https://10.1.9.250/robots.txt</a>
Method	GET
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://10.1.9.250/robots.txt">https://10.1.9.250/robots.txt</a>
Method	GET
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://10.1.9.250/robots.txt">https://10.1.9.250/robots.txt</a>
Method	GET
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://10.1.9.250/sitemap.xml">https://10.1.9.250/sitemap.xml</a>
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://10.1.9.250/sitemap.xml">https://10.1.9.250/sitemap.xml</a>
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://10.1.9.250/sitemap.xml">https://10.1.9.250/sitemap.xml</a>
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://10.1.9.250/sitemap.xml">https://10.1.9.250/sitemap.xml</a>
Method	GET

Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://10.1.9.250/sitemap.xml">https://10.1.9.250/sitemap.xml</a>
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://10.1.9.250/sitemap.xml">https://10.1.9.250/sitemap.xml</a>
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://10.1.9.250/sitemap.xml">https://10.1.9.250/sitemap.xml</a>
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://10.1.9.250/sitemap.xml">https://10.1.9.250/sitemap.xml</a>
Method	GET
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://10.1.9.250/sitemap.xml">https://10.1.9.250/sitemap.xml</a>
Method	GET
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://10.1.9.250/sitemap.xml">https://10.1.9.250/sitemap.xml</a>
Method	GET
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://10.1.9.250/sitemap.xml">https://10.1.9.250/sitemap.xml</a>
Method	GET



Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://10.1.9.250/sitemap.xml">https://10.1.9.250/sitemap.xml</a>
Method	GET
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://10.1.9.250/ui">https://10.1.9.250/ui</a>
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://10.1.9.250/ui">https://10.1.9.250/ui</a>
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://10.1.9.250/ui">https://10.1.9.250/ui</a>
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://10.1.9.250/ui">https://10.1.9.250/ui</a>
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://10.1.9.250/ui">https://10.1.9.250/ui</a>
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://10.1.9.250/ui">https://10.1.9.250/ui</a>
Method	GET
	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko)

Attack	Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://10.1.9.250/ui">https://10.1.9.250/ui</a>
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://10.1.9.250/ui">https://10.1.9.250/ui</a>
Method	GET
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://10.1.9.250/ui">https://10.1.9.250/ui</a>
Method	GET
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://10.1.9.250/ui">https://10.1.9.250/ui</a>
Method	GET
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://10.1.9.250/ui">https://10.1.9.250/ui</a>
Method	GET
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://10.1.9.250/ui">https://10.1.9.250/ui</a>
Method	GET
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://10.1.9.250/ui/assets">https://10.1.9.250/ui/assets</a>
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)

Evidence	
Other Info	
URL	<a href="https://10.1.9.250/ui/assets">https://10.1.9.250/ui/assets</a>
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://10.1.9.250/ui/assets">https://10.1.9.250/ui/assets</a>
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	<a href="https://10.1.9.250/ui/assets">https://10.1.9.250/ui/assets</a>
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://10.1.9.250/ui/assets">https://10.1.9.250/ui/assets</a>
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://10.1.9.250/ui/assets">https://10.1.9.250/ui/assets</a>
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://10.1.9.250/ui/assets">https://10.1.9.250/ui/assets</a>
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://10.1.9.250/ui/assets">https://10.1.9.250/ui/assets</a>
Method	GET
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)

Evidence	
Other Info	
URL	<a href="https://10.1.9.250/ui/assets">https://10.1.9.250/ui/assets</a>
Method	GET
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://10.1.9.250/ui/assets">https://10.1.9.250/ui/assets</a>
Method	GET
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Other Info	
URL	<a href="https://10.1.9.250/ui/assets">https://10.1.9.250/ui/assets</a>
Method	GET
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://10.1.9.250/ui/assets">https://10.1.9.250/ui/assets</a>
Method	GET
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
URL	<a href="https://10.1.9.250/ui/assets/favicons">https://10.1.9.250/ui/assets/favicons</a>
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	<a href="https://10.1.9.250/ui/assets/favicons">https://10.1.9.250/ui/assets/favicons</a>
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	<a href="https://10.1.9.250/ui/assets/favicons">https://10.1.9.250/ui/assets/favicons</a>
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	

Other Info	
URL	<a href="https://10.1.9.250/ui/assets/favicons">https://10.1.9.250/ui/assets/favicons</a>
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	<a href="https://10.1.9.250/ui/assets/favicons">https://10.1.9.250/ui/assets/favicons</a>
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
URL	<a href="https://10.1.9.250/ui/assets/favicons">https://10.1.9.250/ui/assets/favicons</a>
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Other Info	
URL	<a href="https://10.1.9.250/ui/assets/favicons">https://10.1.9.250/ui/assets/favicons</a>
Method	GET
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Other Info	
URL	<a href="https://10.1.9.250/ui/assets/favicons">https://10.1.9.250/ui/assets/favicons</a>
Method	GET
Attack	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Other Info	
URL	<a href="https://10.1.9.250/ui/assets/favicons">https://10.1.9.250/ui/assets/favicons</a>
Method	GET
Attack	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Other Info	
URL	<a href="https://10.1.9.250/ui/assets/favicons">https://10.1.9.250/ui/assets/favicons</a>
Method	GET
Attack	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	

Other Info	
URL	<a href="https://10.1.9.250/ui/assets/favicons">https://10.1.9.250/ui/assets/favicons</a>
Method	GET
Attack	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Other Info	
URL	<a href="https://10.1.9.250/ui/assets/favicons">https://10.1.9.250/ui/assets/favicons</a>
Method	GET
Attack	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Other Info	
Instances	60
Solution	
Reference	<a href="https://owasp.org/wstg">https://owasp.org/wstg</a>
CWE Id	
WASC Id	
Plugin Id	<a href="#">10104</a>