


16.4: Rates of Spontaneous Processes

The phrase *as fast as possible* points up a major difficulty in dealing with spontaneous processes. Some of them occur quite rapidly, but others are so slow as to be imperceptible. A rapid spontaneous process occurs when 2 mol H_2O is mixed with 2 mol “heavy water,” D_2O , made from the isotope deuterium, ${}^2_1\text{H}$, or **D**. The two species start to transfer protons and deuterons (D^+ ions) as soon as they are stirred together, and we rapidly obtain a mixture consisting of 2 mol H—O—D and 1 mol each of H—O—H and D—O—D . Assuming that deuterium atoms behave the same chemically as ordinary hydrogen atoms, this is what the laws of probability would predict. There are four equally likely possibilities for a randomly selected water molecule:



Two of the four possibilities have the molecular formula HDO, and so the probability of finding an HDO molecule in our mixture is $1/2$. Half the molecules (2 mol) will be HDO. Similarly $1/4$ of the 4 mol water will be H_2O and $1/4$ will be D_2O .

The shift from the improbable situation of 2 mol H_2O + 2 mol D_2O to the more probable 2 mol HDO + 1 mol H_2O + 1 mol D_2O occurs rapidly because of the ease with which protons and deuterons can transfer from one water molecule to another. When such a shuffling process is slow, however, the situation is quite different. For example, we would expect that mixing 2 mol H_2 with 2 mol D_2 would produce 2 mol HD and a mole each of H_2 and D_2 . At room temperature, though, nothing happens, even over a period of days, because there is no easy way for H or D atoms to swap partners. Reshuffling requires breaking an H—H or a D—D bond, and this takes some 400 kJ mol^{-1} . The molecules are stuck in a situation of low probability because there is no pathway by which they can attain higher probability. If such a pathway is provided, by raising the temperature or adding a catalyst, the molecules start exchanging H and D and move toward the most probable situation.

The moral of this story is that saying a reaction is spontaneous is not the same as saying it *will* occur if the reactants are mixed. Rather, it means the reaction *can* occur but may be so slow that nothing seems to happen. In the case of a slow spontaneous reaction it is worthwhile to look for a catalyst, but if we know the reaction is nonspontaneous, there is no point in even mixing the reactants, let alone searching for a catalyst. A nonspontaneous reaction cannot occur of itself without outside intervention.

This page titled 16.4: Rates of Spontaneous Processes is shared under a [CC BY-NC-SA 4.0](https://creativecommons.org/licenses/by-nc-sa/4.0/) license and was authored, remixed, and/or curated by Ed Vitz, John W. Moore, Justin Shorb, Xavier Prat-Resina, Tim Wendorff, & Adam Hahn.