

# System Efficiency between SCOTTS RD REGULATOR (29355) and T14/1 (65041) for period 2020-01-16 00:00 to 2020-02-17 00:00

System Efficiency (%):	92.4
------------------------	------

Diverted (ML):	6803.4
Delivered (ML):	6283.7
Evaporative loss (ML):	52.6
Seepage loss (ML):	not yet implemented
Unaccounted loss (ML):	-514.4

## Outlets

Telemetered:	166
Manually read:	51
Unmetered sites:	4
Total:	221

outlet	object_id	RTU_totaliser (ML)	flow_integral (ML)	manual_reading (ML)	diff
M1845/1	64603	3.35	3.46		-3.13
M1845A/P	64606			0.00	
N134/P	148390			0.00	
M1846/1	64609	1.99	3.55		-43.77
N599/P	69211			0.00	
M1846/2	64612	1.31	1.98		-33.57
M1848/1	64615	0.02	2.17		-99.08
M1848/2	64618	0.00	1.19		-99.74
GOLFC/1	64621	28.83	24.73		14.21
M1848/3	64624	0.00	0.00		
M1846A/1	64627	0.00	0.00		
M1868/1	64630	0.00	0.00		
M1870/1	64633	5.00	7.59		-34.16
M1876/1	64639	11.87	14.97		-20.71
M1874/P	64645			0.00	
M1820/1	64651	0.00	0.00		
M1825B/P	67231			0.00	
M1825/2	69214	0.00	0.00		

outlet	object_id	RTU_totaliser (ML)	flow_integral (ML)	manual_reading (ML)	diff
M853/P	70321			0.00	
GUNC/P	64657			0.00	
M1850/1	64660	12.80	13.86		-7.70
M1850/2	64663	0.00	0.00		
M1852/P	70975			0.00	
M1867A/1	64666	0.00	0.18		-99.98
N560/P	64669			0.00	
M1853/1	64675	0.04	3.16		-98.88
M1866/1	64672	1.60	2.76		-42.08
M1853/2	64678	4.99	7.54		-33.87
M1853/3	64684	8.87	12.29		-27.80
M1858/1	69547	4.10	6.15		-33.39
M1854/1	64744	3.15	3.00		4.90
M1854/2	64747	0.00	0.00		
M1864/1	64690	9.63	12.61		-23.68
M1862/1	69520	0.00	0.00		
M1865/1	64693	6.27	7.56		-17.12
M1867/1	64696	0.00	0.00		
M1866/2	64699	6.19	7.59		-18.51
M1864/2	64702	8.50	13.54		-37.23
M1864/3	64705	4.80	7.39		-35.06
M1866/3	64708	6.14	6.83		-10.19
M1876/2	64711	8.80	10.51		-16.28
M2560/1	64720	0.01	0.00		100.00
M1887/P	64729			0.00	
M1874A/1	64723	5.29	6.56		-19.29
M1885/1	64717	7.92	7.21		8.94
M1884/1	64714	0.00	0.00		
M1855/1	64732	8.20	12.46		-34.18
M1830/2	64738	4.98	5.71		-12.70
M1856/D	69550			0.00	
M1857/1	69544	20.56	19.20		6.65
M1851/P	69541			0.00	
M1857/2	69553	10.05	13.47		-25.38
M1860/1	67468	6.88	12.19		-43.55
M1854B/1	64741	0.64	7.71		-91.65
M1861/1	70399	0.36	0.12		66.05

outlet	object_id	RTU_totaliser (ML)	flow_integral (ML)	manual_reading (ML)	diff
N601/P	64753			0.00	
M1865/2	64750	0.77	1.90		-59.69
M1882A/1	64756	13.46	16.67		-19.24
M1882B/D	219615			0.00	
M1858/2	64759	4.22	5.24		-19.41
M1859/1	70765	8.77	9.75		-10.10
M1860A/1	70768	11.13	12.92		-13.87
M1882/1	64768	0.00	0.00		100.00
M1896A/1	64771	8.10	7.89		2.54
M1895/1	69949	32.23	38.02		-15.24
MC10 ANDREATTAS ESCAPE	30252	0.26	0.26		1.42
CAMPBELLS SWAMP	219709	0.00	0.00		
M1896/P	64777			0.00	
M1895/2	64774			0.00	
NERICON SWAMP	142432			0.00	
M1893/1	67471	4.90	8.40		-41.64
M1891/1	64780	41.94	40.09		4.42
M1891A/1	64783	15.80	14.91		5.65
M2785/1	64786	10.20	11.89		-14.19
M2699/1	67480	0.00	0.00		
M2784/1	64789	0.00	0.00		
M2783/1	67474	0.70	3.70		-81.06
M2699A/P	67477			0.00	
MC10 CAMPBELLS SWAMP ESC	200872	167.13	167.62		-0.29
M2782/1	64792	10.20	10.29		-0.87
N687/P	70324			0.00	
M1844/1	70201	2.93	1.76		39.82
ESC L170	30417				
M1854A/1	69826	0.00	0.00		
M1898A/1	64795	3.30	4.95		-33.27
N494/P	141317			0.00	
M1898/P	201042			0.00	
M1898/1	64807	1.40	2.83		-50.61

outlet	object_id	RTU_totaliser (ML)	flow_integral (ML)	manual_reading (ML)	diff
M1893/2	64804	1.80	1.79		0.50
M2720/P	144910			0.00	
M1893/4	64798	0.00	0.92		-100.00
M1893/5	64810	21.70	23.50		-7.67
M2435/1	64813	49.30	48.56		1.50
MC10 ESC L173	30502				
M2628/1	64819	0.00	0.00		
M1893/3	64801			0.00	
M1893/P	206578			0.00	
M2628/2	69466	0.00	0.00		
M2398B/1	70195	0.01	0.23		-97.75
M2398/1	70519	0.00	0.00		
M2398F/1	145474			1.90	
M2398C/1	64825	0.00	0.00		100.00
M2019/1	64822	10.05	10.08		-0.23
M2014/1	64828	0.00	0.00		
M2014/2	64831	0.00	0.00		
M1999/1	64834	21.46	22.52		-4.71
M1999/4	64837	37.71	37.57		0.38
M2368A/1	69454	0.01	0.18		-96.29
M2014/3	64840	40.60	42.04		-3.43
M1999/2	64843	13.91	16.51		-15.77
M1999/3	64846	12.58	12.94		-2.77
M1997/1	64852	0.00	0.00		100.00
M2583/2	64855	0.00	0.00		
M2583/1	64858	0.00	0.00		
M1988/1	67504	0.00	0.00		100.00
M1988A/D	219467			0.00	
M1986/1	64882	0.00	0.00		
M1986/2	64885	0.00	0.00		
M1985A/1	70492	204.17	201.44		1.34
M2736/1	64891	2.85	3.01		-5.18
M2584/1	64888	0.00	0.00		
M1985B/D	206014			0.00	
M1985C/1	70501	15.57	13.64		12.40

outlet	object_id	RTU_totaliser (ML)	flow_integral (ML)	manual_reading (ML)	diff
MC10 LAT 179 ESC	30773				
M2737/1	69838			0.00	
M2368B/1	69445			0.00	
PICNIC/1	145503			19.70	
SAILING CLUB	64861			2.50	
BOAT CLUB	70057			8.30	
M2368B/2	69451	0.00	0.00		
M1165/1	64870	291.01	285.74		1.81
M1165/2	70912			52.80	
M2674/P	142422			0.00	
M1891B/D	208598			0.00	
M1589/2	71170			0.00	
M2737/2	64879	10.00	12.86		-22.19
M1988/2	64873	0.00	0.00		
M1988/3	64876	0.00	0.00		
M2368B/3	69442			100.00	
M2398D/1	70015	101.70	99.74		1.93
M1998/1	67507	115.60	119.07		-2.92
M2628B/1	64894	0.40	0.33		18.18
M2628C/D	206039			0.00	
M2741/1	64897	0.00	0.00		
M2741/2	220363			2.00	
M2741A/1	70360			2.00	
N244/1	64900	14.66	15.45		-5.13
N605/1	64903	73.66	67.42		8.47
M2741A/2	64906	0.00	0.00		
M2045/1	64909	17.30	26.20		-33.97
M2628D/1	64915	0.10	1.97		-94.92
N604/1	64918	0.00	0.00		
M2628E/1	70198			0.00	
M2043/1	64921	0.00	1.36		-100.00
M2038A/1	64927	0.60	0.30		50.40
M2614/1	70216	41.00	39.56		3.52
M2038/1	64924	0.80	2.10		-61.97
M2614/2	202028			11.90	
M2615A/1	67510	48.20	46.94		2.62

outlet	object_id	RTU_totaliser (ML)	flow_integral (ML)	manual_reading (ML)	diff
M2038/2	64930	0.00	0.00		
N665/P	70693			0.00	
M2615/D	70048			0.00	
M2038C/1	64933	0.00	0.00		
M1631H/1	67513	35.30	34.78		1.48
M2038B/1	64936	0.20	0.23		-13.54
M1997/2	64939	1.40	2.21		-36.73
M1997/3	64942	0.00	0.00		
M1985/1	64954	4.00	4.33		-7.59
M1631D/1	68062	0.00	0.00		100.00
MC10 TEMPORALIS ESCAPE	55372	427.65	431.40		-0.87
M2646/P	69469			0.00	
M2628A/1	69475	9.70	12.63		-23.23
M2040A/1	69472	71.00	72.02		-1.42
M2040/P	64960			0.00	
M2743/1	70297	275.45	272.40		1.11
M2041A/1	67516	32.87	49.03		-32.95
M1986/3	67519	0.00	0.00		
MC10 LAT 188 ESC	59753				
M2045A/1	64957	49.27	67.95		-27.48
N689/P	70438			0.00	
N579/1	64966	13.30	14.68		-9.39
N566/1	64969	31.18	37.69		-17.28
M2041/1	214447	550.33	550.64		-0.06
M2041/2	71131	0.00	0.00		
N567/1	64972	2.50	5.46		-54.19
N568/1	64981	8.70	12.07		-27.93
N569/1	64978	23.48	30.28		-22.46
N570/1	64975	24.80	24.48		1.30
N571/1	64984	16.80	18.68		-10.06
N572/1	64987	33.00	42.17		-21.74
N573/1	64996	16.20	13.78		14.93
N574/1	64993	36.70	35.60		2.99
N575/1	64990	13.20	15.38		-14.16
N578/1	64999	5.40	5.15		4.62

outlet	object_id	RTU_totaliser (ML)	flow_integral (ML)	manual_reading (ML)	diff
MC10 NEWFARMS ESCAPE	31065	0.00	0.00		
N576/1	65002	52.60	47.81		9.10
M1997/4	65005	0.00	0.00		
N577A/P	65008			0.00	
N577/1	65011	33.00	33.71		-2.10
T16/1	67522	325.58	328.29		-0.83
BWUA/1	65020	3.72	2.32		37.62
M2042/1	65014	160.40	157.82		1.61
M2014A/1	65017	0.00	0.00		
T16A/1	141752	267.82	264.14		1.37
T15C/1	69787	95.00	95.31		-0.33
M2042A/1	70036	222.15	221.75		0.18
T17/1	69784	257.30	247.91		3.65
T17/2	65026	240.80	247.25		-2.61
T15/1	65023	714.85	713.57		0.18
T15A/D	67528			0.00	
T14C/P	70573			0.00	
T17/3	214443	318.78	318.98		-0.06
T20B/1	65032	0.00	0.00		
T18/1	65029	0.00	0.00		100.00
T18/2	65035	4.73	3.97		16.17
T20/1	65038	0.04	0.12		-68.56
MC10 WILLIAMS ESCAPE	31175	0.00	0.00		
T20A/P	67531			0.00	
T19A/1	69430	0.00	0.77		-100.00
T19/1	69433	0.00	0.00		
T14/1	65041	16.10	16.79		-4.09
	Total	6082.6	6225.9	201.1	