

# A Quick Literature Survey: Precise Orbit Determination

Daniel Topa

December 3, 2024

## Abstract

What are the current limits on the precision in computing and measuring a satellite's location? A quick literature search outlined here shows sub-meter resolution, and in some cases, centimeter resolution. This report should be read as a gateway to the literature.

## Contents

<b>1</b>	<b>Introduction</b>	<b>1</b>
<b>2</b>	<b>Literature Review</b>	<b>1</b>
<b>3</b>	<b>Some Orbit Propagators</b>	<b>2</b>
3.1	KASIOP . . . . .	2
3.2	NEOPROP . . . . .	2
3.3	Orbit Determination Toolbox (ODTBX) . . . . .	3
3.4	polyastro: Astrodynamics in Python . . . . .	3
3.5	OPI - Orbital Propagation Interface . . . . .	3
3.6	Orbit Predictor . . . . .	3
3.7	Orekit: an Open-source Library for Operational Flight Dynamics Applications . . . . .	3
<b>4</b>	<b>Discussion</b>	<b>4</b>
<b>5</b>	<b>Conclusion</b>	<b>4</b>

## 1 Introduction

The determination of a satellite's precise orbit is crucial for various applications, from Earth observation to deep-space exploration. Recent advances in orbit determination techniques are quickly surveyed and key findings are highlighted.

## 2 Literature Review

In this section, we summarize recent studies on precise orbit determination.

The results of our navigation experiment demonstrate that RTK positioning accuracy is improved from meter to decimeter level with fixed ambiguity (horizontal  $< 2$  cm, vertical  $< 18$  cm). Horizontal accuracy is improved by over 50%, and the vertical accuracies of the results of the static and kinematic experiments are increased by 47% and 27% respectively, compared with the results produced by the classical approach. Though as the baseline becomes longer, the accuracy is weakened, our predictive algorithm is an improvement over existing approaches to overcome the issue of missing data.

A novel predictive algorithm for double difference observations of obstructed BeiDou geostationary earth orbit (GEO) satellites

Reduced dynamic and kinematic precise orbit determination for the Swarm mission from 4 years of GPS tracking 30% improvement in the precision of the reduced dynamic orbits with resulting errors at the 0.5–1 cm level (1D RMS)

Precise relative positioning using real tracking data from COMPASS GEO and IGSO satellites The precision of COMPASS only solutions is better than 2 cm for the North component and 4 cm for the vertical.

Precise Orbit Determination of the ZY3-03 Satellite Using the Yaw-Attitude Modeling for Drift Angle Compensation The orbit determination experiments have revealed that the zero-yaw assumption in the zero-attitude model would result in periodic orbit errors of up to  $\pm 86$  mm in the normal direction, while the proposed model can describe yaw angle variations accurately with errors of less than  $\pm 0.01^\circ$

Dynamic and Reduced-Dynamic Precise Orbit Determination of Satellites in Low Earth Orbits The precise positioning of satellites in Low Earth Orbits (LEO) has become a key technology for advanced space missions. Dedicated satellite missions, such as CHAMP, GRACE and GOCE, that aim to map the Earth's gravity field and its variation over time with unprecedented accuracy,

Orbital arcs over a whole day can be generated with an accuracy of up to 4.5 cm RMS.

Aiming at a 1-cm Orbit for Low Earth Orbiters: Reduced-Dynamic and Kinematic Precise Orbit Determination Both techniques have reached a high level of maturity and have been successfully applied to missions in the past, for example to TOPEX/POSEIDON (T/P), leading to (sub-)decimeter orbit accuracy.

A novel method for improving LEO kinematic real-time precise orbit determination with neural networks Benefiting from this method, a promising accuracy of 3.2 cm can be achieved in LEO KRTPOD

Precise orbit determination for low Earth orbit satellites using GNSS: Observations, models, and methods Using a state-of-the-art combination of GNSS observations and satellite dynamics, the absolute orbit determination for a single satellite reached a precision of 1 cm.

## 3 Some Orbit Propagators

### 3.1 KASIOP

### 3.2 NEOPROP

The European Space Agency sponsors the Asteroid and Comet Trajectory Propagator NEOPROP<sup>1</sup> to model objects which may impact the Earth. From the website:

New orbital perturbations (e.g. Poynting-Robertson effect, solar radiation pressure, outgassing) to improve the propagator accuracy and to allow the identification and propagation of any celestial body (not only NEOs but also moons, comets, planets, etc.). The pre-existing algorithms were further improved in order to increase the performance and reduce the need for human intervention. Robust and redundant preliminary orbit determination techniques were added in order to deal with very long and disrupted observational arcs, which usually would require a manual split of the observations.

An \*.exe file is available<sup>2</sup> for download.

The User's Manual focuses on running the software and has scant mathematical explanation.

### 3.3 Orbit Determination Toolbox (ODTBX)

The Orbit Determination Toolbox ODTBX is an orbit determination analysis tool based on Matlab and Java that provides a flexible way to do early mission analysis, especially for formation flying and exploration systems. ODTBX is composed of both Matlab and Java code.

Download<sup>3</sup> ODTBX\_4\_0.jar

The Java Astrodynamics Toolbox is used as an engine for things that might be slow or inefficient in MATLAB, such as high-fidelity trajectory propagation, lunar and planetary ephemeris look-ups, precession, nutation, polar motion calculations, ephemeris file parsing, and the like.

---

<sup>1</sup>Splash page URL: <https://neo.ssa.esa.int/neo-propagator>

<sup>2</sup>Download URL: [https://neo.ssa.esa.int/documents/20126/418165/Setup\\_NEOPROP\\_2.1.exe/efefe2bb-6ec4-1735-906c-3675a72cd2e1?t=1559724554583](https://neo.ssa.esa.int/documents/20126/418165/Setup_NEOPROP_2.1.exe/efefe2bb-6ec4-1735-906c-3675a72cd2e1?t=1559724554583)

<sup>3</sup>[https://opensource.gsfc.nasa.gov/projects/ODTBX/ODTBX\\_4\\_0.jar](https://opensource.gsfc.nasa.gov/projects/ODTBX/ODTBX_4_0.jar)

Table 1: Integrators Implemented

Integrator	Step	Step-Size	Integrator Identifier
Runge-Kutta 45	single	variable	Runge_Kutta_45
Dormand Prince 8	single	variable	Dormand_Prince_8
Runge-Kutta 853	single	variable	Runge_Kutta_853
Runge-Kutta 4	single	fixed	Runge_Kutta_4
Runge-Kutta 4 Adapted	single	fixed*	Runge_Kutta_4_Adapted
Gauss-Jackson 8	multi	fixed	Gauss_Jackson_8
Gauss-Jackson 8 Adapted	multi	fixed*	Gauss_Jackson_8_Adapted
Gauss-Jackson 8 Self-Adapted	multi	fixed*	Gauss_Jackson_8_Self_Adapted

\*The integration follows a fixed step-size scheme, but for some trajectory arcs (e.g., close to a celestial body), the step-size might be reduced by a factor of 10.

Source: *Enhanced Orbit Propagator, ESA Contract No. RFP/D/IPL-PTE/GLC/al/557.2014. NEOPROP2 Software User Manual.*

For more details, see: ESA NEOPROP2 User Manual.

### 3.4 polyastro: Astrodynamics in Python

polyastro is an open source (MIT) pure Python library for interactive Astrodynamics and Orbital Mechanics, with a focus on ease of use, speed, and quick visualization. It provides a simple and intuitive API, and handles physical quantities with units.

Some features include orbit propagation, solution of the Lambert's problem, conversion between position and velocity vectors and classical orbital elements and orbit plotting, among others. It focuses on interplanetary applications, but can also be used to analyze artificial satellites in Low-Earth Orbit (LEO).

The application polyastro has a page the PyPI server<sup>4</sup> and adequate documentation

Website: <https://www.polyastro.space> PyPi page: polyastro 0.17.0

Documentation: polyastro - Astrodynamics in Python

### 3.5 OPI - Orbital Propagation Interface

OPI is an interface with the goal to facilitate the implementation of orbital propagators into different applications.

To calculate orbital motion, many different software programs exist emphasizing on different aspects such as execution speed or accuracy. They often require different input parameters and are written in different languages. This makes comparing or exchanging them a challenging task. OPI aims at simplifying this by providing a common way of handling propagation. Propagators using OPI are designed as plugins/shared libraries that can be loaded by a host program via the interface.

### 3.6 Orbit Predictor

Orbit Predictor is a Python library to propagate orbits of Earth-orbiting objects (satellites, ISS, Santa Claus, etc) using TLE (Two-Line Elements set). We can say Orbit predictor is kind of a "wrapper" for the python implementation of SGP4.

PyPi page: orbit-predictor 1.15.0

Download source: orbit-predictor-1.15.0.tar.gz

### 3.7 Orekit: an Open-source Library for Operational Flight Dynamics Applications

polyastro is an open source (MIT) pure Python library for interactive Astrodynamics and Orbital Mechanics, with a focus on ease of use, speed, and quick visualization. It provides a simple and intuitive API, and handles physical quantities with units.

---

<sup>4</sup><https://pypi.org/project/polyastro/>

Some features include orbit propagation, solution of the Lambert’s problem, conversion between position and velocity vectors and classical orbital elements and orbit plotting, among others. It focuses on interplanetary applications, but can also be used to analyze artificial satellites in Low-Earth Orbit (LEO).

## 4 Discussion

The implications of achieving sub-meter or centimeter-level precision in satellite positioning are significant. [https://www.researchgate.net/profile/Luc-Maisonobe/publication/310250345\\_OPEN\\_SOURCE\\_LIBRARY\\_FOR\\_OPERATIONAL\\_FLIGHT\\_DYNAMICS\\_APPLICATIONS.pdf](https://www.researchgate.net/profile/Luc-Maisonobe/publication/310250345_OPEN_SOURCE_LIBRARY_FOR_OPERATIONAL_FLIGHT_DYNAMICS_APPLICATIONS.pdf)

## 5 Conclusion

This quick survey outlines the state-of-the-art in precise orbit determination. Readers are encouraged to explore the referenced works for more in-depth information.

## References

- [1] Simone Andolfo et al. “Precise orbit determination through a joint analysis of optical and radiometric data”. In: *2024 International Conference on Space Robotics (iSpaRo)*. 2024, pp. 28–35. DOI: 10.1109/iSpaRo60631.2024.10687705.
- [2] Xavier Carreño-Megias et al. “Multistatic SAR Imaging and Precise Orbit Determination Synergies Using Geostationary Telecommunication Satellites”. In: *IGARSS 2023 - 2023 IEEE International Geoscience and Remote Sensing Symposium*. 2023, pp. 7824–7827. DOI: 10.1109/IGARSS52108.2023.10282308.
- [3] Yuan Du et al. “A novel predictive algorithm for double difference observations of obstructed BeiDou geostationary earth orbit (GEO) satellites”. In: *Advances in space research* 63.5 (2019), pp. 1554–1565.
- [4] Roberto Flores, Burhani Makame Burhani, and Elena Fantino. “A method for accurate and efficient propagation of satellite orbits: A case study for a Molniya orbit”. In: *Alexandria Engineering Journal* 60.2 (2021), pp. 2661–2676.
- [5] Antonio Genova et al. “Sensor data fusion for precise orbit determination of interplanetary spacecraft”. In: *2024 International Conference on Space Robotics (iSpaRo)*. IEEE. 2024, pp. 22–27.
- [6] Christian Gilbertson and Bryan Welch. *Demonstrating High-Accuracy Orbital Access Using Open-Source Tools*. Tech. rep. 2017. URL: <https://ntrs.nasa.gov/api/citations/20170010173/downloads/20170010173.pdf>.
- [7] Xuewen Gong et al. “Precise Orbit Determination of the ZY3-03 Satellite Using the Yaw-attitude Modeling for Drift Angle Compensation”. In: *IEEE Sensors Journal* (2024).
- [8] Lina He et al. “Experimental study on the precise orbit determination of the BeiDou navigation satellite system”. In: *Sensors* 13.3 (2013), pp. 2911–2928.
- [9] Guanwen Huang and Qin Zhang. “Real-time estimation of satellite clock offset using adaptively robust Kalman filter with classified adaptive factors”. In: *GPS solutions* 16 (2012), pp. 531–539.
- [10] Guanwen Huang et al. “A real-time robust method to detect BeiDou GEO/IGSO orbital maneuvers”. In: *Sensors* 17.12 (2017), p. 2761.
- [11] Guanwen Huang et al. “An improved predicted model for BDS ultra-rapid satellite clock offsets”. In: *Remote Sensing* 10.1 (2018), p. 60.
- [12] A Jäggi et al. “Swarm kinematic orbits and gravity fields from 18 months of GPS data”. In: *Advances in Space Research* 57.1 (2016), pp. 218–233.
- [13] Sajjad Kazemi et al. “Orbit determination for space situational awareness: A survey”. In: *Acta Astronautica* 222 (2024), pp. 272–295. ISSN: 0094-5765. DOI: <https://doi.org/10.1016/j.actaastro.2024.06.015>. URL: <https://www.sciencedirect.com/science/article/pii/S0094576524003308>.
- [14] Xingxing Li et al. “LEO real-time ambiguity-fixed precise orbit determination with onboard GPS/Galileo observations”. In: *GPS Solutions* 28.4 (2024), p. 188.
- [15] Shanhong Liu et al. “Precise orbit determination for Tianwen-1 during mapping phase”. In: *Astrodynamics* 8.3 (2024), pp. 471–481.
- [16] Xinyuan Mao, Wenbing Wang, and Yang Gao. “Precise orbit determination for low Earth orbit satellites using GNSS: Observations, models, and methods”. In: *Astrodynamics* (2024), pp. 1–26.
- [17] Oliver Montenbruck, Eberhard Gill, and FH Lutze. “Satellite orbits: models, methods, and applications”. In: *Appl. Mech. Rev.* 55.2 (2002), B27–B28.
- [18] Oliver Montenbruck et al. “GNSS satellite geometry and attitude models”. In: *Advances in Space Research* 56.6 (2015), pp. 1015–1029.
- [19] Oliver Montenbruck et al. “Reduced dynamic and kinematic precise orbit determination for the Swarm mission from 4 years of GPS tracking”. In: *GPS solutions* 22.3 (2018), p. 79.
- [20] Simone Proietti et al. “Long-term orbit dynamics of decommissioned geostationary satellites”. In: *Acta Astronautica* 182 (2021), pp. 559–573. ISSN: 0094-5765. DOI: <https://doi.org/10.1016/j.actaastro.2020.12.017>. URL: <https://www.sciencedirect.com/science/article/pii/S0094576520307517>.

- [21] Chuang Shi et al. “Precise relative positioning using real tracking data from COMPASS GEO and IGSO satellites”. In: *GPS solutions* 17 (2013), pp. 103–119.
- [22] Yali Shi et al. “Real-time precise orbit determination of low earth orbit satellites based on gps and bds-3 ppp b2b service”. In: *Remote Sensing* 16.5 (2024), p. 833.
- [23] Dražen Švehla and M Rothacher. “Kinematic and reduced-dynamic precise orbit determination of low earth orbiters”. In: *Advances in Geosciences* 1 (2003), pp. 47–56.
- [24] Paul Swatschina. *Dynamic and reduced-dynamic precise orbit determination of satellites in low earth orbits*. Vol. 89. Dep. of Geodesy and Geoinformation of the Vienna Univ. of Technology, 2012.
- [25] Andrea Tantucci, Andrea Wrona, and Antonio Pietrabissa. “Precise orbit determination on leo satellite using pseudorange and pseudorange-rate measurements”. In: *2023 31st Mediterranean Conference on Control and Automation (MED)*. IEEE. 2023, pp. 341–347.
- [26] PNAM Visser and J Van Den Ijssel. “Aiming at a 1-cm orbit for low earth orbiters: reduced-dynamic and kinematic precise orbit determination”. In: *Space science reviews* 108 (2003), pp. 27–36.
- [27] Wei Zhang et al. “A novel method for improving LEO kinematic real-time precise orbit determination with neural networks”. In: *IEEE Transactions on Instrumentation and Measurement* (2024).
- [28] Gang Zhao, XuHua Zhou, and Bin Wu. “Precise orbit determination of Haiyang-2 using satellite laser ranging”. In: *Chinese Science Bulletin* 58 (2013), pp. 589–597.