



Parallel Discrete Event Simulation: A Pedestrian View

Daniel Topa
daniel.topa@hii.com

Huntington Ingalls Industries
Mission Technologies

December 24, 2024

Outline I

1 Case for PDES

Test citation: [10.5555/889797]

Relevance for SDA

- ① Define Parallel Discrete Event Simulation
- ② Space domain application
- ③ Parallelism challenges and opportunities

Approaches

I am slide

Stathopoulos: Personal Web Page

[Stathopoulos]

Parallel Discrete Event Simulation


PDES: the execution of a single DES program on a parallel computer

Why PDES?

large simulations consume enormous amounts of time on sequential machines

- engineering
- computer science
- economics
- military applications

Bryant: Simulation of Packet Communication Architecture Systems [10.5555/889797]



Chandy & Misra: Simulation of Packet Communication Architecture Systems

[chandy1979distributed]

440

IEEE TRANSACTIONS ON SOFTWARE ENGINEERING, VOL. SE-5, NO. 5, SEPTEMBER 1979

Distributed Simulation: A Case Study in Design and Verification of Distributed Programs

K. MANI CHANDY AND JAYADEV MISRA, MEMBER, IEEE

Abstract—The problem of system simulation is typically solved in a sequential manner due to the wide and intensive sharing of variables by all parts of the system. We propose a distributed solution where processes communicate only through messages with their neighbors; there are no shared variables and there is no central process for message routing or process scheduling. Deadlock is avoided in this system despite the absence of global control. Each process in the solution requires only a limited amount of memory. The correctness of a distributed system is proven by proving the correctness of each of its component processes and then using inductive arguments. The proposed solution has been empirically found to be efficient in preliminary studies. The paper presents formal, detailed proofs of correctness.

Index Terms—Concurrent processes, distributed systems, performance, program proving, simulation.


by the process up to t . The contents of the message sent out by a process at t , if any, also depend only on the messages received by that process up to t . Note that the output messages of a process may depend both on the content and on the times at which messages were received by the process. Examples of such systems are job shops (where messages are jobs), data base systems, and communications networks.

The Logical System (Simulator)

Each process in the physical system is simulated by a separate logical process. We use the term LP for logical process and PP for physical process. The logic of an LP depends only upon the PP that it is simulating; it is independent of the rest

Fujimoto: Parallel discrete event simulation

[fujimoto1990parallel]



Fujimoto Citations: Military Engagements

- ① **wieland1989performance**
- ② **gilmer1988assessment**

Other Citations: Military Engagements


- ① beckman1988distributed
- ② gilmer1988assessment

Kunz: Modeling and tools for network simulation

[kunz2010parallel]

8. Parallel Discrete Event Simulation

Georg Kunz (RWTH Aachen University)



8.1 Introduction

Ever since discrete event simulation has been adopted by a large research community, simulation developers have attempted to draw benefits from executing a simulation on multiple processing units in parallel. Hence, a wide range of research has been conducted on Parallel Discrete Event Simulation (PDES). In this chapter we give an overview of the challenges and approaches of *parallel simulation*. Furthermore, we present a survey of the parallelization capabilities of the network simulators OMNeT++, ns-2, DSIM and JiST.

Experiment

I am slide

Bibliography I

- [1] **Bernard P. Zeigler.** Multifaceted modelling and discrete event simulation. USA: Academic Press Professional, Inc., 1984. ISBN: 0127784500.