

W N. & C
OXFORD
UNIVERSITY PRESS
1925

SH 5089
24/8



Oxford English for

Information Technology

Eric H. Glendinning | John McEwan

Contents



Page	Unit / Title	Language Work	Reading	Listening	Speaking	Writing
4	1 Computer Users	Revision: Past simple and Present perfect	Noting specific information	Exchanging information	Writing a brief description	
10	2 Computer Architecture	Describing how an item functions	Locating specific information	Exchanging technical information	Sequencing instructions	
18	3 Computer Applications	Prepositions of place	Reading diagrams	Describing a process	Describing a process	
24	4 Peripherals	Present passive	Ignoring irrelevant info	Describing function	Comparing and contrasting	
32	5 Interview: Former Student	Revision: Comparison and contrast	Listening for detail	Describing function	Describing function	
36	6 Operating Systems	Revision: Past simple questions	Listening for detail	Exchanging technical information	Reading a table	
44	7 Graphical User Interfaces	Word Study: up- and -up verbs	Matching text and diagram	Providing explanations	Scanning	
52	8 Applications Programs	-ing form: as noun and after prepositions	Prediction	Cause and effect	Exchanging information	
60	9 Multimedia	V + obj + infin	Reading diagrams	Requirements:	Role play	
68	10 Interview: Computing Support	V + obj + to-infin allow, enable, help, let, permit	Instructions and complex instructions	Ability: can, could, be able to	Exchanging information and options	
72	11 Networks	-ing clauses: cause and effect	Note-taking	Ability: must, be + essential/critical	Asking targeted questions	
68	10 Interview: Computing Support	If sentences, types 1 and 2	Locating information in diagram and text	Ability: need to, have to,	Asking targeted questions	
72	11 Networks	Word Study: noun + noun compounds	Matching diagrams and spoken output	Ability: must, be + essential/critical	Asking targeted questions	
80	12 The Internet	Relative clauses with a participle	Matching text and diagram	Ability: can, could, be able to	Asking targeted questions	
88	13 Time clauses	Computer mediated communication	Providing explanations	Ability: must, be + essential/critical	Asking targeted questions	
96	14 Websites	Understanding the writer's purpose	Information transfer, listening and note-taking	Ability: must, be + essential/critical	Asking targeted questions	

Page	Unit / Title	Language Work	Reading	Listening	Speaking	Writing
102	15 Interview: Webpage Creator	would Word Study: definitions and collocations	Reading for specific information	Listening for specific information	Exchanging information	Advising
108	16 Communications Systems	Predictions: certainty expressions	Reading for specific information	Listening for predictions and certainty	Exchanging information to complete a diagram	Describing a system
116	17 Computing Support	Diagnosing a fault and giving advice	Information transfer from telephone call to form	Giving advice on technical problems	Reporting a problem	
124	18 Data Security 1	Cause and effect cause to/make; causative verbs; en- and -en verbs	Scanning	Exchanging information	Explaining a computer crime	
132	19 Data Security 2	Cause and effect using allow and prevent links	Reading a table	Exchanging explanations	Describing how a system operates	
140	20 Interview: The ex-hacker	Phrasal verbs	Word Study: semantic groups	Listening for specific information	Writing a short news item	
146	21 Software Engineering	Revision: If X, then Y. Do until, do while	Role play	Role play	Describing advantages and disadvantages	
154	22 People in Computing	Requirements: need to, have to, must, be + essential/critical	Reading and note-taking	Reading and note-taking	Writing a report	
162	23 Recent Developments in IT	Ability: can, could, be able to	Reading and note-taking	Comparing different versions of a text	Writing a report	
172	24 The Future of IT	Predictions: Future perfect and It in subject position	Reading and note-taking	Listening for points of view	Persuading others to your point of view	
178	25 Interview: Electronic Publishing	Emphasising: cleft sentences Word Study: prefixes; -use verbs	Planning group presentation	Planning group presentation	Writing a summary	
184	186 Interview Student A					
190	187 Interview Student B					
196	188 Listening Script					
203	189 Glossary of computing terms and abbreviations					

Computer Users

STARTER 1 Work in groups. Share information on how you use computers in your free time. Compare answers with other groups and make a list of uses for your class.

LISTENING 2 You are going to hear four people talk about how they use computers. Before you listen, try to predict the uses they describe.



User	Possible use
primary school teacher Open University student girl (Louise), aged 6 artist	

3 Now listen to the recordings and note the actual uses described.

User	Actual use
primary school teacher Open University student girl (Louise), aged 6 artist	

- 4** Now listen to the recordings again to find the answers to these questions:
- How does the story-telling program encourage children to work together?
 - In what way is the children's reaction to this program different from other uses they make of computers?
 - What is the OU student studying?
 - What opportunity has she to meet other students?
 - What can you do with Pets 3?
 - What does Louise do with clipart?
 - How did the artist display work to dealers in the past?
 - What is the difficulty in selling through a website?

LANGUAGE WORK

We recorded the paintings into themes. We recorded the paintings into themes.	We recorded the paintings into themes. We recorded the paintings into themes.
1 made one for Mum's birthday 2 made one for my birthday 3 I made one for my birthday 4 I made one for my birthday 5 I made one for my birthday 6 I made one for my birthday 7 I made one for my birthday 8 We tried it out last term	1 made one for Mum's birthday 2 made one for my birthday 3 I made one for my birthday 4 I made one for my birthday 5 I made one for my birthday 6 I made one for my birthday 7 I made one for my birthday 8 We tried it out last term

5 The artist is being interviewed. Make questions to match his answers. Use the correct form of the Past simple or Present perfect, whichever is correct. For example:

Question: **What did you do yesterday?**

Answer: Worked on the computer.

1 Q What ...

A Worked on a CD of my paintings.

2 Q How many ...

A About a third.

3 Q What ...

A I destroyed them.

4 Q How ...

A I scanned them in.

5 Q How ...

A I've organised them into themes.

6 Q Have ...

A Yes, I've added a sound track.

7 Q How long ...

A It's taken me about a week.

8 Q When ...

A I started about ten years ago.

9 Q What ...

A Before I had a computer, I had to use slides.

10 Q Have ...

A Yes, I've sold a few.

6 Put the tenses in this dialogue in the correct form: Past simple or Present perfect.

1 A What (do) today?

2 B I (work) on my project. I (search) the Web for sites on digital cameras.

3 A (find) any good ones?

4 B I (find) several company sites – Sony, Canon, ... but I (want) one which (compare) all the models.

5 A Which search engine (use)?

6 B Dogpile mostly. (ever use) it?

- 7 A Yes, I (try) it but I (have) more luck with Ask Jeeves. Why don't you try it?
- 8 B I (have) enough for one night. I (spend) hours on that project.
- 9 A I (not start) on mine yet.
- 10 B Yeh? I bet you (do) it all.

PROBLEM-SOLVING 7

How do you think these professions might use computers?

Compare answers with others in your group.

- architects
- interior designers
- farmers
- landscape gardeners
- musicians
- rally drivers
- sales people

SPEAKING 8

Work in pairs. Find out this information from your partner.

Make sure you use the correct tense in your questions. For example:

download music from the Internet [what site]

A Have you ever downloaded music from the Internet?

B What site did you use?

- 1 send a video email attachment [who to, when]
- 2 fit an expansion card [which type]
- 3 replace a hard disk [what model]
- 4 fix a printer fault [what kind]
- 5 make your own website [how]
- 6 have a virus [which virus]
- 7 watched TV on the Internet [which station]
- 8 write a program [which language]

WRITING 9

Describe how you use computers in your study and in your free time.

Computers Make the World Smaller and Smarter

A Find the answers to these questions in the following text.

- 1 Name some types of devices that use 'computers on a chip'.
- 2 What uses of handheld computers are mentioned in the text?
- 3 What are the benefits of using computers with the following items?
 - a Security systems
 - b Cars
 - c Phones
- 4 What smart devices are mentioned in the text?
- 5 What are smart cards used for?
- 6 What are the advantages of multimedia?
- 7 What can medical expert systems do?
- 8 How can computers help the disabled?
- 9 What types of computing systems are made available to people in remote locations using electronic classrooms or boardrooms?
- 10 What aspects of computing can people power determine?

The ability of tiny computing devices to control complex operations has transformed the way many tasks are performed, ranging from scientific research to producing consumer products. Tiny 'computers on a chip' are used in medical equipment, home appliances, cars and toys. Workers use handheld computing devices to collect data at a customer site, to generate forms, to control inventory, and to serve as desktop organisers.

Not only is computing equipment getting smaller, it is getting more sophisticated. Computers are part of many machines and devices that once required continual human supervision and control. Today, computers in security systems result in safer environments, computers in cars improve energy efficiency, and computers in phones provide features such as call forwarding, call monitoring, and call answering.

These smart machines are designed to take over some of the basic tasks previously performed by people; by so doing, they make life a little easier and a little more pleasant.

Smart cards store vital information such as health records, drivers' licenses, bank balances, and so on. Smart phones, cars, and appliances with built-in computers can be programmed to better meet individual needs.

A smart house has a built-in monitoring system that can turn lights on and off, open and close windows, operate the oven, and more.

With small computing devices available for performing smart tasks like cooking dinner, programming the DVD recorder, and controlling the flow of information in an organization, people are able to spend more time doing what they often do best – being creative. Computers can help people work more creatively.

Multimedia systems are known for their educational and entertainment value, which we call 'edutainment'. Multimedia combines

45 graphics, which greatly enhances the interaction between user and machine and can make information more interesting and appealing to people. Expert systems software enables computers to 'think' like experts. Medical diagnosis expert systems, for example, can help doctors pinpoint a patient's illness, suggest further tests, and prescribe appropriate drugs.

Connectivity enables computers and software that might otherwise be incompatible to communicate and to share resources. Now that computers are proliferating in many areas and networks are available for people to access data and communicate with others, personal computers are becoming interpersonal PCs. They have the potential to significantly improve the way we relate to each other. Many people today telecommute – that is, use their computers to stay in touch with the office while they are working at home. With the proper tools, hospital staff can get a diagnosis from a medical expert hundreds or thousands of miles away. Similarly, the disabled can communicate more effectively with others using computers.

60 Distance learning and videoconferencing are concepts made possible with the use of an electronic classroom or boardroom accessible to people in remote locations. Vast databases of information are currently available to users of the Internet, all of whom can send mail messages to each other. The information superhighway is designed to significantly expand this interactive connectivity so that 65 people all over the world will have free access to all these resources.

People power is critical to ensuring that hardware, software, and connectivity are effectively integrated in a socially responsible way. People – computer users and computer professionals – are the ones who will decide which hardware, software, and networks endure and how great an impact they will have on our lives. Ultimately people power must be exercised to ensure that computers are used not only efficiently but in a socially responsible way.

B Re-read the text to find the answers to these questions:

- 1 Match the terms in **Table A** with the statements in **Table B**.

Table A

- | | |
|---|--------------------------|
| a | Edutainment |
| b | Multimedia |
| c | Expert system |
| d | Telecommute |
| e | Information superhighway |

Table B


- | | |
|-----|--|
| i | Software that enables computers to 'think' like experts... |
| ii | Use computers to stay in touch with the office while working at home |
| iii | Internet system designed to provide free, interactive access to vast resources for people all over the world |
| iv | Multimedia materials with a combination of educational and entertainment content |
| v | A combination of text with sound, video, animation, and graphics |

2 Mark the following statements as True or False:

- a Desktop organisers are programs that require desktop computers.
- b Computers are sometimes used to monitor systems that previously needed human supervision.
- c Networking is a way of allowing otherwise incompatible systems to communicate and share resources.
- d The use of computers prevents people from being creative.
- e Computer users do not have much influence over the way that computing develops.

Computer Architecture

STARTER **1** Name these different types of devices. Then match the possible users below to each type. Justify your choice.



a

b

c

d

e

f

g

h

i

j

k

l

m

n

o

p

q

r

s

t

u

v

w

x

y

z

aa

bb

cc

dd

ee

ff

gg

hh

ii

jj

kk

ll

mm

nn

oo

pp

qq

rr

ss

tt

uu

vv

ww

xx

yy

zz

aa

bb

cc

dd

ee

ff

gg

hh

ii

jj

kk

ll

mm

nn

oo

pp

qq

rr

ss

tt

uu

vv

ww

xx

yy

zz

aa

bb

cc

dd

ee

ff

gg

hh

ii

jj

kk

ll

mm

nn

oo

pp

qq

rr

ss

tt

uu

vv

ww

xx

yy

zz

aa

bb

cc

dd

ee

ff

gg

hh

ii

jj

kk

ll

mm

nn

oo

pp

qq

rr

ss

tt

uu

vv

ww

xx

yy

zz

aa

bb

cc

dd

ee

ff

gg

hh

ii

jj

kk

ll

mm

nn

oo

pp

qq

rr

ss

tt

uu

vv

ww

xx

yy

zz

aa

bb

cc

dd

ee

ff

gg

hh

ii

jj

kk

ll

mm

nn

oo

pp

qq

rr

ss

tt

uu

vv

ww

xx

yy

zz

aa

bb

cc

dd

ee

ff

gg

hh

ii

jj

kk

ll

mm

nn

oo

pp

qq

rr

ss

tt

uu

vv

ww

xx

yy

zz

aa

bb

cc

dd

ee

ff

gg

hh

ii

jj

kk

ll

mm

nn

oo

pp

qq

rr

ss

tt

uu

vv

ww

xx

yy

zz

aa

bb

cc

dd

ee

ff

gg

hh

ii

jj

kk

ll

mm

nn

oo

pp

qq

rr

ss

tt

uu

vv

ww

xx

yy

zz

aa

bb

cc

dd

ee

ff

gg

hh

ii

jj

kk

ll

mm

nn

oo

pp

qq

rr

ss

tt

uu

vv

ww

xx

yy

zz

aa

bb

cc

dd

ee

ff

gg

hh

ii

jj

kk

ll

mm

nn

oo

pp

qq

rr

ss

tt

uu

vv

ww

xx

yy

zz

aa

bb

cc

dd

ee

ff

gg

hh

ii

jj

kk

ll

mm

nn

oo

pp

qq

rr

ss

tt

uu

vv

ww

xx

yy

zz

aa

bb

cc

dd

ee

ff

gg

hh

ii

jj

kk

ll

mm

nn

oo

pp

qq

rr

ss

tt

uu

vv

ww

xx

yy

LANGUAGE WORK

We can describe the function of an item in a number of ways. Study these examples.	3 ROM is used for holding instructions which are needed to start up the computer.
Using the Present simple	4 ROM holds instructions which are needed to start up the computer.
Using the Present continuous	5 ROM is used to hold instructions which are needed to start up the computer.
Using the Past simple	6 ROM was used to hold instructions which are needed to start up the computer.

4 Match each item in Column A with its function in Column B. Then describe its function in two ways.

A Item	B Function
RAM	controls the cursor
processor	inputs data through keys like a typewriter
mouse	displays the output from a computer on a screen
clock	reads DVD-ROMs
flash memory key	reads and writes to electronic chips on a card
monitor	holds instructions which are needed to start up the computer
keyboard	holds data read or written to it by the processor
DVD-ROM drive	provides extremely fast access for sections of a program and its data
cache	controls the timing of signals in the computer
ROM	controls all the operations in a computer

5 With the help of the Glossary if necessary, describe the functions of these items.

- | | |
|-------------------|----------------------|
| 1 scanner | 6 supercomputer |
| 2 printer | 7 mainframe computer |
| 3 ATM | 8 barcodes |
| 4 PDA | 9 swipe cards |
| 5 hard disk drive | 10 memory |

LANGUAGE WORK

Study these examples of prepositions of place.





Fig 3
Computer Buses

- 6 The hard disk drive is **inside** a sealed **case**.
7 Heads move **across** the disk.
8 Tracks are divided **into** sectors.



Fig 4
Hard disk

6 Complete each sentence using the correct preposition.

- The CPU is a large chip the computer.
- Data always flows the CPU the address bus.
- The CPU can be divided three parts.
- Data flows the CPU and memory.
- Peripherals are devices the computer but linked it.
- The signal moves the VDU screen one side the other.
- The CPU puts the address the address bus.
- The CPU can fetch data memory the data bus.

PROBLEM-SOLVING 7 Study these 'System upgrades and options' for the computer described in Task 3. Which upgrades and/or options would improve these aspects of this computer?

- 1 capacity
- 2 speed
- 3 protection from damage due to power failure
- 4 network connections

Upgrades and options

10/100/1000 Ethernet controller

16X DVD +/-RW drive

Extra memory module

APC 1400 Smart-UPS

3 Year Next-Business-Day On-site maintenance





WRITING

9 Put these instructions for opening a computer in the correct sequence.

- a Release the two catches underneath and lift up to remove panel.
- b Shut down your computer by choosing Shut Down from the Apple menu or the Special menu.
- c If there are security screws on the vertical plate on the back of the computer, remove them with a Phillips screwdriver.
- d Unplug all the cables except the power cord from your computer.
- e Pulling gently, slide the tray out.

10 Match these figures to the instructions.

Fig 5
Opening a computer



i

ii

iii

iv

SPEAKING 8 Work in pairs, A and B. Find out as much as you can about

your partner's computer and complete this table.

Student A Your computer details are on page 184.

Student B Your computer details are on page 190.

Feature	A	B
processor type		
processor speed		
bus speed		
memory capacity		
memory speed		
memory type		
hard disk capacity		
screen size		
screen resolution		
optical drive speed		

11 Add these sequence words to your instructions: *first, then, next, after that, finally*.

A Find the answers to these questions in the following texts.

- 1 What is one of the main causes of a PC not running at its highest potential speed?
- 2 What word in the text is used instead of 'buffer'?
- 3 What device looks after cache coherency?
- 4 What is the main alternative to 'write-through cache'?
- 5 When does a write-back cache write its contents back to main memory?
- 6 When is data marked as 'dirty' in a write-back cache?
- 7 What determines what data is replaced in a disk cache?

CACHE MEMORY

Most PCs are held back not by the speed of their main processor, but by the time it takes to move data in and out of memory. One of the most important techniques for getting around this bottleneck is the memory cache.


The idea is to use a small number of very fast memory chips as a buffer or cache between main memory and the processor. Whenever the processor needs to read data it looks in this cache area first. If it finds the data in the cache then this counts as a 'cache hit' and the processor need not go through the more laborious process of reading data from the main memory. Only if the data is not in the cache does it need to access main memory, but in the process it copies whatever it finds into the cache so that it is there ready for the next time it is needed. The whole process is controlled by a group of logic circuits called the cache controller.

One of the cache controller's main jobs is to look after 'cache coherency' which means ensuring that any changes written to main memory are reflected within the cache and vice versa. There are several techniques for achieving this, the most obvious

being for the processor to write directly to both the cache and main memory at the same time. This is known as a 'write-through' cache and is the safest solution, but also the slowest.

The main alternative is the 'write-back' cache which allows the processor to write changes only to the cache and not to main memory. Cache entries that have changed are flagged as 'dirty', telling the cache controller to write their contents back to main memory before using the space to cache new data. A write-back cache speeds up the write process, but does require a more intelligent cache controller.

Most cache controllers move a 'line' of data rather than just a single item each time they need to transfer data between main memory and the cache. This tends to improve the chance of a cache hit as most programs spend their time stepping through instructions stored sequentially in memory, rather than jumping about from one area to another. The amount of data transferred each time is known as the 'line size'.






If there is a cache hit then the processor only needs to access the cache. If there is a miss then it needs to both fetch data from main memory and update the cache, which takes longer. With a standard write-through cache, data has to be written

How a Disk Cache Works

Disk caching works in essentially the same way whether you have a cache on your disk controller or you are using a software-based solution. The CPU requests specific data from the cache. In some cases, the information will already be there and the request can be met without accessing the hard disk.

If the requested information isn't in the cache, the data is read from the disk along with a large chunk of adjacent information. The cache then makes room for the new data by replacing old. Depending on the algorithm that is being applied, this may be the information that has been in the cache the longest, or the information that is the least recently used. The CPU's request can then be met, and the cache already has the adjacent data loaded in anticipation of that information being requested next.



B Re-read the texts to find the answers to these questions.

- 1 Match the terms in Table A with the statements in Table B.

Table A

- a Cache hit
- b Cache controller
- c Cache coherency
- d Write-through cache
- e Write-back cache
- f Line size

Table B

- i The process of writing changes only to the cache and not to main memory unless the space is used to cache new data
- ii The amount of data transferred to the cache at any one time
- iii The process of writing directly to both the cache and main memory at the same time
- iv The processor is successful in finding the data in the cache
- v Ensuring that any changes written to main memory are reflected within the cache and vice versa
- vi The logic circuits used to control the cache process

- 2 Mark the following as True or False:
- a Cache memory is faster than RAM.
- b The processor looks for data in the main memory first.
- c Write-through cache is faster than write-back cache.
- d Write-back cache requires a more intelligent cache controller.
- e Most programs use instructions that are stored in sequence in memory.
- f Most cache controllers transfer one item of data at a time.
- g Hardware and software disk caches work in much the same way.

Computer Applications

19

STARTER


1 Work in groups. List as many uses as you can for computers in one of these areas.

- 1 supermarkets
- 2 hospitals
- 3 airports
- 4 police headquarters

READING

2 Study this diagram. Using only the diagram, try to list each stage in the operation of this computerised speed trap to make an explanation of how it operates. For example:

- 1 Camera 1 records the time each vehicle passes.

**3**

Part 1 of the text describes the system which predates the one shown in Fig 1. Does it contain any information that may help complete your explanation? Read it quickly to find out. Ignore any information which is not helpful to you.

In the last ten years, police have installed speed trap units on many busy roads. These contain a radar set, a microprocessor and a camera equipped with a flash. The radar sends out a beam of radio waves at a frequency of 24 gigahertz. This is equivalent to a wavelength of 1.25 cms. If a car is moving towards the radar, the reflected signal will bounce back with a slightly smaller wavelength. If away from the radar, the waves will reflect with a slightly longer wavelength. The microprocessor within the unit measures the difference in wavelength between outgoing and returning signals and calculates the speed of each vehicle. If it is above the speed pre-set by the police, the camera takes a picture of the vehicle. The information is stored on a smart card for transfer to the police computer. The owner of the vehicle can then be traced using the Driver and Vehicle Licensing Centre database.

longer wavelength. The microprocessor within the unit measures the difference in wavelength between outgoing and returning signals and calculates the speed of each vehicle. If it is above the speed pre-set by the police, the camera takes a picture of the vehicle. The information is stored on a smart card for transfer to the police computer. The owner of the vehicle can then be traced using the Driver and Vehicle Licensing Centre database.

4 Part 2 describes the new system. Read it to complete the stages in your explanation.

Part 2

Some drivers have now got used to these traps. They slow down when they approach one to ensure that the camera is not triggered. They speed up again as soon as they have passed. This is known as 'surfing'. One way of outwitting such motorists is a new computerised system. This consists of two units equipped with digital cameras positioned at a measured distance apart. The first unit records the time each vehicle passes it and identifies each vehicle by its number plates using optical character recognition software. This information is relayed to the second unit which repeats the exercise. The microprocessor within the second unit then calculates the time taken by each vehicle to travel between the units. The registration numbers of those vehicles exceeding the speed limit are relayed to police headquarters where a computer matches each vehicle with the DVLC database. Using mailmerge a standard letter is then printed off addressed to the vehicle owner.

LANGUAGE WORK

Study these sentences.

- 1 The radar sends out a beam of radio waves.
 - 2 The information is stored on a smart card.
- In 1 the verb is active and in 2 it is passive. In the Present Passive, why is this so? What difference does it make? In 1 the agent responsible for the action is included – the radar. In 2 the agent is not included although

We know what it is – the microprocessor. That passive is often used to describe the action in a process where the action is more important than the agent and where the agent is already known to the reader. So we need to add the agent: we can do so in 2 like this: 3 The information is stored on a smart card by the microprocessor.

5

Describe the operation of the new speed trap by converting each of these statements to the Present passive. Add information on the agent where you think it is necessary.

- 1 The first unit records the time each vehicle passes.
- 2 It identifies each vehicle by its number plates using OCR software.
- 3 It relays the information to the second unit.
- 4 The second unit also records the time each vehicle passes.
- 5 The microprocessor calculates the time taken to travel between the units.
- 6 It relays the registration numbers of speeding vehicles to police headquarters.

- 7 A computer matches each vehicle with the DVLC database.
- 8 It prints off a letter to the vehicle owners using mailmerge.

- 6** With the help of this diagram, sequence these steps in the operation of an EPOS till. Then write a description of its operation in the Present passive.
- The scanner converts the barcode into electrical pulses.
 - The branch computer sends the price and description of the product to the EPOS till.
 - The scanner reads the barcode.
 - The branch computer records the sale of the product.
 - The till shows the item and price.
 - The checkout operator scans the item.
 - The scanner sends the pulses to the branch computer.
 - The till prints the item and price on the paper receipt.
 - The branch computer searches the stock file for a product matching the barcode EAN.

PROBLEM-SOLVING**7**

Assuming cost is not a problem, what computer applications would make today's cars safer, more comfortable, more secure and more efficient? List your ideas; then compare ideas with others in your group.

SPEAKING **8** Work in pairs, A and B. Be prepared to describe the process shown in your diagram to your partner. Take notes on the process described to you. Ask your partner to repeat or explain further if you do not understand any of the steps in his/her description. If you prefer, you may describe another computing process you are familiar with.

Student A Your process is on page 184.

Student B Your process is on page 190.


WRITING **9** Write a description of the process you described in Task 8.

Fig 2
Operation of EPOS till

A following text.

- 1 What tool is often used in data mining?
- 2 What AI method is used for the following processes?
 - a Separate data into subsets and then analyse the subsets to divide them into further subsets for a number of levels.
 - b Continually analyse and compare data until patterns emerge.
 - c Divide data into groups based on similar features or limited data ranges.
 - d Continually analyse and compare data until patterns emerge.
- 3 What term is used for the patterns found by neural networks?
- 4 When are clusters used in data mining?
- 5 What types of data storage can be used in data mining?
- 6 What can an analyst do to improve the data mining results?
- 7 Name some of the ways in which data mining is currently used.

Data mining is simply filtering through large amounts of raw data for useful information that gives businesses a competitive edge. This information is made up of meaningful patterns and trends that are already in the data but were previously unseen.


The most popular tool used when mining is artificial intelligence (AI). AI technologies try to work the way the human brain works, by making intelligent guesses, learning by example, and using deductive reasoning. Some of the more popular AI methods used in data mining include neural networks, clustering, and decision trees. Neural networks look at the rules of using data, which are based on the connections found or on a sample set of data. As a result, the software continually analyses value and compares it to the other factors, and it compares these factors repeatedly until it finds patterns emerging. These patterns are known as rules. The software then looks for other patterns based on these rules or sends out an alarm when a trigger value is hit.

Clustering divides data into groups based on similar features or limited data ranges. Clusters are used when data isn't labelled in a way that is favourable to mining. For instance, an insurance company that wants to find instances of fraud wouldn't have its records labelled as fraudulent or not fraudulent. But after analysing patterns within clusters, the mining software can start to figure out the rules that point to which claims are likely to be false.

Decision trees, like clusters, separate the data into subsets and then analyse the subsets to divide them into further subsets, and so on (for a few more levels). The final subsets are then small enough that the mining process can find interesting patterns and relationships within the data.

Once the data to be mined is identified, it should be cleansed. Cleansing data frees it from duplicate information and erroneous data. Next, the data should be stored in a uniform format within relevant categories or fields. Mining tools can work with all types of data storage, from large data warehouses to smaller desktop databases to flat files. Data warehouses and data

storage systems are used to store large amounts of data for mining. Data stores include one or several databases or data warehouses.



B Re-read the text to find the answers to these questions.

1 Match the terms in Table A with the statements in Table B.

Table A

a	Data mining	c	Cleansed data
b	AI	d	Data warehouse

Table B

i	Storage method of archiving large amounts of data to make it easy to access
ii	Data free from duplicate and erroneous information
iii	A process of filtering through large amounts of raw data for useful information
iv	A computing tool that tries to operate in a way similar to the human brain

2 Mark the following as True or False:


- a Data mining is a process of analysing known patterns in data.
- b Artificial intelligence is commonly used in data mining.
- c In data mining, patterns found while analysing data are used for further analysing the data.
- d Data mining is used to detect false insurance claims.
- e Data mining is only useful for a limited range of problems.

3 Complete the following description of the data mining process using words from the text:

Large amounts of data stored in data are often used for data The data is first to remove information and errors. The is then analysed using a tool such as An analysis report is then analysed by an who decides if the need to be refined, other data tools need to be used, or if the results need to be discarded because they are The analyst passes the final results to the makers who decide on the action.

Peripherals

STARTER 1 Identify the peripherals in this computer application. Divide them into input and output devices.



2 Link the inputs on the left and the outputs on the right with the appropriate peripherals in the centre.

Input **Peripherals** **Output**




Fig 2
Input and output devices

LISTENING 3 Study this description and answer these questions.

- 1 How do digital cameras differ from conventional cameras?
- 2 How do they work?
- 3 What are their advantages and disadvantages compared to conventional cameras?


How a digital camera works

Digital cameras store images on memory cards so pictures can be transferred easily to a computer.

A lens focuses the image on to a CCD unit or Charge-Coupled Device where the film would normally be.

So you can aim the camera accurately, there is an optical viewfinder.

So you can play back the images and decide which to keep and which to re-shoot, the image is passed to a small LCD screen on the back of the camera.



4 Listen to Part 1 of this discussion between A and B and complete this table of similarities and differences between conventional and digital cameras. Tick (✓) or cross (✗) the boxes.

Feature	Conventional	Digital
lens	✓	✓
viewfinder	✓	✗
requires chemical processing	✓	✗
film	✓	✗
transfer images directly to PC	✓	✗
can delete unsatisfactory images	✓	✗

5 Listen to Part 2 of the dialogue to list the disadvantages of digital cameras.

Fig 2
Input and output devices

6 Now listen to both parts again to find the answers to these questions:

- 1 What does a CCD contain?
- 2 What is a pixel?
- 3 How can you view pictures before they are downloaded to a PC?
- 4 When you have downloaded the images, what can you do with them?
- 5 Is special software required?
- 6 Why is the resolution important?
- 7 What does the capacity of a digital camera depend on?
- 8 Why is it worth getting a rechargeable battery?

LANGUAGE WORK

Study this comparison of digital and conventional cameras.

FEATURE	DIGITAL	CONVENTIONAL
lens	✓	✓
viewfinder	✓	✓
requires chemical processing	✗	✓
film	✗	✓
transfer images directly to PC	✓	✗
can delete unsatisfactory images	✓	✗
		✗

Comparing features which are similar:

- 1 Both cameras have lenses.
- 2 Like the conventional camera, the digital camera has a viewfinder.

Contrasting features which are different:

- 3 The conventional camera requires chemical processing whereas the digital camera does not.
- 4 The conventional camera uses film unlike the digital camera.
- 5 With a digital camera you can transfer images directly to a PC but with a conventional camera you need to use a scanner.
- 6 With digital cameras you can delete unsatisfactory images; however, with conventional cameras you cannot.
- 1 You can write to hard disks optical disks.
- 2 DVD-ROMs have a capacity CD-ROMs.
- 3 CD-ROM and CD-RW disks are low priced.
- 4 Removable drives and flash drives cost other storage media.
- 5 CD-ROMs cannot be re-recorded some optical disks can.
- 6 hard disks, you can read from and write to flash drives.
- 7 fixed hard disks, DVD-ROMs are removable.
- 8 The cost of a fixed hard disk is a removable one.
- 9 magnetic tapes and fixed hard disks can have very high capacities.
- 10 DVD-RW disks are cheap removable hard disks are more expensive.


Note how we can compare and contrast these types of cameras.

8 Write your own comparison of printer types.

Type	Speed	Text Quality	Graphics Capability	Colour Quality	Cost
Ink-Jet	Medium to fast	Good to excellent	Good to excellent	Good to Very Good	Low
Laser	Medium to very fast	Excellent	Good to excellent	Good in colour	Medium to high
Thermal Transfer	Medium to fast	Excellent	Good to excellent	Good to superior	Medium to high
Solid Ink	Medium to fast	Excellent	Good to excellent	Good	Medium to high
Electro-static	Slow to fast	Fair to good	Fair to good	Fair to good	Low to high


- WRITING** **10** Describe the EPOS till shown in Fig 1. Explain the function of each peripheral using the structures studied in Unit 2.

- 11** Check these websites for the latest digital cameras. Compare the newest cameras with the one described in Fig 3. You will find its specifications on www.canon.com.




Digital Cameras


www.fujifilm.com



www.olympus.com



www.ricohzone.com



www.konicaminolta.com

www.canon.com

- PROBLEM SOLVING** **9** Study this list of needs. Which type of peripheral would you advise in each case?

- 1 inputting printed graphics
- 2 building cars
- 3 controlling the screen cursor in a fast action game
- 4 making choices on a screen in a public information terminal
- 5 recording moving images
- 6 recording a book loan in a library
- 7 printing very high quality text and graphics
- 8 creating drawings
- 9 printing building plan drawings
- 10 recording sound
- 11 listening to music without disturbing others
- 12 storing programs and data
- 13 inputting a lot of text
- 14 backing up large quantities of data

A Find the answers to these questions in the following text.

- 1 What is Currie Munce's main aim?
- 2 How quickly did the possible areal density of hard disks increase in the 1990s?
- 3 How long does Munce think magnetic recording technology will continue to make rapid advances in capacity?
- 4 What problem does he predict for magnetic storage?
- 5 What is the predicted limit for discrete bit magnetic storage capacity?
- 6 What storage technologies might replace current magnetic systems?
- 7 What is the advantage of holographic storage being three-dimensional?
- 8 What improvements are predicted due to the fast access rates and transfer times of holographic storage?
- 9 What is predicted to be the most important high capacity removable storage media in the next 10 years?
- 10 What method of software distribution is likely to replace optical disks?

Ready for the Bazillion-Byte Drive?

Thinking about writing your memoirs – putting your life story down on paper for all eternity? Why not skip the repetitive strain injury and just capture your whole life on full-motion video, putting it all in a device the size of a sugar cube? It might not be as far off as you think.

Currie Munce, director of IBM's Advanced HDD Technology Storage Systems Division, has one avowed goal: Build bigger storage. Recently Munce and his fellow PhDs restored Big Blue's lead in the disk space race with a new world record for areal (bit) density: 35.3 gigabits per square inch – roughly three times as dense as any drive shipping at press time.

During the 1990s, areal density doubled every 18 months, keeping pace with the transistor density gains predicted by Moore's Law. But increasingly daunting technical challenges face those who would push the storage envelope further. 'I think magnetic recording technology has another good 5 to 10 years,' says Munce. 'After that, we'll see substantial difficulties with further advances at the pace people are accustomed to.'

From here on, a phenomenon called superparamagnetism threatens to make densely-packed bits unstable. Provided that new developments continue to thwart superparamagnetic corruption, scientists speculate that the theoretical limit for discrete bit recording is 10 terabits per square inch (1 terabit = 1,000 gigabits).

Approaching this limit will require new technologies. Two possible contenders are atomic force microscopy (AFM) and holographic storage.

Meanwhile, also-on technologies are thriving. Tape, first used for data storage in 1951 with the Univac I, has been revitalized by the corporate hunger for affordable archiving solutions. In the consumer arena, says Dataquest analyst Mary Craig, recordable CD-ROMs and DVDs will remain the dominant high-capacity removable storage media for the next decade. Despite their failure to match the areal density gains of hard disks, optical disks are cheap to produce, making them ideal for software distribution (until a mature digital rights management system facilitates online delivery). Finally, solid state options such as flash cards can't yet match the pricing of hard disks at high capacities.

Further out, scientists salivate over the prospect of data manipulation and storage on an atomic level. Because consumer demand for capacity is lagging behind what technology can deliver, bringing new storage options to the masses will depend on seeing the need for more space.

B Re-read the text to find the answers to these questions.

- 1 Match the terms in Table A with the statements in Table B.

Table A

- a Big Blue
- b Areal density
- c Moore's Law
- d Superparamagnetism
- e Terabit
- f AFM
- g Angstrom

While AFM is still in the lab, holographic storage

is closer to reality. According to Rusty Rosemberger, optical program manager for Imation, 'We are targeting a 5 1/4-inch disk with 45 125GB of storage and a 40MB-per-second transfer rate. Future iterations of holographic systems

should improve substantially.' The three-dimensional nature of holography makes it an appealing storage medium because 'pages' of data can be superimposed on a single volume – imagine transferring a whole page of text at once as opposed to reading each letter in sequence. Hans Coufal, manager of IBM's New Directions in Science and Technology Research division, predicts that the fast access rates and transfer times of holographic storage will lead to improved network searches, video on demand, high-end servers, enterprise computing, and supercomputing.

60 Meanwhile, also-on technologies are thriving. Tape, first used for data storage in 1951 with the Univac I, has been revitalized by the corporate hunger for affordable archiving solutions. In the consumer arena, says Dataquest analyst Mary Craig, recordable CD-ROMs and DVDs will remain the dominant high-capacity removable storage media for the next decade. Despite their failure to match the areal density gains of hard disks, optical disks are cheap to produce, making them ideal for software distribution (until a mature digital rights management system facilitates online delivery). Finally, solid state options such as flash cards can't yet match the pricing of hard disks at high capacities.

65 Further out, scientists salivate over the prospect of data manipulation and storage on an atomic level. Because consumer demand for capacity is lagging behind what technology can deliver, bringing new storage options to the masses will depend on seeing the need for more space.

- 2 Mark the following statements as True or False:

- a The development of AFM is more advanced than holographic storage.
- b The predicted maximum storage density of AFM is 400 gigabits per square inch.
- c Holography works in 3D.
- d Univac I was the first computer to use tape storage devices.
- e Users want higher capacity storage devices than technology can provide.

Former Student



Paul is 24. He has a Higher National Certificate in Computing and a Higher National Diploma in Computing Support which he completed two years ago. He has been working for a company providing support services for the last eighteen months.

STARTER 1 Study this list of some of the subjects included in his Diploma course. In which of these subject areas would he study the topics which follow?

- 1 Computer Architecture
- 2 HW Installation & Maintenance
- 3 Info Tech Applications (1)
- 4 Info Tech Applications (2)
- 5 Multi-user Operating System
- 6 Network Technology
- 7 Software Development Life Cycle
- 8 Standalone Computer System Support
- 9 Software Development Procedural Lang.
- 10 Data Communications
- 11 Information Systems & Services
- 12 Systems Development
- 13 Communication
- 14 Project Management
- 15 Mathematics for Computing

- a LAN Topologies
- b PC Bus Architectures
- c Modems
- d How to connect printers
- e Unix Operating System
- f Pascal
- g Writing a program
- h -Creating a database
- i Maintenance of desktops
- j Wordprocessing and other office applications
- k Binary system
- l Making presentations

LISTENING 2

- ④ Listen to Part 1 of the recording to find the answers to these questions:
- 1 Which of the subject areas listed in Task 1 does Paul mention?
 - 2 Which additional subjects does he mention?
 - 3 Why did he choose to do his Diploma in support?
 - 4 What practical work was included in the course?
 - 5 Which subject did he particularly enjoy?

LISTENING 3

- ④ Listen to Part 2 of the recording and answer these questions:
- 1 What suggestions does Paul have for improving the course? Note a) his suggestions for improvement and b) the reasons he gives.
 - 2 Which of the subjects he studied has he found useful in his work? Note a) the subjects and b) examples in the work situation.

LISTENING 4

- ④ Listen to Part 3 of the recording to answer these questions:
- 1 In which situations does Paul have to learn fast?
 - 2 What sources does he use for help?
 - 3 What advice did the college provide on sources of information?
 - 4 What was the problem with the set book?
 - 5 How does he feel about going back to college?

QUESTIONNAIRE

Asking about people:
Who taught you Maths?
Whose classes did you most enjoy?

Asking about things:
What made you choose computing support?
What did you like most?

Asking about actions:
What did you do on Fridays?
What happened on Monday mornings?


LANGUAGE WORK

Study these examples of questions about the past:

Asking about quantity:
How many days a week did you study?
How much programming did you do?

Asking about time:
When did you study Communication?

Asking about actions:
What did you do on Fridays?
What happened on Monday mornings?



5 Study this description of a student's first term. What questions might the interviewer have asked to obtain the information in italics?

In her first term Pauline studied *six subjects*¹. She had classes on *four days*² each week. On Monday morning she *had IT and Information Systems*³. Tuesday⁴ was a free day for home study. On Wednesday she had *Systems Analysis in Room 324*⁵. She studied *Computer Architecture*⁶ on Thursdays. *Programming*⁷ happened on Friday mornings. Communication took place *once a week*⁸ on Friday afternoons. She liked *Mr Blunt's classes*⁹ most. She had a 15-minute coffee break each day and a lunch break *from 12.00 to 1.00*¹⁰.

SPEAKING **7** Role Play Work in pairs. Using the transcript for Part 1 of the interview, on page 196, play the parts of the interviewer and Paul.

WRITING

8 Study this description of a computer course. Then write a description of your own computing course, or one of its components, in the same way.

Computer Use and Applications

WORD STUDY **6** *up-* and *-up* verbs Complete each gap in these sentences with the appropriate form of the correct verb from this list:

<i>back up</i>	<i>keep up</i>	<i>update</i>
<i>build up</i>	<i>set up</i>	<i>upgrade</i>
<i>catch up</i>	<i>start up</i>	<i>upload</i>
<i>free up</i>		

- 1 To avoid losing data, you should your files regularly.
- 2 You can your PC by adding a new motherboard.
- 3 Delete some files to space on your hard disk.
- 4 Data is from regional PCs to the company's mainframe each night.
- 5 The operating system boots when you your computer.
- 6 She's taking a course to her knowledge of computing.
- 7 The computer checks the memory when it
- 8 He a website to advertise his travel company.
- 9 You can with developments by reading PC magazines.
- 10 If you miss a class, you can study the hand-outs to
- 11 The image in a digital camera is from a red, green and blue image.

AIMS:

- 1 To introduce complete beginners to computer systems.

- 2 To give a basic foundation in computer technology and to introduce appropriate terminology.

- 3 To give a description of the major components (hardware and software) which make up a computer system.

- 4 To show how computer systems are used in commerce and industry.

- 5 To give practical experience in using various systems.

- Part 2 The basic structure of computer hardware and systems software. Topics include compilers vs interpreters and memory management.

- Part 3 Introduces some more advanced software tools, documentation tools and language processors.

- Part 4 Discusses various uses of computers including spreadsheets, databases, communications and impacts on society.

DESCRIPTION:

- The course is in four parts.

- STAFF:**
Dr Peter Jones
METHOD AND FREQUENCY OF CLASS:
Two lectures per week with practical exercises once every two weeks.

ASSESSMENT:

- Three formal coursework assignments.

Operating Systems

STARTER

1 Study this screen display and answer these questions.

- 1 How do you enter Unix commands?
- 2 Which Unix commands does it show?
- 3 What is the output of each command?
- 4 What will happen when the last command is entered?
- 5 Which other Unix commands do you know?

```

$ date
Mon Sep 14 10:45:38 EST 2009
$ ls -l
passwd: Changing Password for dse03
Enter login password:
New password:
$ ls
home local mail packages search
$ logout >

```


Fig 1
Unix screen display

READING

2 Match the labels to the four layers of this diagram with the help of the diagram caption.

- 1 applications programs
- 2 user
- 3 hardware
- 4 operating system

A CONCEPTUAL DIAGRAM OF AN OPERATING SYSTEM



Closest to the user are applications programs – software that helps a user compute a payroll or play a game or calculate the trajectory of a rocket.

The operating system is the set of programs between the applications programs and the hardware.

3 Study this text title. What do you think it means?

Operating Systems: Hidden Software

Now read this text to check your answer and to find the answers to these questions:

- 1 What difference is there between applications software and operating systems?
- 2 Why is the supervisor program the most important operating system program?
- 3 What is the difference between resident and non-resident programs?
- 4 What are the main functions of an operating system?

When a brand new computer comes off the factory assembly line, it can do nothing. The hardware needs software to make it work. Are we talking about applications software such as wordprocessing or spreadsheet software? Partly. But an applications software package does not communicate directly with the hardware. Between the applications software and the hardware is a software interface – an operating system. An operating system is a set of programs that lies between applications software and the computer hardware.

The most important program in the operating system, the program that manages the operating system, is the supervisor program, most of which remains in memory and is thus referred to as resident. The supervisor controls the entire operating system and loads into memory other operating system programs (called non-resident) from disk storage only as needed.

An operating system has three main functions: (1) manage the computer's resources, such as the central processing unit, memory, disk drives, and printers; (2) establish a user interface; and (3) execute and provide services for applications software. Keep in mind, however, that much of the work of an operating system is hidden from the user. In particular, the first listed function, managing the computer's resources, is taken care of without the user being aware of the details. Furthermore, all input and output operations, although invoked by an applications program, are actually carried out by the operating system.

Fig 2
Conceptual diagram of an operating system

4 Complete the gaps in this summary of the text on operating systems using these linking words and phrases:

although
in addition
because
such as
but
therefore

The user is aware of the effects of different applications programs operating systems are invisible to most users. They lie between applications programs, wordprocessing, and the hardware. The supervisor program is the most important. It remains in memory, it is referred to as resident. Others are called non-resident they are loaded into memory only when needed. Operating systems manage the computer's resources, the central processing unit, they establish a user interface, and execute and provide services for applications software. input and output operations are invoked by applications programs, they are carried out by the operating system.

LANGUAGE WORK

<p>We can use the ing form of the verb as a noun. It can be the subject or object, or complement of a sentence. For example:</p> <p>1. Managing the computer's resources is an important function of the operating system.</p> <p>2. The operating system starts running the user interface as soon as the PC is switched on.</p> <p>3. Another function of the operating system is executing and providing services for applications software.</p>	<p>The -ing form is also used after prepositions. This includes to when it is a preposition and not part of the infinitive. For example:</p> <p>4. Without the user being aware of it, the operating system manages the computer's resources.</p> <p>5. We began browsing on the Internet between a user and a PC operating system.</p> <p>6. We took forward to having cheaper and faster computers.</p>
---	--

5 Rewrite each of these sentences like this:

An important function of the operating system is to manage the computer's resources.
Managing the computer's resources is an important function of the operating system.

- 1 One task of the supervisor program is to load into memory non-resident programs as required.
- 2 The role of the operating system is to communicate directly with the hardware.
- 3 One of the key functions of the operating system is to establish a user interface.
- 4 An additional role is to provide services for applications software.
- 5 Part of the work of mainframe operating systems is to support multiple programs and users.
- 6 The task in most cases is to facilitate interaction between a single user and a PC.
- 7 One of the most important functions of a computer is to process large amounts of data quickly.
- 8 The main reason for installing more memory is to allow the computer to process data faster.

6 Complete these sentences with the correct form of the verb: infinitive or -ing form.

- 1 Don't switch off without (close down) your PC.
- 2 I want to (upgrade) my computer.
- 3 He can't get used to (log on) with a password.
- 4 You can find information on the Internet by (use) a search engine.
- 5 He objected to (pay) expensive telephone calls for Internet access.
- 6 He tried to (hack into) the system without (know) the password.
- 7 You needn't learn how to (program) in HTML before (design) webpages.
- 8 I look forward to (input) data by voice instead of (use) a keyboard.

PROBLEM-SOLVING 7 Try to find the commands from the lists below which will have these actions.

VMS	Unix
help	write
directory	cp
search	lpr
copy	ls
rename	mkdir
print	date
show users	rm
show time	man
create directory	grep
phone	rwho
delete	mv

Action	VMS command	Unix command
List all the files in a directory		
Delete a file		
Rename a file		
Copy a file		
Send a file to a printer		
Obtain help		
Create a directory		
Show date and time		
Show users on system		
Talk to other users on system		
Search for a string in a file		

SPEAKING 8 Work in pairs, A and B. Each of you has information about some popular operating systems. Find out from the information you have and by asking each other, the answers to these questions:

Student A Your information is on page 184.

Student B Your information is on page 190.

- 1 Which operating system is used on Apple Macintosh microcomputers?
- 2 What is Palm OS designed for?

- 3 Name one system used on IBM mainframes.
- 4 Which operating system is Linux related to?
- 5 Which operating systems are specifically designed for multimedia?
- 6 Which operating systems are produced by the Microsoft Corporation?
- 7 Which operating system is distributed as freeware?
- 8 Which network operating system is becoming less popular?
- 9 Which operating system is most suited for use in the living room of a family home?
- 10 Which operating systems are used by DEC VAX minicomputers?


WRITING 9 This description of the Mac OS X is drawn from the table below. Write a similar description of Linux.

	Mac OS X	Linux
type	Unix-based Apple Mac computer features	Unix-based wide variety variety of distribution kits available

A Find the answers to these questions in the following text.

- 1 What did Linus Torvalds use to write the Linux kernel?
- 2 How was the Linux kernel first made available to the general public?
- 3 What is a programmer likely to do with source code?
- 4 Why will most software companies not sell you their source code?
- 5 What type of utilities and applications are provided in a Linux distribution?
- 6 What is X?
- 7 What graphical user interfaces are mentioned in the text?

LINUX



Linux has its roots in a student project. In 1992, an undergraduate called Linus Torvalds was studying computer science in Helsinki, Finland. Like most computer science courses, a big component of it was taught on (and about) Unix. Unix was the wonder operating system of the 1970s and 1980s: both a textbook example of the principles of operating system design, and sufficiently robust to be the standard OS in engineering and scientific computing. But Unix was a commercial product (licensed by AT&T to a number of resellers), and cost more than a student could pay.

Annoyed by the shortcomings of Minix (a compact Unix clone written as a teaching aid by Professor Andy Tanenbaum) Linus set out to write his own 'kernel' – the core of an operating system that handles memory allocation, talks to hardware devices, and makes sure everything keeps running. He used the GNU programming tools developed by Richard Stallman's Free Software Foundation, an organisation of volunteers dedicated to fulfilling Stallman's ideal of making good software that anyone could use without paying. When he'd written a basic kernel, he released the source code to the Linux kernel on the Internet.

Source code is important. It's the original from which compiled programs are generated. If you don't have the source code to a program, you can't modify it to fix bugs or add new features. Most software companies won't sell you their source code, or will only do so for an eye-watering price, because they believe that if they

make it available it will destroy their revenue stream.

What happened next was astounding, from the conventional, commercial software industry point of view – and utterly predictable to anyone who knew about the Free Software Foundation. Programmers (mostly academics and students) began using Linux. They found that it didn't do things they wanted it to do – so they fixed it. And where they improved it, they sent the improvements to Linus, who rolled them into the kernel. And Linux began to grow.

There's a term for this model of software development; it's called Open Source (see www.opensource.org/ for more information).

Anyone can have the source code – it's free (in the sense of free speech, not free beer). Anyone can contribute to it. If you use it heavily you may want to extend or develop or fix bugs in it – and it is so easy to give your fixes back to the community that most people do so.

An operating system kernel on its own isn't a lot of use; but Linux was purposefully designed as a near-clone of Unix, and there is a lot of software out there that is free and was designed to compile on Linux. By about 1992, the first 'distributions' appeared.

A distribution is the Linux-user term for a complete operating system kit, complete with the utilities and applications you need to make it do useful things – command interpreters, programming tools, text editors, typesetting tools, and graphical user interfaces based on the X windowing system. X is a standard in academic and scientific computing, but not hitherto common on PCs; it's a complex distributed windowing system on which people implement graphical interfaces like KDE and Gnome.

As more and more people got to know about Linux, some of them began to port the Linux kernel to run on non-standard computers. Because it's free, Linux is now the most widely-portered operating system there is.

B Re-read the text to find the answers to these questions.

1 Match the terms in Table A with the statements in Table B.

Table A

- a Kernel
- b Free Software Foundation
- c Source code
- d Open Source
- e A distribution
- f X

Table B

- i A type of software development where any programmer can develop or fix bugs in the software
- ii The original systems program from which compiled programs are generated
- iii A complete operating system kit with the utilities and applications you need to make it do useful things
- iv A standard distributed windowing system on which people implement graphical interfaces
- v An organisation of volunteers dedicated to making good software that anyone could use without paying
- vi The core of an operating system that handles memory allocation, talks to hardware devices, and makes sure everything keeps running

2 Mark the following statements as True or False:

- a Linux was created in the 1980s.
- b Minix was created by a university student.
- c Linux is based on Unix.
- d Minix is based on Unix.
- e Linux runs on more types of computer than any other operating system.

Graphical User Interfaces

STARTER 1 Study this diagram of a graphical user interface (GUI). Identify these features:

- 1 window
- 2 icon
- 3 menu
- 4 system tray
- 5 toolbar
- 6 submenu
- 7 desktop
- 8 button




Fig 1
Windows XP screen display

2 Study this second example of a GUI. Identify

- 1 How does it differ from Fig 1?
- 2 In what ways is it the same?





Fig 2
Mac GUI

2 Study this second example of a GUI. Identify

- 1 How does it differ from Fig 1?
- 2 In what ways is it the same?



READING

3 Study this diagram of the Windows Desktop and answer these questions about its features.

- 1 What does Outlook Express let you do?
- 2 Which feature shows you current programs?
- 3 How do you read the date?
- 4 What is Briefcase for?
- 5 Which background colour is most common?
- 6 Which feature shows other computers networked with yours?
- 7 Which feature lets you see which files are stored on your PC?
- 8 What is the program that helps you get on the Internet?
- 9 How do you delete files permanently?

My Computer _____
This lets you browse the files stored on your PC. Move the mouse pointer over this icon and double-click the left mouse button; a new window shows your hard disk, floppy disk and CD-ROM drive, as well as special Printer and Control Panel folders.

The Internet _____
The Internet Connection Wizard is a special program that helps you get on the Internet. You may also have an icon for the Microsoft Network – an Internet service you can subscribe to.

Background _____
This background of the Desktop can be a solid colour, a pattern or even a picture. Most new PCs have a solid blue background, while some may show the logo of your PC maker.

Taskbar _____
The Taskbar shows you the programs that you are currently running and the windows you have open. To switch between different windows, click on their buttons on the Taskbar.

Status/Time box _____
This box normally displays the current time, but it can also display other information. Pause the mouse pointer over the box for a moment and a pop-up box tells you the date. The box is also used very often by programs to show the status of tools such as the printer, modem or – on a notebook (a portable computer) – it might display the amount of battery power you have left.

Briefcase _____
If you often take files and documents to and from a PC at work, Briefcase helps you to keep them organised and up to date.

Recycle Bin _____
When you delete files, they go here so you can easily retrieve them if you make a mistake. To delete the files permanently, you can empty the Recycle Bin.

Outlook Express _____
This starts Microsoft Outlook Express, which lets you send electronic mail if you have Internet access.

Start _____
This button is the main starting point for most of your actions. Click once and you'll see a list of programs and your most recently used documents.

Windows desktop _____
This is the main working area of the desktop. It's where you can move icons around and where windows open.

LANGUAGE WORK

New developments in computing are often designed to make something easier. These verbs are often used to describe such developments:

allow
enable
help
let
permit

Allow, enable and permit are used with the structure:
Verb + object + to infinitive

Let is used with this structure:
Verb + object + infinitive

Help can be used with either structure:
1 A GUI lets you point to icons and click a mouse button to execute a task.
2 A GUI allows you to use a computer without knowing any operating system commands.

4 Complete the gap in each sentence with the correct form of the verb in brackets.

1 The Help facility enables users (get) advice on most problems.

2 Adding more memory lets your computer (work) faster.

3 Windows allows you (display) two different folders at the same time.

4 The Shift key allows you (type) in upper case.

5 The MouseKeys feature enables you (use) the numeric keypad to move the mouse pointer.

6 ALT + TAB allows you (switch) between programs.

7 The StickyKeys feature helps disabled people (operate) two keys simultaneously.

8 ALT + PRINT SCREEN lets you (copy) an image of an active window to the Clipboard.



Fig 3
Windows desktop

Status/Time box

This box normally displays the current time, but it can also display other information. Pause the mouse pointer over the box for a moment and a pop-up box tells you the date. The box is also used very often by programs to show the status of tools such as the printer, modem or – on a notebook (a portable computer) – it might display the amount of battery power you have left.

Briefcase

If you often take files and documents to and from a PC at work, Briefcase helps you to keep them organised and up to date.


5 Describe the function of these features using 'enabling' verbs.

- 1 In a window, the vertical scroll bar
- 2 The Find command
- 3 The Undo command
- 4 Cut and paste
- 5 The Print Screen key
- 6 Menus
- 7 Recycle bin
- 8 Tooltips

6 Study this version of a GUI. Which part of the screen would you touch if you want to:

- 1 make a phone call?
- 2 send an email?
- 3 access a keyboard?
- 4 record an appointment?
- 5 get help?
- 6 write new mail?

What do you think happens if you touch these areas of the screen?
g, h, i, j, k, l

**SPEAKING**

7 Work in groups. Complete this questionnaire for yourself. Then take turns in your group to explain how to perform each of these actions. You may need these verbs:

- choose
right/left/double-click on
hover
drag and drop
select

PROBLEM-SOLVING**6** Study this version of a GUI. Which part of the screen would

you touch if you want to:

- 1 make a phone call?
- 2 send an email?
- 3 access a keyboard?
- 4 record an appointment?
- 5 get help?
- 6 write new mail?

8 Study these instructions for moving a file from one folder to another using Windows Explorer. Then write your own instructions for one of the actions in Task 7. Compare your instructions with those given in the Help facility on your computer.

WRITING**TO MOVE A FILE**

- 1 If you want to move a file that was saved in a different folder, locate and open the folder.
- 2 Right-click the file you want to move; then click Cut on the shortcut menu.
- 3 Locate and open the folder where you want to put the file.
- 4 Right-click the folder; then click Paste on the shortcut menu.

Fig. 4
Magic Cap GUI

USER INTERFACES

A Find the answers to these questions in the following text.

- 1 What developments are driving the development of completely new interfaces?
 - 2 What has inspired a whole cottage industry to develop to improve today's graphical user interface?
 - 3 In what way have XML-based formats changed the user interface?
 - 4 What type of computers are certain to benefit from speech technology?
 - 5 Name a process where a mouse is particularly useful and a process where it is not so useful.
 - 6 What facilities are multimodal interfaces likely to offer in the future?
 - 7 What type of input device will be used to give vision to the user interface?
 - 8 What development has led to an interest in intelligent agents?
 - 9 List ways in which intelligent agents can be used

B	Re-read the text to find the answers to these questions.
1	Match the terms in Table A with the statements in Table B.
Table A	
a	GUI
b	Multimodal interface
c	Intelligent agent
d	TTS
e	The Intelligent Room
Table B	
i	Software assistant that performs tasks such as retrieving and delivering information and automating repetitive tasks
ii	Text to speech
iii	Graphical user interface
iv	A project of the Massachusetts Institute of Technology's Artificial Intelligence Lab
v	A system that allows a user to interact with a computer using a combination of inputs such as speech recognition, hand-writing recognition, text to speech, etc.
2	Mark the following statements as True or False:
a	Fewer people are using computers because computer functions are becoming integrated into other electronic devices.
b	Keyboards and mice will soon not be required for using personal computers.
c	There have been no improvements in interface design since the development of the GUI.
d	Speech recognition is likely to completely replace other input devices.
e	Computer speech and vision will free the user from having to sit in front of a keyboard and screen.
f	Intelligent agents will make computers seem more like humans.
Table C	
70	It's no secret that the amount of information – both on the Internet and within intranets – at the fingertips of computer users has been expanding rapidly. This information onslaught has led to an interest in intelligent agents: software assistants that perform tasks such as retrieving and delivering information and automating repetitive tasks. Agents will make computing significantly easier. They can be used as Web browsers, help desks, and shopping assistants. Combined with the ability to look and listen, intelligent agents will bring personal computers one step closer to behaving more like humans.
75	This is not an accident. Researchers have long noted that users have a tendency to treat their personal computers as though they were human. By making computers more 'social,' they hope to also make them easier to use.
76	As these technologies enter mainstream applications, they will have a marked impact on the way we work with personal computers. Soon, the question will be not 'what does software look like' but 'how does it behave?'

50	<p>changing the style of a paragraph. By using both a mouse and speech input, a user can first point to the appropriate paragraph and then say to the computer, 'Make that bold.' Of course, multimodal interfaces will involve more than just traditional input devices and speech recognition. Eventually, most PCs will also have handwriting recognition, text to speech (TTS), the ability to recognize faces or gestures, and even the ability to observe their surroundings.</p>	
55	<p>At The Intelligent Room, a project of Massachusetts Institute of Technology's Artificial Intelligence Lab, researchers have given sight to PCs running Microsoft Windows through the use of video cameras. 'Up to now, the PC hasn't cared about the world around it,' said Rodney A. Brooks, the Director of MIT's Artificial Intelligence Lab. 'When you combine computer vision with speech understanding, it liberates the user from having to sit in front of a keyboard and screen.'</p>	
60		

70 It's no secret that the amount of information – both on the Internet and within intranets – at the fingertips of computer users has been expanding rapidly. This information onslaught has led to an interest in intelligent agents, software assistants that perform tasks such as retrieving and delivering information and automating repetitive tasks. Agents will make computing significantly easier. They can be used as Web browsers, help desks, and shopping assistants. Combined with the ability to look and listen, intelligent agents will bring personal computers one step closer to behaving more like humans.

75 This is not an accident. Researchers have long noted that users have a tendency to treat their personal computers as though they were human. By making computers more 'social,' they hope to also make them easier to use.

80 As these technologies enter mainstream applications, they will have a marked impact on the way we work with personal computers. Soon, the question will be not 'what does software look like' but 'how

85 does it behave?'

<p>1 Match the terms in Table A with the statements in Table B.</p>	<table border="1" data-bbox="385 190 576 509"> <thead> <tr> <th data-bbox="392 193 430 507">Table A</th><th data-bbox="436 193 576 507">Table B</th></tr> </thead> <tbody> <tr> <td data-bbox="392 415 430 507">a GUI</td><td data-bbox="436 415 576 507">i Software assistant that performs tasks such as retrieving and delivering information and automating repetitive tasks</td></tr> <tr> <td data-bbox="392 303 430 410">b Multimodal interface</td><td data-bbox="436 303 576 410">ii Text to speech</td></tr> <tr> <td data-bbox="392 231 430 303">c Intelligent agent</td><td data-bbox="436 231 576 303">iii Graphical user interface</td></tr> <tr> <td data-bbox="392 161 430 231">d TTS</td><td data-bbox="436 161 576 231">iv A project of the Massachusetts Institute of Technology's Artificial Intelligence Lab</td></tr> <tr> <td data-bbox="392 141 430 161">e The Intelligent Room</td><td data-bbox="436 141 576 161">v A system that allows a user to interact with a computer using a combination of inputs such as speech recognition, hand-writing recognition, text to speech, etc.</td></tr> </tbody> </table>	Table A	Table B	a GUI	i Software assistant that performs tasks such as retrieving and delivering information and automating repetitive tasks	b Multimodal interface	ii Text to speech	c Intelligent agent	iii Graphical user interface	d TTS	iv A project of the Massachusetts Institute of Technology's Artificial Intelligence Lab	e The Intelligent Room	v A system that allows a user to interact with a computer using a combination of inputs such as speech recognition, hand-writing recognition, text to speech, etc.
Table A	Table B												
a GUI	i Software assistant that performs tasks such as retrieving and delivering information and automating repetitive tasks												
b Multimodal interface	ii Text to speech												
c Intelligent agent	iii Graphical user interface												
d TTS	iv A project of the Massachusetts Institute of Technology's Artificial Intelligence Lab												
e The Intelligent Room	v A system that allows a user to interact with a computer using a combination of inputs such as speech recognition, hand-writing recognition, text to speech, etc.												
<p>2 Mark the following statements as True or False:</p>	<p>a Fewer people are using computers because computer functions are becoming integrated into other electronic devices.</p> <p>b Keyboards and mice will soon not be required for using personal computers.</p> <p>c There have been no improvements in interface design since the development of the GUI.</p> <p>d Speech recognition is likely to completely replace other input devices.</p> <p>e Computer speech and vision will free the user from having to sit in front of a keyboard and screen.</p> <p>f Intelligent agents will make computers seem more like humans.</p>												

[Adapted from 'User-Interfaces' by John Morris, PC Magazine June 8 1998]

Applications Programs

STARTER 1 Identify these applications programs.






Fig 1
Screen displays

2 Conduct a survey to find out who in your class:

- 1 can name a spreadsheet program
- 2 has used a spreadsheet
- 3 can name a database program
- 4 has used a database
- 5 knows how to insert graphics into a document
- 6 can name a wordprocessing program
- 7 can centre a line of text
- 8 can disable the autocorrect

3 Study this diagram of a medical centre. Which applications programs will be used by the following?

- 1 Reception
- 2 Practice Manager
- 3 Doctors




Fig 2
Medical centre LAN

READING

4 Work in groups. Read paragraph A and additional paragraphs selected by your teacher. Complete this note-taking frame for each text you read.

Users	B	C	D
Use			
Program types			
Data input			
Output			

A The system consists of 5 networked PCs, one in each of the consulting rooms, one in the Practice Manager's office and the other in Reception alongside the file server. (Each PC has its own laser printer.) All users have access to Microsoft Office.

B Doctors use the system to access a number of databases. The most important holds the records of all the patients in the practice. These files contain personal details and the medical history of the patient. The doctor can call up the appointments book prior to the consultation. By clicking on the patient's name, they have immediate access to that patient's records. At the end of each consultation, the doctor enters brief case notes including the diagnosis and treatment. This database can also be used to produce statistics for research and reports.

Doctors can also access a drugs database on CD-ROM which provides prescribing information on thousands of drugs including their suitability for different categories of patients. This

is updated every month. Another database is a conditions dictionary which provides information on a wide range of problems.

C Reception staff use specially tailored software developed from a database to enter all appointment dates and times for each doctor. The program generates daily lists of appointments and can be accessed by the doctors. Reception uses the patient database to identify children and old people who are due to have vaccinations. They then use mailmerging to create letters asking for appointments to be made.

D The Practice Manager uses a payroll package based on a spreadsheet to calculate salaries for each employee of the health centre. She enters all income and expenditure to produce practice accounts. She uses a database to produce a monthly rota of which doctors are on call in evenings and at weekends. This rota is available over the network to all users.


LANGUAGE WORK

Study this extract from an instruction manual for software for doctors in a health centre.

PATIENT BROWSER

Patient Browser allows you to find specific patients and open their records. It also allows you to identify different categories of patients.

Click here to display or remove search criteria



- To find patients, first click on the appropriate tab (Personal, Address or Registration).
- Enter the search criteria. A combination of tabs may be used (e.g. enter a surname under the Personal tab and select a doctor in the Registration tab).
- Select the Details button if you wish to clear the criteria boxes of any existing entries, or to search for all patients, but the list may be a long one.
- Start the search by clicking on the Find button.

Fig 3
GRASS

We make simple instructions using the infinitive.

Click on the appropriate tab.
Enter the search criteria.

We can add an explanation using the 'to-infinitive' or 'by + ing':

To find patients click on the appropriate tab.
Click on the Find button to start the search.
Start the search by clicking on the Find button.

We can put the instructions and explanation in sequence words:

First click on the appropriate tab.
Then enter the selection criteria.
Finally click on the Find button.

Once the selection criteria have been entered click on the Find button.

5 Exchange information with others in your group to complete notes for all the texts. Ask and answer questions like these:

- How do Reception use the system?
- What type of program do they use?
- What kind of data do they enter?
- What is the output from the program?

6 Write simple instructions for identifying all male patients called Smith in the 16 to 50 age group registered with Doctors Warner and Roberts.

7 Complete the gaps in these instructions for finding the records of all members of the Green family living in postcode WX14 3PH and registered with any doctor in the practice.

- 1 First enter the search criteria by
- 2 To , enter Green in the Surname box.
- 3 Ensure both male and female members of the family are found by
- 4 select the Address tab.
- 5 Having , enter the postcode.
- 6 choose the Registration tab.
- 7 Once , select All doctors.
- 8 , click on Find to

PROBLEM-SOLVING 8 Study these versions of OfficeSuite and decide which version provides the best value for the following users. The versions are listed from cheapest to most expensive.

OfficeSuite Standard	OfficeSuite Small Business Edition	OfficeSuite Professional
<ul style="list-style-type: none"> • wordprocessor • spreadsheet • presentation program • email • PIM 	<ul style="list-style-type: none"> • wordprocessor • spreadsheet • database • DTP • email • PIM • small business tools 	<ul style="list-style-type: none"> • wordprocessor • spreadsheet • database • DTP • presentation program • email • small business tools

OfficeSuite Premium	OfficeSuite Developer
<ul style="list-style-type: none"> • wordprocessor • spreadsheet • database • DTP • presentation program • email • PIM • small business tools • website editor • image editor • developer tools 	<ul style="list-style-type: none"> • wordprocessor • spreadsheet • database • DTP • presentation program • email • PIM • small business tools • website editor • image editor • developer tools

- 8** A salesperson who wants to make presentations at conferences.
 1 A salesperson who wants to make presentations at conferences.
 2 An administrative assistant who needs to write office correspondence and send and receive emails.
 3 A programmer who wants to develop applications tailored to a company's needs.
 4 A company wanting to produce its own in-house newsletter.
 5 A company wishing to develop its own website.
 6 A company which wants to analyse all its sales records.
 7 A promotions person who wants to be able to edit complex graphics and incorporate them in brochures.
 8 A company which wants to share documents on a local area network.

SPEAKING 9 Work in pairs, A and B. Each of you has a review of a computer game. Find out from each other this information:

- 1 The name of the game.
- 2 The company who produce it.
- 3 The platform on which it's played.
- 4 The bad points.
- 5 The good points.
- 6 The star rating.

Student A Your game details are on page 185.

Student B Your game details are on page 191.

WRITING 10 Work in groups. Decide which applications programs would be used and for what purpose, by the following:

- 1 a museum
- 2 publishers of a subscription-only magazine
- 3 police headquarters

11 Write your recommendations for one of the users in Task 10. Give reasons for each applications program you recommend.

A Find the answers to these questions in the text below.

- 1 How do you pay for the applications provided by an ASP?
 - a no charge
 - b charged according to use
 - c single payment
- 2 What two main services does an ASP provide?
- 3 How does an ASP ensure that they have enough storage space for the changing needs of customers?
- 4 What types of applications are available from ASPs?
- 5 Why is it useful for a small business to be able to rent specialist tools from an ASP?
- 6 What is one of the best established areas of ASP use?

Application Service Providers

If your hard disk is packed to bursting point, the IT department is far too busy to fix your email problems, and your business can't afford to buy the tools that you'd like to develop the company website, then it's time to think about using an application service provider (ASP). Rather than installing software on each machine or server within your organisation, you rent applications from the ASP, which provides remote access to the software and manages the hardware required to run the applications.

There are a lot of advantages to this approach. The havoc caused by viruses makes the idea of outsourcing your email and office suite services an attractive option. It also gives you more flexibility – you pay for applications as and when you need them, rather than investing in a lot of costly software which you're then tied to for years. Not having to worry about upgrading to the latest version of your office suite or about battling with the complexities of managing an email system, leaves businesses with more time. Time to focus on what they do best.

However, there are some potential pitfalls. To use applications remotely requires a lot of bandwidth, which is only really available from a broadband connection or a leased line to the ASP itself. It is also important to ensure that the ASP will be able to provide a secure, reliable service which will be available whenever you need it.

Providing applications and storage space for vast numbers of users requires some powerful technology on the part of the ASP. This includes security controls and data storage as well as providing the physical links to customers. For

the most part, ASPs don't own the data centres that store the information. Instead, they lease space from data storage specialists. In this way, they can be confident of meeting customers' increasing storage requirements by buying more space as it's needed.

There's a wide variety of applications available for use via ASPs. Office suite applications and email services are two of the most generic applications available through ASPs. Large, complex business applications such as enterprise resource planning tools like SAP are another popular candidate for delivery through an ASP. Other business services, such as payroll and accounting systems are also available. This is particularly beneficial to small businesses which are likely to grow quickly and don't want to deal with the problems caused by

outgrowing their existing system and having to move to a high-end package. ASPs also offer a means of using specialist tools that would otherwise prove prohibitively expensive. Small businesses have the opportunity to use such tools for short periods of time as and when they need them, rather than having to buy the software as a permanent investment.

One of the major barriers for small businesses which want to make a start in e-commerce is ensuring that they have sufficient resources to cope with sudden large increases in customers. This means not only having adequate storage for all your customers' details, but ensuring that you have the technology in place to handle stock levels, efficient delivery and large volumes of traffic. It's very rare for an e-commerce business to handle all of these elements by itself, making this one of the best-established areas of ASP use. Being able to respond rapidly to changes in the size of your customer base and the type of product that they want to order from your business, demands more flexibility than traditional software can provide.

- B** Re-read the text to find the answers to these questions.
- 1 Note the advantages and disadvantages of using an ASP.
 - 2 Match the items in Table A with the statements in Table B.

Table A

	Website
a	ASP
b	Virus
c	Office suite
d	Bandwidth
e	Broadband
f	Data centre
g	SAP
h	H

Table B

i	Set of standard programs used in an office
ii	Facility for storing large amounts of information
iii	Capacity of a network connection
iv	High capacity Internet connection
v	Self-replicating program
vi	Common enterprise resource planning tool
vii	Application service provider
viii	Collection of related webpages

- 3** Using information from the text, mark the following as True or False:

- a Software from an ASP must be installed locally on a user's computer.
- b You need a high bandwidth connection to use an ASP service.
- c ASPs usually use their own storage space for customers.
- d Using an ASP gives you more flexibility.
- e An e-commerce business usually provides all of the required technology itself.

STARTER

- 1** Match the multimedia terms in Column A to the activities in Column B. More than one match is possible.

Column A	Column B
MIDI	watching movies
MP3	composing music on a PC
DVD	downloading music from the Internet
MPEG	using reference works like encyclopaedias

- 2** Study this diagram which explains MP3. Answer these questions:

- How does MP3 reduce the size of music files?
- What can you obtain from www.mp3.com?
- How can you listen to MP3 files?




Fig 1
How MP3 will transform music

- 3** Match these captions to the pictures in Fig 1. Consider again your answers to Task 2.

- a Once you've paid by credit card (unless it's one of the millions of free files), music is downloaded to your PC.
- b The original music file is stripped of anything that is inaudible to the human ear. After MP3 has done its work, the file is reduced to roughly one twelfth that of the original recording.
- c MP3 files can be listened to on your PC, a dedicated MP3 player, or your hi-fi.
- d MP3 files are put on a website, where browsers can listen to samples and buy a single track or album ... or even create their own compilation.

READING

4 Read this text to find the answers to these questions.

- What does MP3 stand for?
- What is the difference between MP3 and WAV files?
- What kind of sound does MP3 strip out?
- What kind of information is included in the tag?

Understanding MP3

The name comes from MPEG (pronounced EM-pef), which stands for the Motion Picture Experts Group. MPEG develops standards for audio and video compression. MP3 is actually MPEG Audio Layer 3.

MP3 competes with another audio file format called WAV. The key difference is that MP3 files are much smaller than WAV files. An MP3 file can store a minute of sound per megabyte, while a WAV file needs 11 or 12 megabytes to hold the same amount. How does MP3 achieve this

compression? CDs and audio files don't reproduce every sound of a performance. Instead, they sample the performance and store a discrete code for each sampled note. A CD or WAV file may sample a song 44,000 times a second, creating a huge mass of information.

By stripping out sounds most people can't hear, MP3 significantly reduces the information stored. For instance, most people can't hear notes above a frequency of 16kHz, so it eliminates them from the mix. Similarly,

it eliminates quiet sounds masked by noise at the same frequency. The result is a file that sounds very similar to a CD, but which is much smaller. An MP3 file can contain spoken word performances, such as radio shows or audio books, as well as music. It can provide information about itself in a coded block called a tag. The tag may include the performer's name, a graphic such as an album cover, the song's lyrics, the musical genre, and a URL for more details.

5 Read the rest of this text to find the answers to these questions:

- 1 How do you play MP3 files?
- 2 What does the Windows Media Player program do with an MP3 file?
- 3 What is a standalone player?
- 4 What special features can players offer?
- 5 What information can you obtain by clicking on the track info button?
- 6 What does a skin enable you to do?
- 7 How do you play music from a CD-ROM on an MP3 player?
- 8 What hardware and software do you need to make your own audio CDs?

LANGUAGE WORK

Study this sentence.

1 Using MIDI, computers can communicate with synthesizers.
It contains two clauses. An **-ing clause** and a **main clause**.

Computers can communicate with synthesizers
We can use an -ing clause, as in example 1, to explain how something happens. The -ing

clause explanation can be related back after the main clause as in example 1.
2 DVD drives read DVD discs off a laser light.
We can also use -ing clauses to combine cause and effect.
3 A WAV file may sample a song to use as a second [cause] creating a negative [effect]
information. [effect]

6 Match each cause and effect. Then link them with an *-ing* clause.

Cause	Effect
1 Computer's with MIDI interface boards can be connected to MIDI instruments.	a This permits extra information to be stored on the performer and other track details.
2 Each side of a DVD can have two layers.	b You can create your own compilation.
3 MP3 removes sounds we can't hear.	c This allows you to sample a new group before buying their CD.
4 You can download single tracks.	d This gives an enormous storage capacity.
5 Each MP3 file has a tag.	e This allows the music being played to be stored by the computer and displayed on the monitor.
6 MP3 players contain several devices.	f This enables you to change the appearance of your player.
7 You can download a skin program.	g These allow you to control the way the music sounds.
8 You can legally download some music.	h This produces much smaller files.

Other MP3 features include:
Players.
Most standalone players have many features beyond Windows' default Media Player. To control what music you play, players let you group songs into playlists and randomize the selections. To control how the music sounds, they offer spectrum analyzers, graphic equalizers, and frequency displays.

Track info.
A track info button gives you the information on the MP3 file's tag. Other buttons may take you to a music library where you can organize your MP3 files by performer or genre.

Rippers and encoders.
A ripper is a program that rips songs from a CD in your CD-ROM drive and turns them into WAV files. An encoder converts WAV files into MP3 files or vice versa. Many MP3 players incorporate rippers and encoders and can do both steps in one.

Recorders.

With a writeable CD-ROM drive, a recorder program lets you create your own audio CDs.

Play MP3 Files

Most machines today have enough processing power and memory to play MP3s immediately. Simply download an MP3 file like any other and click on it in Windows Explorer. The Windows Media Player will decode the file and route the signals to your soundcard and then to your speakers.

Skins or themes.
These programs are designed to change the appearance of

7 Explain how each of these actions happen. The explanations are available in Tasks 2, 3 and 4.

- 1 MP3 reduces the information stored.
- 2 You can alter the look of your MP3 player.
- 3 You can 'rip' the audio information from a CD.
- 4 You can convert a WAV file to MP3 format.
- 5 You can view the lyrics, notes and author data.
- 6 You can control how the music sounds.
- 7 You can access many free and legal music files for downloading.
- 8 You can play MP3 files through your sound system.

SPEAKING

8 Work in pairs, A and B. With the help of the notes provided, explain to your partner one aspect of multimedia.

Student A Your notes are on page 185.

Student B Your notes are on page 191.

Link your notes into a text describing one aspect of multimedia. Choose either the Student A or the Student B notes.

WRITING

9 Study the diagram, Fig 2, which illustrates how MIDI operates. Then link each set of sentences into one complex sentence to form a continuous paragraph. You may add, omit and change words.


- 1 Most modern music is mixed.
This uses computers.
- 2 Musicians record their music into a computer system.
This system is called a Musical Instrument Digital Interface (MIDI).
- 3 MIDI was developed as a standard interface.
MIDI is for linking music synthesisers and instruments together.
- 4 Computers can be connected to MIDI instruments.
These computers are fitted with MIDI interface boards.
This allows the music to be stored on computer.
This allows the music to be displayed on the monitor.
The music is being played.
- 5 The music can be displayed as a musical score.
The music can be edited.
This uses all the features of a mixing desk.

The PC Setup

What goes where in a typical PC music set up

(3) Soundcard

Put into a free slot at the back of the PC and provides the interface to the keyboard.

**(2) Modem**

To connect to the net for all that free software you're dreaming about. Connects to the comm port.






Fig 2
What is MIDI?

- 6 The music can also be printed out from the computer.
The music is being played.
- 7 MIDI doesn't transmit any sound.
It transmits simple binary information.
- 8 The information is called a MIDI message.
The message encodes sound as 8-bit bytes of digital information.
- 9 The most common messages consist of instructions.
These instructions tell the receiving instrument to play a note for a specific duration of time.
The instructions contain a number.
The number indicates which instrument to play.
Number 67 is a saxophone.
- 10 The instructions also contain details of how loud to play that note.

A Find the answers to these questions in the following text.

- 1 Into what two components is the data stream split?
- 2 What information does an intra frame contain?
- 3 What is stored in the P-frames following an I-frame?
- 4 What is stored in a P-frame in the case of a bouncing ball?
- 5 What gives the massive reduction in the amount of information needed to reproduce a video sequence?
- 6 Why is a new I-frame used after a few P-frames?
- 7 What is stored in a B-frame?
- 8 Why do B-frames not propagate errors?

THE TRICKS TO TYPEC cast SUCCESS



The most common system for the compression of video is MPEG. It works like this. The single data stream off the CD-ROM is split into video and audio components, which are then decompressed using separate algorithms. The video is processed to produce individual frames as follows. Imagine a sequence of frames depicting a bouncing ball on a plain background. The very first is called an Intra Frame (I-frame). I-frames are compressed using only information in the picture itself just like conventional bitmap compression techniques like JPEG.

Following I-frames will be one or more predicted frames (P-frames). The difference between the P-frame and the I-frame it is based on is the only data that is stored for this P-frame. For example, in the case of a bouncing ball, the P picture is stored simply as a description of how the position of the ball has changed from the previous I-frame. This takes up a fraction of the space that would be used if you stored the P-frame as a picture in its own right. Shape or colour changes are also stored in the P-frame. The next P-frame may also be based on this P-frame and so on. Storing differences between the frames gives the massive reduction in the amount of information needed to reproduce the sequence. Only a few P-frames are allowed before a new I-frame is introduced into the sequence as a new reference point, since a small margin of error creeps in with each P-frame.

Between I and P-frames are bi-directional frames (B-frames), based on the nearest I or P-frames both before and after them. In our bouncing ball example, in a B-frame the picture is stored as the difference between the previous I or P-frame and the B-frame and as the difference between the B-frame and the following I or P-frame. To recreate the B-frame when playing back the sequence, the MPEG algorithm uses a combination of two references. There may be a number of B-frames between I or P-frames. No other frame is ever based on a B-frame, so they don't propagate errors like P-frames.

Typically, you will have two or three Bs between Is or Ps, and perhaps three to five P-frames between Is.

B Re-read the text to find the answers to these questions.

- 1 **Mark the following statements as True or False:**

- a JPEG is the most common compression system used for video.
- b P-frames only store the changes in the image.
- c There is always at least one P-frame between two I-frames.
- d B-frames store the complete picture information.
- e There can only be one B-frame between each I and P-frame.
- f There are typically about four P-frames between each I-frame.

- 2 **Match the words in Table A with the statements in Table B.**

Table A

- | |
|-------------|
| a Algorithm |
| b I-frame |
| c JPEG |
| d P-frame |
| e B-frame |
| f MPEG |

Table B

- | |
|---|
| i A common type of compression used for video data |
| ii A compressed video frame known as a predicted frame |
| iii A compressed video frame that stores changes between the frame before it and the frame after it |
| iv A formula used for decompressing components of a data stream |
| v A type of compression used for bitmap images |
| vi A compressed video frame that contains the complete image information |

Language Work

Study these uses of *if*-sentences.

Action and effect
We can use an *if*-sentence to link an action and its effect. For example:

- 1 If you click on that [action], that [I just compact your C drive [effect]].
- 2 If you click on that [action], that opens it up and shows you all your folders [effect].

The action is in the Present simple and the effect is in the Present simple or described using *will*, *can*, or *may* depending how certain it is to follow.

Polite instructions
We use the action part of *if*-sentences, especially in spoken English, to give instructions in a polite way. The effect part is assumed.

- 3 If you bring your cursor down to the very bottom [you'll find the Start button].
- 4 If you just hit Enter [that will activate the program].

Imagined action and effect

We can use an *if*-sentence to describe the possible effect of an imagined action. For example:

- 5 If you spilled coffee on your keyboard [imagined action, you could damage it [possible effect]].
- 6 If there were no other folders there [imagined action], you wouldn't have a little box in there [possible effect].

To show this describes imagined, not real, events, the action is in the Past simple and the effect is described using *would*, *could*, and *might* depending how certain it is to follow.

Describe the effects of these actions using an *if*-sentence.

- 1 you don't virus-check floppies
- 2 there was a power cut while you were using your computer
- 3 you install a faster processor
- 4 you forgot your password
- 5 you press the delete key
- 6 you use a search engine
- 7 you double-click on an icon
- 8 you use power-saving options

WORD STUDY

WORD STUDY

Noun + Noun compounds Match each word from Column A with its partner from Column B to make a computing term.

Column A	Column B
1 barcode	a tray
2 mainframe	b program
3 laser	c bus
4 expansion	d pane
5 search	e computer
6 control	f reader
7 supervisor	g bar
8 task	h card
9 system	i engine
10 explorer	j printer

SPEAKING

Work in pairs, A and B. Instruct each other how to perform these computer operations in Windows or Mac OS. Take notes from your partner's instructions.

Student A Copying a file.
Student B Saving a file.

Column A	Column B
1 you press Print Screen	a you can drag it across the screen
2 you press Ctrl + Alt + Del in Windows XP	b it would speed up the computer
3 you added more memory	c you may lose data
4 you installed a modem	d you would have more space at your desk
5 you used a better search engine	e you would be able to connect to a telephone line
6 you forgot to save regularly	f you can make a copy of the screen
7 you hold down the mouse button over an icon	g you would find more relevant results
8 you used an LCD display	h it displays the Windows security dialog box

Networks

STARTER 1 With the help of this diagram, try to describe the function of these components of a typical network system:

- 1 a file server
- 2 a bridge
- 3 a router
- 4 a backbone
- 5 a LAN
- 6 a gateway
- 7 a modem




Fig 1 Components of a typical LAN

READING 3 Now study this text and the diagram of a wireless network setup. Match the diagram key to the components of the network.

Wireless networking


Wireless (WiFi) networks are just like fixed LANs but instead of using cables, devices are linked by radio waves. Each computer in a wireless network requires a wireless network interface card (NIC). These can be built in or you can use plug-in adaptors. These allow each component in the network to communicate with a wireless access point (AP) to create a wireless local area network (WLAN). The AP operates like a router in a fixed LAN. It also provides a bridge which plugs into the hub of a fixed LAN allowing both fixed and wireless users to talk to each other. If your LAN is connected to the Internet, the WLAN can also use it. If not, you can connect the WLAN to the Internet via an ADSL or cable modem.

What are the advantages of a wireless network? You don't need cabling. In older buildings, it can be expensive to install cables and

access points. With WiFi, one access point can cover an entire floor or even a building. You can work anywhere within range of the access point. On a sunny day, you could work outside. You can make any room in the house your study. There are now WiFi hotspots in hotels, libraries and airports so you can link to a network away from home or your office.

There are disadvantages.

Fixed LANs can run at 1000 Mbps. Wireless networks are much slower and the further you are from an access point, the slower the rate. Although there are savings on the cost of cabling, wireless NICs are more expensive than the wired versions. Then there is the problem of interference, if a neighbour is using the same channel, and security. Other users may be able to intercept your data. Encryption programs like Wired Equivalent Privacy (WEP) can help.



KEY TO THE DIAGRAM

- 1 A modem providing access to the Internet.
- 2 A wireless AP enabling computers to connect to the fixed LAN.
- 3 Computers equipped with wireless NICs.
- 4 A fixed LAN linking computers with cables.
- 5 A network printer connected to a wireless print server.
- 6 A data line linking fixed LAN clients to a wireless access point.

Fig 2 Wireless network

2 Now read these definitions to check your answers. You may also refer to the Glossary.

A bridge is a hardware and software combination used to connect the same type of networks. Bridges can also partition a large network into two smaller ones and connect two LANs that are nearby each other.	together. High-speed routers can serve as part of the Internet backbone.	traffic, connecting different LANs together.
A gateway is an interface that enables dissimilar networks to communicate, such as two LANs based on different topologies or network operating systems.	A gateway is an interface that enables dissimilar networks to communicate, such as two LANs based on different topologies or network operating systems.	A LAN is a network contained within a small area, for example a company department.
A router is a special computer that directs communicating messages when several networks are connected	A router is a special computer that directs communicating messages when several networks are connected	A modem is a device for converting digital signals to analogue signals and vice versa to enable a computer to transmit and receive data using an ordinary telephone line.
A backbone is the main transmission path, handling the major data	A backbone is the main transmission path, handling the major data	A backbone is the main transmission path, handling the major data

LANGUAGE WORK

Relative clauses with a participle are often used in technical descriptions. They allow you to provide a lot of information about a noun using as few words as possible.	<p>1 Computers equipped with wireless NICs. = computers which have equipped</p> <p>2 A network printer connected to a wireless print server. = a network printer which is connected</p>
Study these examples from the Task 3 text.	

- 1 Computers equipped with wireless NICs.
- 2 A network printer connected to a wireless print server.
- 3 A modem providing access to the Internet.
= modem which provides access to the Internet.
- 4 A fixed LAN linking computers with cables.
= A fixed LAN which links computers with cables.

We can use the **passive participle** as in examples 1 and 2.

4 Complete these definitions with the correct participle of the verb given in brackets.

- 1 A **gateway** is an interface (enable) dissimilar networks to communicate.
- 2 A **bridge** is a hardware and software combination (use) to connect the same type of networks.
- 3 A **backbone** is a network transmission path (handle) major data traffic.
- 4 A **router** is a special computer (direct) messages when several networks are linked.
- 5 A **network** is a number of computers and peripherals (link) together.
- 6 A **LAN** is a network (connect) computers over a small distance such as within a company.
- 7 A **server** is a powerful computer (store) many programs (share) by all the clients in the network.
- 8 A **client** is a network computer (use) for accessing a service on a server.
- 9 A **thin client** is a simple computer (comprise) a processor and memory, display, keyboard, mouse and hard drives only.
- 10 A **hub** is an electronic device (connect) all the data cabling in a network.

5 Link these statements using a relative clause with a participle.

- 1 a The technology is here today.
b It is needed to set up a home network.
- 2 a You only need one network printer.
b It is connected to the server.
- 3 a Her house has a network.
b It allows basic file-sharing and multi-player gaming.
- 4 a There is a line receiver in the living room.
b It delivers home entertainment audio to speakers.
- 5 a Eve has designed a site.
b It is dedicated to dance.
- 6 a She has built in links.
b They connect her site to other dance sites.
- 7 a She designed the site using a website creation program.
b It is called Dreamweaver.
- 8 a At the centre of the home of tomorrow is a network.
b It is accessed through a control pad.
- 9 a The network can simulate the owner's presence.
b This makes sure vital tasks are carried out in her absence.
- 10 a The house has an electronic door-keeper.
b It is programmed to recognise you.
c This gives access to family only.

PROBLEM-SOLVING

- 6** Work in two groups, A and B. Group A, list all the advantages of a network. Group B, list all the disadvantages. Then together consider how the disadvantages can be minimised.

Group A Advantages of a network	Group B Disadvantages of a network

SPEAKING

7 **Transmission modes** Work in pairs, A and B. Explain to your partner how one mode of transmission between computers operates with the help of the text provided. Your explanation should allow your partner to label his/her diagram.

Student A

Your text is on page 186. Your explanation should allow your partner to label this diagram.




Fig 3
Asynchronous transmission

WRITING

8 Using the lists you compiled in Task 6, describe the advantages and disadvantages of networks. Try to link some of the advantages and disadvantages as in these examples.

Advantages	Disadvantages
Allow data to be shared.	Permit viruses to spread quickly.
Users can share software on the server.	Server failure means no one can work.

- 1 Although networks allow data to be shared, they permit viruses to spread quickly.
- 2 Users can share software on the server; however, server failure means that no one can work.

**WHEN YOU HAVE FINISHED THE READING SECTION ON THE FOLLOWING PAGE
COME BACK TO THESE ADDITIONAL EXERCISES**

3 Identify which layer attaches the following headers to a network transmission:

- a Specifying the language, the compression and encryption schemes
- b Identifying each segment's checksum and its position in the message
- c Containing the sequence of packets and the address of the receiving computer
- d Marking the beginning and end of the message and specifying whether the messages will be sent half-duplex or full-duplex
- e Identifying the sending and receiving computers

4 Fill in the missing words in the following sentences then put the sentences in the correct order:

- a The checksum is recalculated by the layer which also reassembles the message.....
- b The message is and by the presentation layer.
- c The message is reconverted into by the physical layer.
- d The session layer then sends the message to the next
- e The application layer converts the bits into characters, and directs the data to the correct
- f The incoming are recounted by the network layer for and billing purposes.
- g The layer confirms the arrival of the packets, them in, and calculates the for each packet.
- h The parts of the message are by the layer until the message is







Fig 4
Synchronous transmission

Network Communications

A Find the answers to these questions in the following text.

- 1 into what units is data subdivided by the following layers?
a transport layer
b network layer
- 2 What is the purpose of a transmission checksum test?
- 3 How long does the data-link layer keep a copy of each packet?
- 4 What processes can be carried out at intermediate nodes?
- 5 Which network communications layer is described by each of the following statements?
a Makes sure that the message is transmitted in a language that the receiving computer can understand
b Protects the data being sent
c Encodes and sends the packets
d Supervises the transmission
e The part of a communications process that a user sees
- 6 Starts communications and looks after communications among network nodes
- 7 Chooses a route for the message
- 8 Makes backup copies of the data if required
- 9 Confirms the checksum, then addresses and duplicates the packets



B Re-read the text to find the answers to these questions.

- 1 Match the terms in Table A with the statements in Table B.

Table A

- 1 Bracketing
- 2 Half-duplex
- 3 Full-duplex
- 4 Checksum

Table B

- i Transmission mode in which each computer takes turns sending and receiving
- ii Mathematical calculations based on the contents of data
- iii Set boundaries for the beginning and end of a message
- iv Transmission mode in which both computers send and receive at the same time

- 2 Mark the following statements as True or False:

- a Most of the work that an application does to prepare a message for sending over a network is not seen by the user.
- b ASCII is always used to transmit data.
- c The encryption layer compresses the message.
- d The network layer keeps track of how many packets are in each message.
- e The network layer keeps a copy of each packet until it arrives at the next node undamaged.
- f Analogue signals are used on ordinary telephone lines.
- g When a message arrives at its destination, it passes through the same seven network communications layers as when it was sent, but in reverse order.
- Additional exercises on page 77
- so telephone line – and sends the packets along that medium.
- 8 An intermediate node calculates and verifies the checksum for each packet. It may also reroute the message to avoid congestion on the network.
- ss At the receiving node, the layered process that sent the message on its way is reversed. The physical layer reconverts the message into bits. The data-link layer recalculates the checksum, confirms arrival, and logs in the packets. The network layer recounts incoming packets for security and billing purposes. The transport layer recalculates the checksum and reassembles the message segments. The session layer holds the parts of the message until the message is complete and sends it to the next layer. The presentation layer expands and decrypts the message. The application layer converts the bits into readable characters, and directs the data to the correct application.
- 4 The transport layer protects the data being sent. It subdivides the data into segments, creates checksum tests – mathematical sums based on the contents of data – that can be used later to determine if the data was scrambled. It can also make backup copies of the data. The transport header identifies each segment's checksum and its position in the message.
- 5 The network layer supervises the transmission. It confirms the checksum, then addresses and duplicates the packets. This layer keeps a copy of each packet until it receives confirmation from the next point along the route that the packet has arrived undamaged.

The Internet



STARTER 1 Match each of the Internet services in Column A with the uses in Column B.

Column A	Column B
1 IRC	a logging on to your computer at a distance
2 MOOs	b sending and receiving messages
3 email	c downloading a file from a server
4 FTP	d chatting to other users in real-time
5 WWW	e accessing newsgroups
6 Telnet	f browsing webpages
7 Usenet	g taking part in simulations in a shared environment

READING 2 Computer-Mediated Communication (CMC) Work in groups of three, A, B, and C. Read one of these examples of CMC and complete this table.

Extract	A	B	C
Type of CMC			
Number of participants			
Topics			
Synchronous or asynchronous			
Special features of this type of CMC			

Inside the lounge of the House of Language. There is a television in the corner. You see the following exits: east and north Hank, Spartacus, Diana, Tony (resting) Diana says, 'have any of you guys tried batmud? :)' Rupert appears with a flash of lightning. Spartacus says, 'we have a new participant, welcome Rupert!' Rupert says, 'Thanks. How do you get to the kitchen?' Hank says, 'type "go kitchen". You can find the instructions on "help topics"' Rupert says, 'Do you use Telnet?' Diana says, 'use tel... it's much better.'
--



- 3** Compare results orally with the others in your group. Complete a table for each of the other extracts using the information the others provide.

LANGUAGE WORK**Warnings****Where might you see these warnings?**

- 1 Never give out your home address or phone number.
 - 2 This appliance must be earthed.
 - 3 Avoid turning off main power while computer is running.
 - 4 It is an offence to make unauthorised access to computer material.
 - 5 No smoking, eating or drinking at the computer.
 - 6 A machine which has been exposed to a moist atmosphere should be given time to dry out before being put into use.
- Warnings are used to ensure safety to prevent damage to equipment and breaches of security, and to ensure the law is not broken. The simplest warnings are basic instructions **NOT** to do something:**
- Don't do X.
Avoid Xing.
Never do X.

Sometimes the warning is twinned with matching good practice:

Always do Y; never do X.
Do Y rather than doing X.

Warnings may be made stronger by using **must/must not** and in some cases **should/should not**. For example:

The wire linking a static earthing band to earth must contain a resistor of at least 1 megohm.

If there is any reason to fear the warning may not be understood, a reason for the warning may be added. For example:

Never remove ICs with a screwdriver. The pins are very fragile.

4 Rewrite each of these warnings according to the prompt. Add a reason to the warning where you think it appropriate.

- 1 Don't give open access to PCs.
Avoid ...
- 2 You must **not** use your own programs on these machines.
Never ...

- 3 **No Coffee**  **in this lab**
... must not ...

4

Avoid giving financial information in a chat room.

Don't ...

NEVER GIVE OUT YOUR PASSWORD.

5

Always ...

Don't use out-of-date anti-virus software.

Use ...

7

Never use a computer that has been standing for a long time in a cold environment without waiting until it has reached normal room temperature.

Always ...

8

Cards must not be removed from their anti-static packing until required.

Never ...

9 Use an IC extraction tool; don't use a screwdriver.

... rather than ...

10

Always ensure the power is switched off when working on a computer.

... must not ...

5

Translate some of the rules for computer use in your own college or university into English. Compare your translations with others in your group and agree on the best English versions.

PROBLEM-SOLVING 6 Choosing an ISP

Read these hints on choosing an ISP. Then decide which of the options available offer the best deal to these users. Be prepared to defend your choice.

- 1 a student looking for a cheap package
- 2 a small business
- 3 someone who enjoys online gaming
- 4 someone who sends occasional emails

Using an ISP requires no new technology – all you need is a computer, a modem, a telephone line (preferably broadband), and the appropriate software (which is available free of charge when you sign up with the service).

Most of the services are very similar, but it is still worth looking around for a service that offers at least the following features:

High speed

Connection can be provided by standard dial-up using an ordinary modem or by using a broadband connection. Standard dial-up is the slowest at 56 Kbps. Broadband such as ADSL (Asymmetric Digital Subscriber Line) provides different speeds for uploading (sending data) and downloading (receiving data), ranging from 256 Kbps to 2 Mbps.

High Usage Allowance

The amount of data that you are allowed to upload or download in a given time period may be limited. Sending email, browsing the Web or downloading images does not require high usage allowances, downloading MP3 music files requires more. Online gaming and viewing video online will require a high usage allowance. Usage allowance is normally quoted as GB per month.

Good Value Packages

Various packages are available offering different options that can be paid monthly, annually, bi-annually etc. With these packages, after paying the initial fee, Internet access is usually unmetered. You can also opt for pay-as-you-go packages. Look for a package where the initial rate is reduced. You have to compare ISP offers carefully to find a package that provides what you want at the cheapest cost.

CD-ROM or Online sign up

Some ISPs require you to sign up for their service online (which obviously means you already need to have an Internet connection and some experience with setting up a dial-up networking connection). If you are a complete beginner, you'll need an ISP which can provide its

sign-up software on CD-ROM that will automatically configure your computer to access the Internet.

Local rate calls
Nearly all ISPs provide local call access numbers. Any ISP that uses a national rate number or charges an initial set up or administration fee should be avoided.

Email
Having several email accounts is very useful – you can separate business and personal email for example, or provide an address for each member of your family. Many ISPs also offer only Web-based mail which is great if you need to get into your computer on the move as you can access it from any computer with Internet access. POP3 email, however, is faster and more efficient and can be downloaded to your PC to read offline – a combination of the two is ideal.

Junk mail filtering and virus checking

Spam (unsolicited email) is very common. It fills up your storage space and is time consuming to deal with. It is also one of the main sources of viruses that attack your computer. Look for an ISP that provides good filtering services to remove junk mail and viruses before they reach your computer.

Free Web space

A decent amount of free Web space would be around 25–50MB. This would be sufficient for most of your own personal website developments. Also check to see if there are any restrictions on your use of web space, since some ISPs will not let you use the space for commercial purposes.

Customer Support

The accessibility and quality of customer support provided by ISPs varies greatly and some ISPs make an additional charge for support.

Reliable Service

Of course all the features in the world won't make a scrap of difference if the ISP is unreliable and you find it impossible to log on. Look out for recommendations from friends and shop around.

An internet package that suits you...
Please select the internet package you'd like to go for.

Broadband Plan Three
virgin.net Broadband
512 Kbps - up to 10 times faster than a standard dial up connection
No 12 month contract
3 GB download allowance
Free activation and modem

Broadband Plan Two
virgin.net Broadband
512 Kbps - up to 10 times faster than a standard dial up connection
No 12 month contract
6 GB download allowance
Free activation and modem

Broadband Plan One
virgin.net Broadband
1 Mbps - up to 20 times faster than a standard dial up connection
No 12 month contract needed
20 GB download allowance
Free activation and modem

Unlimited internal access
virgin.net Broadband
24/7 even
No additional charges

Virgin.net Pay As You Go
No credit card needed
No monthly subscription

Existing customers...
Change your package or help
Select your service from the dropdown action below.
Comparison table
We can help you find the right package here
Reinstall your Virgin.net connection settings
Reinstall your account
Virgin.net registration CD
Click here to get a free!

For further details of ISPs try:

www.net4nowt.com

www.ispa.org.uk

WRITING G

7 Write an article for a newsgroup of your choice. Keep it short and choose a meaningful reference name. Pass it to another student for a reply.

- 8 If you have access to newsgroups, browse one of the groups dedicated to computing. They have the prefix *comp*. Write a reply to one of the articles posted there. You need not post your reply unless you are confident it will be helpful. Ask your fellow students to read it first.

Find the answers to these questions in the following text.

- 1 What purpose does the Internet address have apart from identifying a node?
- 2 What data-delivery systems are mentioned in the text?
- 3 What do IP modules need to know about each other to communicate?
- 4 How many Internet addresses does a gateway have?
- 5 What does UDP software do?
- 6 When does the TCP part of TCP/IP come into operation?
- 7 What processes are performed by TCP software to provide reliable stream service?
- 8 What standard protocols are mentioned which are used to deal with the data after TCP brings it into the computer?

At the heart of the Internet Protocol (IP) portion of TCP/IP is a concept called the Internet address. This 32-bit coding system assigns a number to every node on the network. There are various types of addresses designed for networks of different sizes, but you can write every address with a series of numbers that identify the major network and the sub-networks to which a node is attached. Besides identifying a node, the address provides a path that gateways can use to route information from one machine to another.

Although data-delivery systems like Ethernet or X25 bring their packets to any machine electrically attached to the cable, the IP modules

How TCP/IP Links Dissimilar Machines

is must know each other's Internet addresses if they are to communicate. A machine acting as a gateway connecting different TCP/IP networks will have a different Internet address on each network. Internal look-up tables and software based on another standard – called Resolution Protocol – are used to route the data through a gateway between networks.

Another piece of software works with the IP-layer programs to move information to the right application on the receiving system. This software follows a standard called the User Datagram Protocol (UDP). You can think of the UDP software as creating a data address in the TCP/IP message that states exactly what application the data block is supposed to contact at the address the IP software has described. The UDP software provides the final routing for the data within the receiving system.

The Transmission Control Protocol (TCP) part of TCP/IP comes into operation once the packet is delivered to the correct Internet address and application port. Software packages that follow the TCP standard run on each machine, establish a connection to each other, and manage the communication exchanges. A data-delivery system like Ethernet doesn't promise to deliver a packet successfully. Neither IP nor UDP knows anything about recovering packets that aren't successfully delivered, but TCP structures and buffers the data flow, looks for responses and takes action to replace missing data blocks. This concept of data management is called reliable stream service.

After TCP brings the data packet into a computer, other high-level programs handle it. Some are enshrined in official US government standards, like the File Transfer Protocol (FTP) and the Simple Mail Transfer Protocol (SMTP). If you use these standard protocols on different kinds of computers, you will at least have ways of easily transferring files and other kinds of data.

Conceptually, software that supports the TCP protocol stands alone. It can work with data received through a serial port, over a packet-switched network, or from a network system like Ethernet. TCP software doesn't need to use IP or UDP; it doesn't even have to know they exist. But in practice TCP is an integral part of the TCP/IP picture, and it is most frequently used with those two protocols.

Re-read the text to find the answers to these questions.

- 1 Match the terms in Table A with the statements in Table B.

Table A

- | | |
|---|---------------------------------|
| 1 | a Internet address |
| 2 | b Resolution Protocol |
| 3 | c Look-up table |
| 4 | d Gateway |
| 5 | e User Datagram Protocol |
| 6 | f Transmission Control Protocol |

Table B


- | | |
|-----|--|
| i | Standard used for software that routes data through a gateway |
| ii | Standard used by software that moves information to the correct application on the receiving system of a network |
| iii | Standard used by software that manages communication exchanges between computers on the Internet |
| iv | A 32-bit number identifying a node on an IP network |
| v | Stored information used to route data through a gateway |
| vi | A device for connecting dissimilar networks |

- 2 Mark the following statements as True or False:

- | | |
|---|---|
| a | Internet addresses are an integral part of the IP protocol. |
| b | Internet addresses can be written as a series of numbers. |
| c | UDP software provides the final routing for data within the receiving system. |
| d | UDP recovers packets that aren't successfully delivered. |
| e | TCP only works with packet-switched networks. |
| f | TCP only works when it is combined with IP. |

(Adapted from 'How TCP/IP Links Dissimilar Machines', 65

The World Wide Web

STARTER 1 Study this URL (Uniform Resource Locator).


Which part of the address tells you:

- 1 the university is in the UK?
- 2 this is a webpage?
- 3 the type of transmission standard your browser must use to access the data?
- 4 this points to the computer where the webpage is stored?
- 5 this is where the webpage is stored in the computer?
- 6 this is a university?
- 7 this uses the Web service?

2 Study these approved domain name extensions and their meanings. Then match these suggestions for new extensions to their meanings.

Extension	Meaning
.aero	aviation industry
.biz	businesses
.com (co in UK)	commercial
.coop	cooperatives
.edu (ac in UK)	educational and research
.gov	government
.info	general use
.int	international organisation
.mil	military agency
.museum	museums
.name	individuals
.net	gateway or host
.org	non-profit organisation
.pro	professionals

LISTENING 3 Study this diagram which illustrates how your browser finds the webpage you want. Label these items:

- a Router
- b Domain Name System (DNS) server
- c Remote Web server
- d Browser PC
- e URL
- f Internet Protocol address




Fig 2 How your browser finds the page you want

4 Now listen to this recording which explains how the process works and take brief notes on each stage. For example:

Stage 1

Click on a webpage hyperlink or URL.
The browser sends the URL to a DNS server.

LANGUAGE WORK

What is the relationship between each of these pairs of actions?

- 1 a You click on a URL.
- b Your browser sends it to a DNS server.
- 2 a The packets are passed from router to router.
- b They reach the Web server.
- 3 a The packets may travel by different routes.
- b They reach the Web server.
- 4 a The individual packets reach the Web server.
- b They are put back together again.

We can use *once in place of when* to emphasise the completion of the first action. It often occurs with the Present perfect. For example:

Once the DNS server has found the IP address, it sends the address back to the browser.

We can use *until to link an action and the limit of that action*:

- 2 The packets are passed from router to router until they reach the Web server.

We can use *before to show that one action precedes another*:

- 3 The packets may travel by different routes before they reach the Web server.

If the subjects are the same in both actions we can use *a participle*:

- The packets may travel by different routes before reaching the Web server.

We can use *as to link two connected actions happening at the same time*:

- 4 As the individual packets reach the Web server, they are put back together again.

Each pair of actions is linked in time. We can show how actions are linked in time by using time clauses. For example:

We can use *when to show that one action happens immediately after another action*:

- 1 When you click on a URL, your browser sends it to a DNS server.

We can use *as to link two connected actions happening at the same time*:


- 4 As the individual packets reach the Web server, they are put back together again.

5 Link each pair of actions using a time clause.

- 1 a You use a search engine.
- b It provides a set of links related to your search.
- 2 a With POP3, email is stored on the server.
- b You check your email account.
- 3 a You have clicked on a hyperlink.
- b You have to wait for the webpage to be copied to your computer.

- 4 a You listen to the first part of a streamed audio file.
- b The next part is downloading.
- 5 a The graphics can be displayed gradually.
- b The webpage is downloaded.
- 6 a You receive an email message.
- b You can forward it to another address.
- 7 a You click on a hyperlink.
- b The browser checks to see if the linked webpage is stored in the cache.
- 8 a You can bookmark a webpage to make it easier to find in the future.
- b You find a webpage you like.
- 9 a You type in a Web address.
- b You should press the Enter key.
- 10 a You click on the Home button.
- b The browser displays your starting webpage.

6 Fill in the gaps in this description of buffering, a way of ensuring that Web video runs smoothly.



Streaming is a way of dealing with bandwidth problems¹ you download video from the Internet. One key to successful streaming is the process of buffering.² you download a movie, the video player stores part of the movie in memory³ playing it. Imagine the buffer as a container filled from the top as shown in Fig 3.⁴ the container is full, the player sends data on for playback from the bottom. Data keeps coming in⁵ a clip plays. The user can view the beginning of the movie⁶ the rest of the clip downloads.⁷ connection slowdowns or interruptions occur, the amount of data in the buffer decreases but as long as some remains, playback is uninterrupted. Playback continues at a steady rate⁸ the buffer is empty.

Data goes out to
the player's
decompression
and playback
routines

Fig 3
Video buffering

PROBLEM-SOLVING 7

Search engines Study these tips for conducting searches using Google. Then decide how you would search for the information below. Compare your answers with others in your group and together decide what would be the best search.




Fig. 4
Google directory page <http://directory.google.com>

Tip 5 Definitions Google will search for definitions online. To find a definition, type define: followed by the words you want to know about. For example, to find a definition of “dongle”, type define: dongle. For technical terms you can try labs.google.com/glossary.

Tip 6 Advanced searches Use Google Advanced Search page to fine tune your search. You can specify language, date, occurrences (anywhere on the page, title, URL) and other options. You can also specify words which should not appear on the page.

Tip 7 Numrange searches You can specify that your result contains numbers within a range you set. The numbers can be quantities of all kinds, prices, years, weights, etc. For example, to search for information on Celtic Football Club between 1870 and 1880, type ‘Celtic Football Club 1870...1880’.

the meaning of spoofing'

- 1 sumo wrestling in Hawaii, not Japan
- 2 satellite receivers between \$250 and \$400
- 3 picture of an African elephant, not Indian, in GIF
- 4 today's headline in the South China Morning Post, Hong Kong
- 5 complete this quotation, “Ask not what your country can do for you ...”
- 6 What system do the latest DVD video recorders use?
- 7 recipe for hazelnut or chocolate chip brownies
- 8 picture of David Beckham, not Victoria
- 9 recent pages in English only with Inca and Peru in the title

Tip 8 Test your answers using Google.

Tip 1 Choosing Keywords Choose your keywords wisely. Try the obvious first and be as specific as possible. Typing in “football” is unlikely to find information on your favourite team. Entering the exact name of the team, for example Arsenal Football Club, should get results.

Tip 2 Refining your search Google returns pages which contain all your search terms. To make your search more specific, add more terms. The order in which you type the terms will affect the results. For example, to find information about Russian landings on the moon, type “moon landings Russian”.

Tip 9 “OR” searches To find pages that include either one keyword or another, insert OR between the words.

Tip 10 Image searches To search for images, select the Images option and make your search as specific as you can. For example, “alternative energy solar OR wind”.

WRITING 9 Write your own description of how your browser finds the page you want. Use Fig. 2 to help you. When you have finished, compare your answer with the listening script to Task 4 on page 198.

Email Protocols

A Find the answers to these questions in the following text.

- 1 Name three different email protocols mentioned in the text.
- 2 Which email protocol is used to transfer messages between server computers?
- 3 Why is SMTP unsuitable for delivering messages to desktop PCs?
- 4 Name two host-based mail systems mentioned in the text.
- 5 Where are email messages stored in an SMTP system?
- 6 What happens when you use your Web mail account to access a POP3 mailbox?
- 7 Give an advantage and a disadvantage of having an option to leave POP3 messages on the server.
- 8 What are the advantages of using the IMAP4 protocol?


Although the format of a mail message, as transmitted from one machine to another, is rigidly defined, different mail protocols transfer and store messages in slightly different ways. The mail system you're probably used to employs a combination of SMTP and POP3 to send and receive mail respectively. Others may use IMAP4 to retrieve mail, especially where bandwidth is limited or expensive.

10 Simple Mail Transfer Protocol

SMTP is used to transfer messages between one mail server and another. It's also used by email programs on PCs to send mail to the server. SMTP is very straightforward, providing only facilities to deliver messages to one or more recipients in batch mode. Once a message has been delivered, it can't be recalled or cancelled. It's also deleted from the sending server once it's been delivered.

SMTP uses 'push' operation, meaning that the connection is initiated by the sending server rather than the receiver. This makes it unsuitable for delivering messages to desktop PCs, which aren't guaranteed to be switched on at all times.

Web mail systems use some of the same protocols as client/server mail. Some can access an ISP-based POP3 mailbox, allowing you to read your mail anywhere you can find a browser.



In host-based mail systems, such as Unix and Web

mail, SMTP is the only protocol the server uses. Received messages are stored locally and retrieved from the local file system by the mail program. In the case of Web mail, the message is then translated into HTML and transmitted to your browser. SMTP is the only protocol for transferring messages between servers. How they're then stored varies from system to system.

Post Office Protocol

POP is a message-retrieval protocol used by many PC mail clients to get messages from a server, typically your ISP's mail server. It only allows you to download all messages in your mailbox at once. It works in 'pull' mode, the receiving PC initiating the connection. PC-based POP3 mail clients can do this automatically at a preset interval. When you use your Web mail account to access a POP3 mailbox, the mail server opens a connection to the POP3 server just as a PC-based application would. The messages are then copied into your mailbox and read via a browser.

Since POP3 downloads all the messages in your mailbox, there's an option to leave messages on the server, so that they can be picked up from different machines without losing any. This does mean that you'll get every message downloaded every time you connect to the server. If you don't clean out your mailbox regularly, this could mean long downloads. When using a Web mail account to retrieve POP3 mail, be careful about leaving messages on the server - if too many build up, each download will take a long time and fill up your inbox. Many Web mail systems won't recognise messages you've already downloaded, so you'll get duplicates of ones you haven't deleted.

6 Internet Mail Access Protocol

IMAP is similar in operation to POP, but allows you more choice over what messages you download. Initially, only message headers are retrieved, giving information about the sender and subject. You can then download just those messages you want to read. You can also delete individual messages from the server, and some IMAP4 servers let you organise your mail into folders. This makes download times shorter and there's no danger of losing messages.

B Re-read the text to find the answers to these questions.

- 1 **Mark the following statements as True or False:**

- a Different mail systems transfer emails in different ways.
- b IMAP4 requires more bandwidth than the other email protocols.
- c SMTP is used for sending emails from a PC to a server.
- d SMTP delivers messages one at a time.
- e SMTP does not allow a delivered message to be cancelled.
- f SMTP is only one of many protocols used to send mail between servers.
- g POP protocol allows the user to download one message at a time.

- 2 **Match the terms in Table A with the statements in Table B.**

Table A

- | | |
|---|------------------|
| a | SMTP |
| b | 'Push' operation |
| c | POP |
| d | 'Pull' operation |
| e | IMAP |

Table B

- | | |
|-----|--|
| i | An email transfer process in which the connection is initiated by the sending computer rather than the receiving computer. |
| ii | A mail transfer protocol that initially only retrieves the message headers. |
| iii | An email transfer process in which the receiving computer initiates the connection. |
| iv | A simple mail transfer protocol that is used to send messages between servers. |
| v | A message-retrieval protocol that downloads all email messages at the same time. |

STARTER 1 What features make a good website? Make a list of the key features you look for. Then compare your list with others in your group.

2 Study these seven points for evaluating websites. What questions would you ask to evaluate a website on each point?

- 1 Design
- 2 Navigation
- 3 Ease of use
- 4 Accuracy
- 5 Up to date
- 6 Helpful graphics
- 7 Compatibility

READING 3 Understanding the writer's purpose Knowing who the writer is, what their purpose is and who they are writing for can help us to understand a text.

Study these extracts from a text. Decide:

- 1 What special expertise does the author have in this field?
- 2 Who are the intended readers?
- 3 What is the author's purpose?

Title: Help Web-farers find their way

Subtitle: Here are nine ways to make it easy for visitors to navigate your website.

Author information: Matt Mickiewicz is an expert in website design. Unfortunately, that may also be the most commonly neglected design consideration. These nine site-design pointers will help you build an effective navigation system.

4 Work in groups of 3, A, B and C. Summarise the advice in each text you read in one sentence.

Student A Read texts 1 to 3.

Student B Read texts 4 to 6.

Student C Read texts 7 to 9.

- | | |
|--|--|
| <p>1 Trust Text
It's tempting to spice up pages with graphics – but sometimes even a little is too much. If possible your navigation system should be based on text links, rather than image maps or graphical buttons. Studies have shown that visitors will look at and try text links before clicking on graphical buttons.</p> | <p>5 Consistency Counts
Don't change the location of your navigation elements, or the color of visited and non-visited links from page to page. And don't get clever with links and buttons that appear and disappear: turning things on and off is usually done as an attempt to let visitors know where they are at a site but more often than not it ends up confusing them.</p> |
| <p>2 Next Best ALTernative
If you must use a graphical navigation system, include descriptive ALT text captions. The ALT text will make it possible for visitors who use text browsers such as Lynx or who browse with graphics turned off, to find their way around. In addition to the graphical navigation buttons, be sure to include text links at the bottom of every page that provide a clear route to the main areas of your site.</p> | <p>6 Just a Click Away
Keep content close at hand. Every page on your site should be accessible from every other one within four clicks. You should regularly reexamine your page structure and links, and make necessary adjustments. People come to your site to find information – don't make them dig for it.</p> |
| <p>3 Map It
A site map offers a good overview of your site and will provide additional orientation for visitors. It should be in outline form and include all the major sections of your site with key subpages listed beneath those sections. For example, you may group your FAQ, Contact and Troubleshooting pages so they're all accessible from a Support page. It's a good idea to visit a few larger sites to get some ideas on designing an effective site map.</p> | <p>7 Shun Search
Most sites have a search function, but try to discourage its use as much as possible. Even the best search engines turn up irrelevant matches, and visitors may not know how to use yours effectively. Logical, clearly placed links are more likely to help visitors find what they want.</p> |
| <p>8 Passing Lanes
Provide multiple paths through your site so visitors aren't restricted to one style of browsing. For most sites, a pull-down navigation menu is an easy addition that offers an alternative route through your pages, without wasting space.</p> | <p>9 Overwhelming Options
Don't overwhelm visitors by presenting dozens of places that they can go. A large number of choices is not necessarily a good thing.</p> |
- Finally, if you feel like curling up with a good book, I recommend Jennifer Fleming's *Web Navigation: Designing the User Experience* from O'Reilly & Associates.

5 Now exchange information orally to complete this table summarising the whole text.

Text	Advice	Text	Advice
1		6	
2		7	
3		8	
4		9	
5			

LANGUAGE WORK

Study these examples of advice from the texts you read in Task 4.

You can use the modal verb **should**:

1 Your navigation system **should be based on** text links.

You can use an imperative:

2 Avoid frames wherever possible.
3 Don't change the location of your navigation elements.

Note that **avoid** is followed by the -ing form.

For example:

4 Avoid **using** frames.

Had better is for advice which is close to a warning. It indicates something unpleasant will happen if the advice is not taken.

5 If you're committed to using frames on your site, you'd better commit yourself to some extra work too.

Other ways to give advice are:

6 I recommend Jennifer Flemings' Web Navigation.
7 It's a good idea to visit a few larger sites.

To make advice more persuasive, you can add the reason for your advice. For example:
It's a good idea to visit a few larger sites.
advice(s) to get some ideas on designing an effective site map [reason]

SPEAKING 6 Evaluate any one of these sites using the seven points listed in Task 2 and any of the advice given on website design in this unit.

www.compaq.com
www.abcisca.force9.co.uk/birds
news.bbc.co.uk
www.orange.co.uk

7 With the help of the texts summarised in Task 5, give advice on these aspects of navigation design. Use a variety of ways. Add reasons for your advice where possible.

- | | |
|---|---------------------------------|
| 1 | text links |
| 2 | graphical buttons |
| 3 | ALT text captions |
| 4 | site map |
| 5 | frames |
| 6 | position of navigation elements |
| 7 | logical links |
| 8 | search function |
| 9 | number of links on a page |

8 With the help of Unit 12, Task 6, give advice on these features of Internet Service Providers.

- | | |
|----|-------------------------------------|
| 1 | Sign up software on CD-ROM |
| 2 | Local call rates for online time |
| 3 | National call rates for online time |
| 4 | Initial set up fee |
| 5 | Web-based mail |
| 6 | POP3 email |
| 7 | Web space |
| 8 | Access to newsgroups |
| 9 | Customer support |
| 10 | Reliable service |

SPEAKING 9 Work in pairs, A and B. Complete your website flowchart with the help of your partner. Do not show your section of the flowchart to your partner but do answer any questions your partner asks. Make sure all links are included in your completed chart.

Student A Your section of the flowchart is on page 186.

Student B Your section of the flowchart is on page 192.

WRITING 10 Write an evaluation of one of the websites listed in Task 6 or a website of your choice.

XML Takes on HTML

- A** Find the answers to these questions in the following text.
- 1 What languages were derived from SGML?
 - 2 What type of language is used to structure and format elements of a document?
 - 3 Name two metalanguages.
 - 4 What elements of data is XML (but not HTML) concerned with?
 - 5 What is meant by the term 'extensible'?
 - 6 What makes XML a more intelligent language than HTML?
 - 7 What does the HTML markup tag <p> indicate?
 - 8 Why are search engines able to do a better job with XML documents?
 - 9 What type of website is particularly likely to benefit from XML?

Standard Generalized Markup Language (SGML) is the language that spawned both HTML (HyperText Markup Language) and XML (eXtensible Markup Language). SGML is not a true language, it is a meta-language, which is a language from which you can create other languages. In this case, it is the creation of a markup language (a system of encoded instructions for structuring and formatting electronic document elements).

10 HTML is an application-specific derivation of SGML. It is a set of codes, generally used for webpages, that creates electronic documents according to rules established by SGML. HTML is a language that is all about the presentation of your information, not what the actual data is. You can, therefore, say that HTML is a presentation language.

11 XML is a subset of SGML, but it is also, like SGML, a metalanguage. XML defines a specific method for creating text formats for data so that files are program independent, platform independent, and support internationalisation (able to read different languages, etc.). In fact, because XML is an extensible language, you don't even have to have a browser to interpret the page. Applications can parse the XML document and read the information without any human intervention.


12 XML, unlike HTML, is concerned with the identity, meaning and structure of data. XML is extensible because it lets website developers create their own set of customised tags for documents. This ability to define your own tags is the main feature of XML, and it is what gives developers more flexibility.

13 By defining your own markup tags, you can explicitly define the content in the document. This makes XML a more intelligent markup language than HTML. For example, in HTML, you could have a paragraph tag <p> preceding a paragraph about baseball. Your Web browser sees this tag and knows to present the following text as a paragraph. All your browser knows about the text, however, is that it is text; it doesn't know that it is specifically about baseball. In an XML document, you could define a <BASEBALL> tag to refer specifically to the text in the paragraph in your document. This way, when your XML browser examines the document, the document knows what data it contains, and that makes the content more

XML – INFORMATION ABOUT INFORMATION

How the same information is marked up for HTML and XML web pages. Source: IBM

Rendering HTML



HTML tags describe how the data will appear on screen.

Rendering XML

```
<address>
<name>
<title>
<first-name>Mary</first-name>
<last-name>McGoony</last-name>
</name>
<street>1401 Main
Street</street>
<city>Anytown</city>
<state>NC</state>
<zip>34829</zip>
</address>
```

XML tags contain information about what the data is.

intelligent. Search engines that make use of XML so data can do a better job of finding the pages you are looking for because of the intelligent nature of XML content.

85 XML, by design, does not deal with how the data is displayed to the end user. Because HTML is a presentation language, XML documents use HTML tags to help handle the visual formatting of the document. Also, you can use XML in your HTML documents to provide metadata, which is data about data in the document.

86 XML will do to the Web and e-commerce what HTML originally did to the Internet. XML and its associated applications have the potential to blow the roof off the Internet and how we do business.

B Re-read the text to find the answers to these questions.

- 1 **Mark the following statements as True or False:**

- a HTML is no longer useful for creating webpages.
- b SGML is more complex than XML.
- c XML files can only be used on Unix systems.
- d XML files can only be read by browser programs.
- e HTML is a markup language.
- f Internet searches will be better with XML files.

- 2 **Match the terms in Table A with the statements in Table B.**

Table A

- a Metadata
- b Metalanguage
- c HTML
- d XML
- e Markup language

Table B

- i Extensible markup language
- ii A coding system used for structuring and formatting documents
- iii Data about data
- iv An example of a page presentation language
- v A language from which you can create other languages

Webpage Creator



STARTER **1** Match these reviews of websites to their titles. Some words and parts of words have been omitted. Try to replace them.

- 1 Babelfish
- 2 Fish I.D.
- 3 Strangely Satisfying
- 4 Sheepnet
- 5 Download.com

Reviews of website

***** are either white or black. Guaranteed to raise a smile.

c

Trouble identifying *****? This site has pictures, quizzes, a special corner for children and a handy reference on all kinds of aquatic life. It also hosts a discussion area for all concerned with the marine environment.

d

Can't remember the word in English or any other major language? Try **** for an instant translation. Easy to use, just type in your text. Choose the

language you want and select 'Search'. You can also translate websites. Only drawback is that you get a literal translation. Don't expect ***** to cope with slang or idioms.

e

Whether it's demos, full freeware or shareware products you are looking for, the chances are you'll be able to find it here. Rather usefully the site also contains all major drivers and development tools – pretty much anything you could ever want to help you get the most out of your PC really. Well worth a visit whatever it is you're looking for.

If you want to buy old comics, old toys such as plastic fish for your bath, nodding dogs for your car and many other strange and bizarre items, this site is for you.

b

Everything you ever wanted to know or didn't want to know about *****. Breeds, pictures and fascinating facts including the information that almost all

LISTENING **3**  John lives in North Dakota. Here he talks about his website. Listen to the recording and complete this table about his site.

SITE NAME	TOPIC	SITE ADDRESS	WHY SPECIAL	LAST UPDATED

4  Listen to the recording again to find the answers to these questions.

- 1 Why did John choose this topic?
- 2 Which company produces Dreamweaver?
- 3 What previous experience did he have of website creation?
- 4 What's the price of his 'free' domain name?
- 5 What does he mean by 'Yahoo! just seems to swallow submissions'?
- 6 What do you think Yahoo! Clubs are?
- 7 List 4 tips he gives for other website builders.
- 8 List 3 website addresses he mentions.

LANGUAGE WORK

Study this extract from the interview.

i What do you intend to do next with your site?

I'm going to update the Movie Journal section and *Id like to build in new links*.

Why doesn't John say 'and I'm going to build in new links'?

Later John says,

... my favourite site would have to be the Internet Movie Database. Why doesn't he say 'my favourite site has to be the Internet Movie Database'?

We use *would* in conditional sentences.

For example:

If you spilled coffee on the keyboard, you'd damage it.

Often the condition is implied, not stated. **For example:**

(If I had time) I'd like to build in new links.

(If I had to make a choice) my favourite site would have to be the Internet Movie Database.

What is the implied condition in this sentence? I would look at other sites too for great ideas.

2 Carry out a survey of websites built by your classmates. Complete this table for at least 4 sites.

NAME	SITE NAME	TOPIC	SITE ADDRESS	WHY SPECIAL	LAST UPDATED

5 Complete the gaps in this dialogue with *will* or *would* or the reduced forms *'ll* and *'d* where appropriate.

- A What¹ you do when you finish your diploma?
 B I² like to take a course in multimedia.
 A How long³ that take?
 B If I choose the certificate, it⁴ take 6 months but if I choose the master's, it⁵ take a full year.
 A What⁶ be the advantage of the master's?
 B I guess I⁷ have better job prospects.
 A When⁸ you decide?
 B It depends on my finals. If I do well, I⁹ go for the master's.

6 Link these statements using an appropriate time clause. Refer to Unit 13, Language Work, if you need help.

- 1 a You click the mouse pointer on the file.
 b It is highlighted.
- 2 a You cannot save a file.
 b You name it.
- 3 a The files are transferred.
 b The transfer is graphically displayed.
- 4 a Make sure you have all the details of your set up.
 b You phone the help line.
- 5 a The OK button is clicked.
 b The copying process begins.
- 6 a The percentage of file transferred is displayed.
 b Your browser downloads from the Internet.
- 7 a The virus is not activated.
 b You open the infected file.
- 8 a You repair a PC.
 b Ensure the machine is disconnected.
- 9 a Don't open an email attachment.
 b You have virus-checked it.
- 10 a You add memory.
 b Change the BIOS settings.

WORD STUDY

7 Definitions and collocations Fill in the gap in these definitions. Check your answers with Unit 11, Task 4.

- 1 A¹ is an interface enabling dissimilar networks to communicate.
- 2 A² is a hardware and software combination used to connect the same type of networks.
- 3 A³ is a network transmission path handling major data traffic.
- 4 A⁴ is a special computer directing messages when several networks are linked.
- 5 A⁵ is a number of computers and peripherals linked together.
- 6 A⁶ is a network connecting computers over a small distance such as within a company.
- 7 A⁷ is a powerful computer storing data shared by all the clients in the network.
- 8 A⁸ is a network computer used for accessing a service on a server.
- 9 A⁹ is a simple computer comprising a processor and memory, display, keyboard, mouse and hard drives only.
- 10 A¹⁰ is an electronic device connecting all the data cabling in a network.

8 Link each word in column A with a word which it often occurs with from column B. In some cases, more than one link is possible.

Column A	Column B
1 bulletin	board
2 domain	button
3 file	engine
4 graphical	link
5 mobile	map
6 search	message
7 site	name
8 synchronous	page
9 text	phone
10 web	transmission


SPEAKING 9 Work in pairs, A and B. You both have information about some websites. Find out if your partner can suggest a website to help you with your problems. He or she may not have an answer to all your problems.

Student A Website information and problems are on page 186.
Student B Website information and problems are on page 192.

10 Visit a website of your choice. Take notes on any special features. You may refer to these seven points for evaluating a site listed in Unit 14, Task 2, if you wish. Then make a short presentation to the class on what makes your chosen site special.

- 1 Design
- 2 Navigation
- 3 Ease of use
- 4 Accuracy
- 5 Up to date
- 6 Helpful graphics
- 7 Compatibility

WRITING 11 Write a brief evaluation of the site you chose in Task 10. If you are unable to access a website, list the good and bad points of this home page.



12 Planning your website Study this flowchart for planning a website. Use it as the basis for a short text providing advice on website planning. Your text should have three paragraphs corresponding to the three stages in this diagram:

- 1 Analysis
- 2 Design and implementation
- 3 Evaluation

Begin your text like this:
You need to plan your website carefully before you go ahead and create it. There are three stages to the planning process:




Fig 1
Planning your website

Communications Systems

STARTER **1** Carry out a survey of mobile phone use amongst your classmates. Find out:


- 1 How many have mobile phones.
- 2 What they use them for.
- 3 What makes them have.
- 4 How often they use them per day.
- 5 What additional features their phones have, e.g. phone book

messages
calls register
games
calculator
alarm call

2 Study these examples of abbreviations used in mobile phone text messages. Try to guess the meaning of the other abbreviations.

1	ATB	All the best
2	BCNU	Be seeing you
3	CU	See you
4	L8R	
5	Luv	
6	Msg	
7	NE	Any
8	NE1	
9	NO1	
10	PPL	
11	RUOK	
12	THNQ	
13	Wknd	
14	4	

Fig 1
VoIP



4 Find the answers in the text below to these questions.

- 1 What is the main benefit of VoIP?
- 2 What do codecs do?
- 3 How does VoIP deal with the problem of packet loss?
- 4 How does VoIP combat jitter?
- 5 What is latency?

Voice over IP

Voice over Internet Protocol (VoIP) is a way of making phone calls using the Internet. It could dramatically reduce the cost of long-distance calls. Japan has the most VoIP users but it is likely that the US and Europe will catch up fast.

How does VoIP work?

VoIP first digitizes your voice signal. The digital data is then reduced by audio compression using codecs (coder/decoder software and hardware). These operate in a similar way to MP3, which compresses music files. The compressed data is then broken into packets and sent across the Internet. At the other end, it is reconverted into audio data. Because the data rate is high, for good audio quality a broadband connection works best. Each packet of data is delivered by any route the network can find. Packets can be delayed

READING **3** What do these abbreviations mean? Use the Glossary to help if necessary.

ADSL split
ITSP VoIP
MP3

The future
We can be certain that eventually all of the current circuit-switched networks will be replaced by packet-switching technology. In the UK, British Telecom is committed to changing its entire network. In the US 17.5 million households will have VoIP phone services by the end of 2008. But already experts predict that a new kind of spam is inevitable, 'spit' – spam by Internet telephone.

It could mean that our voice-mail boxes will fill up with thousands of unwanted messages. It is also possible that viruses will target VoIP phones and use them to send more spit as well as denial-of-service attacks.

Diagrams only by Mike Harding from *lanes, Mike (2004), Voice over IP, Computer Shopper, November 2004, pp25&255.*
© Mike Harding

LANGUAGE WORK **5** **Predictions 1: certainty expressions** Rank these predictions according to how certain the speakers are. Put the most certain at the top of your list and the least certain at the bottom. Some predictions can have equal ranking.

- a VoIP phones will revolutionise the way we communicate.
- b VoIP phones may revolutionise the way we communicate.
- c It's likely VoIP phones will revolutionise the way we communicate.
- d It's unlikely VoIP phones will revolutionise the way we communicate.
- e It's probable VoIP phones will revolutionise the way we communicate.
- f It's possible VoIP phones will revolutionise the way we communicate.
- g VoIP phones will certainly revolutionise the way we communicate.

Study this list of certainty expressions:

MORE	Verbs	Adverbs	Adjectives
C	will, will not	certainly	certain
E			
R			
T			
A			
I			likely, unlikely
N	could, may, might	possibly	probable
LESS			possible



8 Make statements about these predictions for the next five years. Use the certainty expressions above. For example:

All school children in my country will have mobile phones.

I think it's unlikely that all school children will have mobile phones but it's probable that many of the older pupils will have them.

- ATM machines will use iris recognition rather than PIN numbers. You will get access to your account by looking at the machine.
- People will vote in elections online.
- Taxis will be robot-controlled.
- TV journalists will be able to transmit what they see by using sensors in their optic nerves.
- There will be more robots than people in developed countries.
- Most computers will be voice-controlled.
- Mobile phones will replace computers as the commonest way to access the Internet.
- English will no longer be the commonest language for websites.
- Email will be replaced by a voice-based system.
- Computers will become more powerful.

PROBLEM-SOLVING 9

Try to write these two text message poems in standard English. Compare your versions with others in your group.

14: a txt msg poem
his is a busstard boy
his hairy f**k is green
w/ac/dc going that
f**t by him in tennies
it spins my @dns
ven he -js @ me


Julia Bird, Poetry Book 2002

txtin 12 messin.
mi head/mi englis,
try2rite essays.
they all come out txts.
gran not pised w/letters
shes gen,
swers, wrote better
b4comin2uni:
& she's african.

Hetty Hughes

- 6** Listen to this expert talking about future developments in computing. Note down his predictions. Then listen again and note the certainty expressions he uses.

- 7** The recording was made in 2000. Has the situation changed today? Discuss in groups.



SPEAKING 10 The world of connectivity Work in pairs, A and B. Complete your diagram classifying computer-mediated communication systems with the help of your partner.

Student A Your diagram is on page 187.

Student B Your diagram is on page 193.

11 Together work out where to add these forms of communication to your diagram.

page
MOOs

WRITING 12 The Global Positioning System Link each set of sentences to make one sentence. You may omit, change or add words as required. Then form your sentences into two paragraphs to make a description of how the GPS works and its uses.

1 The GPS was developed by the US military.

It was designed to pinpoint locations.

The locations could be anywhere in the world.

2 It consists of 24 earth-orbiting satellites.

The satellites are 17,000 kms. above the earth.

3 Each satellite broadcasts a coded radio signal.

The signal indicates the time and the satellite's exact position.

4 The satellites have atomic clocks.

The clocks are accurate to one second every 70,000 years.

5 A GPS receiver contains a microprocessor.

The microprocessor compares signals.

The signals are from at least three satellites.

The microprocessor calculates the latitude, longitude and altitude of the receiver.

6 GPS has many uses apart from military uses.

GPS can be used for orienting hikers.

GPS can be used for aiding the navigation of ships.

GPS can be used for tracking trucks and buses.

GPS can be used for locating stolen cars.

A Find the answers to these questions in the following text.

- 1 How many channels does an ISDN system commonly use?
- 2 What types of wireless systems are named in the text?
- 3 What do PCs connected to a satellite system use to send data?
- 4 What types of cables are used in cable network systems?
- 5 What may need to be upgraded when using a shielded DSL system?
- 6 Compared to the downstream bandwidth, the upstream bandwidth in an ADSL line is:
 - a larger
 - b smaller
 - c the same
- 7 Which type of broadband service is the cheapest?

Broadband Communications

Integrated Services Digital Network (ISDN)

ISDN services can be carried over existing telephone network infrastructure to terminal adapters (TAs) in the client machine. A common ISDN interface standard has a digital communications line consisting of three independent channels: two Bearer (B) channels, each at 64Kbit/s, and one Data (D) channel at 16Kbit/s. The D channel is used to carry signalling and supervisory information to the network, while the B channels carry the data and can be linked to provide a 128Kbit/s data channel.

Wireless connections

The wireless alternatives come in two forms: satellite and cellular. Satellite systems require the use of a modem to maintain the upload. Downstream bandwidth is provided via a dedicated satellite dish, connector hardware and proprietary software.

Cellular systems use assigned radio frequencies and are based around a network of transmitters that are arranged in a cellular network, much like cellular mobile phone systems.

The cable alternative

Cable companies can also offer affordable broadband services over copper coaxial or fibre infrastructure networks. The

connection is shared by several customers on a branch, so actual connection rates are variable, unlike ISDN and DSL.

Digital Subscriber Line (DSL)

DSL technology capitalises on the existing network of copper infrastructure, but allows digital signals to be carried rather than analogue. It allows the full bandwidth of the copper twisted-pair telephone cabling to be utilised.

With splitter-based services, the DSL signal is pulled out from the phone line as it enters your premises and is wired separately to a DSL modem. This involves additional hardware and installation by the service provider at the customer site. The shielded option involves no installation, but the telephone company's equipment and some of your equipment might need upgrading.

With Asymmetric Digital Subscriber Line (ADSL), most of the duplex bandwidth is devoted to the downstream direction, with only a small proportion of bandwidth being available for upstream. Much Internet traffic through the client's connection, such as Web browsing, downloads and video streaming, needs high downstream bandwidth, but user requests and responses are less significant and therefore require less on the upstream. In addition, a small proportion of the downstream bandwidth can be devoted to voice rather than data,

allowing you to hold phone conversations without requiring a separate line. DSL-based services are a very low-cost option when compared to other solutions offering similar bandwidth, so they can be made available to the customer at extremely competitive prices.

Re-read the text to find the answers to these questions.

- 1 Match the terms in Table A with the statements in Table B.

Table A

- | | |
|---|-------------------------|
| a | ISDN |
| b | TA |
| c | Data channel |
| d | Bearer channel |
| e | DSL |
| f | Splitter-based services |
| g | ADSL |

Table B

- | | |
|-----|--|
| i | DSL system that separates the digital signals from the analogue signals |
| ii | Digital channel used to carry ISDN signalling and supervisory information to the network |
| iii | Device installed on a PC to allow it to receive ISDN signals |
| iv | Integrated Services Digital Network |
| v | Asymmetric Digital Subscriber Line |
| vi | Digital channel used to carry ISDN data |
| vii | Digital Subscriber Line |

- 2 Mark the following statements as True or False:

- | | |
|---|--|
| a | ISDN can only operate over a special digital telephone line. |
| b | Two ISDN channels can be combined to give the user double the bandwidth. |
| c | Computers connected to a satellite system do not need a modem. |
| d | Cellular networks work in a similar way to mobile phone systems. |
| e | DSL systems require a special digital telephone line. |
| f | DSL systems use analogue signals. |
| g | You need a separate line to hold normal phone conversations on an ADSL system. |

Computing Support

STARTER 1 Find out what the most common computing problems are for your classmates and how they get help with these problems. Use this form to record your results.

Problems	Sources of help
viruses	
monitor problems	
mouse problems	
computer hangs	
printer problems	
computer crashes	
other	

Ask questions like these:

- 1 Have you ever had a problem with a virus?
- 2 Have you ever had a software problem?
- 3 What kind of problem?
- 4 What did you do about it?
- 5 How did you get help?

LISTENING

2 Study this form used by computing support staff in a help centre to record problems reported by phone. What questions would you ask to get this information? Compare your questions with your partner.

Help Desk Technician's Name	Date of Call	Time Commenced
	22/06/05	15.22
Reported By	Address	
Under Warranty	Service Tag No.	Model
Processor	RAM Size	Operating System
Problem Description	Diagnosis	
Cleared by Phone	Job Number	
Passed to Supplier	Time	Ref. No.
Passed to Third Party	Time	Ref. No.
Requires Visit	Time	Visiting Technician
Equipment Required	Comments (e.g. case history)	

Fig 1



3 Now listen to this recording of a computing support officer, David, advising a user. Complete the form to record the main details of the problem.

4 Listen again to note the questions asked by David. How do they compare with the questions you produced in Task 2?

LANGUAGE WORK

Study this extract from the recording:

'It sounds as if you may have a driver fault.'

David is trying to identify the cause of the problem. He is not completely certain.
Compare these versions:

- 1 It sounds as if you may have a driver fault.
- 2 It sounds as if you have a driver fault.
- 3 You probably have a driver fault.
- 4 You might have a driver fault.

Each statement is more certain than the one before. You can use the expressions studied in Unit 16 to show how certain you are. When you are sure you know the cause of the problem, you can use *must* as in example 4.

Study this further extract:

'You could try to reinstall the sound drivers.'

Here David is giving advice. Advice usually follows diagnosis.

In Unit 14, you studied these ways to advise someone to do something.

Using an imperative:

- 1 Try to reinstall the sound drivers.

Using the modal verb *should*:

- 2 You *should* reinstall the sound drivers.

Using *recommend*:

- 3 I recommend/reinstalling the sound drivers.

You can also use:

- 4 I recommend that you *reinstall* the sound drivers.

- 5 I advise you to *reinstall* the sound drivers.

Or phrases such as:

- 6 The best thing to do is to *reinstall* the sound drivers.

6 Diagnose these faults and provide advice on each problem.

- 1 My laser printer produces very faint copies.
- 2 When I print, three or four sheets come through the printer at the same time.
- 3 My spreadsheet does not seem to add up correctly.
- 4 Everything I type appears in capitals.
- 5 My PC is switched on but the monitor screen is blank.
- 6 I tried to print a document but nothing came out of the printer.
- 7 My monitor picture is too narrow.
- 8 My monitor screen flickers.
- 9 My mouse responds erratically.
- 10 The time display on my computer is one hour slow.
- 11 When I print out a page, the first two lines are missing.
- 12 My computer sometimes stops and reboots itself. The lights dim at the same time.

PROBLEM-SOLVING

7 As a class, find out how many had problems with any of these items of hardware in the last twelve months. Calculate the percentages and compare results with these findings from a national survey.

% of users reporting problems in the last 12 months		
	Your class	Other users
Hard disk		17
CD-ROM drive		15
Modem		15
Mouse		13
Monitor		12
Sound card		7
Cooling fan		7
Battery		7
Keyboard		6
Power supply		6
Memory		5
Graphics/Video		5
CPU		3

5 Study these steps to take before you phone for technical support. Rewrite each one using the clue given.

- 1 Reboot your PC to see if the problem recurs. (should)
- 2 Use your PC's on-board diagnostic and repair tools. (recommend)
- 3 Record the details of the problem so you can describe it accurately. (good idea)
- 4 Note your system's model name and serial number. (advise)
- 5 Keep a record of hardware and software you've installed along with any changes you've made to settings. (strongly recommend)
- 6 If you think hardware may be at fault, figure out how to open the case. (should)
- 7 Visit the vendor's website and check the FAQs. (best thing)
- 8 Avoid phoning in peak times. (never)
- 9 Have your system up and running and be near it when you call. (good idea)
- 10 When you reach a technician, tell him or her if you may have caused the problem. (advise)

SPEAKING **8** Work in pairs, A and B. Advise your partner on his/her computing problem. Ask for advice on your computing problem. Complete this form for your partner's problem.


Student A Your problems and advice are on page 187.

Student B Your problems and advice are on page 193.

Help Desk Technician's Name	Date of Call	Time Commenced	
Reported By	Address	Model	
Under Warranty	Service Tag No.	Operating System	Network Type
Processor	RAM Size	Diagnosis	
Problem Description			
Cleared by Phone	Job Number		
Passed to Supplier	Time	Ref. No.	
Passed to Third Party	Time	Ref. No.	
Requires Visit	Time	Visiting Technician	
Equipment Required	Comments (e.g. case history)		

WRITING **9** Study this brief report made from the completed form for Task 3. Then write your own report of one of the Task 8 problems using the form you completed for that task. Your report should have these sections:

paragraph 1 user's hardware, software, network connections, etc.
 paragraph 2 description of the problem and the possible diagnosis
 paragraph 3 action taken



A Find the answers to these questions in the text and table below.

- 1 Give two reasons why server computers often have connected hard drives.
- 2 Why is RAID 0 particularly suited to imaging and scientific work?
- 3 What is the advantage of using drive mirroring?
- 4 To store data, RAID levels higher than 1 require:
 - a At least double the disk space
 - b Up to about a third more disk space
 - c Less than half the disk space
- 5 Where is the backup data stored in a RAID 5 system?
- 6 Which levels of RAID can reconstruct data lost in failed drives from the backup data spread across the remaining drives in the array?
- 7 Which level of RAID is the fastest?
- 8 Which level of RAID is the slowest?
- 9 RAID schemes are numbered, with higher numbers indicating more elaborate methods for ensuring data integrity and fault tolerance (or a computer's ability to recover from hardware errors).

R A I D N G H A R D D R I V E S

Server manufacturers connect hard drives to ensure that data is adequately protected and can be quickly accessed. Computer engineers call such an arrangement a redundant array of inexpensive disks (RAID). By arranging drives in sets, users hope to take advantage of the higher seek times of smaller drives. A special hard disk controller, called a RAID controller, ensures that the RAID array's individual drives are seen by the computer as one large disk drive.

RAID schemes are numbered, with higher numbers indicating more elaborate methods for ensuring data integrity and fault tolerance (or a computer's ability to recover from hardware errors).

	Raid 0	Raid 1	Raid 2-4	Raid 5
Fault tolerance?	No	Yes	Yes	Yes
What does it do?	Called disk striping, RAID 0 breaks data into blocks that are spread across all drives rather than filling one before writing to the next.	Called disk mirroring, RAID 1 uses two identical drives; data written to the first is duplicated on the second.	RAID 2-4 are rarely used and simply enhance the striping provided by other RAID levels.	Called striping with parity, the popular RAID 5 writes error-correcting, or parity, data across available drives.
What are the advantages?	Improved disk I/O throughput – the fastest of all RAID configurations as it distributes read/write operations across multiple drives. Good for imaging and scientific work where speed is important.	If either drive fails, the other continues to provide uninterrupted access to data.	2 enhances 0 by using additional drives to store parity data. 3 enhances 2 by requiring only one error-checking drive. 4 builds on 3 by using larger block sizes, boosting performance.	If one drive fails, its contents are recovered by analysing the data on the remaining disks and comparing it with the parity data.
What are the disadvantages?	The failure of any single drive means the entire array is lost.	Inefficient use of disk space.	Not as fast as RAID 0.	Uses dedicated disks to store the parity data used to reconstruct drive contents. Up to 30% more hard disk space needed than 1.

B Re-read the text and table to find the answers to these questions.

- 1 Match the terms in Table A with the statements in Table B.

Table A

- a RAID
- b RAID controller
- c An array
- d Striping
- e Mirroring
- f Parity data

Table B

- i Information which is used to restore data if one of the RAID drives fail
- ii A process of spreading data across a set of disks
- iii Redundant array of inexpensive disks
- iv A set
- v A device for controlling a set of hard disks
- vi The technique of writing the same information to more than one drive

C Mark the following statements as True or False:

- a Small disks tend to have lower seek times than large disks.
- b RAID controllers make one large hard disk act like a set of small disks.
- c In RAID systems, one disk is filled with data before the next disk is used.
- d A higher numbered RAID array uses a more elaborate system to protect the integrity of data.
- e RAID 0 provides good data recovery.
- f Small file servers do not usually use RAID level 3.

Data Security 1

STARTER 1 What stories do you think followed these headlines? Compare answers within your group.

- 1 Love bug creates worldwide chaos.
- 2 Hackers crack Microsoft software codes.
- 3 Web phone scam.

2 What other types of computer crime are there? Make a list within your group.

READING 3 Study this diagram which explains how one type of virus operates. Try to answer these questions.

- 1 What is the function of the jump instruction?
- 2 What are the main parts of the virus code?
- 3 What is the last act of the virus?




Fig. 1
How a virus infects a program

4 Scan this text to check your answers to Task 3. Ignore any parts which do not help you with this task.

THE ANATOMY OF A VIRUS

A biological virus is a very small, simple organism that infects living cells, known as the host, by attaching itself to them and using them to reproduce itself. This often causes harm to the host cells.

Similarly, a computer virus is a very small program routine that infects a computer system and uses its resources to reproduce itself. It often does this by patching the operating system to enable it to detect program files, such as COM or EXE files. It then copies itself into those files. This sometimes causes harm to the host computer system.

When the user runs an infected program, it is loaded into memory carrying the virus. The virus uses a common programming technique to stay resident in memory. It can then use a reproduction routine to infect other programs. This process continues until the computer is switched off.

The virus may also contain a payload that remains dormant until a trigger event activates it, such as the user pressing a particular key. The payload can have a variety of forms. It might do something relatively harmless such as displaying a message on the monitor.

screen or it might do something more destructive such as deleting files on the hard disk.
When it infects a file, the virus replaces the first instruction in the host program with a command that changes the normal execution sequence. This type of command is known as a JUMP command and causes the virus instructions to be executed before the host program. The virus then returns control to the host program which then continues with its normal sequence of instructions and is executed in the normal way.

To be a virus, a program only needs to have a reproduction routine that enables it to infect other programs. Viruses can, however, have four main parts.

A misdirection routine that enables it to hide itself; a reproduction routine that allows it to copy itself to other programs; a trigger that causes the payload to be activated at a particular time or when a particular event takes place; and a payload that may be a fairly harmless joke or may be very destructive. A program that has a payload but does not have a reproduction routine is known as a Trojan.

5 Now read the whole text to find the answers to these questions.

- 1 How are computer viruses like biological viruses?
- 2 What is the effect of a virus patching the operating system?
- 3 Why are some viruses designed to be loaded into memory?
- 4 What examples of payload does the writer provide?
- 5 What kind of programs do viruses often attach to?
- 6 Match each virus routine to its function.

Routine	Function
1 misdirection	a does the damage
2 reproduction	b attaches a copy of itself to another program
3 trigger	c hides the presence of the code
4 payload	d decides when and how to activate the payload

7 How does a Trojan differ from a virus?

LANGUAGE WORK

What is the relationship between these actions?

- 1 A date or event occurs.
- 2 The trigger routine runs.
- 3 The payload routine activates.
- 4 The hard disk is wiped.

These events form part of a cause and effect chain. We can describe the links between each event in a number of ways:

Using cause + to V or make + V

- 1 A date or event occurs which causes the trigger routine to run.

Putting the events in sequence and using a causative verb.

- 2 A date or event occurs which makes the trigger routine run.
- 3 The trigger routine runs, which triggers the payload routine.

Using a when clause.

- 4 When the trigger routine runs, the payload routine activates.

6 Describe the effects of these viruses and other destructive programs.

- 1 *logic bomb* – example
 - a A dismissed employee's name is deleted from the company's payroll.
 - b A logic bomb is activated.
 - c All payroll records are destroyed.
- 2 *Form* (Boot sector virus)
 - a A certain date occurs.
 - b A trigger routine is activated.
 - c Keys beep when pressed and floppies are corrupted.
- 3 *Beijing* (Boot sector virus)
 - a The operator starts up the computer for the one hundred and twenty-ninth time.
 - b A trigger routine is activated.
 - c The screen displays, 'Bloody! June 4, 1989'.
- 4 *AntiEXE*
 - a The infected program is run.
 - b The boot sector is corrupted.
 - c The disk content is overwritten.
 - d Data is lost.

5 *Cascade* (File virus – COM files only)

- a A particular date occurs.
- b The payload is triggered.
- c Characters on a text mode screen slide down to the bottom.
- 6 *macro virus* – example
 - a An infected document is opened in the wordprocessor.
 - b The virus macro is executed.
 - c The virus code is attached to the default template.
 - d The user saves another document.
 - e The virus code attaches to the saved document.
 - f The saved document is opened in the wordprocessor.
 - g The virus destroys data, displays a message or plays music.

7 Some verbs beginning or ending with *en* have a causative meaning. Replace the words in italics in these sentences with the appropriate form of *en* verb from this list.

enable	ensure
encode	encrypt
encourage	enhance
	enlarge
	brighten
	widen

- 1 A MIDI message *makes* sound *into code* as 8-bit bytes of digital information.
- 2 The teacher *is using* a new program to *give courage to* children to write stories.
- 3 The new version of SimCity has been *made better* in many ways.
- 4 A gateway *makes it possible for* dissimilar networks to communicate.
- 5 You can *convert* data to *secret code* to make it secure.
- 6 *Make sure* the machine is disconnected before you remove the case.
- 7 Designers *can offer* good ideas for *making* your website *brighter*.
- 8 Electronic readers allow you to *make the print size larger*.
- 9 Programmers write software which *makes* the computer *able to* carry out particular tasks.
- 10 You can *make* the picture on your monitor *wider*.

PROBLEM-SOLVING 8

Decide in your group what these kinds of computer crime are.
Then match the crimes to the short descriptions which follow.

- 1 Salami Shaving
- 2 Denial of Service attack
- 3 Trojan Horse
- 4 Trapdoors
- 5 Mail bombing
- 6 Software Piracy
- 7 Piggybacking
- 8 Phishing
- 9 Defacing
- 10 Hijacking

- a Leaving, within a completed program, an illicit program that allows unauthorised – and unknown – entry.
- b Using another person's identification code or using that person's files before he or she has logged off.
- c Adding concealed instructions to a computer program so that it will still work but will also perform prohibited duties. In other words, it appears to do something useful but actually does something destructive in the background.
- d Trickling a user into revealing confidential information such as an access code or a credit-card number.
- e Inundating an email address with thousands of messages, thereby slowing or even crashing the server.
- f Manipulating programs or data so that small amounts of money are deducted from a large number of transactions or accounts and accumulated elsewhere. The victims are often unaware of the crime because the amount taken from any individual is so small.
- g Unauthorised copying of a program for sale or distributing to other users.
- h Swamping a server with large numbers of requests.
- i Redirecting anyone trying to visit a certain site elsewhere.
- j Changing the information shown on another person's website.

SPEAKING 9

Work in pairs, A and B. You both have details of a computer crime. Find out from your partner how his/her crime operated and its effects. Take notes of each stage in the process.

Student A Your computer crime is on page 187.

Student B Your computer crime is on page 193.

WRITING 10

Using your notes from Task 9, write an explanation of the computer crime described by your partner. When you have finished, compare your explanation with your partner's details on page 187 or 193.

3 Mark the following statements as True or False:**4 Put the following sentences, about sending a secure email, in the correct order:**


- a A message encrypted with a public key can be decrypted by anyone.
- b To send a secure message you must know the recipient's public key.
- c Secure messages are normally encrypted using a private key before they are sent.
- d A message can be reconstructed from its MAC.
- e Two messages can often have the same MAC.
- f A digital certificate is sent to a client in an encrypted form.
- g A digital certificate should be signed by a trusted digital-certificate issuer.
- h A MAC is used to check that a message has not been tampered with.

WHEN YOU HAVE FINISHED THE READING SECTION ON THE FOLLOWING PAGE,
COME BACK TO THESE ADDITIONAL EXERCISES

Safe Data Transfer

- Secure transactions across the Internet have three goals. First, the two parties engaging in a transaction (say, an email or a business purchase) don't want a third party to be able to read their transmission. Some form of data encryption is necessary to prevent this. Second, the receiver of the message should be able to detect whether someone has tampered with it in transit. This calls for a message-integrity scheme. Finally, both parties must know that they're communicating with each other, not an impostor. This is done with user authentication.
- Today's data encryption methods rely on a technique called public-key cryptography.
- Everyone using a public-key system has a public key and a private key. Messages are encrypted and decrypted with these keys. A message encrypted with your public key can only be decrypted by a system that knows your private key.
 - What is the opposite of 'encrypt'?
 - A message-digest function is used to:
 - authenticate a user
 - create a MAC
 - encrypt a message
 - What information does a digital certificate give to a client?

This shows the complex process that's required to send data securely across open communication lines while satisfying the three basic tenants of secure transfer: data encryption, interference prevention, and user authentication.



I use your public key to turn my message into gibberish. I know that only you can turn the gibberish back into the original message, because only you know your private key. Public-key cryptography also works in reverse – that is, only your public key can decipher your private key's encryption.

To make a message tamper-proof (providing message integrity), the sender runs each message through a message-digest function. This function within an application produces a number called a message-authentication code (MAC). The system works because it's almost impossible for an altered message to have the same MAC as another message. Also, you can't take a MAC and turn it back into the original message.

The software being used for a given exchange produces a MAC for a message before it's encrypted. Next, it encrypts the MAC with the sender's private key. It then encrypts both the message and the encrypted MAC with the recipient's public key and sends the message.

When the recipient gets the message and decryps it, they also get an encrypted MAC. The software takes the message and runs it through the same message-digest function that the sender used and creates its own MAC. Then it decryps the sender's MAC. If the two are the same, then the message hasn't been tampered with.

The dynamics of the Web dictate that a user-authentication system must exist. This can be done using digital certificates.

A server authenticates itself to a client by sending an unencrypted ASCII-based digital certificate. A digital certificate contains information about the company operating the server, including the server's public key. The digital certificate is 'signed' by a trusted digital-certificate issuer, which means that the issuer has investigated the company operating the server and believes it to be legitimate. If the client trusts the issuer, then it can trust the server. The issuer 'signs' the certificate by generating a MAC for it, then encrypts the MAC with the issuer's private key. If the client trusts the issuer, then it already knows the issuer's public key.

The dynamics and standards of secure transactions will change, but the three basic tenets of secure transactions will remain the same. If you understand the basics, then you're already three steps ahead of everyone else.

A Find the answers to these questions in the following text.

- What does data encryption provide?
 - privacy
 - integrity
 - authentication
- A message encrypted with the recipient's public key can only be decrypted with:
 - the sender's private key
 - the sender's public key
 - the recipient's private key
- What system is commonly used for encryption?
 - authenticate a user
 - create a MAC
 - encrypt a message
- What information does a digital certificate give to a client?

B Re-read the text to find the answers to these questions.

- 1** Match the functions in Table 1 with the keys in Table 2.

Table 1

- | | |
|---|---|
| a | to encrypt a message for sending |
| b | to decrypt a received message |
| c | to encrypt the MAC of a message |
| d | to encrypt the MAC of a digital signature |

Table 2

- | | |
|-----|------------------------------|
| i | sender's private key |
| ii | trusted issuer's private key |
| iii | the recipient's private key |
| iv | the recipient's public key |

- 2** Match the terms in Table A with the statements in Table B.

Table A

- | | |
|---|-----------|
| a | Gibberish |
| b | Impostor |
| c | Decipher |
| d | MAC |
| e | Tenets |
| f | Tamper |

Table B

- | | |
|-----|--------------------------------------|
| i | Message-authentication code |
| ii | Principal features |
| iii | Meaningless data |
| iv | Person pretending to be someone else |
| v | Make unauthorised changes |
| vi | Convert to meaningful data |

► Additional exercises on page 129

Data Security 2

STARTER 1 Consider these examples of computer disasters. How could you prevent them or limit their effects? Compare answers within your group.

- 1 You open an email attachment which contains a very destructive virus.
- 2 Someone guesses your password (the type of car you drive plus the day and month of your birth) and copies sensitive data.
- 3 Your hard disk crashes and much of your data is lost permanently.
- 4 Someone walks into your computer lab and steals the memory chips from all the PCs.
- 5 Your backup tapes fail to restore properly.

READING 2 Study this table of security measures to protect hardware and software. Which measures would prevent or limit the effects of the disasters in Task 1?

3 Find words or phrases in the table which mean:

- 1 copies of changes to files made to reduce the risk of loss of data
- 2 software available for a short time on a free trial basis; if adopted a fee is payable to the author
- 3 cannot be disrupted or cut
- 4 put at risk
- 5 deciphered, worked out
- 6 protect data by putting it in a form only authorised users can understand
- 7 a combination of hardware and software to protect networks from unauthorised users
- 8 observe and record systematically
- 9 measuring physical characteristics such as distance between the eyes
- 10 at regular intervals

Control Access to Hardware and Software

- * Lock physical locations and equipment.
- * Install a physical security system.
- * Monitor access 24 hours a day.

Implement Network Controls

- * Install firewalls to protect networks from external and internal attacks.
- * Password-protect programs and data with passwords which cannot easily be cracked.
- * Monitor username and password use – require changes to passwords regularly.
- * Encrypt data.
- * Install a callback system.
- * Use signature verification or biometric security devices to ensure user authorisation.

Protect against Natural Disasters

- * Install uninterruptible power supplies and surge protectors.

Backup Data and Programs

- * Make incremental backups, which are copies of just changes to files, at frequent intervals.
- * Make full backups, which copy all files, periodically.
- * To protect files from natural disasters such as fire and flood, as well as from crimes and errors, keep backups in separate locations, in fireproof containers, under lock and key.

Separate and Rotate Functions

- * If functions are separate, then two or more employees would need to conspire to commit a crime.
- * If functions are rotated, employees would have less time to develop methods to compromise a program or system.
- * Perform periodic audits.

Protect against Viruses

- * Use virus protection programs.
- * Use only vendor-supplied software or public domain or shareware products that are supplied by services that guarantee they are virus-free.



LANGUAGE WORK

What is the relationship between these events?

1 The scanner finds a match for your fingerprint.
2 The keyboard is unlocked.
3 You can use the PC.

1 and 2 are cause and effect. We can link them using the methods studied in Unit 18.

In addition we can use an if-sentence. Note that the tenses for both cause and effect are the same. For example:

If the scanner finds a match for your fingerprint, the keyboard is unlocked.

2 allows 3 to happen. We can link 2 and 3 using allow or permit.

The keyboard is unlocked, allowing/permitting you to use the PC.

What is the relationship between these events?

4 The scanner does not find a match for your fingerprint.

5 The keyboard remains locked.

6 You cannot use the PC.

We can show that 2 and 5 are cause and effect using the methods studied in Unit 18.

We can also use the before.

The scanner does not find a match for your fingerprint. Therefore the keyboard remains locked.

5 prevents 6 from happening. We can link 5 and 6 using prevent or stop.

The keyboard remains locked preventing you from using the PC.

The keyboard remains locked, stopping you from using the PC.

4 Put the verbs in brackets in the correct form in this description of how smart cards work.

Smart cards prevent unauthorised users¹ (access) systems and permit authorised users² (have) access to a wide range of facilities. Some computers have smart card readers³ (allow) you⁴ (buy) things on the Web easily and safely with digital cash. A smart card can also send data to a reader via an antenna⁵ (coil) inside the card. When the card comes within range, the reader's radio signal⁶ (create) a slight current in the antenna⁷ (cause) the card⁸ (broadcast) information to the reader which⁹ (allow) the user, for example,¹⁰ (withdraw) money from an ATM or¹¹ (get) access to a system.


5 Decide on the relationship between these events. Then link them using structures from this and earlier units.

- | | |
|----------------------|---|
| 1 Anti-virus program | a A user runs anti-virus software. |
| | b The software checks files for virus coding. |
| | c Coding is matched to a known virus in a virus database. |
| | d A message is displayed to the user that a virus has been found. |
| | e The user removes the virus or deletes the infected file. |
| | f The virus cannot spread or cause further damage. |
-
- | | |
|--------------------|--|
| 2 Face recognition | a You approach a high-security network. |
| | b Key features of your face are scanned. |
| | c The system matches your features to a database record of authorised staff. |
| | d Your identity is verified. |
| | e You can log on. |
| | f Your identity is not verified. |
| | g You cannot use the system. |
-
- | | |
|---------------------|---|
| 3 Voice recognition | a Computers without keyboards will become more common. |
| | b These computers are voice-activated. |
| | c The user wants to log on. |
| | d She speaks to the computer. |
| | e It matches her voice to a database of voice patterns. |
| | f The user has a cold or sore throat. |
| | g She can use the system. |
| | h Stress and intonation patterns remain the same. |




PROBLEM-SOLVING 6 Study these illustrations for two forms of security scanning.
Write your own captions for each of the numbered points.

Eye scanning



Hand scanning




SPEAKING 7 **Backups** Work in pairs, A and B. You each have details of one form of backup. Explain to your partner how your form of backup works. Make sure you understand the form of backup your partner has. Ask for clarification if anything is unclear.

Student A Your information is on page 188.
Student B Your information is on page 194.

WRITING 8 Firewalls Study this diagram of a firewalled network system. Write a description of how it operates. You may need to do some research on firewalls to supplement the diagram. Your description should answer these questions:

- 1 What is its function?
- 2 What does it consist of?
- 3 How are the firewalls managed?
- 4 How does it control outgoing communications?
- 5 How does it prevent external attack?

Fig 1
Scanning technologyFig 2
How a firewall works

A Find the answers to these questions in the following text.

- 1 Name 3 areas of computing that companies rely on more and more.
- 2 What can intimidate even the most experienced network manager?
- 3 What 3 types of peripheral storage devices do most companies rely on for backing up data and storing information?
- 4 What type of data-intensive application do companies rely more heavily on?
- 5 What has kept the SCSI bus from evolving rapidly?
- 6 What traditional LAN interface is mentioned in the text?
- 7 Name 2 drawbacks of NAS.
- 8 What type of server can be connected to a SAN?
- 9 In what 2 ways will a SAN lighten your server's workload?
- 10 What types of cabling can be used with Fibre Channel?

Doing the SAN thing

As companies rely more and more on ecommerce, online transaction processing and databases, the amount of information that needs to be managed and stored on a network can intimidate even the most experienced of network managers.

While servers do a good job of storing data, their capacity is limited and they can become a bottleneck if too many users try to access the same information. Instead, most companies rely on peripheral storage devices, such as tape libraries, RAID disks and even optical storage systems. These devices are effective for backing up data online and storing large amounts of information.

But as server farms increase in size and companies rely more heavily on data-intensive applications, such as multimedia, the traditional storage model isn't quite as useful. This is because access to these peripheral devices can be slow, and it might not always be possible for every user to easily and transparently access each storage device.

The most basic way of expanding storage capacity on the network is to hang disk arrays or other storage devices off servers, using the SCSI interface or bus.

While SCSI has been a workhorse over the years for connecting peripherals at a relatively fast speed, distance limitations have kept this particular bus interface from evolving rapidly.

The SCSI standards put a bus length limit of about 6m on devices. While this distance limitation doesn't really affect connecting storage devices directly to a server, it does severely restrict placing RAID and tape libraries at other points on the network.

Enter the NAS

This is where the concept of Network Attached Storage (NAS) comes in. NAS is simple in concept and execution: disk arrays and other storage devices connect to the network through a traditional LAN interface, such as Ethernet. Storage devices would thus attach to network hubs, much the same as servers and other network devices.

However, NAS does have a few drawbacks. First, network bandwidth places throughput limitations on the storage devices. Another downside to NAS is the lack of cohesion among storage devices. While disk arrays and tape drives are on the LAN, managing the devices can prove challenging, since they are separate entities and not logically tied together. NAS has its place as a viable storage architecture, but large companies need something more.

Mr SAN man

ss Large enterprises that want the ability to store and manage large amounts of information in a high-performance environment now have another option: the Storage Area Network (SAN). In a SAN, storage devices such as Digital Linear Tapes (DLTs) and RAID arrays are connected to many kinds of servers via a high-speed interconnection, such as Fibre Channel.

This high-speed link creates a separate, external network that's connected to the LAN, but acts as an independent entity.

This setup allows for any-to-any communication among all devices on the SAN. It also provides alternative paths from server to storage device. In other words, if a particular server is slow or completely unavailable, another server on the SAN can provide access to the storage device. A SAN also makes it possible to mirror data, making multiple copies available.

SANs offer several advantages. First, they allow for the addition of bandwidth without burdening the main LAN. SANs also make it easier to conduct online back-ups without users feeling the bandwidth pinch. When more storage is needed, additional drives do not need to be connected to a specific server; rather, they can simply be added to the storage network and accessed from any point.

Another reason for the interest in SANs is that all the devices can be centrally managed. Instead of managing the network on a per-device basis, storage can be managed as a single entity, making it easier to deal with storage networks that could potentially consist of dozens or even hundreds of servers and devices.

You can connect almost any modern server to a SAN, because SANs support hardware and software spans most PC midrange and mainframe platforms. Ideally, a SAN will lighten your server's workload by offloading many storage-related server tasks to the SAN and by better allocating storage resources to servers.

The most important piece of any SAN architecture is the underlying network technology that drives it. You can use ordinary Fast Ethernet, but Fibre Channel is emerging as the technology of choice for SAN implementations. Fibre Channel was developed by ANSI in the early 1990s as a means to transfer large amounts of data very quickly. Fibre Channel is compatible with SCSI, IP, IEEE 802.2, ATM Adaptation Layer for computer data, 10 and Link Encapsulation, and it can be used over copper cabling or fibre-optic cable.

B Re-read the text to find the answers to these questions.

- 1 Note the advantages of a SAN.
- 2 Match the items in Table A with the statements in Table B.

Table A

- a NAS
- b Fibre Channel
- c SAN
- d Mirror
- e Server farm
- f Disk array

Table B

- i Storage area network
- ii Write copies of data to two disks at the same time
- iii A large collection of computers that work together to provide services on a network
- iv Network attached storage
- v A set of interconnected disks
- vi A type of high speed interconnection

- 3 Using information from the text, mark the following as True or False:

- a In the traditional storage model, it is always possible for every user to access each storage device.
- b Hanging storage devices off servers is the most basic way of expanding storage capacity.
- c The distance limitation of SCSI affects the direct connection of storage devices to a server.
- d A SAN is not usually connected to a LAN.
- e All devices can be centrally managed in a SAN.
- f Fast Ethernet is becoming the most popular type of interconnection for SANs.

The ex-hacker


STARTER 1 Find the answers to these questions as quickly as you can.

- 1 Which group hacked into Hotmail?
- 2 What kind of computer crime did Internet bank customers face in 2004?
- 3 Which hacker was sent to jail for fraud?
- 4 What was the effect of the 1996 raid on Scotland Yard?
- 5 Which of the cases reported here involved teenagers?
- 6 How did MyDoom.O affect search engines?

1 Kevin Mitnick is the hackers' hero. His latest spell in jail was a 46-month sentence for fraud relating to breaking into the systems of several multinational corporations. He was released on condition that he did not have any contact with a computer.

5 Hotmail, Microsoft's free email service, was hacked into last September, exposing the correspondence of more than 40m users. A group calling itself Hackers Unite posted a Web address with details of how to access any Hotmail account. The service was shut down for five hours.

3 Now listen to Part 1 of the recording to check your answers to Task 2 and to find the answers to these questions:

- 1 What was Ralph arrested for?
- 2 What does he do now?
- 3 Why does he say people are too trusting?
- 4 What passwords does he suggest for trying to get into a system?
- 5 What does a firewall do?
- 6 What is the advantage of a callback system?
- 7 To prevent hacking, what sort of passwords should you avoid?
- 8 What do event logs show?

2 In March 2000, a Welsh teenager allegedly stole information from more than 26,000 credit card accounts across Britain, the US, Japan, Canada and Thailand, and published the details on the Internet. FBI agents and British police raided the home of Raphael Gray, 18, and arrested him and his friend. He has been charged with 10 counts of downloading unauthorised information.

6 The UK Department of Trade and Industry has twice been prey to hackers, once in 1996 and again in 2000 when a DTI computer was programmed to reroute email. The Home Office investigated nine cases of hacking last year, one of which was the leaking of a report on a murder. In August 1996 hackers ran up a £1m phone bill for Scotland Yard but did not access files.

4 Now listen to Part 2 of the recording and find the answers to these questions:

- 1 How did Ralph start thinking about computer security?
- 2 How did he find the most senior ID in the American company's system?
- 3 According to Ralph, why do people hack?
- 4 Why did he and his friend hack?
- 5 How did the police find him?
- 6 Why does he say companies should use his services?
- 7 Do hackers know each other?
- 8 What's the difference between Hollywood hackers and the real world?
- 9 How risky is credit card use on the Internet?
- 10 What advice does he give for people intending to use credit cards over the Internet?

3 In May 2004 an Internet worm, called Sasser, knocked out post office computers in Taiwan and Germany. Three hundred thousand train passengers were stranded in Australia after communications between drivers and signal boxes were cut. Sasser attacked Windows NT, 2000 and XP operating systems via the Internet. An 18-year-old German, Sven Jaschan, admitted he was the author of the virus.

7 In July 2004, a new variant of MyDoom, MyDoom.O, attacked search engines such as Yahoo, Lycos and Altavista. The search engines received thousands of emails generated by the virus which forced them to slow down. Google stopped working for a time in the US, UK and France. An earlier version included an attachment. When opened, it sent an email to every address in the victim's address book.

4 Customers of Internet banks faced a new phishing scam in 2004. A Trojan horse program was circulated via email. Once opened, the program substituted a bogus website address for any bank details stored in the computer. When customers tried to go to the website of their bank, they were taken to the false site. When they entered their account details and passwords, crooks used them to empty their accounts.

5 Now listen to both parts again to find the answers to these questions:

- 1 What evidence did Ralph and his friend leave to show that they had hacked into the American company's system?
- 2 What is a 'white hat' hacker?
- 3 What two ways does Ralph give for hacking into a system?
- 4 What terms does Ralph use to describe someone obsessed by computers?
- 5 How does he maintain contact with the policeman who arrested him?
- 6 How does he describe his lack of enthusiasm for the Hollywood hacker?
- 7 What does he mean by 'It's the retailers who get done'?
- 8 What's the problem with using smart cards for Internet purchases?

LANGUAGE WORK

A phrasal verb is a verb + preposition combination. For example, *look up*, *tore down*, *turn over*. Phrasal verbs are common in informal spoken English. Sometimes they have a more formal one-word equivalent for example, *work out* = determine.

Often phrasal verbs have two meanings. She *looked up* a word in the *dictionary*.

One we can *work out* from the *meaning* of the two words separately. She *looked up* at the root A special meaning which *does not always* relate to the separate meanings of the words. She *looked up* a word in the *dictionary*.

6 Study these phrasal verbs from the Task 1 texts and the recording:

break into	grow up	throw away
get into	phone up	log on
hack into	run up	find out
go about	keep at	track down
set about	shut down	hand over
keep ahead		

Now complete each blank with the appropriate phrasal verb in the correct form. In some cases, more than one answer is possible.

- 1 Hackers try to passwords so they can penetrate a system.
- 2 Don't your password to anyone who asks for it.
- 3 The police Ralph by talking to his friends and acquaintances.
- 4 Some hackers systems to get commercially valuable information.
- 5 When you to a network, you have to provide an ID.
- 6 How do you hacking into a system?
- 7 Hackers may , pretending to be from your company, and ask for your password.
- 8 Never your credit card receipts where someone can find them.
- 9 Ralph was a hacker as a teenager but he's now and become more responsible.
- 10 a system is strictly illegal nowadays.
- 11 It's a constant race to of the hackers.

7 Replace the verb in italics with a phrasal verb of similar meaning. All the phrasal verbs required have been used in this book.

- 1 Don't *discard* your credit card receipts; they could help fraudsters.
- 2 Trying to *penetrate* computer systems is against the law.
- 3 The typical hacker is a young person who has not *matured* yet..
- 4 The best way to *begin* hacking into a system is to try to get hold of a password.
- 5 If someone *telephones* you and asks for your password, don't *provide* it.
- 6 Hackers *closed* Hotmail for five hours.
- 7 Hackers *accumulated* a telephone bill of £1m for Scotland Yard.
- 8 The difficult thing was to *determine* how the website would look.
- 9 So you won't forget, *record* the ID number the support technician gives you.
- 10 *Examine* the manufacturers' websites before you phone for help.

WORD STUDY **8** **Semantic groups** Group these terms into the five headings, A to E, below.

A	B	C	D	E
Viruses and other destructive programs	Data protection	Communication systems	Internet	World Wide Web

anti-virus software	FTP	passwords
backups	GPS	router
bandwidth	IRC	trigger routine
browser	ISP	Trojan
domain name	hyperlink	URL
encryption	logic bomb	Usenet
firewalls	pgers	XML


SPEAKING **9** **Role play** Work in pairs. Together make up your own questions on these prompts. Then play the parts of the interviewer and Ralph.

- 1 first interested in hacking
- 2 reason for being arrested
- 3 present job
- 4 ways to avoid hackers
- 5 views on Hollywood hackers
- 6 safe ways of paying for Internet shopping

WRITING **10** Write a news item like the short newspaper texts given in Task 1 about Ralph or about any other hacking case known to you.

11 Study this extract from a virus information database. Then make a flowchart to show each step in the method of infection for this virus. Steps 1 and 2 are done for you.

- Step 1 An infected .EXE file arrives as an email attachment.
Step 2 The infected .EXE file is opened.



Method of infection

This is a combination of a files infector virus and an email worm. The virus arrives as an .EXE file with varying filenames. When you execute the attachment, your machine is infected and in turn is used to spread the virus.

When first run, the virus may copy one .EXE file in the Windows or Windows System directory using the same name but with the final character of the filename decreased by a factor of 1. For example, EHGED157.EXE will become EHGED156.EXE. TCONTRACT.EXE will become TCONTRACS.EXE.

This copy is then infected and a WIN.INI entry, or registry run key value may be created, to execute the infected file when the system starts up. This copied executable infects other 32 bit .EXE files in the Windows directory and subdirectories, when run.

Five minutes after the file is opened, the email worm attempts a mailing routine. It creates a DAT file hidden somewhere on the hard disk. This contains strings of the files used to grab email addresses from address books and mailboxes. The .DAT file name will be named after the machine name in a coded fashion. For example, y becomes a, x becomes b. Numbers are not changed. The worm uses mass mailing techniques to send itself to these addresses. The subject headings, text and attachments will vary. The text is taken from other files on the victim's computer.

This worm may also alter the REPLY TO email address when mailing itself to others. One letter of the address will be changed. This makes it difficult to warn the victim that their machine is infecting others as the message will be renamed to sender.

Software Engineering

STARTER 1

Put these five stages of programming in the correct sequence.

- a Design a solution
- b Code the program
- c Document and maintain the program
- d Clarify the problem
- e Test the program

2

To which stage do each of these steps belong?

- 1 Clarify objectives and users
- 2 Debug the program
- 3 Write programmer documentation
- 4 Do a structured walkthrough
- 5 Select the appropriate programming language

LANGUAGE WORK

In this section, we will revise structures commonly used in programming you have met these structures in earlier units but in different contexts.

Study this decision table. It shows the rules that apply when certain conditions occur and what actions to take. Using it, we can make rules like this:

- 1 If a guest stays 3 nights in January and if one night is Sunday then charge 2 nights at full price and 1 night at half-price.
- 2 If a guest stays 3 nights and one night is not Sunday and it is not January, then charge 3 nights at full price.

CONDITIONS	DECISION RULES	
	1	2
guest stays 3 nights	Y	Y
1 night is Sunday	Y	N
month is January	Y	N
Actions		
charge 3 nights at full price	N	Y
charge 2 nights at full price	Y	N
charge 1 night at half-price	Y	N

6

Now make similar statements about this decision table.

CONDITIONS	DECISION RULES			
	1	2	3	4
guest stays 3 nights	Y	Y	Y	N
1 night is Sunday	N	N	Y	Y
month is January	N	N	N	Y
Actions				
charge 3 nights at full price	N	Y	N	N
charge 2 nights at full price	Y	N	Y	N
charge 1 night at half-price	Y	Y	N	Y

LISTENING 3 You are going to hear an interview between a systems analyst and a hotel owner who wants to introduce a better computer system. What questions do you think the analyst will ask? Make a list; then compare your list with others in your group.

4

Listen to the recording to compare your list of questions with those asked by the analyst.

5

Listen again to find the answers to these questions:

- 1 What system does the hotelier have at present?
- 2 What problem is there with the existing system?
- 3 What form of output does the hotelier want?
- 4 Who will use the new system?
- 5 Which members of staff will require the most training?
- 6 What concerns has the hotelier about the new system?
- 7 What kind of hardware will be required?
- 8 What is the next step?

LANGUAGE WORK

Study these extracts from a program flowchart.
They show iteration or loop structures in which a process is repeated as long as certain conditions remain true.





Fig 1 Until loop

We can describe these structures like this:
1. Read in the employee records until there are no more employee records.
Note that *until* links an action and the limit of that action.

Fig 2 While loop

2. Read in the employee records while there continues to be employee records.
Note that *while* links actions or states happening at the same time.

Fig 3 Hotel accommodation invoicing flowchart



7 Link these statements with *while* or *until*, whichever is most appropriate.

- 1 Calculate all sales. There are no more sales.
- 2 Search for records containing the term. There are still records containing the term.
- 3 Total extra items. Extra items remain.
- 4 Search member records. There are no more records.
- 5 Print all addresses. There are still addresses available.
- 6 Display client names. There are no names remaining.
- 7 List all guests. There are no guests left.
- 8 Total monthly sales. There are no more sales for the current year.

SPEAKING 9 Work in pairs, A and B. You each have information about some programming languages. Together decide what would be the most appropriate language to use for each of these situations.

- 1 A schoolteacher wants his young pupils to learn some basic mathematics by controlling a simple robot.
- 2 The owner of a small business wants to create a simple database program to keep track of his stock.
- 3 An engineer wants to develop a program for calculating the stresses in a mechanical device.
- 4 A student wants to create webpages for a personal website.
- 5 A systems programmer wants to add some new modules to an operating system.
- 6 A programmer working for the US army wants to create a program for controlling a new type of weapon.
- 7 A finance company needs to process data from its branch offices on its mainframe computer.
- 8 A website designer wants to enable the data on his website to be easily processed by a number of different programs.
- 9 A student studying artificial intelligence wants to write some programs for a course project.
- 10 A college lecturer wants his students to learn the principles of programming.
- 11 A professional programmer wants to create and sell a program for use in language learning.
- 12 A website designer wants to password-protect a section of a website.

Student A Your languages are on page 188.

Student B Your languages are on page 194.

WRITING

10 Converting to a new system Write a paragraph describing each of these strategies for converting to a new computer system. Explain what its advantages and disadvantages are. The first strategy is described for you as an example.




Fig. 4
Strategies for converting to a new computer system

1 Direct implementation:

Direct implementation means that the user simply stops using the old system and starts using the new one. The advantage is that you do not have to run two systems at the same time. The disadvantage of this approach is that if the new system does not operate properly, there is nothing to fall back on.

FOR A STARTING

A Find the answers to these questions in the following text.

- 1 What advantages of using object-oriented programming are mentioned in the text?
- 2 What are the three key features of OOP?
- 3 What multimedia data types are referred to in the text?
- 4 List the different types of triangle mentioned in the text.
- 5 What feature avoids the problem of deciding how each separate type of data is integrated and synchronized into a working whole?
- 6 What specific type of rectangle is named in the text?
- 7 What common properties of a rectangle are mentioned in the text?
- 8 What features are made quicker by code reusability?

OBJECT-ORIENTED PROGRAMMING

One of the principal motivations for using OOP is to handle multimedia applications in which such diverse data types as sound and video can be packaged together into executable modules.

5 Another is writing program code that's more intuitive and reusable; in other words, code that shortens program-development time.

Perhaps the key feature of OOP is encapsulation – bundling data and program instructions into modules called 'objects'. Here's an example of how objects work. An icon on a display screen might be called 'Triangles'. When the user selects the Triangles icon – which is an object composed of the properties of triangles (see fig. below) and 15 other data and instructions – a menu might appear on the screen offering several choices. The choices may be (1) create a new triangle and (2) fetch a triangle already in storage. The menu, too, is an object, as are the choices on it. Each 20 time a user selects an object, instructions inside the object are executed with whatever properties or data the object holds, to get to the next step. For instance, when the user wants to create a

triangle, the application might execute a set of 25 instructions that displays several types of triangles – right, equilateral, isosceles, and so on. Many industry observers feel that the encapsulation feature of OOP is the natural tool for complex applications in which speech and moving images are integrated with text and graphics. With moving images and voice built into the objects themselves, program developers avoid the sticky problem of deciding how each 30 separate type of data is to be integrated and synchronized into a working whole.

A second key feature of OOP is inheritance. This allows OOP developers to define one class of objects, say 'Rectangles', and a specific instance of this class, say 'Squares' (a rectangle with equal 35 sides). Thus, all properties of rectangles – 'Has 4 sides' and 'Contains 4 right angles' – are the two shown here – are automatically inherited by Squares. Inheritance is a useful property in rapidly processing business data. For instance,

45 consider a business that has a class called 'Employees at the Dearborn Plant' and a specific instance of this class, 'Weilders'. If employees at the Dearborn plant are eligible for a specific benefits package, weilders automatically qualify 50 for the package. If a welder named John Smith is later relocated from Dearborn to Birmingham, Alabama, where a different benefits package is available, revision is simple. An icon representing John Smith – such as John Smith's 55 face – can be selected on the screen and dragged with a mouse to an icon representing the Birmingham plant. He then automatically 'inherits' the Birmingham benefit package.

A third principle behind OOP is polymorphism. 60 This means that different objects can receive the same instructions but deal with them in different ways. For instance, consider again the triangles example. If the user right clicks the mouse on 'Right triangle', a voice clip might explain the properties of right triangles. However, if the mouse is right clicked on 'Equilateral triangle' the voice instead explains properties of equilateral triangles.

The combination of encapsulation, inheritance, 65 and polymorphism leads to code reusability. Reusable code means that new programs can easily be copied and pasted together from old programs. All one has to do is access a library of objects and stitch them into a working whole. 70 This eliminates the need to write code from scratch and then debug it. Code reusability makes both program development and program maintenance faster.

[Adapted from 'Understanding Computers Today and Tomorrow', 1998 edition, Charles S. Parker, The Dryden Press]

B Re-read the text to find the answers to these questions.

- 1 Match the terms in Table A with the statements in Table B.

Table A


- a OOP
- b Encapsulation
- c Object
- d Menu
- e Square
- f Polymorphism
- g Library

Table B

- i An OOP property that allows data and program instructions to be bundled into an object
- ii A list of choices
- iii An OOP property that enables different objects to deal with the same instruction in different ways
- iv A reusable collection of objects
- v A module containing data and program instructions
- vi Object-Oriented Programming
- vii A rectangle with equal sides

- 2 Complete the following text using words from the reading text:

Encapsulation, and polymorphism are key features of programming. Encapsulation allows data and program instructions to be bundled together in called objects. Inheritance means that specific of a class of objects the properties of the class of objects. Polymorphism means that instructions are treated differently by different The combination of these features of OOP means that program code is reusable. This speeds up and of programs.



People in Computing

STARTER **1** What do the following people in computing do? Compare answers with your partner.

- 1 Webmaster
- 2 Help-desk troubleshooter
- 3 Applications programmer
- 4 Security specialist
- 5 Systems programmer

READING **2** Work in groups of three: A, B and C. Read your text and complete this table. You may not find information for each section of your table.

A	B	C
1 job title		
2 nature of work		
3 formal qualifications		
4 personal qualities		
5 technical skills		
6 how to get started		
7 how to make progress		

How to become a Computer Consultant

The first key point to realise is that you can't know everything. However, you mustn't become an expert in too narrow a field. The second key point is that you must be interested in your subject. The third key point is to differentiate between contract work and consultancy. Good contractors move from job to job every few months. A consultant is different. A consultant often works on very small timescales – a few days here, a week there, but often for a core collection of companies that keep coming back again and again.

There's a lot of work out there for people who know Visual Basic, C++, and so on. And there are lots of people who know it too, so you have to be better than them. Qualifications are important. Microsoft has a raft of exams you can take, as does Novell, and in my experience these are very useful pieces of paper. University degrees are useless. They merely prove you can think, and

will hopefully get you into a job where you can learn something useful. Exams like Microsoft Certified Systems Engineer are well worth doing. The same goes for Novel Linux Certification. However, this won't guarantee an understanding of the product, its positioning in the market, how it relates to other products and so on. That's where the all-important experience comes in.

Here's the road map. After leaving university you get a technical role in a company and spend your evenings and weekends learning the tools of your trade – and getting your current employer to pay for your exams. You don't stay in one company for more than two years. After a couple of hops like that, you may be in a good position to move into a junior consultancy position in one of the larger consultancy companies. By the age of 30, you've run big projects, rolled out major solutions and are well known. Maybe then it's time to make the leap and run your own life.

How to become an IT Manager

IT managers manage projects, technology and people. Any large organisation will have at least one IT manager responsible for ensuring that everyone who actually needs a PC has one and that it works properly. This means taking responsibility for the maintenance of servers and the installation of new software, and for staffing a help-desk and a support group.

Medium to large companies are also likely to have an IT systems manager. They are responsible for developing and implementing computer software that supports the operations of the business. They're responsible for multiple development projects and oversee the implementation and support of the systems. Companies will have two or three major systems that are probably bought off the shelf and then tailored by an in-house development team.

Apart from basic hardware and software expertise, an IT manager will typically have over five years'

experience in the industry. Most are between 30 and 45. Since IT managers have to take responsibility for budgets and for staff, employers look for both of these factors in any potential recruit.

Nearly all IT managers have at least a first degree if not a second one as well. Interestingly, many of them don't have degrees in computing science. In any case, the best qualification for becoming a manager is experience. If your personality is such that you're unlikely to be asked to take responsibility for a small team or a project, then you can forget being an IT manager. You need to be bright, communicative and be able to earn the trust of your teams. Most of this can't be taught, so if you don't have these skills then divert your career elsewhere.

How to become a programming expert

So what specific skills are employers looking for? The Windows market is booming and there's a demand for good C, C++, Delphi, Java and Visual Basic developers. Avoid older languages such as FORTRAN and COBOL unless you want to work as a contract programmer.

For someone starting out, my best advice would be to subscribe to the programming magazines such as Microsoft Systems Journal. Get one or two of the low-cost 'student' editions of C++, Visual Basic and Delphi. Get a decent book on Windows programming. If you decide programming is really for you, spend more money on a training course.

However, it's not enough just to turn up for a job interview with a logical mind as your sole qualification. An employer will want to see some sort of formal qualification and a proven track record. But if you can show someone an impressive piece of software with your name on it, it will count for a lot more than a string of academic qualifications.

Certified Systems Engineer are well worth doing. The same goes for Novel Linux Certification. However, this won't guarantee an understanding of the product, its positioning in the market, how it relates to other products and so on. That's where the all-important experience comes in.

Here's the road map. After leaving university you get a technical role in a company and spend your evenings and weekends learning the tools of your trade – and getting your current employer to pay for your exams. You don't stay in one company for more than two years. After a couple of hops like that, you may be in a good position to move into a junior consultancy position in one of the larger consultancy companies. By the age of 30, you've run big projects, rolled out major solutions and are well known. Maybe then it's time to make the leap and run your own life.

IT managers manage projects, technology and people. Any large organisation will have at least one IT manager responsible for ensuring that everyone who actually needs a PC has one and that it works properly. This means taking responsibility for the maintenance of servers and the installation of new software, and for staffing a help-desk and a support group.

Medium to large companies are also likely to have an IT systems manager. They are responsible for developing and implementing computer software that supports the operations of the business. They're responsible for multiple development projects and oversee the implementation and support of the systems. Companies will have two or three major systems that are probably bought off the shelf and then tailored by an in-house development team.

Apart from basic hardware and software expertise, an IT manager will typically have over five years'

3 Now share information orally about your text with others in your group to complete the table for each of the occupations described.

- 4** For which of the careers described are these statements true?
More than one career may match each statement.
- 1 You may work for only a few days or a week for a company.
 - 2 It's a good idea to buy books on languages such as C++.
 - 3 You are responsible for developing and implementing the software a company needs to run its operations.
 - 4 You need to be able to break down a problem into a number of smaller tasks.
 - 5 It's worth paying for a training course if you get serious about this career.
 - 6 Microsoft Certified Systems Engineer is a useful qualification for your career.
 - 7 Your objective is to become self-employed.
 - 8 It's important you have the right personality to lead a team.

LANGUAGE WORK

Note how we describe requirements for particular jobs:	We can also treat need as a modal verb and use the negative form needn't . 7 You needn't have a degree in computing science.
1 You need to be able to empathise with the person at the other end of the phone.	How to is an ordinary verb. Its negative form is made in the usual way: 8 You don't have to be an expert in everything.
2 IT managers have to take responsibility for budgets.	Mustn't has a quite different meaning. It means it is important not to do something . It is used for warnings, rules and strong advice .
3 You must be interested in your subject.	For example: 9 You mustn't make unauthorised copies of software.
4 You must have worked for at least two years in systems analysis.	
5 Experience with mainframes is essential/critical .	
We can describe things which are not requirements like this:	
6 You don't need to have a degree in computing science.	

5 Fill in the blanks with the appropriate form of the verbs, **need to**, **have to** and **must**, to make sensible statements. More than one answer is possible in some examples.

- 1 Technical qualifications to be renewed at intervals to ensure they do not go out of date.
- 2 You become an expert in too narrow a field.
- 3 You to have good communication skills to become an IT Manager.
- 4 You be an expert in hardware to become a programmer.
- 5 You have worked with IBM mainframes for at least two years.
- 6 You be able to show leadership.
- 7 You have a degree but it be in computing science.
- 8 You to have experience in JavaScript.
- 9 You be able to use C++.
- 10 These days you study BASIC.

6 Study these requirements for different jobs in computing advertised on the Internet. Then describe the requirements using the methods studied in this unit.

1 Systems Manager/Programmer	2 Support Analyst; IBM Mainframe MVS	3 Programmer
<ul style="list-style-type: none"> • technical specialist • min. 2 yrs work in systems programming • plus exp. of Nerview/automation design & support 	<ul style="list-style-type: none"> • IBM MVS support technician • 1 yr exp. of VTAM, NCR SSP, NPM, IBM hardware • authorised to work in the EU 	<ul style="list-style-type: none"> • 3 yrs exp. SAP Basic Technical Environment • team player with strong analytical and problem-solving skills • ability to communicate issues and solutions and manage time effectively
4 Webmaster	5 Cisco Technician	6 IS Manager
<ul style="list-style-type: none"> • strong Unix experience • able to use HTML, DHTML, XML and JavaScript • knowledge of Shell Scripts 	<ul style="list-style-type: none"> • CCNA qualified • excellent skills in the surrounding technologies • min. 2 yrs work in support 	<ul style="list-style-type: none"> • knowledge of current Network Operating Systems • experience of ERP systems implementation • very strong managerial skills

PROBLEM-SOLVING 7 Work in pairs. Study these job requirements. Then try to match the requirements to the list of jobs which follows.

1	2	3
<ul style="list-style-type: none"> at least 5 years (2 at senior level) in Unix, SYBASE or ORACLE or Windows OS, Terminal Server, TCP/IP, Internet. strong project management (2 years) willingness to travel abroad 	<ul style="list-style-type: none"> able to manage, lead and develop a team knowledge of C, C++, Delphi experience of object-oriented design within a commercial environment ability to deliver software projects against agreed schedules and within agreed estimates 	<ul style="list-style-type: none"> proven track record in the delivery of e-solutions in banking environment knowledge of Unix, Windows and Oracle willingness to travel internationally
4	5	6
<ul style="list-style-type: none"> minimum 4 years lifecycle development experience demonstrable skills using VB, SQL, RDBMS able to develop core s/w excellent communication skills 	<ul style="list-style-type: none"> minimum of 18 months commercial experience of Web development knowledge of HTML, Java, ASP full portfolio of URLs as examples 	<ul style="list-style-type: none"> experience of Windows OS, Exchange, Monitoring Software, SQL Server, Verita, TCP/IP solid grasp of networking 2 to 5 years experience in a network environment

- a Visual Basic Developer
 b IT Engineer (Network & Database)
 c Web Developer
 d Network Support
 e E-commerce Consultant
 f Team Leader

SPEAKING 8 Work in pairs, A and B. Choose one of the computing careers from the list provided. Your partner must find out what your job is by asking only Yes/No questions. Your partner cannot ask 'Are you a programmer, etc.?'.

- Student A** Your careers are on page 189.
Student B Your careers are on page 195.

WRITING 9 Study the c.v. of Paul who was interviewed in Unit 5. Then write your own c.v. in the same way. For the purpose of this task, you can invent experience and assume you have passed all your examinations!



CURRICULUM VITAE

Paul W Cair

Personal details

Date of birth 30/5/83
 Address 7 Linden Crescent, Stonebridge EH21 3TZ
 email p.w.cair@blinternet.com

Education

1993-1999 Standard grades in Maths, English, Spanish, Computer Studies, Geography, Science, James High School
 2000-2001 HNC in Computing, Maxwell College
 2001-2003 HND in Computing Support, Maxwell College

Other qualifications

Jan 2004 CTEC

Work experience

2003-present IT support consultant Novasystems
 Novasystems is an IT company that provides a complete range of computing services for its corporate clients.

My experience includes:

- advising clients on IT issues and strategies
- 1st line customer telephone support
- database design
- configuration and installation of hardware and software to clients' specifications
- network administration and implementation
- PC assembly

I have knowledge of these areas:

- Windows server operating systems
- Microsoft Office packages
- Oracle databases
- Windows desktop operating systems
- TCP/IP networking
- Microsoft Exchange Server
- a variety of backup software

Hobbies and interests

volleyball

Referees

- 1 Academic Dr L. Thin, IT Department, Maxwell College
 2 Work Ms Y. Leith, Personnel Officer, Novasystems

Becoming Certified

A Find the answers to these questions in the following text.

- 1 What advice is given for someone who is stuck in a computing support job?
- 2 What questions should you ask yourself if you are thinking of getting extra training?
- 3 What computer program is mentioned in the text?
- 4 Name two ways of studying that are mentioned in the text.
- 5 What two factors will be affected by your level of experience?
- 6 Why is it important to become used to answering exam questions?
- 7 What factors help you decide whether the course will be suitable or cost effective?
- 8 What happens if you don't upgrade your certification?

Suppose you're a support engineer. You're stuck in a job you don't like and you want to make a change. One way of making that change is to improve your marketability to potential employers by upgrading your skill-set. If you're going to train yourself up however, whose training should you undertake? If you need certificates, whose certificates should they be? Even if you get those certificates, how certain can you be that your salary will rise as a result? One solution is the range of certifications on offer from Microsoft.

Microsoft offers a large array of certification programmes aimed at anyone from the user of a single program such as Microsoft Word, to someone who wants to become a certified support engineer. There are a myriad of certificates to study for too. If you're the proud holder of any of those qualifications, then you're entitled to call yourself a Microsoft Certified Professional (MCP).

Once you've decided which track you want to take, you should consider just how qualified you already are in terms of experience and knowledge. Will you need to go and take some courses with a training company, or are you the type who can make good use of self-study materials? How much time do you genuinely have to devote towards this? Will your employer pay for your course? Will it grant you leave to go and do the course - assuming you can find one - on either a full-time or part-time basis?

The key question here is experience. This will not only influence the amount of work you'll have to do to get up to speed for the exams, it could also mean the difference between passing or failing the exam.

While you're busy learning all you need to know for your certification, the practice exams are an absolute godsend. They show you the type of questions you'll encounter, and they familiarise

you with the structure of the exam. This is essential if you want to pass: the exams have time limits, and you need to get used to answering the requisite number of questions within the allotted time. It's as simple as that.

If you decide a training course will help you out, don't let the title of a course alone convince you that it will be suitable or cost effective. Find out exactly what the course offers and whether there are pre-requisites for attendees. You should also find out what the training company is prepared to do if attendees don't have the minimum knowledge necessary to be on the course.

As exams are replaced by 'updated' ones, you need to upgrade your certification to stay current. Ultimately it's your responsibility to make sure you stay up to date. If you don't, you lose your certification until you take an update.

As a support engineer, you get the satisfaction of knowing that you passed a tough test, and the happy knowledge that your network manager is sweating a bit over the fact that you could be headhunted at any time.

QUALIFICATIONS

65 • **Microsoft Certified Systems Engineer (MCSE)**
MCSEs design, install, support and troubleshoot information systems. MCSEs are network gurus, support technicians and operating system experts.

70 • **Microsoft Certified Solution Developer (MCSD)**
MCSDs use development tools and platforms to create business solutions.

75 • **Microsoft Certified Systems Administrator (MCSA)**
MCSAs administer network and systems environments based on the Microsoft Windows platforms. Specializations include MCSA: Messaging and MCSA: Security.

80 • **Microsoft Certified Trainer (MCT)**
MCTs teach others about Microsoft products using the Microsoft Official Curriculum at Microsoft Authorised Technical Education Centres.

B Re-read the text to find the answers to these questions.

1 Which qualification would be most useful if you wanted to do each of the following:

- a be an operating system expert
- b troubleshoot systems
- c teach computing
- d design business solutions

2 Mark the following statements as True or False:

- a Microsoft offers a large range of certification programmes to study.
- b You must get an advanced certificate before you can call yourself a Microsoft Certified Professional.
- c All Microsoft training courses involve a period of full-time study.
- d Practice exams allow you to become familiar with the structure of the exams.
- e You can decide on the suitability of a course by its title.
- f It is your responsibility to make sure that your certification is kept up to date.
- g Gaining a certificate is likely to make you more attractive to other employers.

Recent Developments in IT

- STARTER** 1 Study these predictions of developments in Information Technology from 2000. Which, if any, have come true? How likely are the others to come true? Give reasons for your decisions and compare answers with your partner.



A1

Licence to chill!

Barcodes in the packaging of groceries will soon be replaced with radio-frequency tags that can be read at a distance and with greater reliability. As well as indicating what the product is, the data in the tags will include additional information such as the 'best before' date and even nutritional data. Now, imagine that a fridge could read these tags and keep track of the items placed there.

If an item is about to exceed its 'use by' date, the fridge tells you, and you can either use it or throw it out. Fancy something different for dinner? No problem, ask the fridge to suggest some menus based on the ingredients it knows you have in stock. Or tell the fridge the menu you require and it will provide you with a shopping list of the items you don't have or order the items via email. This is the Screenfridge from Electrolux. But why 'Screenfridge'? On the door is a touch-sensitive panel or screen that provides a means of communicating with the users.

For many households, life revolves around the kitchen. This is the assumption Electrolux made in designing the Screenfridge. The same screen is a messaging centre. Since the fridge is equipped with a microphone, speaker and video-camera, you're not limited to textual information. The fridge is connected to the Internet, so it can be used to send and receive email or you could surf the Web to find a new recipe.

Many people have a TV in the kitchen, but if you already have a screen on the fridge, why clutter up the work surface with a TV? Call the Screenfridge's TV mode and watch your favourite programme on the fridge. The Screenfridge can be interfaced to a surveillance camera to check out visitors or to keep an eye on the children. Finally, the Screenfridge can perform some of the household management tasks normally associated with a PC. For example, it has a diary, address pad and a notepad.

A2

Smart fabrics make for enhanced living

Imagine a handbag that warns you if you are about to forget your umbrella or wallet, and which you can later turn into a scarf that displays today's pollution levels. Or how about creating a wall hanging that glows if someone tries to use your home's wireless internet connection?

All these bizarre objects could soon be possible thanks to a system of computerised fabric patches developed by engineers at the Massachusetts Institute of Technology. Each patch contains a functional unit of the system - a microcomputer and a memory plus either a radio transceiver, a sensor, a microphone, batteries or a display. Put the patches together in different ways and you can create a variety of information-providing or environmentally-sensing objects, say developers Adrian Cable, Gauri Nanda and Michael Bove at MIT's Media Lab.

To keep it waterproof, the circuit board inside a patch is coated with a hard transparent resin. It is then padded with a layer of foam and encapsulated in the chosen fabric. It can be populated with a variety of components, from Bluetooth transmitters to a cut-down PC motherboard.

- READING** 2 Study the texts on recent developments in Information Technology, A, B, or C as your teacher directs and make brief notes on the main points in each of the two texts.

For many households, life revolves around the kitchen. This is the assumption Electrolux made in designing the Screenfridge. The same screen is a messaging centre. Since the fridge is equipped with a microphone, speaker and video-camera, you're not limited to textual information. The fridge is connected to the Internet, so it can be used to send and receive email or you could surf the Web to find a new recipe.

Many people have a TV in the kitchen, but if you already have a screen on the fridge, why clutter up the work surface with a TV? Call the Screenfridge's TV mode and watch your favourite programme on the fridge. The Screenfridge can be interfaced to a surveillance camera to check out visitors or to keep an eye on the children. Finally, the Screenfridge can perform some of the household management tasks normally associated with a PC. For example, it has a diary, address pad and a notepad.

The patches can be joined using Velcro which has been modified to enable electrical as well as physical connections. Wires from the circuit board are attached to silver-coated contacts in Velcro. In this way, data and power can flow from one module to the next. Using square or triangular patches the user can fashion, and refresh, useful objects such as bags, curtains or scarves. "You could wear a system as a scarf today and a belt tomorrow."

To make a bag that prevents people forgetting things, Nanda and Cable have equipped a module with a radio antenna and receiver. The unit is programmed to listen for signals from radio frequency identification (RFID) tags on objects like cellphones, keys and wallets.

A sensor module in the bag's handle detects when the bag has been picked up, indicating the owner might be leaving. This triggers the reader to check through the objects the computer module has been programmed to look for. If it does not detect a required item, it uses a voice synthesiser module in another patch to warn: "Cellphone, yes! Wallet, yes! Keys, no!"

B1 Dawn of the cyberbabes

Stratumssoft are developing the first electronic virtual assistant, or EVA. If EVAs live up to the developers' claims, they could provide the illusion of personal service without the cost. Call centres, online advertisers and Internet service providers are among the initial targets. Eighty per cent of call centre requests could, Stratumssoft argues, be dealt with by an EVA. E-commerce is another application. 'The best experience you can have as a shopper is personal contact, and EVA is designed to give that,' says Stratumssoft's director of marketing.

The technology behind EVA combines two global trends in website design. One, developed out of the computer animation and gaming industry, is the ability to give Web images the impression of three dimensions. The other is the use of dynamic database skills and artificial intelligence-style searching to retrieve information from data banks.

Each EVA can be programmed with information such as a product catalogue, answers to frequently asked questions or an online encyclopaedia. It is also equipped with a search engine to interpret customer requests made in colloquial language. Queries are typed in and answered via on-screen text boxes.

If the EVA does not have an answer, it will interrogate the questioner, record the response, and add the answer to its database for future enquiries. EVAs are not fully animated to imitate human features but they can be programmed to gesture and imitate different moods. An EVA is run via a Java applet – a small, self-contained program coded to download on to any type of personal computer rather than being transmitted over the Internet.

Stratumssoft claims that EVAs will be able to negotiate appropriate roads to ensure we arrive there on time. With every car having automatic systems that communicate with those in other cars, it will be possible to more than double the capacity of the roads.

Electronic systems can automatically lock the brakes and accelerators of a whole chain of cars together to make for a much smoother and faster journey. All cars would brake together, with only microseconds delay instead of hundreds of milliseconds. Drive by wire systems could make it almost impossible to cut dangerously in front of another driver. It might be impossible to change lane unless there is a gap to move into.

As well as telling us which way to go, or taking us automatically, we will be able to get appropriate news and travel information as we travel through an area. Integration of the transport system into the net will make it capable of dealing with a normal flight of stairs.

'I believe this hiped robot, which I prefer to call a two-legged walking chair rather than a wheelchair, will eventually enable people to go up and down the stairs,' said Atsuo Takanishi from Waseda University. Tsmuk chief executive Yoichi Takamoto argues that multi-legged robots will be more useful than so-called 'caterpillar' models for moving over uneven ground.

WL-16's normal walking stride measures 30 centimetres and it can stretch its legs to 136 cm apart. The prototype is radio-controlled, but the research team plans to equip it with a joy stick-like controller for the user in future. Takamoto says it will take 'at least two years' to develop the WL-16 into a working model.

C1 Walking robot carries a person

The first walking robot capable of carrying a human was unveiled on Friday in Tokyo, Japan.

Its creators at Waseda University in Tokyo and the robotics company Tsmuk hope their two-legged creature will one day enable wheelchair users to climb up and down and assist the movement of heavy goods over uneven ground.

The battery-powered robot, code-named WL16, is made of an aluminium chair mounted on two sets of telescopic poles. The poles are bolted to flat plates which act as feet.

WL-16 uses 12 actuators to move forwards, backwards and sideways while carrying an adult weighing up to 60 kilograms. The robot can adjust its posture and walk smoothly even if the person it is carrying shifts in the chair. At present it can only step up or down a few millimetres, but the team plans to

'I believe this hiped robot, which I prefer to call a two-legged walking chair rather than a wheelchair, will eventually enable people to go up and down the stairs,' said Atsuo Takanishi from Waseda University. Tsmuk chief executive Yoichi Takamoto argues that multi-legged robots will be more useful than so-called 'caterpillar' models for moving over uneven ground.

WL-16's normal walking stride measures 30 centimetres and it can stretch its legs to 136 cm apart. The prototype is radio-controlled, but the research team plans to equip it with a joy stick-like controller for the user in future. Takamoto says it will take 'at least two years' to develop the WL-16 into a working model.

B2 The future of cars

Road traffic navigation systems will be much more advanced. We will be able to tell our computer what time we want to arrive and it will be able to negotiate slots with the traffic management systems for the appropriate roads to ensure we arrive there on time. With every car having automatic systems that communicate with those in other cars, it will be possible to more than double the capacity of the roads.

Electronic systems can automatically lock the brakes and accelerators of a whole chain of cars together to make for a much smoother and faster journey. All cars would brake together, with only microseconds delay instead of hundreds of milliseconds. Drive by wire systems could make it almost impossible to cut dangerously in front of another driver. It might be impossible to change lane unless there is a gap to move into.

'I believe this hiped robot, which I prefer to call a two-legged walking chair rather than a wheelchair, will eventually enable people to go up and down the stairs,' said Atsuo Takanishi from Waseda University. Tsmuk chief executive Yoichi Takamoto argues that multi-legged robots will be more useful than so-called 'caterpillar' models for moving over uneven ground.

WL-16's normal walking stride measures 30 centimetres and it can stretch its legs to 136 cm apart. The prototype is radio-controlled, but the research team plans to equip it with a joy stick-like controller for the user in future. Takamoto says it will take 'at least two years' to develop the WL-16 into a working model.

will start as soon as there are sufficient two-legged players. The organiser of the Robocup is confident in the future of robotics. 'By mid-21st century, a team of fully autonomous humanoid soccer players will win a soccer game, complying with the official rules of FIFA, against the winner of the most recent World Cup.'

Other sporting events for robots exist. For example, The British Association for the Advancement of Science organises a two-a-side event called Robot Volley Ball. The players' task is simply to return a ball within 60 seconds of its being served. The objective again, is to promote the development of robots which can work co-operatively. The advantages of having robots which can tackle a range of tasks together rather than constructing single expensive robots designed for one task only are obvious.

C2 Sporting robots

Each year teams take part in an international football competition. The teams are organised into five leagues and the prize is a cup. Not just any cup, but the Robocup, for the players are all robots. They don't play on turf but the objective is the same, to hit a ball into a goal. The aim behind the Robocup is to promote the development of robots which can work together. Football is a good test of co-operation for any team and the robots are no exception. Although robot footballers are poor competition for a human team, each year their performance gets better and each year the standards expected are raised so that competitors must constantly develop better hardware and software.

The top league is the Sony legged robot division. They use modified versions of the well-known Sony robodog AIBO. A humanoid league

make it possible to say 'find the nearest cinema showing such and such a film'. Communication systems built into the car will obviously keep us in touch as today, but we might also be able to message to cars around us.

Many sensors will be in the future car, for example in tyres and exhaust systems. Our cars might even respond to our emotions, picking up when we are stressed and helping to calm us down. It might become the norm to have sophisticated identification systems built into cars which prevent unauthorised people from driving them, or take them direct to the nearest police station. Retina scans, voice prints, finger prints or several other biometrics could be used.

Cars might look quite different in terms of their materials and coatings. Because of the danger of distracting other drivers, it is unlikely we will see video displays on the bodywork though this would be feasible technologically. What is more likely is being able to change the colour of the car each day, or to use slowly changing patterns.

3 Work in groups of three, A, B and C. Play these roles in rotation: *Speaker*, *Reporter* and *Judge*.

The *Speaker* explains the main points of one text using only their notes.

The *Reporter* listens carefully and reports back to the *Speaker* a summary of the main points.

The *Judge* listens to both *Speaker* and *Reporter* and points out any mistakes, main points omitted or additions the *Reporter* has made.

Repeat this activity until you have played all three roles and all of your texts have been covered.

4 List the predictions, if any, in the articles you have read. Have any of them already taken place since the article was written? How likely are the others to happen in the near future? Discuss your answers with others who have read the same texts.

Text	Predictions

LANGUAGE WORK

Study these ways to describe ability.

- 1 Swimming robots can work together to perform searches.
- 2 Welding machines will be able to repair any breakdowns for years to come.
- 3 The game will be able to send basic messages without a wire connection.
- 4 Professor Warwick had a chip fitted into his arm which could activate sensors in doors and computers as he approached.
- 5 Marco was able to send a radio signal from Britain to Newfoundland.

Use *can* and *be able to* to describe ability.

In the present, but soon it might become the use *can* for general abilities in the past we were *able to* describe an ability or a

specific occasion. This table shows how.

uses	ability	present	future	present perfect	past	past specific action	past general and with sense of sensation)
1	ability	present	future	present perfect	past	past specific action	past general and with sense of sensation)
2	present	present	future	present perfect	past	past specific action	past general and with sense of sensation)
3	present	future	future	present perfect	past	past specific action	past general and with sense of sensation)
4	present	future	future	present perfect	past	past specific action	past general and with sense of sensation)
5	ability	present	future	present perfect	past	past specific action	past general and with sense of sensation)


5 Complete the blanks in this text using the correct form of *can* or *be able to*. In some cases there is more than one possible answer.

Imagine¹ open doors and switch on computers as you approach them. Professor Warwick² because he had an electronic chip fitted into his arm for a month. He³ demonstrate to the press how computers would greet him with, 'Good morning, Professor Warwick' as he walked past. Next he wants to record the signals from his brain to his arm to see if he⁴ program a computer to operate his arm. In the long term, this may help people who⁵ use their limbs. His wife too will have a chip implanted. They hope⁶ feed messages into each other's brains. According to the Professor, one day we⁷ communicate directly with machines. If he is right, we⁸ drive a car from the passenger seat and we⁹ operate a computer without using a mouse or keyboard. However, there is also the alarming prospect that someone¹⁰ hack into your brain.



6 Use an appropriate certainty expression from the list studied in Unit 16 to complete these predictions from the Task 2 texts. More than one answer is possible in some cases.

- ① Barcodes soon be replaced with radio-frequency tags.
- ② All these bizarre objects soon be possible thanks to a system of computerised fabric patches.
- ③ If EVAs live up to the developers' claims, they provide the illusion of personal service without the cost.
- ④ This biped robot eventually enable people to go up and down the stairs.
- ⑤ Because of the danger of distracting other drivers, it is we will see video displays on the bodywork.
- ⑥ What is more is being able to change the colour of the car each day.
- ⑦ By mid-21st century, a team of fully autonomous humanoid soccer players win a soccer game against the winner of the most recent World Cup.
- ⑧ A virtual world populated by virtual humans become a very tangible reality.

**SPEAKING****8**

Search for the latest developments in one area of Information Technology. Make a summary of your findings to report to the rest of the class. In addition to journals, magazines and newspapers, you can try these websites:

Domestic appliances

www.electrolux.co.uk
www.merloni.com/Ariston
www.vipdomotec.co.uk
www.zanussi.co.uk
www.sony.co.uk

Future cars

www.daihatsu.com/technology/
www.futurecars.blogspot.com

Avatars

www.pulse3d.com
www.kiwilogic.com
www.softimage.com
www.ananova.com
www.digimask.com

Wearable computers

www.media.mit.edu/wearables/lizzy/wearlinks.html
www.smarttextiles.co.uk

Robotics

www.aibo-europe.com

world.honda.co/ASIMO/

www.robotbooks.com/Mitsubishi-robots.htm

WRITING **9** Convert your notes for Task 8 into a written report. Your report

should have these sections:

- 1 Area of IT – definition
- 2 Technology involved – hardware and software
- 3 Applications
- 4 Possible future developments

PROBLEM-SOLVING

7 In groups, choose a domestic appliance and decide what functions an in-built computer would allow it to perform in addition to its basic function. Consider also how it could be marketed. Present your ideas to the rest of the class.

B|l|u|e|t|o|o|t|h

A Find the answers to these questions in the following text.

- 1 What frustrating problem does Bluetooth solve?
- 2 Who first developed Bluetooth?
- 3 In what ways is Bluetooth particularly suited to portable systems?
- 4 What do Bluetooth devices share with microwave ovens?
- 5 List some devices that are suitable for use with Bluetooth.
- 6 Why is Bluetooth suitable for use on aeroplanes?
- 7 What factors provide security for Bluetooth communications?
- 8 How is the output power level of the transmitter set?
- 9 Why is there no collision detection in the Bluetooth specification?
- 10 Why are all devices on a piconet synchronised and controlled by a master device?
- 11 What are the consequences of Bluetooth having the following characteristics?
 - a It is good at avoiding conflicting signals from other sources.
 - b The transmitter output level is kept as low as possible.
 - c It uses power-saving modes when devices aren't transmitting.

As portable computing devices get smarter and more capable, connectivity frustrations increase. This is where Bluetooth comes in. The brainchild of Ericsson, IBM, Intel, Nokia and Toshiba, **5** Bluetooth is a microwave high-speed wireless link system that's designed to work with portable equipment. To that end, it's low power, very small and very low cost. It uses the same frequencies as existing radio LANs (and, incidentally, microwave ovens) to create a secure 1 Mbit/s link between devices within 10m of each other. These devices can be laptops, PDAs, cellphones, wired telephone access points, even wristwatch devices, headphones, digital cameras and so on. With **10** them, your notebook PC will be able to access your cellular phone – and thus the Internet – without you having to take the phone out of your pocket. Files can be exchanged and communications set up for voice and data.

15 Between just about any device capable of handling the information.

Bluetooth operates in the unlicensed SM (Industrial, Scientific and Medical) band at 2.45GHz, which is globally available for products. There's 89MHz of bandwidth allocated here, and since Bluetooth is very low power, it actually **20** radiates less than most national and international standards allow non-transmitting devices to leak as part of their normal operation. This is key, as it allows the technology to operate without restriction on aircraft.

As befits their status as radio frequency experts, **25** Ericsson and Nokia developed the RF side of Bluetooth. The link works in a similar way to the IEEE 802.11 wireless networking system, with a packet-switching protocol based on fast-frequency hopping direct sequence spread spectrum. In other words, it constantly switches channel to avoid interference. It changes frequency 1,600 times a second through 79 frequency bands. It's expected that this will be so good at avoiding **30** conflicting signals from other sources that the transmission power can be kept very low.

B Re-read the text to find the answers to these questions.

1 Match the terms in Table A with the statements in Table B.

Table A

- | | |
|---|-------------------|
| a | Bluetooth |
| b | SM band |
| c | RF |
| d | IEEE 802.11 |
| e | Frequency hopping |
| f | Usable density |
| g | piconet |

Table B

- | | |
|-----|--|
| i | Radio frequency |
| ii | The number of devices that can be used in the same area |
| iii | A microwave high-speed wireless link system designed to work with portable equipment |
| iv | Very low power network links between Bluetooth devices |
| v | An unlicensed frequency range at 2.45GHz |
| vi | A standard for networking systems with a packet-switching protocol |
| vii | Constantly switching channels |

2 Mark the following as True or False:

- | | |
|---|---|
| a | Bluetooth is an expensive system. |
| b | Bluetooth devices can communicate at a distance of up to 20m. |
| c | The SM band is available throughout the world. |
| d | Bluetooth has a very low radiation level. |
| e | Each Bluetooth connection operates at one fixed frequency. |
| f | Bluetooth signals will pass through walls of buildings. |
| g | The master Bluetooth device is determined when a link is first established. |

75 Power consumption and cost were very significant factors in Bluetooth's design, and it was decided not to make the system a fully-fledged LAN. As a result, there's no collision detection. All devices on a piconet are synchronised to a master device and are controlled by it to prevent simultaneous **80** operation on the same frequency. Any device can be a master, and is elected dynamically when the link starts up.

The standard is open and royalty-free to members of the Bluetooth special interest group. **85** The standard is open and royalty-free to members of the Bluetooth special interest group.

The Future of IT



STARTER 1 How do you think developments in IT will affect these areas of life in the next ten years?

- 1 commerce
- 2 work
- 3 the relationship between humans and computers

2 Compare your predictions with others in your group. Try to agree on a ranking from *most likely* to *least likely*.

READING 3 Read the three opening paragraphs of the text below and answer these questions:

- 1 How does the author justify his claim that we are 'in the midst of convergence'?
- 2 What will be the difference between computers and humans after 2015?
- 3 What does he mean by a 'positive feedback loop' in computer development?
- 4 Why will knowledge of a major language be the only IT skill needed?
- 5 Which of the author's predictions do you accept?

with the human brain. We can expect human:machine equivalence by about 2015. But after this, computers will continue to get smarter. There is a noticeable positive feedback loop in technology development, with each generation of improved computers giving us more assistance in the design and development of the next. Ultimately, they will design their offspring with little or no human involvement. This technology development will push every field of knowledge forwards, not just computing. It will be almost as though extraterrestrials had landed in 2020 and given us all

their advanced technology overnight.

But we will never get far unless we can solve the interface problem. In the near future we may have electronic pets, with video camera eyes and microphone ears, linked by radio to the family computer. With voice and language recognition we will have easy access to all that the internet can provide. We can tell the pet what we want and it will sort it out for us. It will be impossible to be technophobic about such an interface, and the only IT skill needed will be to speak any major language.

The future of Information Technology

We are in the midst of convergence. At the hardware layer computers, phones and consumer electronics are converging. At the applications layer, we see convergence of information, entertainment, communications, shopping, commerce, and education. Computers have come from nowhere 50 years ago and are rapidly catching up in capability

4 Now work in groups of three, A, B and C. Read your text extract and complete parts 1 and 2 of this table.

	1 Area of IT	2 Predictions	3 Comments
--	--------------	---------------	------------

Text A

Telecoms applications will soon be bundled together in much the same way as office application suites are today. A major example is the electronic marketplace, which will bring customers and suppliers together in smart databases and virtual environments, with ID verification, encryption and translation. It will then implement the billing, taxation and electronic funds transfer, while automatically producing accounts and auditing. The whole suite of services will be based on voice processing, allowing a natural voice interface to talk to the computer, all the AI to carry out the request, and voice synthesis and visualisation technology to get the answer out.

Text B

Employment patterns will change, as many jobs are automated and new jobs come into existence to serve new technologies. Some organisations will follow the virtual company model, where a small core of key employees is supported by contractors on a project basis, bringing together the right people regardless of where they live. The desks they will use will have multiple flat screens, voice interfaces, computer programs with human-like faces and personalities, full-screen videoconferencing and 3D sound positioning. All this will be without any communication cables since the whole system uses high capacity infrared links. The many short-term contractors may not have enough space in their homes for an office and may go instead to a new breed of local telework centre.

Electronic money will be very secure but much more versatile than physical alternatives. E-cash can be completely global and could be used as a de facto standard. It does not have to be linked to any national currency, so can be independent of local currency fluctuations. Its growing use on the Net will lead to its acceptance on the street and we may hold a large proportion of our total funds in this global electronic cash. People will increasingly buy direct from customised manufacturers. Shops will be places where people try on clothes, not buy them. Their exact measurements can be sent instantly to the manufacturer as soon as they have chosen an outfit. The shops may be paid by the manufacturer instead.

Of course, workers can be fully mobile, and we could see some people abandon offices completely, roaming the world and staying in touch via satellite systems. Even in trains and planes there may be infrared distribution to each seat to guarantee high bandwidth communication. One tool they may have in a few years is effectively a communicator badge. This will give them a voice link to computers across the network, perhaps on their office desk. Using this voice link, they can access their files and email and carry out most computer-based work. Their earphones will allow voice synthesisers to read out their mail, and glasses with a projection system built into the arms and reflectors on the lenses will allow a head-up display of visual information. Perhaps by 2010, these glasses could be replaced by an active contact lens that writes pictures directly onto the retina using tiny lasers.

Text C

Finally and frivoIously to the very long term. By around 2030, we may have the technology to directly link our brain to the ultra-smart computers that will be around then, giving us so much extra power that we deserve a new name, Homo Cyberneticus. In much the same time frame, geneticists may have created the first biologically optimised humans, Homo Optimus. It would make sense to combine this expertise with information technology wizardry to make something like the Borg, Homo Hybrida, with

the body of an Olympic athlete and a brain literally the size of the planet, the whole global superhighway and every machine connected to it. Over time, this new form may converge with the machine world, as more and more of his thoughts occur in cyberspace. With a complete backup on the network, Homo Hybrids would be completely immortal. Ordinary biological humans would eventually accept the transition and plain old Homo Sapiens could become voluntarily extinct, perhaps as early as 2200.

- 5** Now exchange information with others in your group to list all the predictions made in the text. Discuss with your group the predictions made and add your own comments on the predictions in the last section of the table.

LANGUAGE WORK

We use the Future perfect to predict actions which will be completed before a particular time in the future. It is often used with time expressions such as *by 2020, before the end of the century*. For example:

- 1 By 2010 scientists *will have developed* active contact lenses.

We can vary the strength of our predictions using the certainty verbs studied in Unit 16 instead of *will*. For example:

- 6** Make predictions for 2020 for each of the following using the methods studied here. You may wish to use these verbs:
- | | | | | |
|-------------------|------------------|-----------------|---|------------------|
| <i>develop</i> | <i>disappear</i> | <i>increase</i> | <i>replace</i> | <i>take over</i> |
| 1 computing power | 2 interfaces | 7 | machine intelligence compared to human intelligence | |
| 3 monitors | | | 8 the internet | |
| 4 teleworking | | | 9 keyboards | |
| 5 money | | | 10 speech recognition | |
| 6 shops | | | | |

- 7** Write sentences similar in meaning to each of these predictions with *It* in subject position. For example:

I don't think we'll use cable connections in future. (unlikely)
It's unlikely that we'll use cable connections in future.

- 1 I'm sure we won't use magnetic tape. (certain)
- 2 We may well have electronic chips in our bodies. (probable)
- 3 Computers could easily be used to develop other computers. (likely)
- 4 I don't think we'll replace teachers with robots. (unlikely)
- 5 There's a chance we'll develop alternatives to silicon. (possible)

- 6 I really don't think we'll have replaced the motor car before 2020. (very unlikely)
- 7 I'm almost sure most people will use colour laser printers in the next few years. (highly probable)
- 8 I'm definite we'll have more virtual personalities on the Web. (certain)
- 9 We might adopt Bluetooth as a standard for wireless applications. (possible)
- 10 Doctors may be able to operate on patients at a distance. (quite likely)

SPEAKING

- 8** Think of arguments for and against this statement.

Computers will catch up with the power and speed of the human brain by 2050. Some time after that they will start outstripping us and taking over from us.

- 9** Choose one side only – for or against the statement. Now listen to the recording and note down any points in support of your side.

- 10** Using your notes and your own ideas, try to persuade the rest of your group to accept your views on the statement in Task 8.

WRITING

- 11** Summarise the views of Pearson and of the experts you heard on the recording on the Future of Information Technology. Give your own comments on their views. Write about 250 words.

FUTURES

A Find the answers to these questions in the text below.

- 1 Of what is Professor Cochrane completely convinced?
- 2 What is stored in the professor's signet ring?
- 3 What will change dramatically when we start using rings like these?
- 4 What is the BT lab developing with artificial intelligence?
- 5 What effect are the professor's AI experiments having on evolution?
- 6 What does the professor see as the negative side of the electronic revolution?
- 7 What was the result of combining the Internet with TV?
- 8 What developments does the professor suggest in the field of biotechnology?
- 9 According to the professor, what will happen by the year 2015?

Talking to Professor Cochrane is probably as close as you can get to time travelling without leaving the current dimension, as his vision stretches far into this century and beyond.

5 His seemingly unshakeable conviction is that anything is possible if you really put your mind to it. In fact, BT (British Telecom) is already sitting on a host of innovations poised to blow your mind during this century.

10 Designed for the 21st century, Peter Cochrane's signet ring is built around a chip that holds all the details of his passport, bank account, medical records and driving licence. According to Cochrane, it's set to revolutionise shopping, 15 The ring is already a fully operational prototype, but it will be some time before you'll be trading your credit card in for the ultimate fashion accessory.

It's not just jewellery that's set to get smarter. 20 One of the biggest projects down at the Lab is looking at artificial intelligence as a way of creating software programs, networks, telephones and machines with a degree of intelligence built in. By sensing their environment, they should be able to develop new capacities as demands change. 'I have software that is breeding, which is interchanging genes and creating adaptable behaviour. This means you'll see the network come alive – it 25 means you'll watch what you do and it will adapt.'

It doesn't stop there, though, as BT has taken artificial intelligence one step further and created machines that are solving their own problems. 'We've created solutions that a 30 human being could never have dreamed of. We have solutions, and although we don't understand how they work, they do work. We're effectively increasing the speed of evolution,' says Cochrane.

35 It's already good to talk, but with artificially intelligent phones on the way it will be even better. Cochrane is at present working on smart phones that can translate English into German, Japanese and French in real-time. 'Some of its

45 rocket science, but a lot of it's extremely simple.

What we've built is a kernel of understanding inside a machine that extracts meaning from the sentence itself – at the moment we can do simple things such as phrase books,' he says.

50 The system uses a nonlinear approach that sends the English to the understanding kernel in the machine and then runs it out to all the other languages simultaneously.

There's no doubt that Cochrane is putting a lot of faith in intelligent machines, particularly when it comes to cutting through the deluge of information that he says is the downside of the electronic revolution. BT's solution is the development of intelligent agents that watch,

55 learn and start communicating.

It's not all work down at the Lab, though. BT's also involved in an ongoing trial that it claims will revolutionise our leisure time, in particular the way we watch TV. 'We put people on the 60 Internet and broadcast TV at the same time, so that the people at home could actually influence what was happening on their TV sets. As a result, it became interactive and therefore more active.'

70 BT has its fingers in multiple pies and has made biotechnology another core focus of R&D. 'Personally, I think hospitals are very dangerous places to be. There are lots of viable alternatives. For a start, we can stop hanging up hospital wards by putting people online.' BT has already developed a pack for heart attack victims that monitors their progress and uploads information via a radio link back to the hospital. So what will the future hold for us if Peter

Cochrane and his futurologists have their way? Well, by the year 2015, it's likely that we will be eclipsed by a supercomputer more powerful than the human brain. And if that's got visions of Terminator dancing in your head, don't worry 85 – Cochrane's got it covered. 'I'd really hate one morning to find myself considered an infestation of this planet. Our inclination is to nurture life and not to destroy it. Before we let loose a bunch of artificial intelligence, we ought to be thinking through the necessity of building in a number of rules that hold your life as a human being sacrosanct.'

B Re-read the text to find the answers to these questions.

1 Match the terms in Table A with the statements in Table B.

Table A

- a BT
- b Smart phone
- c Intelligent agent
- d Rocket science
- e R&D
- f Upload
- g Supercomputer

Table B

- i A computer program that watches, learns and communicates with the user
- ii Most powerful type of computer
- iii Research and development
- iv Transfer data from a client device to a server computer
- v A telephone that can translate English into various languages in real-time
- vi British Telecom
- vii Very advanced study

2 Mark the following statements as True or False:

- a BT has a lot of new ideas that will astound people.
- b Jewellery that can store large amounts of personal data has started to replace credit cards.
- c BT's smart phone can only translate English into one other language at a time.
- d Intelligent agents can help users deal with an overload of information.
- e Watching TV will be a more active pastime in the future.
- f The professor thinks that humanity will be destroyed by very powerful computers in the future.

Electronic Publishing

STARTER


1 Which of these should be published in electronic form and which in traditional paper versions? Compare answers with others in your group. Give reasons for your decisions.

- 1 a national newspaper
- 2 a textbook on information technology
- 3 a laser printer manual
- 4 Shakespeare's plays
- 5 a detective story
- 6 a traveller's guide to India
- 7 schoolbooks
- 8 an encyclopaedia

LISTENING**2**

What opinions do you think these people will have about e-publishing?

- 1 a telecommunications engineer
- 2 an author
- 3 an electronic publisher
- 4 the developer of an ebook reader
- 5 a keen reader



3 Now listen to the recording. Note the points made by each of the speakers for or against e-publishing. Compare your list with your predictions from Task 2.

Speaker	Points for	Points against
telecommunications engineer		
author		
electronic publisher		
developer of an ebook reader		
keen reader		

LANGUAGE WORK**Compare these sentences:**

- 1 We need an electronic version available anywhere and updated regularly.
- 2 What we need is an electronic version available anywhere and updated regularly.
- In (2) the object of the sentence is made more important. We can use *What ... be in this way to emphasise the subject or object of a sentence.*

Rewrite these sentences to emphasise the words in italics.

- 1 I like *the fact that my books are available everywhere.*
- 2 Bill Gates introduced the Windows NT operating system *in 1993.*
- 3 Bill Gates introduced the Windows NT operating system *in 1993.*
- 4 Bill Gates introduced the Windows NT operating system *in 1993.*
- 5 I need *information quickly.*
- 6 Ebooks will replace *all the throwaway books we read.*
- 7 Ebooks will replace all the throwaway books we read.
- 8 It's not *cheap.*
- 9 I like *the look and the feel of books.*
- 10 I don't like *reading off a computer screen.*

4**Fill in the blanks with the correct forms of these verbs:**

need, have to, must, can, could, be able to. In some cases, more than one answer is possible.

- 1 After the success of Windows 95, Microsoft outsell any competitor.
- 2 Computer consultants specialise in too narrow a field.
- 3 Programmers to know a range of up-to-date languages.
- 4 To be a successful consultant, you be better than the competition.

5 Before IBM set the standard for PCs, software houses write different versions of their programs for every make of computer.

6 When he was a schoolboy, Bill Gates write programs in BASIC.

- 7 Support engineers must empathise with users.
- 8 The Altair 8800 was one of the first computers you assemble at home.
- 9 Most website designers use HTML and XML.
- 10 You learn COBOL unless you want to work with business software.

5 With the help of these facts about the history of PCs, correct the statements which follow using any of the structures studied in this unit.

1968	Engelbart demonstrated first mouse.	1982	Acorn produced the BBC Micro.
1971	Intel designed first microprocessor.	1984	Apple Macintosh
1975	MITS Altair 8800 – home construction kit personal computer.	1990	Windows 3.0
1975	Gates and Allen founded Microsoft in Albuquerque, New Mexico.	1993	Intel Pentium, Microsoft Windows NT
1980	Sinclair ZX80	2001	Apple launched OS X operating system. Microsoft launched Windows XP.
1981	IBM Personal Computer with Microsoft MS-DOS operating system	2004	AMD introduced the first 64 bit processor.

WORD STUDY**These prefixes are common in IT terminology**

Prefix	meaning	examples	Prepositions	prefix	meaning	examples
bi-	two	bi-directional	anti-	against	anti-backlash	
uni-	one	uni-directional	in-	in	in-line	
tera-	10 ¹²	terabyte	with-	within	with-intranet	
giga-	10 ⁹	gigabyte	between-	between	between-internet	
mega-	10 ⁶	megabyte	above-	above	above-the-link	
kilo-	10 ³	kilometre	beyond-	beyond	beyond-the-link	
milli-	10 ⁻³	millisecond	tele-	tele	telecommunications	
macro-	large	macroinstruction	de-	decrease	decrease-in-data	
micro-	small	microcomputer	con-	concentrate	concentrate-on-data	
multi-	many	multimedia	on-	on	on-line	
			other	By itself	automated	
				Other	machine-control	
				super	Cyber-space	
					higher-in-quantity	
					superhighway	
					or degree	
						(* approximate decimal values)

- 7** Find an IT term for each of these definitions. Each term includes one of the prefixes listed above. All of the terms are used in this book.

- working at a distance
- a system of numbers with 2 as its base
- a way of communicating between a user and a computer
- 1048576 bytes of information
- describes a program which allows two way communication between user and computer
- set of computer instructions operating as one unit
- having many different modes of input
- a computer higher in scale than any other
- a machine which provides cash to bank customers without requiring a human operator: an A ... Teller Machine
- a very small but powerful processor
- a system used by many people
- a wordprocessing feature which corrects by itself

- 8** Verbs ending in -ise (US -ize) often have a causative meaning.
For example:

New phones will *revolutionise* the way we communicate.

= New phones will *make a revolution in* the way we communicate.
Replace the words in italics in each sentence with the appropriate form of an -ise verb.

- Players let you group songs into playlists and *make the selection random*.
- If you adopt differential backup, this *reduces to a minimum* the size of your backup set.
- Most hotels use systems *which have been converted for computers*.
- Software developers can produce solutions *which are tailored to the customer*.
- Some software houses produce *specially written* applications.
- Utilities can be *put into categories* as editors, filters or communications programs.
- You can protect data by putting it in a form only users *with authority* can understand.
- It is an offence to make copies of software *which are done without authority*.

SPEAKING

- 9** What features should an electronic book reader have? In your group decide on the best specifications. Compare your list with the reader described on the recording and, if possible, with the specifications for the readers described at these websites:
- www.franklin.com
www.ebookcrossroads.com/ebook-readers.html
www.sony.com

- 10** Now present your specifications to the rest of the class. Each member of your group should present some of the specifications with reasons for their choice.

Pairwork: Student A

185

UNIT 2

- Workgroup server
- Dual Xeon 2.8GHz processor
- 800MHz FSB
- 2GB ECC DDR2 (400MHz) SDRAM (upgradeable to 8GB)
- 250GB 7200rpm SATA hard drive (upgradeable to 1TB)
- 19" TFT XGA (1024X768) flat panel monitor
- 48X CD-ROM drive

UNIT 8

reviews

Counter-Strike: Condition Zero

PC | Valve/Vivendi | Universal Games | ★★★★




Fig 3 ATM

- Mac OS** The graphically-oriented operating system used on Apple Macintosh microcomputers. The latest version is MAC OS X.
- MVS, VM, OS/390** An operating system used on IBM mainframes.
- NetWare** An operating system that was widely used on local area networks (LANs) but is losing popularity.

DVDs can be double-sided
Explain to your partner with the help of these notes what DVD disks are, how DVD disks store such large quantities of information and how that information is read.

- Linux** An operating system that was derived from Unix and is available as freeware.
- Windows XP** Microsoft Corporation's operating system for PCs.

- DVD = Digital Versatile Disk**
each side can have two layers
• like CD in size and thickness
• but CD drives use red laser light, DVD drives use blue
blue laser has shorter wavelength therefore data can be denser


- DVDs can be double-sided**
• each side can have two layers
• top layer 4.7GB, bottom layer 3.8GB, total capacity = 17GB
• data transfer rate twice rate of CD-ROM

UNIT 11**Asynchronous transmission**

This method is also called start-stop transmission. In asynchronous transmission, data is sent one byte (or character) at a time. Each string of bits making up the byte is bracketed, or marked off, with special control bits. That is, a 'start' bit represents the beginning of a character, and a 'stop' bit represents its end. As a means of checking that the whole character has been

transmitted, an error check bit is generated immediately after each character.

Transmitting only one byte at a time makes this a relatively slow method. As a result, asynchronous transmission is not used when great amounts of data must be sent rapidly. Its advantage is that the data can be transmitted whenever it is convenient for the sender.

UNIT 14**main page (index.htm) with toolbar to links to other pages****UNIT 15 Problems**

- 1 You want to brighten up your website.
- 2 You would like to reserve seats on the London to Edinburgh train.
- 3 You want some help with a project on computer security.
- 4 You're feeling a bit flabby and would like to take up marathon running. How can you prepare for this?

Weather Reports

Several weather-related sites can give you up-to-the-minute weather reports and precipitation radar for your city or local region or for an area in which you'll be travelling. You'll also find extended forecasts. Some weather sites provide safety tips for dealing with severe weather.

www.weather.com

Maps

Websites can give you detailed street maps for major cities, or they can give you a map of Interstate highways. Some sites can help you find a particular address or suggest the best method of travel to your destination. You can also print maps at many websites.

www.mapblast.com

Comic Strips

Everyone needs a laugh from time to time, and few things can put a smile on your face more quickly than a classic comic strip. You can check out dozens of your favourite comics and, in some cases, even send a comic strip to a friend.

www.unitedmedia.com

UNIT 18**Getting the bug**

Email contains an attachment called LOVE-LETTER-FOR-YOU.JXT! This is where the virus is found. At this point the virus is still inactive. Opening the attachment launches a Visual Basic script, a program which Love Bug uses to do three tasks ...



Attempts to download names in the computers Microsoft Outlook address book.

UNIT 16**Communication Systems**

Asynchronous	Chat	Voicemail	Synchronous	Asynchronous	Videoconferencing
email bulletin board					

Fig 2a World of connectivity

UNIT 17 Problem A

Monitor power light flashing but display screen is completely blank.

SYSTEM	SOLUTION
Make and model Dell, G520SX Service Number X3457	Check to see if the computer system unit power light comes on when the computer is switched on.
Processor Pentium 4 Memory 256MB	Check that the monitor data cable is connected correctly to the VGA port at the rear of the computer.
O.S. Windows XP Configuration standalone	<p>Check that the graphics expansion card is installed properly by:</p> <ul style="list-style-type: none"> • Switching off the computer. • Disconnecting the power cable. • Opening the computer case by removing the four securing screws. • Inspecting the graphics card to see if it is seated properly in the expansion slot.

Correct the fault and check the system by:

- Pushing the graphics card fully into the expansion slot.

- Replacing the casing.


- Reconnecting the power supply.

- Switching on the computer and checking that the monitor is functioning correctly.

Facts of Love

Lovebug spread twice as fast as the Melissa virus which affected 300,000 US computers in March 1999.

Experts believe the worst is still to come with 21 new variants of the original virus detected so far.



Attempts to download names in the computers Microsoft Outlook address book.

Fig 2 The spread of the love bug

UNIT 19**Incremental Backup**

An incremental backup includes only files with their archive bit on. The archive bit indicates whether a file has been backed up since it was last changed. Whenever you back up a file in Windows, the operating system automatically sets the archive bit to 0 (off). 1 (on) indicates a file has not been backed up since it was last worked on. This way, as you append a series of incrementals to your full backup, each contains only those files that are new or have changed since your last backup. This keeps your backup set up to date using a minimum of time and tape. The disadvantage is that it may need many tapes to fully restore the hard disk.

UNIT 20

Java Developed by Sun Microsystems in the mid-1990s, Java is widely used for developing interactive applications for the Internet.

Ada Named after Countess Ada Lovelace (one of the first programmers), it is a superset of Pascal. Ada is a structured language developed and used by the US Department of Defense.

Logo Logo is an easy-to-use language that is primarily used to teach children how to program.

LISP Stands for LISt Processor; LISP is designed to process non-numeric data – that is, symbols such as characters or words. It is used to develop applications in the field of artificial intelligence.

FORTRAN Stands for FORMula TRANslator; FORTRAN was designed by scientists in 1954 and is oriented toward manipulating formulas for scientific, mathematical, and engineering problem-solving applications.

HTML Stands for HyperText Markup Language; HTML is a page-description language used to prepare a text for display in a browser program.

Perl Its name comes from Practical Report and Extraction Language. It first appeared in 1987 as a Unix-based tool for producing reports but is now widely used for creating interactive webpages.

Prolog Stands for PROgramming LOGic; Prolog is used to develop applications in the field of artificial intelligence. It is a popular tool for natural-language programming.

UNIT 22**1 Systems Analyst**

Studies methods of working within an organisation to decide how tasks can be done efficiently by computers. Makes a detailed analysis of the employer's requirements and work patterns to prepare a report on different options for using information technology. This may involve consideration of hardware as well as software. Either uses standard computer packages or writes a specification for programmers to adapt existing software or to prepare new software. May oversee the implementation and testing of a system and acts as a link between the user and the programmer.

2 Software Engineer/Designer

Produces the programs which control the internal operations of computers. Converts the system analyst's specification to a logical series of steps. Translates these into the appropriate computer language. Often compiles programs from libraries or sub-programs, combining these to make up a complete systems program. Designs, tests and improves programs for computer-aided design and manufacture, business applications, computer networks and games.

3 Computer Services Engineering Technician

Can be responsible for installation, maintenance or repair of computers and associated equipment. Installs hardware, ranging from personal computers to mainframe machines, and tests by running special software. Some technicians carry out routine servicing of large mainframe systems, aiming to avoid breakdowns. Others are called in to identify and repair faults as quickly as possible usually by replacing faulty parts. Work can also involve upgrading machines usually on customers' premises.

4 Network Support Person or Computer Engineer:**Network Support**

Maintains the link between PCs and workstations connected in a network. Uses telecommunications, software and electronic skills and knowledge of the networking software to locate and correct faults. This may involve work with the controlling software, on the wiring, printed circuit boards, software or microchips on a file server, or on cables either within or outside the building.

Pairwork: Student B

191

UNIT 2

- Portable
- Intel Pentium M 725, 400MHz (1.6GHz, 2MB L2 cache, 400MHz FSB)
- 1GB 333MHz DDR SDRAM
- 60GB hard drive
- 17" TFT Wide Screen WXGA (1440X900)
- Integrated 8X DVD +RW Drive
- Microsoft Windows XP Home Edition

UNIT 3

- 1 In Chicago, a Visa card is used to pay for a \$1,295 computer.
- 2 The transaction data travel by satellite or ground to a processing center in New Jersey.
- 3 Because the transaction tops \$50, it is routed to a computer in Atlanta. Atlanta sends the transaction to California for processing.
- 4 The California computer finds that the card was issued by a Portland bank and checks that bank's computer system to see if the transaction request should be approved or denied.




Fig 4 Visa cards

UNIT 8

- review 5

UNIT 9

Spiderman 2

PS2, Xbox, GameCube | Activision | ★★★★

Despite the fact that this game is based on a film, Spiderman 2 turns out to be one of the best action-adventure games released this year. Activision has taken a leaf out of Grand Theft Auto's book by including an impressively modelled city (in this case, New York) and has added a physics engine. So this version of the game not only lets you swing around with all the grace Spidey shows in the movie, but also possesses rigour: sling a

Gloriously varied missions build up a decent storyline, evil bosses abound, and you can even deliver pizzas. Climb to the top of the Empire State Building, swallow-dive into an elegant free-fall, and defy gravity with a judiciously timed web just before you hit the ground.

Even though it is associated with a film, you should take it seriously.

Steve Boxer

Explain to your partner with the help of these notes what MPEG Video is and how it operates.

MPEG = method of compressing/decompressing video signals to reduce size by up to 95%

- video sequences stored in series of frames
- intraframe (I-frame) every 1/3rd second has most important picture information
- between I-frames are predicted frames (P-frames) and bidirectional frames (B-frames)
- P- and B-frames store changes only
- P- and B-frames preserve video quality between I-frames
- Human eye can't detect information discarded

UNIT 6

Palm An operating system designed for use on personal digital assistants (PDAs) and smartphones. Windows Media Center A version of Windows XP designed to be simple to use in the home to control multimedia systems.

Unix Old command-driven operating system that is still commonly used on most types of computer including mainframe and personal computers. VAX/VMS An operating system used by DEC VAX minicomputers. BeOS An operating system created especially for working with multimedia.

UNIT 11**Synchronous transmission**

Synchronous transmission sends data in blocks of characters. Start and stop bit patterns, called Sync bytes, are transmitted at the beginning and end of the blocks. These start and end bit patterns synchronise internal clocks in the sending and receiving devices so that they are in time with each other. Error check bytes are included immediately after each block of characters to ensure that the whole sequence of characters has been correctly transmitted.

This method is more complicated and expensive than asynchronous transmission. It also requires careful timing between sending and receiving equipment. It is appropriate for computer systems that need to transmit great quantities of data quickly.

UNIT 16**Communication systems**

Text and Graphics only	Multimedia
Synchronous	Synchronous
fax	Webpages
newsgroup	Neophones

Fig 2b World of connectivity


UNIT 14

Fig 1b Site diagram

UNIT 15**Problems**

- 1 You would like to cheer up a friend.
- 2 You're going to rent a car in the USA and travel from Miami to New Orleans. You would like to plan a route.
- 3 You're going walking in the mountains this weekend. You would like to know what the chances are of rain.
- 4 You want to forward a video email attachment you've received to a friend and it won't go.

Neon City

If you have a webpage that's looking a little dull, you might want to add some neon signs, words or tubes. Neon City produces a variety of cool neon clipart that you are free to use on your personal webpage so long as you link to the page you got the design from.
www.neoncity.co.uk

Travel Research

Whether you're looking for the best airline and hotel fares or researching the best travel destinations, the Web can help. Several websites also offer tips for travelling by aeroplane or with small children. Some allow you to book train tickets.
www.expedia.com www.concierge.com www.thetrainline.co.uk

UNIT 17**Problem B**
The monitor display screen is flickering.

SYSTEM	SOLUTION	INSTRUCTIONS	RESULT
Make and model HP Compaq, CV602 Service Number 8J03 Processor AMD Athlon 64 Memory 512MB O.S. Windows XP Configuration Windows network	Change the monitor refresh rate setting by: • Right clicking with the mouse on the desktop • Selecting 'Properties-Settings' • Clicking on the Advanced button • Choosing the 'Monitor' tab. • Making sure that the 'Hide modes that this monitor cannot display' checkbox is ticked. • Selecting a higher refresh rate (i.e. 75Hz or more). • Rebooting the computer. • Checking that the monitor is functioning properly.		Monitor no longer flickering.


UNIT 18
Stealing by stealth
How a Trojan may have penetrated Microsoft's defences

Fig 3 Stealing by stealth

UNIT 19**Differential Markup**

A differential backup doesn't set the archive bit to the off position after backing up the file. In a full backup in Windows, the operating system automatically sets the archive bit to 0 (off). 1 (on) indicates a file has not been backed up since it was last worked on. Thus, if you do a series of differentials, each backs up all the files created or modified since the last full backup, not just those that have changed. Normally, you keep only the most recent differential backup on hand. This minimises the size of your backup set, since it will never contain more than two copies of any file – one in the full set and one in the differential. This method is mostly used when you're backing up to disks. The downside is that it won't back up files that were created and deleted before the differential backup.

UNIT 22**1 Computer Salesperson**

Advises potential customers about available hardware and sells equipment to suit individual requirements. Discusses computing needs with the client to ensure that a suitable system can be supplied. Organises the sale and delivery and, if necessary, installation and testing. May arrange support or training, maintenance and consultation. Must have sufficient technical knowledge.

2 Applications Programmer

Writes the programs which enable a computer to carry out particular tasks. May write new programs or adapt existing programs, perhaps altering computer packages to meet the needs of an individual company. When writing a new program, follows a specification provided by a systems analyst. Devises a series of logical steps and converts these to the appropriate computer language. Checks programs for faults and does extensive testing.

UNIT 21

XML Stands for eXtensible Markup Language; XML is a metalanguage for creating webpages with meaningful data that can be used by a variety of programs.

C++ Is an object-oriented superset of C which combines the best features of a structured high-level language and an assembly language – that is, it's relatively easy to code and uses computer resources efficiently. C was originally designed to write systems software but is now considered a general-purpose language.

Visual Basic BASIC stands for Beginner's All-purpose Symbolic Instruction Code; Visual Basic is a simple-to-use language that has a graphical interface. It makes it particularly easy for an inexperienced programmer to create database programs.

Pascal Pascal, named after the mathematician Blaise Pascal, was created primarily to fill the need for a teaching vehicle that would encourage structured programming. It is often used in college computing courses.

COBOL Stands for COmmon Business-Oriented Language; it has been around for a long number of years but is still an important transaction-processing language used to process the records of large organisations on mainframe computers.

UNIT 21**3 Systems Support Person**

Systems support people are analyst programmers who are responsible for maintaining, updating and modifying the software used by a company. Some specialise in software which handles the basic operation of the computers. This involves use of machine codes and specialised low-level computer languages. Most handle applications software. May sort out problems encountered by users. Solving problems may involve amending an area of code in the software, retrieving files and data lost when a system crashes and a basic knowledge of hardware.

4 Hardware Engineer

Researches, designs and develops computers, or parts of computers and the computerised element of appliances, machines and vehicles. Also involved in their manufacture, installation and testing. May specialise in different areas: research and development, design, manufacturing. Has to be aware of cost, efficiency, safety and environmental factors as well as engineering aspects.

Listening Script

UNIT 1

Computer Users

primary school teacher We've got a new program with 3D graphics to encourage young children to tell stories. We tried it out last term and now we use it regularly. There's a mat in front of the monitor, like a carpet. There are pressure pads under the mat. When the children stand on them, they can move about inside the pictures on the screen. If they stand on the right, they er, can move to the right and so on. The good thing is that it works better if there are more children on the mat. This encourages them to work together.

UNIT 4

Peripherals

What like about this program is that if you ask the children what they're been doing, they don't say, 'We've been working with the computer', they say 'We've been telling Stories'. The computer doesn't get in the way of learning, it's just a tool. We don't get that reaction when we sit them down at a keyboard.

Open University student I've had a computer for about, oh, three years now. I'm an OU student doing a degree in mathematics. I work full time so I study at home in the evenings and at weekends. Some Saturdays there are tutorials I can attend in town but mostly I work alone. I use the computer to write my assignments. I also use the Internet to email my tutor if I have any problems with the course work. There's a help group too on the Web made up of other students doing my course ... not just here in the UK but around the world. We can chat about assignments and help each other if we're in difficulty.

Louise, aged 6 Well, I make cards for my friends. I made one for Mary's birthday last week. I use Word and you go into clipart. Then these things come up on the screen. And you can click on any one like animals and two people with a heart, and a star and a hat. I've got CD-ROMS, like spilt the Cat and Peter Pan. You click on Go to the Adoption Centre, then you go to Pick a Pet and you can choose what you want, a cat or a dog. And you can give it a name and feed it. The one I'm going to adopt is a cat ...

You've got to give your cat a name. But first I'll take its picture, then I'll save it. I paint mainly figures in imaginary

to a PC for retouching, manipulating, or printing out.

A Do you need any special software?

B Yes, but it comes with the camera. It's not difficult to install. You can also use your TV to give slide shows and you can email copies to your friends.

PART 2

A Any disadvantages? What's the down side?

B Well, they're still pricey but they're getting cheaper. And the quality isn't usually as sharp as a good 35 mm.

People forget too that if you want prints, you have to invest in a photo-quality colour printer. That can be expensive and printing costs can also be high – the paper, the ink and so on.

A Anything else?

B Batteries. You get through them. Digitals are power-hungry, especially if you use the LCD a lot for playback.

A If I wanted to buy one, what should I look for?

B First of all, the resolution. It's like buying a monitor. The higher the resolution, the more details you'll be able to get in the picture. Don't buy anything less than three million pixels. A second major specification, and it's tied up with image quality, is the number of pictures you can store before the camera is full and you need to download to your PC. A 1280 by 960 image takes over a megabyte of memory. That's a limit to the number of shots you can store on a flashcard. Fortunately you can compress the data and squeeze a lot more lower resolution shots onto one card.

It's worth considering too the type of battery used. Get one with rechargeable cells.

UNIT 5

Former Student

Interviewer What was your course called?

Paul The first one was a Higher National Certificate in Computing. That was mainly programming.

P And the second one was a Higher National Diploma in Computing Support.

I Ah, that's quite a change. Did you

database designs for a couple of customers. Systems Building as well. I've had to go in and replace components for customers and we've had to build computers from scratch. Last Christmas I had to assemble fifty in a four-week period.

I What about Communication? I'm sure a lot of students would see communication and say that's really the least important thing in the course.

P Oh, I've found it very useful. I have to go to customers, I've never met before and put my points across. It's been helpful too in going for job interviews, just getting confidence in presenting yourself.

I Did they give you any practice in explaining things to non-specialists? In simple, non-technical ways to users?

P Errm, what you had to do in front of a video camera, was to choose a subject and, erm, break it down so that everyone could understand it. Even though your classmates were all technically-minded, you had to make it

P So that the teacher could understand. The teacher who was marking it had to understand. If she didn't, she wouldn't pass you.

I Was there a practical component in the course?

P Yes, we had to assemble computers. And how small were the components you started with? Was it down to the level of the motherboard, for example?

P Yes, we had to link the motherboard and the CPU and all the other components of a computer and make it run.

I How up to date did you feel the course was?

P I always felt it was a bit behind current developments.

I That question really relates to my next one. Is there anything that you would add to or take away from the course?

P Errm, I would change the programming component. We did Pascal. That's one reason I didn't want to continue with programming because you never saw any jobs which asked for Pascal. We did COBOL also but that was quite old to and even the banks were stopping using it. A more up-to-date language like C++ would've been better. And I would add work experience. I always felt they should have given some sort of work experience. I know some colleges do.

I Errm, that would be a great thing because most students have paper qualifications and no practical experience.

P I think that even if it was just summer work it would be really useful. Employers are looking for qualifications and experience.

I Which of the subjects you studied have you found most useful in your work?

P Errm, Learning Access. I've had to do

originally think of being a programmer?

P Yes, but when I finished the course there weren't a lot of jobs in programming and there seemed to be more in support. So support seemed a better career move.

I Errm, what were the main subjects in your diploma course?

P Hardware, Planning, Design, Software development, Applications, Communication. We did some programming too.

I Communication, anything to do with telecommunications?

P No, it's, err, language skills. How to get your point over. How to make a presentation. We also had Maths. I've always liked Maths. I've

I Was there a practical component in the course?

P Yes, we had to assemble computers.

I And how small were the components you started with? Was it down to the level of the motherboard, for example?

P Yes, we had to link the motherboard and the CPU and all the other components of a computer and make it run.

PART 3

I Now that the course is over, how do you keep up?

P That's the difficult thing. You get a lot of work when you're thrown into situations you don't know much about. You have to learn fast.

P Uhuh. I've noticed a few times when I've gone to customers who want something fixed that I don't know about that I learn really fast.

I So you're teaching yourself?

P Yes. You have to do this from books and manuals and by reading the PC magazines.

I Did the college give you any advice on the best magazines to read?

P No.

I So how did you get that information?

P How did you know where to look for help?

P There was one lecturer. He used to work for a chip company. Even the college technical staff used to ask him for advice. He gave us some advice on where to look. The magazines themselves often recommend books to buy. The internet's good. You go to the Microsoft websites and the manufacturers' websites also help.

C Err, how odd.

B OK. Not a problem though. Instead of

you. They didn't say, er, 'there are a useful set of Web addresses'?

P No. There was a set book on support which was useful but it was full of mistakes so you had to check it against other books to make sure what was right.

I OK. One last question. Would you ever go back to college?

P Yes, I'd like to do my degree some time but it's getting the time and the money to do this.

UNIT 10

Interview: Computing Support Officer

That's not something the college gave you. They didn't say, er, 'there are a useful set of Web addresses'?

P No. There was a set book on support which was useful but it was full of mistakes so you had to check it against other books to make sure what was right.

I Hm! What about Communication? I'm sure a lot of students would see communication and say that's really the least important thing in the course.

P Oh, I've found it very useful. I have to go to customers, I've never met before and put my points across. It's been helpful too in going for job interviews, just getting confidence in presenting yourself.

I Did they give you any practice in explaining things to non-specialists? In simple, non-technical ways to users?

P Errm, what you had to do in front of a video camera, was to choose a subject and, erm, break it down so that everyone could understand it. Even though your classmates were all technically-minded, you had to make it

P So that the teacher could understand. The teacher who was marking it had to understand. If she didn't, she wouldn't pass you.

I Was there a practical component in the course?

P Yes, we had to assemble computers.

I And how small were the components you started with? Was it down to the level of the motherboard, for example?

P Barbara. OK ... Starting with Japan, for example, so I want to have Contract as the main heading, if you like, and I want to be able to have subfolders ...

B Underneath there ... C ... underneath, certainly for Japan, Italy, Finland and Hungary, and there may be others.

C So the way I'll do it is to go through Windows Explorer.

D So, OK, so how do I get into Windows Explorer?

E So let's click on Start, on your status bar. The Start button and ...

F Err, sorry, where are we?

G If you bring your cursor down to the very bottom, You see that little status bar that comes up.

C Oh, right.

B And there should be a Windows Explorer option ... And you don't have one.

C Err, how odd.

B OK. Not a problem though. Instead of

origins. Errm, they represent myths. I work in acrylics although I also make woodcuts. Errm, I keep photographs of most of what I've done, apart from the work I've destroyed ... the ones I didn't like. I've scanned in about a third of these photographs, around 100, paintings, to make a CD. I've organised the paintings into themes and added a soundtrack so that each group of paintings is accompanied by music. Errm, I'll send the CD to dealers. In the past it would have been slides. I'm also going to start my own website to try to sell directly. The difficult thing is trying to get people to visit your site.

PART 2

A Any disadvantages? What's the down side?

B Well, they're still pricey but they're getting cheaper. And the quality isn't usually as sharp as a good 35 mm.

People forget too that if you want prints, you have to invest in a photo-quality colour printer. That can be expensive and printing costs can also be high – the paper, the ink and so on.

A Anything else?

B Batteries. You get through them. Digitals are power-hungry, especially if you use the LCD a lot for playback.

A If I wanted to buy one, what should I look for?

B First of all, the resolution. It's like buying a monitor. The higher the resolution, the more details you'll be able to get in the picture. Don't buy anything less than three million pixels.

A second major specification, and it's tied up with image quality, is the number of pictures you can store before the camera is full and you need to download to your PC. A 1280 by 960 image takes over a megabyte of memory. That's a limit to the number of shots you can store on a flashcard. Fortunately you can compress the data and squeeze a lot more lower resolution shots onto one card.

It's worth considering too the type of battery used. Get one with rechargeable cells.

UNIT 4

Peripherals

Interviewer What was your course called?

Paul The first one was a Higher National Certificate in Computing. That was mainly programming.

I Uhm.

P And the second one was a Higher National Diploma in Computing Support.

I Ah, that's quite a change. Did you

origins. Errm, they represent myths. I work in acrylics although I also make woodcuts. Errm, I keep photographs of most of what I've done, apart from the work I've destroyed ... the ones I didn't like. I've scanned in about a third of these photographs, around 100, paintings, to make a CD. I've organised the paintings into themes and added a soundtrack so that each group of paintings is accompanied by music. Errm, I'll send the CD to dealers. In the past it would have been slides. I'm also going to start my own website to try to sell directly. The difficult thing is trying to get people to visit your site.

PART 2

A Any disadvantages? What's the down side?

B Well, they're still pricey but they're getting cheaper. And the quality isn't usually as sharp as a good 35 mm.

People forget too that if you want prints, you have to invest in a photo-quality colour printer. That can be expensive and printing costs can also be high – the paper, the ink and so on.

A Anything else?

B Batteries. You get through them. Digitals are power-hungry, especially if you use the LCD a lot for playback.

A If I wanted to buy one, what should I look for?

B First of all, the resolution. It's like buying a monitor. The higher the resolution, the more details you'll be able to get in the picture. Don't buy anything less than three million pixels.

A second major specification, and it's tied up with image quality, is the number of pictures you can store before the camera is full and you need to download to your PC. A 1280 by 960 image takes over a megabyte of memory. That's a limit to the number of shots you can store on a flashcard. Fortunately you can compress the data and squeeze a lot more lower resolution shots onto one card.

It's worth considering too the type of battery used. Get one with rechargeable cells.

UNIT 5

Former Student

Interviewer What was your course called?

Paul The first one was a Higher National Certificate in Computing. That was mainly programming.

I Uhm.

P And the second one was a Higher National Diploma in Computing Support.

I Ah, that's quite a change. Did you

- clicking on Programs, you can click on name of the new folder is.
- C Oh, right. How do I go back?
Click on Contract again on the left.
- C OK. And that's it.
- B Yeah. And if you actually drag anything over there and you realise you've dragged it to the wrong place, and you're not sure if you dragged it to the right place, there is an Undo. Under Edit on the menu bar.
- C Right ...
- B So that's a handy tool. Sometimes you drag something and then you hand twitches and you never know ...
- C Right. I think I can do it.
- B OK.
- UNIT 13**
- The World Wide Web**
- To find the webpage you want, you have to click on a webpage hyperlink or enter a URL, a Uniform Resource Locator into a browser. The URL is the address of the page. When you do that, the browser sends the URL to a DNS server.
- The DNS server is the Domain Name Server. It uses a look-up table to find the IP address of the Web server referred to in the URL. The IP address is a unique, 32-bit set of numbers. Erm, every computer on the Web has its own IP address.
- Once the DNS server has found the IP address, it sends it back to the browser. The browser then uses this IP address to send a request to the Web server. The request is sent as a series of separate data packets which include both the IP address of the Web server and the IP address of the browser computer. These data packets are first sent to a router computer, which uses the IP address of the Web server to determine the best available route for each packet.
- The packets are passed from router to router until they reach the Web server. They may travel by different routes before reaching the server.
- As the individual packets reach the Web server, they're put back together again.
- The Web server now services the request by sending the requested webpage back to the browser computer. Again it travels as a series of separate data packets from router to router. This time the router uses the IP address of the browser computer to work out the best available path for each packet.
- As the packets arrive at the browser computer, they're combined to form the
- right it shows you your file there.
- C Oh, right. And that's it.
- B You can either hit Enter or just click outside the box. OK and is that the only folder you want to create?
- C No, I'm going to create Italy, Finland and Hungary.
- B OK, so we want to make sure that we have Contract highlighted. Right now Japan remains highlighted and if you clicked File, New and Folder now it would create a folder in Japan.
- C Ah, so it would create a sub-sub-folder?
- B Right ...
- C So it's the same again. File, New, Folder.
- PART 3**
- C OK. Now if I want to start moving into that sub-folder some of these files how do I do that?
- B Well, how would do it is? You'll notice on the left hand side ... on the left hand side where it's showing you all your folders ... that Contract now has a little plus sign next to it ...
- C Right ...
- B ... because we've created sub-folders within Contract.
- C Uhuh ...
- B So if you click on the little plus sign next to your Contract folder ...
- C Right ...
- B ... it shows you your two sub-folders in there.
- C Oh, yeah. OK. So Hungary and Japan.
- B And on your right hand side you're still looking at all of your files that are within Contract.
- C Right ...
- B So now you can actually click on one of those files, hold your mouse button down, and drag it over to the sub-sub-folder ...
- C Right ...
- B So what we can do now is ... in our Explorer window click on File on the menu bar and click on the word New on the top.
- C Uhuh, right ...
- B And that will bring us another little box up ... And click on Folder. And that's going to create a subfolder in Contract because we had Contract highlighted.
- C Ah, OK ...
- B And now we can give it a new name. It gives a default name of New Folder to actually call it.
- C So within ... where it says New Folder, I remove that and I put in whatever the

- webpage you requested and are displayed in your browser.
- UNIT 15**
- Interview: Webpage Creator**
- Interviewer How long has your site been up?
- John Just a couple of months. It's brand new.
- I What's your site all about?
- J It's called The Movie Shrine, www.themovienoshine.com, and it's just a site with movie reviews, strange things I've noticed about certain films, and lots of links to other movie sites.
- I Why dedicate your site to this subject?
- J I decided to make a site about movies because I've been a huge movie fan for a long time. Right now, films are my biggest hobby.
- I What makes your site special?
- J I guess my site is just a little less formal than most of the film sites on the Internet. I've tried to make the layout unique and include material for movie fans of all types. It's for people who like movies of all kinds. There are plenty of sites for fans of particular actors or genres of movies like sci-fi, horror, films noirs and so on.
- I How did you create your site?
- J I created the site pretty easily using Dreamweaver, which is one of the Adobe packages.
- I What was the most difficult part?
- J Oh, the design. Just working out how the site would look and how the pages would link up. I'd tried to put up a couple of websites before but after constructing the main page, I'd lost interest.
- I How did you get your domain name?
- J I got a free domain name from www.domainzero.com. The price of a 'free' domain is that all kinds of advertising is sent to you by email, but that's a small price to pay.
- I Have you registered your site on a search engine?
- J No, I haven't gotten around to registering on a search engine yet. I'm told you have to really persevere to get listed. Yahoo! just seems to swallow submissions.
- I Have you included links to other sites?
- J I include many links to other sites. That may be the best thing about my site, the huge number of links. I'm also in a lot of Yahoo! Clubs and I've linked to them too.
- I Has anyone linked to you?
- UNIT 16**
- Communications Systems**
- In the short term, computers are certainly going to become more powerful and they'll also get cheaper. Erm, that means they'll become much more commonly available. It's likely they'll be integrated with other devices, erm, and may even become specialised ... specialised devices you throw away when they go wrong. Flat panel screens will certainly replace cathode-ray tube monitors almost completely because they take up less space and use less power. They look better as well. Erm, there's likely to be devices used for security, biometric devices for scanning your eye or taking
- your fingerprints. They'll be used instead of colour printers. Printing ... printers ... becoming cheaper so more printing will be done in colour. Erm, you'll print your holiday snaps straight from a laser. The shape and design of computers are likely to change and become much more varied because we can now construct the motherboards in flexible form. Erm, on the software side, companies are trying hard to improve voice control so you'll be able to talk to your computer to control it without using a keyboard.
- Erm, yeah, another development which I expect to become more common in the future is media centre computers. This type of computer makes it easy to record video, play DVDs, listen to music and watch TV. I expect the way that software is sold will change too. Erm, instead of buying individual packages, people may rent or hire the components they need – wordprocessor or whatever – and connect to them over the Internet. Service providers will make different components available and you'll be charged a fee for the ones you use.
- In the longer term they won't be able to make computers any more powerful using electronics so other methods may come in for the data signals in the computer. Perhaps laser light or even quantum methods will be used.
- Computers will definitely be integrated more with TV systems and with telephony and become much more communication devices. It's likely much smaller devices will be made ... probably built into clothing so that you can walk about wearing a computer which will allow you to communicate wherever you go. At home our fridges, cookers and other devices almost certainly will be computer controlled. In the longer term there may even be devices implanted into our bodies to help people with disabilities. Computers might be implanted into the human brain. We might not call them computers in the future but they'll be everywhere.
- UNIT 17**
- Computing Support**
- David Hello, this is Dell Computers Service Division. My name's David, how can I help you?
- J Jennifer Hello, my name is Jennifer and we're having a problem with one of our computers.
- D Now can you tell me what model of

computer you have?
J Can I take down your name?
D Yes, my name's David, David Lister.
J Ok, thank you, David and ... er ... we'll be in touch if there's any further problems.
D Well, I'll just look it up in my database ... is that University of Edinburgh, 21 Hill Place?
J Yes, let me have a look. It's AM 964 ...
D That's AM964/0. Wait a moment and I'll just look it up in my database ... is that University of Edinburgh, 21 Hill Place?

J Yes, that's us.

D So can you describe what the problem is?

J Well it doesn't seem to be playing MIDI sound files from the internet.

D Err, MIDI-sound files. Does it play other types of sound files?

J Yeah.

D And is it only when you're in the browser on the internet that you're having this problem?

J No, we're getting the same fault when we use other programs like ... erm ... Microsoft Encarta.

D Right. What operating system are you using?

J Microsoft Windows.

D Which version of Windows?

J It's Windows XP.

D And what type of processor do you have in the computer?

J It's got a Pentium 4.

D And how much RAM is installed?

J Let's see ... 512 Megabytes.

D Is the computer connected to any kind of network?

J Yes, we have a LAN.

D What type of network?

J It's a Windows network.

D OK. Right, it sounds as if you may have a driver fault. Do you still have the original driver disk you got with the machine?

J Yes, we've only had it a month so it's all there.

D Well, you could try to reinstall the sound drivers and see if that cures the problem. If that doesn't cure the problem, can you contact us again and we'll send you out some new drivers to try.

J OK, I'll give that a try and get back to you if we have a problem.

D Er, if you're going to contact us again with this problem, can you quote this job number: It's E83095.

J Er, just a moment. I need to get a pen.

Can you repeat that?

D OK, E ... 83095.

J E83095.

D That's correct.

I How can you avoid being hacked into?
R There's a lot you can do but you have to keep at it to keep ahead of the hackers. Err, you can install firewalls to restrict access to a network. You can have a callback system to make sure remote clients are who they say they are. Having really secure passwords helps. Don't use a common name or a dictionary word or anything short. Check the system regularly using event logs to find failed access attempts.

PART 2

Interview: The ex-hacker

Interviewer Ralph was one of two 18-year-olds arrested in the 1990s for hacking into a large American company. They got into the CEO's personal files and left a very rude message. Well, he's grown up a bit and has been putting his knowledge to very good use. He's now a computer security expert, a 'white hat' hacker who uses his skills to make cyberspace safer. Ralph, what exactly is hacking and how do you go about hacking into a system?

Ralph Hacking simply means getting into computer systems ... you don't have permission to get into. Err, there are various ways of doing it. You can get in by trying to guess somebody's password. Or you find a bug in a computer system that will allow people with certain passwords to get in where they shouldn't.

I So you're sitting in front of your computer ... somewhere, how do you set about getting into someone else's system?

R Sometimes it's very simple. People who hack into systems for a living - because they're employed by companies to test their systems - would say the first thing you do is to phone up someone who uses the system and you say 'Hello, I'm from your company. We want to test a new system. ... We need your password, please, so that we can include you in the trial.' People are too trusting. They normally hand it over.

I That's the easy way. If that doesn't work, then you find out by trying to connect to it over the internet. And normally that's not desperately difficult.

Once you connect to the computer it will ... ask you to ... log on and type an ID and password. You might at the simplest level try typing in 'guest' or 'demo' or 'help' and see what it gives you.

Using your credit card on the

bedroom on the computer but they didn't know quite what was doing.
I How did they track you down?
R Well, because we never really tried to cover our tracks. We would boast to our friends, we would boast to girls. That got us known to the police and the computer crime unit. They arrested us. The guy who arrested us, the detective inspector, I'm now quite friendly with. I see him at computer conferences all over the world. But I met him first when he knocked at my door and took away the contents of my bedroom in black plastic bags.

I Now you're helping companies to avoid people like you.
R Yes, if you want to protect your systems it's a good idea to talk to people like myself rather than big city consultants ... because I know the ways in which I would try to break into your system.

I Do you hackers know each other? Is there a competitive element to all this? Is there a kind of rivalry?
R I think in the beginning people did. You know they would ... sit round ... talking about hacking and sharing passwords but nowadays, because of the internet ... hackers are all over the world and they tend not to know each other and you tend not, because it's so illegal now and so many people are scared of it, people tend not to want to be known.

I There is rivalry. Everyone wants to be the first to hack into a really powerful system. The Pentagon gets something like 200 attempts a day to break into their systems.

I Movies sometimes feature hackers. R I don't go much for the Hollywood hacker. They show hackers coming into your system via the Internet and stealing all your data. That's not generally what happens. In reality

I One of course the total invoice, a bill for the guests, I'd like it also to display room bookings so that if someone phones up it's easy for the reception staff to identify quickly which rooms are occupied and which are available.

R Who's doing it? And because I was logged on at the highest level it said 'Who's do you want?' And I said 'The CEO' because there was an account on the system in his name. And it gave it to me.

I Did you feel terribly excited?
R Yes, absolutely. People sometimes hack for money, for criminal purposes or for political purposes ... they want to expose something. But often you hack because you're challenged.

Because it's exciting. It is a very big challenge for a couple of 18-year-olds working on a basic PC to link directly to a very powerful machine they've completely penetrated. It was great fun and it's a wonderful feeling and that's why we did it.

We never thought about the legal side of it. My parents knew that the phone bill was horrendous and that I spent an awful lot of time in my

Internet is no more dangerous than giving your credit card number down the phone or paying at the supermarket with a credit card, throwing the receipt away where somebody can pick it up and then they've got your credit card number and a copy of your signature. The Internet is not as dangerous as that. My advice is, if you want to buy things on the Internet, get a separate credit card. Ask for a small limit. Then if it gets misused, you've cut your losses. You can buy a pre-paid charge card for small purchases. Long term, smart cards are probably the answer but you would need a reader on your PC.

UNIT 21

Software Engineering

Analyst If I could find out what you do at present. What kind of system do you have at the moment?
Hotel owner Well, we introduced erm a computerised system about five years ago but I'm not very happy with it. What we've got is erm, just a system that allows us to enter bookings as they come in.

A So is everything computerised or ...?
H No, it's only the reservations system. A So what features would you like to add to this?

H Well, there are a number of things. I would like a more sophisticated system that would allow me to link reservations and invoicing. I'd like the system to handle invoices also.

A OK. Now the output. What kind of output are you looking for from this?
H Err, well there are a number of things I'd like. One is, of course the total invoice, a bill for the guests, I'd like it also to display room bookings so that if someone phones up it's easy for the reception staff to identify quickly

I Who's doing it? And because I was logged on at the highest level it said 'Who's do you want?' And I said 'The CEO' because there was an account on the system in his name. And it gave it to me.

R Who's doing it? And because I was logged on at the highest level it said 'Who's do you want?' And I said 'The CEO' because there was an account on the system in his name. And it gave it to me.

I Did you feel terribly excited?
R Yes, absolutely. People sometimes hack for money, for criminal purposes or for political purposes ... they want to expose something. But often you hack because you're challenged.

Because it's exciting. It is a very big challenge for a couple of 18-year-olds working on a basic PC to link directly to a very powerful machine they've completely penetrated. It was great fun and it's a wonderful feeling and that's why we did it.

We never thought about the legal side of it. My parents knew that the phone bill was horrendous and that I spent an awful lot of time in my

restaurant, anything of that nature, it's all detailed. I'd also like the system to generate lists of previous guests so I can send them news of special offers. A Has the system to print out addressed envelopes?

H If it could, that would be very useful.
A Now, who's going to be inputting the information?
H Right, the main users would be the reception staff. They would be dealing with bookings, largely by phone but some by fax or letter. The accountant, of course, would be using the system to create bills. And, erm, bar and restaurant staff would have to enter sales.

A Are the staff experienced in using computers or would they need a lot of training?
H Reception staff are quite experienced, however, our accountant would need some training as she's used to a paper system.

A What about the bar and restaurant staff?
H Well, I suppose they would be entering only very restricted information on the system.

A Hm. What computer hardware do you have at the moment?
H Err, we've got one PC at reception and one in the office. What would I need?

A One for the accountant, one in the bar and restaurant. And they would have to be networked.

H If they're networked together, that doesn't mean that people can get into the accounts, does it?
A No, it would be password-protected. And the printers?

H I don't want anything too noisy.
A Laser printers tend to be quieter. Now, what's the next step?

A I'll come back to you with a plan and we'll check through to make sure it has all the features you want. Then we'll create a program and try it out. We'll have to keep adapting it depending how well it works. And once you're happy with it, we'll put it into service and I'll fix some training for the staff.

H Thanks very much.

I How did they track you down?
R Well, because we never really tried to cover our tracks. We would boast to our friends, we would boast to girls. That got us known to the police and the computer crime unit. They arrested us. The guy who arrested us, the detective inspector, I'm now quite friendly with. I see him at computer conferences all over the world. But I met him first when he knocked at my door and took away the contents of my bedroom in black plastic bags.

I Now you're helping companies to avoid people like you.
R Yes, if you want to protect your systems it's a good idea to talk to people like myself rather than big city consultants ... because I know the ways in which I would try to break into your system.

I Do you hackers know each other? Is there a competitive element to all this? Is there a kind of rivalry?

R I think in the beginning people did. You know they would ... sit round ... talking about hacking and sharing passwords but nowadays, because of the internet ... hackers are all over the world and they tend not to know each other and you tend not, because it's so illegal now and so many people are scared of it, people tend not to want to be known.

I There is rivalry. Everyone wants to be the first to hack into a really powerful system. The Pentagon gets something like 200 attempts a day to break into their systems.

I Movies sometimes feature hackers. R I don't go much for the Hollywood hacker. They show hackers coming into your system via the Internet and stealing all your data. That's not generally what happens. In reality

H Who's doing it? And because I was logged on at the highest level it said 'Who's do you want?' And I said 'The CEO' because there was an account on the system in his name. And it gave it to me.

I Did you feel terribly excited?
R Yes, absolutely. People sometimes hack for money, for criminal purposes or for political purposes ... they want to expose something. But often you hack because you're challenged.

Because it's exciting. It is a very big challenge for a couple of 18-year-olds working on a basic PC to link directly to a very powerful machine they've completely penetrated. It was great fun and it's a wonderful feeling and that's why we did it.

I Who's doing it? And because I was logged on at the highest level it said 'Who's do you want?' And I said 'The CEO' because there was an account on the system in his name. And it gave it to me.

R Who's doing it? And because I was logged on at the highest level it said 'Who's do you want?' And I said 'The CEO' because there was an account on the system in his name. And it gave it to me.

I Did you feel terribly excited?
R Yes, absolutely. People sometimes hack for money, for criminal purposes or for political purposes ... they want to expose something. But often you hack because you're challenged.

Because it's exciting. It is a very big challenge for a couple of 18-year-olds working on a basic PC to link directly to a very powerful machine they've completely penetrated. It was great fun and it's a wonderful feeling and that's why we did it.

We never thought about the legal side of it. My parents knew that the phone bill was horrendous and that I spent an awful lot of time in my

Glossary

of computing terms and abbreviations

realise is the accelerating speed of change. They think that a hundred years from now we'll have made a hundred years of progress at today's rate. But we'll see a hundred years of progress at today's rate in twenty-five years because the speed of technical progress is accelerating. Right now we're doubling the rate of technical progress every decade so the next decade will mean twenty years of progress, and the following decade will be like forty. We'll make two thousand years of progress at today's rate this century. Things are changing faster and faster.

Speaker A To recreate human intelligence we need software, we need memory capacity to match the human brain and we need the right hardware. We'll have all this by 2020 but these things aren't enough. We also need to capture the complexity, range and richness of human intelligence. That's more difficult ... but we will do it. And we'll do it by reverse engineering of the human brain. What I mean is that we'll explore the human brain from the inside and find out how it works, how it's connected, how it's wired up. We're already well on the way to this. With brain scanning we can see inside the brain. But by 2030 we'll have another instrument for exploring the brain. We'll be able to send tiny scanning robots along blood vessels to map the brain from the inside. This will give us all the data on how the brain is connected and all the features which enable it to perform as it does. When we know how the brain works, we'll be able to recreate its operation using the powerful computers which will've been developed even before this date.

Speaker B The most important difference at the moment between computers and brains is that computers work in serial and brains work in parallel. This means that we can do incredible amounts of processing compared to what a computer can achieve running for weeks or even months. What's interesting is not so much that the brain is fast, it's the fact that it operates in parallel. If you look at the way a signal flows down neurons, they don't move extraordinarily quickly. But there are billions of them doing it all at once, whereas in a computer everything has to be done one thing after another.

Many people say we will never have an intelligent computer. They say it's not possible to have a computer that thinks. My own view is that it is possible but not with computers as they are today. If we start having parallel computers, only then I feel will we even start to reproducing some of the higher functions of the human brain. But we'll never be able to program in human emotions, moral responsibility and the uniqueness of the individual.

Published electronically. And by 2025 electronic publishing will have caught up with traditional publishing.

4 Developer of an ebook reader

Our reader is the size of a paperback. It holds about 200 books at a time. You can download books over the Internet in a few minutes and you can read for twenty hours before recharging the battery. There's a back light, so you can read in any lighting conditions. The print size can be adjusted to any size you like. Pop it in a plastic bag, and you can read it in the bath. I'm confident it will replace all the throwaway books we read when we travel, textbooks that date very quickly, technical books that are out-of-date as soon as they're printed. It's just right for schools. Children have to carry far too many books. An ebook can hold about 150,000 pages of text so you could have all of your schoolbooks for a year in a paperback-sized package.

5 Keen reader

I've tried it, it's not complicated. I paid a dollar for the first chapter of Stephen King's book and another dollar because I wanted to read the next chapter. But then I thought ... there's the time on the Internet trying to get to the site, there's time taken to download it and all that time I'm paying just for being on the Internet. Then there's the printing costs because I don't like reading off a computer screen. It's not cheap. And besides I like the look and the feel of books and the fact that you can take them anywhere and who's going to steal a paper book?

And another thing. Paper lasts from 50 to 500 years. Most electronic storage media are obsolete in ten to twenty years. Magnetic tape stretches, CDs delaminate. Printed books are still the best way to preserve knowledge.

UNIT 25

Electronic Publishing

1. Telecommunications engineer

I need information quickly; it's a vital part of my life. Every technology book in my specialism is out of date before it gets printed so I don't buy technical books. I go straight to the research groups who publish on the Web. Electronic books make good sense to me. Publishing something like a laser printer manual is just a waste of paper. What we need is an electronic version available anywhere and updated regularly.

2. Author

What I like about it is my books are available all over the world. They're available in countries where English-language books are hard to get. It doesn't matter if you live in Beijing or Buenos Aires, people can read my books anywhere.

3. An e-publisher

It's much cheaper to publish electronically than to print. It means we can take risks. We can publish books a traditional publisher wouldn't publish because they have a smaller readership. By 2005 ten per cent of titles will be

<p>(Microsoft) Access /'ækses/ noun U [5] a database program developed by the Microsoft Corporation /'ækses pɔɪnt/ noun C [16] a wireless network device that connects a wireless network to a wired network account /ə'kaʊnt/ noun C [12;13;14;20] a registration for a user of a network system. It is used for controlling access to the system.</p> <p>active window /'æktyv 'wɪndəʊ/ noun C [7] the window in a WIMP system that is currently being used. It is usually on top of any other open windows.</p> <p>actuator /æk'tju:tər/ noun C [23] a mechanism that converts signals into mechanical movements.</p> <p>address bus /'ædres bʌs/ noun C [2] the set of conductors that carry the memory address signals between different parts of a computer system</p> <p>ADSL /eɪ dsl/ cs 'ædʒɪtɪv U [16;23] abbreviation for asymmetric digital subscriber line. A form of DSL that has a different bandwidth for the upstream and the downstream.</p> <p>AI /eɪ'areɪ/ noun U [3;23;24] abbreviation for artificial intelligence</p> <p>algorithm /'ælgərɪðm/ noun C [2;9] a set of precise rules or instructions for solving a problem</p> <p>Alt (key) /ælt/ 'olt/ sɪ: noun C [7] the alternative key on a computer keyboard that changes the function of the other keys when it is held down</p> <p>Alt text caption /ælt/ 'ɒlt tekst kæptʃn/ noun C [14] text displayed in a webpage as an alternative to a graphic when the facility for displaying graphics is not available or is switched off</p> <p>AltaVista /æltə vɪstə/ noun C [13] the name of a well-known search engine website</p> <p>analogue signal /'ænəlɔ:g ˈsi:gnəl/ noun C [11;16] a type of signal that can take any value between a maximum and a minimum</p> <p>analyst programmer /'ænalɪst prə'græmə(r)/ noun C [22] a person whose job is a combination of systems analysis and computer programming</p> <p>anorak /'ænəræk/ noun C [20] a slang term for an eccentric socially inept person with little or no fashion sense</p> <p>ANSI /eɪn si: ai/ noun U [59] acronym for American National Standards Institute. An organisation that approves US standards for computing and communications</p>	<p>antenna /æn'tenə/ noun C [23] American term for an aerial, i.e. a device that enables signals to be detected and transmitted in air</p> <p>anti-static /æn'ti stætɪk/ adj [12] prevents the build up of static electricity</p> <p>anti-virus (program or software) /ænti və'rʊs/ noun C [12;19;20] a computer program or set of programs used to detect, identify and remove viruses from a computer system provider</p> <p>assembly language /ə'sembli læŋgwɪdž/ noun C [21] a low-level computer language that uses mnemonics rather than only numbers making it easier than machine code for humans to read and write</p> <p>asymmetric /eɪsɪ'metrik/ adj [16;23] having a different signal bandwidth in each direction, i.e. the bandwidth for sending is different from the bandwidth for receiving</p> <p>asynchronous /eɪ'sonkrənəs/ adj [11;12] not synchronised, i.e. occurring at irregular intervals</p> <p>AT&T /eɪ t̬ t̬/ et̬ ti: 'tit̬ n̬oun U [6] abbreviation for American Telephone and Telegraph Company. One of the world's largest IT suppliers.</p> <p>ATI (Technologies) /eɪ ti: 'tit̬ n̬oun U [17] the name of a well-known company that produces computer graphics cards</p> <p>ATM /eɪ t̬ m/ et̬ ti: 'ætm/ noun C [16] common abbreviation for automatic teller machine. The type of machine used by banks for enabling customers to withdraw money from their bank accounts.</p> <p>ATM port /æplɪ'keɪʃn pɔ:t/ noun C [18] a port that makes applications programs available over the Internet usually changing a fee for access to programs</p> <p>applications (program or software) /æplɪ'keɪʃnz pɔ:t/ noun C [16;8;22] a computer program designed to be used for a particular purpose, e.g. a wordprocessor, spreadsheet or database program</p> <p>applications programmer /æplɪ'keɪʃn p्रogrammə(r)/ noun C [22] a person who writes applications programs using a computer language</p> <p>architecture /æk'tɪktʃnə(r)/ noun C [5] the general specification of a system</p> <p>archive bit /'ækjəv̬ bɪ:t/ noun C [19] a digital bit stored with a file indicating if the file has been backed up since it was last edited</p>
--	---

B **channel** /'eɪnʃənl/ noun C [16] the common name for a bearer channel in an ISDN system

back up /'bæk'ʌp/ verb [5;19] to store a copy of data on a storage device to keep it safe

backbone /'baekbaun/ noun C [11,15] measures some aspect of a living being, e.g. a fingerprint reader or an eye scanner.

Bios /'bi:ps/ noun C [15] acronym for Basic Input Output System. A part of the operating system stored on a ROM chip that controls the input and output of data to peripherals.

biotechnology /baɪoteknɪkəlɒdʒɪ/ noun U [24] the industrial application of biological science techniques.

bit /bit/ noun C [2,9,11,12,13,18,23] a small unit of storage capacity. One of the eight binary digits that make up a byte. The term comes from an abbreviation of binary digit.

bitmap compression /'bitmæp kam,prɛmʃn/ noun C [2,5] a way of reducing the size of a stored image by different digital bits or collections of bits are used to describe each element of an image.

(data) block /blɒk/ noun C [11,17] a collection of data stored together and treated as a single unit.

Bluetooth /'bluetooth/ noun U [23,24] the name of a high-speed microwave wireless network system developed by a group of companies consisting of Ericsson, IBM, Intel, Nokia and Toshiba. It is used with portable equipment.

bookmark /'bɔkmɑ:k/ verb [T] to store a link to a webpage to make it easier to find in the future.

boot /bu:t/ verb [T] to copy a part of the operating system into memory to allow a computer to start up.

boot sector virus /'bu:t sektər 'vərus/ noun C [18] a self-replicating program that stores itself in the part of a disk containing the programs used to start up a computer.

bot /'bɒt/ noun C [2,3] from the word robot. A computer program that runs automatically. Bots are often used for searching for information on the Internet.

Braille /'bræfl/ noun C [11] a type of image frame used in MP3G compression. It is situated between I and P frames and stores the differences in the image compared with the I or P frame both before and after it.

binary /'baɪnəri/ noun U [5,9] a number system that only uses two digits, i.e. 1 and 0.

biometric device /baɪometrik dɪ'veɪs/ noun C [16,19] a security device that

(Web) **browser** /'braʊzə(r)/ noun C [7,9,13,14,17,20,21] a program used for displaying webpages.

BT /bi:/ noun U [24] abbreviation for British Telecom. The organisation that provides the telephone system in Great Britain.

buttering /'ba:təŋ/ noun C [13] a process of temporarily storing data from a fast source so that it can be fed at a steady rate to a slower system.

bug /bu:g/ noun C [6,20] a fault in a system.

bulletin board /'bulətn bɔ:d/ noun C [15,16] an electronic noticeboard system that enables users to display messages for other users to read.

bus /bu:s/ noun C [2,5] a set of conductors that carry signals between different parts of a computer.

byte /bæti/ noun C [2,9,11,17,18,25] a unit of storage capacity. A byte is made up of eight bits and stores one character, i.e. a letter, a number, a space or a punctuation mark.

C

C /si:/ noun U [21,22] a general purpose computer programming language that was originally designed for writing Unix systems programs.

C drive /'si: dræv/ noun C [10] the first hard disk in a personal computer.

C++ /'si: plus 'pls/ noun U [5,21,22] an object-oriented superset of the C programming language commonly used for writing applications programs for the Microsoft Windows operating system.

cache /kæf/ verb [2] to temporarily store frequently used data in fast memory so that it can be accessed more quickly.

cache /kæf/ noun C [2,13] fast memory used to temporarily store frequently used data to allow it to be accessed more quickly.

cache coherence /kæf hɔ:kərəns/ noun U [2] a system that ensures that any changes written to main memory are reflected within the cache and vice versa.

cache controller /kæf 'kən,trɔ:drəl/ noun C [2] the set of electronic logic circuits that control the operation of cache memory.

cache hit /kæf 'hit/ noun C [2] the process of successfully finding the required data stored in cache memory.

callback system /'kɔ:bæk sɪstəm/ noun C [19,20] a system that automatically disconnects a telephone line after receiving a call and then dials the telephone number of the system that made the call to reconnect the line, it

is used in remote access systems to make sure that connections can only be made from permitted telephone numbers.

cathode ray tube /'kæθəd reɪ 'trju:b/ noun C [16] a display device that uses an electron gun to fire a beam of electrons at a phosphor-coated screen.

CCNA /'si: en' en/ noun U [22] abbreviation for Cisco Certified Network Associate. A starting level networking qualification offered by Cisco, a major network equipment vendor.

CD (ROM) (disk) /di:z/ noun C [12,8,9,12,22,25] abbreviation for compact disk read only memory. A read only storage device in the form of a disk that is read using laser light.

CD-ROM drive /'si:dræv/ noun C [9,11] a storage device for reading CD-ROM disks.

cellphone /'selfaʊn/ noun C [23] the common name for cellular phone cellular network. /'selfaɪəl 'netwɔ:rk/ noun C [16] a radio communications system that divides a region into cells so that each region becomes a network with every point connected to a local transmitter within the cell.

cellular phone /'selfələr faʊn/ noun C [23] a cellular telephone. A mobile telephone that communicates with a local transmitter located within a small geographic area called a cell.

central processing unit /'sentrəl 'prəsəsɪŋ ju:n/ noun C [6] the electronic processor at the centre of a computer. The term is sometimes used to refer to the combination of the processor and the main memory.

channel /'tʃeɪnl/ noun C [16,23] a path for the transmission of data.

chat room /'tʃæt ru:m/ noun C [12,23] a virtual space on a website where online discussions organised around specific interests are held in real time by users typing text messages.

check data /'tʃek de:tə/ noun U [17] information written to disks in a RAID system which is used to restore data if one of the array drives fail.

checksum /'tʃɔ:ksum/ noun C [11] a calculated value that is stored with data to detect any errors that may occur when the data is copied or transmitted.

chip /'tʃip/ noun C [1,2,5,19,23,24] common name for a microchip. An electronic integrated circuit in a small package.

Cisco /'sɪsko/ noun U [22] the name of a company that makes networking system hardware such as that used to operate the Internet.

COM program /'kɒm'prɒgræm/ noun C [18] a DOS program with a .com filename extension that loads and runs in 64 kilobytes or less of memory.

command interpreter /'kɒmənd int'reprɪtər/ noun C [6] the part of an operating system that processes commands that are part of a program or are input using a keyboard.

Commodore 64 /'kɒmədɔ:r si:kstɪ 'fɔ:(r)/ noun U [8] the model name of one of the first popular personal computers to be made available in the United Kingdom. It had a very good graphics system and was particularly suited to running computer games programs.

Common Business-Oriented Language /'kɒmən'biznɪs 'ɔ:riəntɪd 'længwɪdʒ/ noun U [21] a high-level computer programming language. It is the principal transaction processing language used to process the records of large organisations on mainframe computers.

compatible /'kɒm'pætəbl/ adj [6,14] able to operate on the same type of system or run the same software.

compile /'kɒm plai'b/ verb [6,22] to convert a program written in a high-level language into machine code using a compiler.

compiler /'kɒm plai'br/ noun C [5] a program that converts the whole of a program into machine code before the program is used.

compress /'kɒm'pre:s/ verb [11] to reduce a file to a much smaller size.

compression (scheme) /'kɒm pre'shəm/ noun C [9,11] the process used for reducing files to a much smaller size.

computer /'kɒm pju:tə/ noun C [1,2,3,4,5,6,7,8,9,10,11,12,13,15,17,20,22,23,24,25] a general purpose machine that can be programmed to process data in a variety of ways.

computer consultant /'kɒm pju:təl konsil'tant/ noun C [2,25] a person who is paid to advise on computing system issues.

computer tab /'kɒm pju:tə tæb/ noun C [19] a room full of computers used for study.

computer language /'kɒm pju:təl længwɪdʒ/ noun C [22] a language used for writing computer programs.

computer operator /'kɒm pju:tər ɔ:p'erætər/ noun C [18] a person whose job it is to operate part of a computer system.

computer salesperson /kəm'paʊ̯səp̯son/ noun C [2,5] 'sel̯p̯as̯səp̯/ noun C [2,2] a person whose job is to sell computers	data channel /'det̯ənæl̯/ noun C [16] the common name for the part of an ISDN line that carries signalling and supervisory information to the network
computer science /kəm'pi:nt̯s̯/ noun C [1,2,5] on'gr̯i'men̯t̯ tek'nif̯/ noun U [5] the study of computers and their use	data communications system /də:t̯əm̯'kɒni:keɪʃn̯s̯/ noun U [5] the transmission and reception of data signals using a communication network and appropriate protocols
computer services engineer /kəm'pi:nt̯s̯z̯ ̯'sɜ:ns̯z̯ ̯'en̯jɪn̯eər̯/ noun C [2,2] 'ɛnd̯s̯ ̯'mɑ:ri̯ tek'nif̯/ noun U [5] a person who provides a service of maintaining and troubleshooting computers	data integrity /də:t̯əg'rit̯əti/ noun C [17] a measure of how resistant a system is to causing corruption in data while it is being stored or transferred
computer-aided design /kəm'pi:nt̯s̯ ̯'aɪd̯ ̯'dɪz̯ɪn̯/ noun U [2,2] 'ɛnd̯s̯ ̯'aɪd̯ ̯'dɪz̯ɪn̯/ noun U [2,2] the process of designing using a computer program	data mart /'det̯ə mɑ:t̯/ noun C [3] a storage system that archives large amounts of data in a way that makes it easy to access
computer-aided manufacture /kəm'pi:nt̯s̯ ̯'aɪd̯ ̯'ma:nf̯a:t̯ər̯/ noun U [2,2] 'ɛnd̯s̯ ̯'aɪd̯ ̯'ma:nf̯a:t̯ər̯/ noun U [2,2] the process of manufacturing goods using a computer	data mining /'det̯ə mɪn̯ɪŋ/ noun U [3] a process of analysing a large amount of stored data to find new useful information
computer /kəm'pi:t̯/ noun U [2,2] changed so that it can be operated or controlled using a computer	data stream /'det̯ə strɪm̯/ noun C [9] the flow of data
computer-mediated communication /kəm'pi:t̯ ̯'med̯iæt̯d̯ ̯'kɒmm̯u:nɪkeɪʃn̯/ noun U [2,2] see computer science	data warehouse /'det̯ə we:hə:wʌs̯/ noun C [3] a computing centre that provides a large collection of data gathered from different sources for data mining
computing /kəm'pi:t̯ɪŋ/ noun U [5,22] the theory and practice of computers	database (program) /'det̯əbæs̯p̯ro:gr̯am̯/ noun C [1,3,5,15,17,19,20,21,22,22,24] a type of applications program used for storing information so that it can be easily searched and sorted
computing science /kəm'pi:t̯ɪŋ s̯ci:ns̯/ noun U [2,22] see computer science	data-delivery system /'det̯ə dɪ'lɪvəri:s̯/ noun C [1,11] the part of a network
computing support /kəm'pi:t̯ɪŋ s̯pɔ:t̯/ noun U [5,17-22] a field of work that provides a service including setting up, maintaining and troubleshooting computing systems and providing technical advice to users	communications system /kə'mju:nɪkeɪʃn̯s̯/ noun C [12] a system that supervises the transmission. It confirms the checksum then addresses and duplicates the packets. This layer keeps a copy of each packet until it receives confirmation from the next point along the route that the packet has arrived undamaged.
configure /kən'fi:g̯(r̯)/ verb [12,17,22] to adjust the settings	data-link layer /'det̯ə-link̯ lə:rl̯/ noun C [11] the part of a network that work together to act like a much larger disk
connectivity /kən'kɔ:t̯i'veti/ noun U [16] the characteristic of being connected	data-link layer /'det̯ə-link̯ lə:rl̯/ noun C [11] the part of a network that work together to act like a much larger disk
control bit /kən'trɔ:l̯ bɪt̯/ noun C [11] a data bit used to mark parts of a transmitted signal so that the transmission can be controlled, e.g. a 'start' bit marks the beginning of a character and a 'Stop' bit marks its end	data storage device /'det̯ə stɔ:reɪdʒ/ noun C [11] a storage device for reading from and writing to disks
control /kən'trɔ:l̯/ noun U [16]	data array /'det̯ə'reɪə(r̯)/ noun C [10] a linked collection of storage devices that work together to act like a much larger disk
control bus /kən'trɔ:l̯ bʌs̯/ noun C [11] a data bus /'det̯ə bʌs̯/ noun C [2] the set of conductors that carry the data between different parts of a computer	data bus /'det̯ə bʌs̯/ noun C [2] the set of conductors that carry the data between different parts of a computer
copy /'kɔ:p̯/ noun U [6] a Unix command for copying a file	data centre /'det̯ə sent̯ə(r̯)/ noun C [18] a facility for storing large amounts of information
D	D channel /'di:ʃən̯/ noun C [16] the common name for a data channel in an ISDN system
data /'det̯ə/ noun U [1,2,5,6,12,15,17,18,19,21,22,23] the information processed by a computer large collection of data that can be accessed by many users and enables them to copy or store data on a particular topic	data /'det̯ə/ noun U [1,2,5,6,12,15,17,18,19,21,22,23] the information processed by a computer large collection of data that can be accessed by many users and enables them to copy or store data on a particular topic
data bus /'det̯ə bʌs̯/ noun C [2] the set of conductors that carry the data between different parts of a computer	data bus /'det̯ə bʌs̯/ noun C [2] the set of conductors that carry the data between different parts of a computer
data centre /'det̯ə sent̯ə(r̯)/ noun C [18] a facility for storing large amounts of information	data centre /'det̯ə sent̯ə(r̯)/ noun C [18] a facility for storing large amounts of information
decipher /'det̯i'sa:f̯(r̯)/ verb [18] to normalise coded information into normal text	decipher /'det̯i'sa:f̯(r̯)/ verb [18] to normalise coded information into normal text
DHTML /'di: t̯f̯ ̯'hæml̯/ noun C [12,22] abbreviation for dynamic hypertext markup language. A development of HTML that allows the creation of more	DHTML /'di: t̯f̯ ̯'hæml̯/ noun C [12,22] abbreviation for dynamic hypertext markup language. A development of HTML that allows the creation of more

CPU /sɪ:p̯/ noun C [2,5] abbreviation for central processing unit	dynamic and user-interactive web pages
crack /kræk/ verb [18,19] to break into a computer system in order to steal information or cause damage	dial-up networking /'det̯ənɒ:t̯ɪŋ/ noun U [12,17] communications system that allows computers to connect together using a telephone line
crash /kra:ʃ/ verb [17,19] to fail suddenly and completely usually referring to the failure of a hard disk	differential backup /'dɪf̯er̯ənt̯ bæk̯ap̯/ noun C [19,25] a type of backup that copies all the selected files on a system that have been changed since the last time a full backup was carried out
CRT /sɪ:tr̯/ noun C [24] abbreviation for cathode ray tube	digital /'dɪgɪtl̯/ adj [9,16,18,23] an electronic system that has only two states, e.g. off or on
Crt + Alt + Del /kə:t̯ ̯'ɔ:t̯ ̯'dɛl̯/ noun U [10] set of symbols that signify pressing the combination of the control-alternative and delete keys on a computer keyboard at the same time	digital camera /'dɪgɪtl̯ ̯'keɪm̯ər̯/ noun C [1,3,5,13,23] an input device for taking pictures. It has an electronic lens and uses electronics for storing the images rather than chemical film
cursor /'kɔ:s̯ər̯/ noun C [2,10] a symbol on the monitor screen that indicates the point on the screen that is being used	digital cash /'dɪgɪtl̯ ̯'ka:ʃn̯/ noun U [19] electronic currency that is stored on electronically sensitive cards or exists in cyberspace and is used for making electronic purchases over the Internet
cut and paste /'kʌ:t̯ ̯'pe:t̯/ verb [7] to remove some data from a file and temporarily store it in the computer's memory then insert a copy of the data in another position in the same or in another file	digital certificate /'dɪgɪtl̯ ̯'se:t̯ɪfɪ:t̯/ noun C [18] an electronic message used to show a transaction is trustworthy. It contains information about the company processing the transaction including their public key and is electronically 'signed' by a trusted digital-certificate issuer.
cyberbabe /'sa:b̯əb̯eɪb̯/ noun C [23] a digital image of an attractive female that is used in programs on the Internet	digital subscriber line /'dɪgɪtl̯ ̯'sʌb̯skr̯əbl̯ ̯'laɪn̯/ noun U [16] broadband communications system that allows digital signals to be transferred across an ordinary analogue telephone line
cybernetics /sa:b̯ə'net̯ɪks̯/ noun U [23] the study of control and communication in animals and machines. It is used in the design of robots	digitise /'dɪgɪtaɪz̯/ verb [16] to convert an analogue wave into a digital pulse
cyberspace /'sa:b̯əsp̯es̯/ noun U [20,24] the combination of all the data on all the computer networks throughout the world accessed using the Internet	directory /'dɪrek̯t̯əri/ noun C [16,17,19] a storage area used for grouping files so that they can be easily located. A directory is sometimes called a folder.
cybertron /'sa:b̯ə'trɔ:n̯/ noun C [23] a man-machine system or a person made superhuman by a machine or external system that changes the way the body functions	disk /'dɪsk̯/ noun C [16,17,19] a flat circular storage device
configure /kən'fi:g̯(r̯)/ verb [12,17,22] to adjust the settings	disk array /'dɪsk̯ ̯'ær̯eɪə(r̯)/ noun C [10,17] a linked collection of storage devices that work together to act like a much larger disk
connectivity /kən'kɔ:t̯i'veti/ noun U [16] the characteristic of being connected	disk drive /'dɪsk̯ ̯'draɪv̯/ noun C [10,17] a storage device for reading from and writing to disks
control bit /kən'trɔ:l̯ bɪt̯/ noun C [11] a data bit used to mark parts of a transmitted signal so that the transmission can be controlled, e.g. a 'start' bit marks the beginning of a character and a 'Stop' bit marks its end	disk /'dɪsk̯/ noun C [10,17] a peripheral device that divides a Windows Explorer window into two parts. One part shows the drive folders and the other part shows the file names of the files in the selected folder.
control /kən'trɔ:l̯/ noun U [16]	DSL /'di:sl̯/ noun U [16] abbreviation for digital subscriber line
control bus /kən'trɔ:l̯ bʌs̯/ noun C [11] a data bus /'det̯ə bʌs̯/ noun C [2] the set of conductors that carry the data between different parts of a computer	DTP /'di:t̯p̯/ noun U [8] abbreviation for desktop publishing. A process of designing documents for publishing using a computer system.
control /kən'trɔ:l̯/ noun U [16]	DVD (ROM) /'di:v̯ ̯'rom̯/ noun C [12,9] abbreviation for digital versatile disk-read only memory. An optical disk storage device that can hold a large amount of video data.

DVD /dɪ'vju:dʒɪn/ noun [12] abbreviation of: 'dɪ:bɪdʒɪs/ verb: vi: di: 'mænəs 3: plus for digital versatile disk +/ re-writable. A type of optical disk that uses either the + or + standard for reading and writing data	electronic virtual assistant /'elektrɒnɪk və'stɪənəs/ noun [23] a computer program represented by an animated screen image that is used to help the user perform particular tasks such as searching the Internet for useful data
EAN /i:nt'ɛ:n/ noun U [3] abbreviation for European Article Number system. The European price and item codes commonly used in barcode systems	earphone /'eəfəʊm/ noun C [24] sound output device that fits into the ear of the user
earth /ɜ:θ/ noun U [12] a common name for an electrical ground point or zero voltage point	ebook /'ebʊk/ noun C [25] common name for an electronic book
ebook reader /'ebʊk,rɪdər/ noun C [25] common name for an electronic book reader	ebook /'ebʊk/ noun C [25] common name for an electronic book, i.e. business that is carried out using the Internet
e-cash /'ekæʃ/ noun U [24] common name for electronic cash	EEC memory /i: sɪ: sɪ: 'ɛməri/ noun U [2] abbreviation for error code correcting memory. A type of memory often used in server computers that automatically fixes simple memory errors without requiring the rebooting of the computer.
e-commerce /i: kɔ:məs/ noun U [8,14,22,23] the business of buying and selling goods and services on the Internet	editor /'edɪtə(r)/ noun C [5,25] a computer program for making changes to text in computer programs or data
edutainment /'eðu:tə'meɪnt/ noun U [1] a system that has both educational and entertainment value	electronic (book) reader /'elektrɒnɪk ri:dər/ noun C [18,25] a computing device that displays the text and images of an electronic book
electronic book /'elektrɒnɪk bʊk/ noun C [25] a book that is displayed using a computing device instead of being printed on paper	electronic cash/money /'elektrɒnɪk 'ka:ʃ, 'ma:nɪ/ noun U [24] data that represents real money that is stored and transferred on computing devices connected to the Internet in e-commerce systems.
e-publishing /'e:pʌblɪʃɪŋ/ noun U [25] the production of ebooks	EPoS till /'eɪpɒs tɪl/ noun C [3] acronym for electronic point-of-sale till. A computerised cash register that edits records in sales and stock control databases.

ERP /i:pr/ noun U [22] abbreviation for enterprise resource planning	ERP /i:pr/ noun U [22] abbreviation for enterprise resource planning
e-solution /i:su:lju:n/ noun C [22] common term for electronic solutions, i.e. ways of solving a problem or providing a service using the Internet	e-solution /i:su:lju:n/ noun C [22] common term for electronic solutions, i.e. ways of solving a problem or providing a service using the Internet
Ethernet /'et'hə:nɛt/ noun U [2,12] a widely-used local area network standard that broadcasts packets of data that are addressed to particular devices on the network. Each device on the network reads the address and passes it to the correct device.	Ethernet /'et'hə:nɛt/ noun U [2,12] a widely-used local area network standard that broadcasts packets of data that are addressed to particular devices on the network. Each device on the network reads the address and passes it to the correct device.
(Microsoft) Exchange /iks'fi:n̩dʒ/ noun U [7,22] a Microsoft Windows program that includes an email program, a calendar task list and address list	(Microsoft) Exchange /iks'fi:n̩dʒ/ noun U [7,22] a Microsoft Windows program that includes an email program, a calendar task list and address list
exe program /eks'prəgræm/ noun C [18,11,17,22] a main computer program that provides a storage area for data files on a network	exe program /eks'prəgræm/ noun C [18,11,17,22] a main computer program that provides a storage area for data files on a network

fetch /fetʃ/ verb [21] to go and get the next instruction or piece of data from memory	fetch /fetʃ/ verb [21] to pass on without changing the content, e.g. a received email can be passed on to or forwarded to another address
Fibre Channel /'faɪbr ˈtʃænl/ noun U [19] a high speed interconnection standard used in storage area networks	Fibre Channel /'faɪbr ˈtʃænl/ noun U [19] a high speed interconnection standard used in storage area networks
fiber-optics cable /'fɪbər ˈɒptɪks keibəl/ noun C [19] a type of plastic or glass connector that enables signals to be carried using laser light	fiber-optics cable /'fɪbər ˈɒptɪks keibəl/ noun C [19] a type of plastic or glass connector that enables signals to be carried using laser light
field /fi:l/ noun U [11,12,13,15,18] an interface that enables dissimilar networks to communicate such as two LANs based on different topologies or network operating systems	field /fi:l/ noun U [11,12,13,15,18] an interface that enables dissimilar networks to communicate such as two LANs based on different topologies or network operating systems
file /fai:l/ noun U [15,6,12,15,18,19,22,23,24] a computer program or data stored on a storage device	file /fai:l/ noun U [15,6,12,15,18,19,22,23,24] a computer program or data stored on a storage device
file server /'fai:l sə'veə(r)/ noun C [8,11,17,22] a main computer that provides a storage area for data files on a network	file server /'fai:l sə'veə(r)/ noun C [8,11,17,22] a main computer that provides a storage area for data files on a network
file transfer protocol /'fai:t ˈtrænsfər pʁɔ:tɔ:k/ noun U [12] an internet service that allows users to transfer files from one computer to another	file transfer protocol /'fai:t ˈtrænsfər pʁɔ:tɔ:k/ noun U [12] an internet service that allows users to transfer files from one computer to another
file virus /'fai:vəs/ noun U [18] a virus that attaches itself to a program file	file virus /'fai:vəs/ noun U [18] a virus that attaches itself to a program file
filestore /'fai:stɔ:(r)/ noun C [5,5] a collection of computer programs stored centrally on a network server	filestore /'fai:stɔ:(r)/ noun C [5,5] a collection of computer programs stored centrally on a network server
firewall /'fai:wɔ:l/ noun C [19,20] a combination of hardware and software used to control the data going into and out of a network. It is used to prevent unauthorised access to the network by hackers.	firewall /'fai:wɔ:l/ noun C [19,20] a combination of hardware and software used to control the data going into and out of a network. It is used to prevent unauthorised access to the network by hackers.
flag /flæg/ verb [2] to mark in a way that indicates that a particular condition has occurred	flag /flæg/ verb [2] to mark in a way that indicates that a particular condition has occurred
flash drive /'flæʃ drɪv/ noun C [4,4] an electronic memory storage device that plugs into a computer and acts like a disk drive	flash drive /'flæʃ drɪv/ noun C [4,4] an electronic memory storage device that plugs into a computer and acts like a disk drive
flat file database /'flæt fai:t dætæbæs/ noun C [3] a simple database in which all the data is stored in one table	flat file database /'flæt fai:t dætæbæs/ noun C [3] a simple database in which all the data is stored in one table
frequency band /'frekwensi bænd/ noun C [23] a set of frequencies that are used together to provide a path for the transmission of signals	frequency band /'frekwensi bænd/ noun C [23] a set of frequencies that are used together to provide a path for the transmission of signals
frequency hopping /'frekwensi hɔ:pɪŋ/ noun U [23] a process of changing frequencies within a fixed bandwidth during a transmission so that other transmitters can use the same bandwidth at the same time without interfering with each other	frequency hopping /'frekwensi hɔ:pɪŋ/ noun U [23] a process of changing frequencies within a fixed bandwidth during a transmission so that other transmitters can use the same bandwidth at the same time without interfering with each other
front-side bus /frənt'saɪd bʌs/ noun C [2] the set of connectors on a motherboard that carry data signals between the processor and memory	front-side bus /frənt'saɪd bʌs/ noun C [2] the set of connectors on a motherboard that carry data signals between the processor and memory
FSB /'ef:sbi:/ noun C [2] abbreviation for front-side bus. The set of connectors on a motherboard that carry data signals between the processor and memory	FSB /'ef:sbi:/ noun C [2] abbreviation for front-side bus. The set of connectors on a motherboard that carry data signals between the processor and memory
full backup /'fʊl bækpʌ/ noun C [19] a type of backup that copies all the selected files on a system whether or not they have been edited or backed up before	full backup /'fʊl bækpʌ/ noun C [19] a type of backup that copies all the selected files on a system whether or not they have been edited or backed up before
full-duplex /'fʊl di:płɪks/ adj [11,23] able to transfer data in both directions simultaneously, i.e. data can be transmitted and received at the same time	full-duplex /'fʊl di:płɪks/ adj [11,23] able to transfer data in both directions simultaneously, i.e. data can be transmitted and received at the same time

G	games console /'geɪmz kɔ:nsəl/ noun C [23] an electronic device used for playing computer games
gateways /'geɪtweɪz/ noun C [11,12,13,15,18] an interface that enables dissimilar networks to communicate such as two LANs based on different topologies or network operating systems	gateways /'geɪtweɪz/ noun C [11,12,13,15,18] an interface that enables dissimilar networks to communicate such as two LANs based on different topologies or network operating systems
GB /'gi:gbi:/ noun C [19,9,11] abbreviation for gigabyte	GB /'gi:gbi:/ noun C [19,9,11] abbreviation for gigabyte
geek /gi:k/ noun C [20] although it was originally a derogatory term used for an expert lacking in social skills, it is now used in computing to mean a dedicated expert	geek /gi:k/ noun C [20] although it was originally a derogatory term used for an expert lacking in social skills, it is now used in computing to mean a dedicated expert
general packet radio service /'dʒenərəl ˈpa:kɪt rəʊ'zə:s/ noun C [21] a GSM data transmission technique that transmits and receives data in packets	general packet radio service /'dʒenərəl ˈpa:kɪt rəʊ'zə:s/ noun C [21] a GSM data transmission technique that transmits and receives data in packets
get listed /'get ˈlistɪd/ verb [15] to register the Web address of a website on an Internet search engine	get listed /'get ˈlistɪd/ verb [15] to register the Web address of a website on an Internet search engine
GHz /'gi:hz/ noun C [21] abbreviation for gigahertz	GHz /'gi:hz/ noun C [21] abbreviation for gigahertz
GI /'gi:bi:/ noun U [13] acronym for graphics interchange format. A way of storing images in a compressed form	GI /'gi:bi:/ noun U [13] acronym for graphics interchange format. A way of storing images in a compressed form
gist /'gi:st/ noun C [15] to write different types of programs to list them	gist /'gi:st/ noun C [15] to write different types of programs to list them
git /'gi:t/ noun C [15] to write different types of programs to list them	git /'gi:t/ noun C [15] to write different types of programs to list them
gnome /'gnəm/ noun C [6] a project to build a complete user-friendly Unix-like desktop system based entirely on free software. It is part of the GIMP project and part of the OpenSource movement.	gnome /'gnəm/ noun C [6] a project to build a complete user-friendly Unix-like desktop system based entirely on free software. It is part of the GIMP project and part of the OpenSource movement.
GNU /'gnu:/ noun U [6] a freely distributed portable Unix compatible software system	GNU /'gnu:/ noun U [6] a freely distributed portable Unix compatible software system
Google /'gʊgle/ noun U [33, 20] the name of a popular website that provides a keyword search engine to enable user to search for relevant websites	Google /'gʊgle/ noun U [33, 20] the name of a popular website that provides a keyword search engine to enable user to search for relevant websites

K	LCD /el'esi:/ noun C[1][10] abbreviation for liquid crystal display. An electronic display device that uses liquid crystal cells to control the reflection of light.	mailmerge /'meɪlmerdʒ/ noun C[3][8] a wordprocessing facility that causes a mailing list to be automatically combined with a standard letter to produce a separate copy of the letter addressed to each person on the mailing list
Kb/KB	'kilobait/ noun C[2] abbreviation for a kilobyte. A unit of storage capacity equal to 1024 bytes.	leased line /'list, 'laɪn/ noun C[8] a cable connection that is rented for use in a communications system.
Kbit/s	'kilobits/ noun C[16,23] abbreviation for kilobits per second. A unit of signal speed equal to 1024 bits every second. A more common form is kbps.	library /'lɪbrəri/ noun C[21,22] a set of programmed functions that are made available for use by any program.
Mbps	'kilobots pə 'sekənd/ noun C[23] abbreviation for kilobots per second. A unit of signal speed equal to 1024 bits every second.	line size /laɪn sɪz/ noun C[2] the amount of data transferred each time there is transfer between the main memory and cache memory.
KDE	'ken di: 'i:/ noun U[6] a graphical user interface used with the Linux operating system.	link /lɪŋk/ noun C[13,14,15] a common term used for a hyperlink, i.e. the connection of a webpage to another webpage or file.
M	m /em/ noun C[23] abbreviation for metre. An international unit for distance.	Linux /'lɪnʌks/ noun U[6] a clone of the Unix operating system created by Linus Torvalds for use on personal computers.
mA	/'mɪlɪamp/ noun C[23] abbreviation for milliamp. A unit of current equal to one thousandth of an amp.	Linux distribution /'lɪnʌks dɪstrɪ, bɪju:n/ noun C[6] the Linux-user term for a complete operating system kit complete with the utilities and applications needed to make it do useful things, e.g. command interpreters, programming tools, text editors, typesetting tools and graphical user interfaces.
key	keyboard /'ki:bɔ:d/ noun C[16,24] the process of pressing and releasing a key on a keyboard.	load /ləʊd/ verb [5,18] to copy a program from a storage device into the computer's memory.
keyword	'ki:wɪ:sd/ noun C[13] a word used to categorise documents or records in a file. Keywords can be used by a search engine to find relevant links on the internet.	local area network /'ləʊkl ə'reə nə:tɜ:k/ noun C[8,11] computers connected together over a small area such as a company department.
kHz	'kilohertz/ noun C[9] abbreviation for kilohertz. A unit of frequency equal to 1000 cycles every second.	log /lɒg/ noun C[20] a record of when an event happened.
killer application	'kilər 'æpli:kef'n/ noun C[23] an application program that is particularly useful and popular, making a computer system very successful.	log on /lɒg ɒn/ verb [6,12,18,19,20,23] to connect to a network system account normally using a password.
L	knowledge base /'nɒlədʒi bæ:s/ noun C[17,22] a collection of information that can be easily modified, revised and manipulated to enable the user to solve particular problems.	logic bomb /'lodʒɪk bɒm/ noun C[18,20] a destructive code introduced into a program that is triggered by some event taking place on the computer system at a later time.
LAN	/læn/ noun C[5,8,11,15,17,23] acronym for local area network.	logic circuit /'lodʒɪk sɪ:kvit/ noun C[2] a digital electronic circuit that compares two or more inputs and gives an output according to a particular rule of logic.
language processor	'leɪndʒwɜ:prəsəfər/ noun C[5] software that performs computer language translation.	look-up table /'lʊk'ʌp 'tel:b/ noun C[12,13] a method by which a program uses two sets of related records to find a required value. It is quicker than calculating the value using a formula but takes up more memory space.
laptop computer	'læptɒp/ noun C[23] the largest type of portable computer.	loop structure /'lɒp strʌktʃər/ noun C[21] see iteration.
laser printer	'leɪsər 'prɪntə(r)/ noun C[8,16,17,21,25] a printer that prints using toner powder and laser light on a photosensitive drum.	

mirroring /'mɪrərɪŋ/ noun U[17]	message-authentication code /'mesɪdʒ'
technique used in RAID 1 systems where at least two hard disks are paired in such a way that the hard disk controller writes each byte of data to both disks. This ensures that a backup exists should the primary disk drive fail.	'dægest fə:gɪn noun C[18]
	number produced by a message-digest function that is used to make a message tamper-proof and provide message integrity.
	message-digest function /'mesɪdʒ'
	'dægest fə:gɪn noun C[18]
	program function that processes a message to produce a number called a message-authentication code. This number is then used to make a message tamper-proof.
	message-integrity scheme /'mesɪdʒ'
	'ɪntigrɪt̬i skem noun C[18]
	integrity scheme that allows a number of audio inputs to be mixed together.
	mkdir /'em keɪr/ noun U[6]
	Unix and MS-DOS command for creating a directory.
	mixing desk /'mɪksɪn desk/ noun C[9]
	an electronic device used in audio recording that allows a number of audio inputs to be mixed together.
	mobile phone /'məబəl 'fəʊn/ noun C[15,16,23] a wireless telephone that operates over a wide area.
	modem /'mədəm/ noun C[2]
	modem /'mədəm/ noun C[2,23]
	abbreviation for megahertz.
	microchip /'mɪkro:tʃɪp/ noun C[22]
	an electronic integrated circuit in a small package.
	microcomputer /'mɪkro:tikəmpter/ noun C[6,11]
	smaller and less powerful than a mainframe or a minicomputer.
	microprocessor /'mɪkro:tikrɒsəs-ɔ:r/ noun C[3,16,25] the main electronic chip in a computer. It can be thought of as the 'brain' of the computer because it does the main processing and controls the other parts of the computer. It is sometimes called the CPU.
	Microsoft /'mɪkro:sɒf/ noun U[2,5,16,20,22,25]
	the common name for the Microsoft Corporation. The company founded by Bill Gates that developed the MS-DOS and Windows operating systems and a variety of software commonly used on desktop computers.
	microwave /'mɪkroweɪv/ noun C[23]
	a high-frequency electromagnetic wave used in data communication systems for musical instrument digital interface. A standard for connecting musical instruments to computer systems.
	minicomputer /'mɪnɪkəmpter/ noun C[6]
	a computer that is slightly less powerful and a little smaller than a mainframe.
	Minix /'mɪnɪks/ noun U[6]
	a compact Unix clone written as a teaching aid by Professor Andy Tanenbaum

MouseKeys /'maʊskɪz/ noun U [7] a Microsoft Windows operating system feature that changes the function of the numeric keypad keys on a computer keyboard so that they can be used to control the screen cursor	network /'netwɜ:k/ noun C [1;2,3,4,5,6,7,8,11,12,15,16,17,18,19,20,22,23,24] a combination of a number of computers and peripheral devices connected together	object /'ɒbjekɪt/ noun C [21] an object-oriented programming module that has its own properties created by bundling data and program instructions together	OS /əʊ's/ noun C [6] abbreviation for operating system	OS X /əʊ'ɛks/ noun U [25] version 10 of the Apple Macintosh operating system. It is a modular OS and has a desktop with a 3-D appearance. It includes support for UNIX-based applications as well as older Mac applications.
MP3 /'mɛpθi:/ noun U [9;23] abbreviation for MP3G Audio layer 3. A Motion Picture Experts Group standard for audio compression.	MPG /'empɛg/ noun U [9;23] a standard video compression scheme. The term is an acronym for Motion Picture Experts Group a committee that develops standards for audio and video file formats and compression.	MS-DOS /'emz'dɒs/ noun U [25] abbreviation for Microsoft disk operating system. The command line operating system that was used in the first PCs.	network computer /'netwɜ:kətju:nət/ noun kam, plu:tər/ noun C [11] a computer designed using the industry Microsystems for a low-cost basic personal computer that can be used as a processor or another type of processor and can use a Java-based operating system. It is designed for use on a multi-user network system and is managed centrally. It has no floppy disk drive, CD-ROM drive or hardware expansion slots, i.e. it is a type of thin client.	network guru /'netwɜ:k 'guru:/ noun C [22] a person who is an expert in networking and gives talks and advice on the future development of networking
multimedia /'mʌltɪ'medɪə/ noun U [1;2,13,15;21] the combination of text graphics, animation, sound and video	multimodal input /'mʌltɪ'mo:dəl 'ɪnput/ noun C [5;8] the process of operating a user interface using a combination of types of input, e.g. keyboard and speech recognition	MVS /'emvɪ:s/ noun U [16;22] abbreviation for multiple virtual storage. It is the name given to a family of mainframe computers	multicast /'mʌltɪkɔ:st/ noun C [11] the part of a network communications system that forms the data into packets and selects a route for the message	multicast /'mʌltɪkɔ:st/ noun C [11] the part of a network communications system that forms the data into packets and selects a route for the message
mW /'mi:lju:wɪ:t/ noun C [23] abbreviation for milliwatt. A unit of power equal to one thousandth of a watt...	multimedia input /'mʌltɪ'mo:dəl 'ɪnput/ noun C [12;14;22] an Internet discussion group that uses a restricted area on a server computer to display messages about a common interest	My Briefcase /maɪ'bri:fɛs/ noun U [7] a Microsoft Windows feature that simplifies the process of copying and synchronising files between a desktop and a portable computer	node /'nəʊd/ noun C [1;12] a network terminal or point where a computer is connected to a network	node /'nəʊd/ noun C [1;12] a network terminal or point where a computer is connected to a network
NAS /'ne:s/ noun C [19] acronym for network attached storage. A device that can be plugged into a network to provide a storage service for a natural-language programming /'nætʃu:rl̩ 'leɪndʒwɜ:d/ prə'træg'mɪnɪŋ/ noun C [21] the process of writing programs using a computer language that is very similar to natural human language	Net (the) /nɛ:t/ noun U [12;15;24] the common name for the Internet	notebook (computer) /'nəʊtbʊk/ noun C [23] a portable computer that is about the same size as a piece of writing paper	Novell /nə'u:l'vel/ noun U [22] the common name for Novell Incorporated. The American company that designs and produces the Netware network operating system.	Netscape Communicator /'netsepk ə'mju:nɪkætər/ noun U [11;15] a widely-used web browser package
NetWare /'netwɔ:re(r)/ noun U [16;22] a widely-used LAN operating system produced by Novell Incorporated	network attached storage /'netwɜ:k'ætɪ:tɪd 'stɔ:rɪdʒ/ noun C [19] data storage material that is written to or read from using laser light	numeric keyboard /'nju:tɪmɪk 'ke:bʊd/ noun C [7] the section of a computer keyboard that includes keys for entering numerical digits (0-9) and mathematical operators (+,-,/)	network /'netwɜ:k/ noun C [1;1,7;22,23;25] a connection of a number of computers and peripheral devices together	NetWare (computer) /'netwɔ:re(r)/ noun C [1;1,7;22,23;25] a popular handheld computer that connects to a number of computers and peripheral devices together

O	pane /peɪn/ noun C [10] a subsection of a graphical user interface window	pane /peɪn/ noun C [10] a subsection of a graphical user interface window	party data /'pærɪti: dætə/ noun U [17] extra data bits added to the end of units of data before transmission and then checked and added after transmission to see if the data has arrived accurately	pane /peɪn/ noun C [10] a subsection of a graphical user interface window
object /'ɒbjekɪt/ noun C [21] an object-oriented programming module that has its own properties created by bundling data and program instructions together	object-oriented programming /'ɒbjekɪt̩ 'prægræmɪŋ/ noun C [21] a type of programming where programs are made from combinations of predefined modules that can be used over and over again	object-oriented programming /'ɒbjekɪt̩ 'prægræmɪŋ/ noun C [21] a type of programming where programs are made from combinations of predefined modules that can be used over and over again	object-oriented programming /'ɒbjekɪt̩ 'prægræmɪŋ/ noun C [21] a type of programming where programs are made from combinations of predefined modules that can be used over and over again	object /'ɒbjekɪt/ noun C [21] an object-oriented programming module that has its own properties created by bundling data and program instructions together
OCR /əʊ'sɪ:k'r/ noun U [3] abbreviation for Optical character recognition (OCR) Office /'ɒfɪ:s/ noun U [8;22] a widely-used application package developed by the Microsoft Corporation that includes programs used in a typical office, e.g. a wordprocessor and spreadsheet software application / suite /'su:tɪ/ noun C [18] a collection of computer programs or sets of computer programs used that are used in a typical office, e.g. a wordprocessor, spreadsheet and database	offline /'oflaɪn/ adj [12] disconnected from a computer system or the Internet online /'onlɪ'næm/ adj [12;13,14;16,22,23;24] connected to a computer or the Internet	offline /'oflaɪn/ adj [12] disconnected from a computer system or the Internet online /'onlɪ'næm/ adj [12;13,14;16,22,23;24] connected to a computer or the Internet	offline /'oflaɪn/ adj [12] disconnected from a computer system or the Internet online /'onlɪ'næm/ adj [12;13,14;16,22,23;24] connected to a computer or the Internet	offline /'oflaɪn/ adj [12] disconnected from a computer system or the Internet online /'onlɪ'næm/ adj [12;13,14;16,22,23;24] connected to a computer or the Internet
P	pA /'pi:nskaʊəmp/ noun C [23]	pA /'pi:nskaʊəmp/ noun C [23]	pincer /'pi:nsə:kən/ noun C [23] a set of very small low power wireless links consuming only picowatts of electricity that are set up between Bluetooth devices when they are within 10 metres of each other	pincer /'pi:nsə:kən/ noun C [23] a set of very small low power wireless links consuming only picowatts of electricity that are set up between Bluetooth devices when they are within 10 metres of each other
patch /'pe:tʃ/ verb [18] to insert programming code into a computer program to fix or modify it in some way	patch /'pe:tʃ/ verb [18] to insert a copy of data held in computer's memory at a chosen position	patch /'pe:tʃ/ verb [18] to insert programming code into a computer program to fix or modify it in some way	patch /'pe:tʃ/ verb [18] to insert a copy of data held in computer's memory at a chosen position	patch /'pe:tʃ/ verb [18] to insert programming code into a computer program to fix or modify it in some way
payload /'pleɪlo:d/ noun C [18] the part of a virus that carries out the threat such as displaying a slogan on the screen	payload /'pleɪlo:d/ noun C [18] the part of a virus that carries out the threat such as displaying a slogan on the screen	payload /'pleɪlo:d/ noun C [18] the part of a virus that carries out the threat such as displaying a slogan on the screen	payload /'pleɪlo:d/ noun C [18] the part of a virus that carries out the threat such as displaying a slogan on the screen	payload /'pleɪlo:d/ noun C [18] the part of a virus that carries out the threat such as displaying a slogan on the screen
PC /pi:s/ noun U [21] a personal computer	PC /pi:s/ noun U [21] a personal computer	PC /pi:s/ noun U [21] a personal computer	PC /pi:s/ noun U [21] a personal computer	PC /pi:s/ noun U [21] a personal computer
PCI Express /'pi:si'ɛkspres/ noun C [18]	PCI Express /'pi:si'ɛkspres/ noun C [18]	PCI Express /'pi:si'ɛkspres/ noun C [18]	PCI Express /'pi:si'ɛkspres/ noun C [18]	PCI Express /'pi:si'ɛkspres/ noun C [18]
PCI Express /'pi:si'ɛkspres/ noun C [18]	PCI Express /'pi:si'ɛkspres/ noun C [18]	PCI Express /'pi:si'ɛkspres/ noun C [18]	PCI Express /'pi:si'ɛkspres/ noun C [18]	PCI Express /'pi:si'ɛkspres/ noun C [18]
PCI Express /'pi:si'ɛkspres/ noun C [18]	PCI Express /'pi:si'ɛkspres/ noun C [18]	PCI Express /'pi:si'ɛkspres/ noun C [18]	PCI Express /'pi:si'ɛkspres/ noun C [18]	PCI Express /'pi:si'ɛkspres/ noun C [18]
PCI Express /'pi:si'ɛkspres/ noun C [18]	PCI Express /'pi:si'ɛkspres/ noun C [18]	PCI Express /'pi:si'ɛkspres/ noun C [18]	PCI Express /'pi:si'ɛkspres/ noun C [18]	PCI Express /'pi:si'ɛkspres/ noun C [18]
PCI Express /'pi:si'ɛkspres/ noun C [18]	PCI Express /'pi:si'ɛkspres/ noun C [18]	PCI Express /'pi:si'ɛkspres/ noun C [18]	PCI Express /'pi:si'ɛkspres/ noun C [18]	PCI Express /'pi:si'ɛkspres/ noun C [18]
PCI Express /'pi:si'ɛkspres/ noun C [18]	PCI Express /'pi:si'ɛkspres/ noun C [18]	PCI Express /'pi:si'ɛkspres/ noun C [18]	PCI Express /'pi:si'ɛkspres/ noun C [18]	PCI Express /'pi:si'ɛkspres/ noun C [18]
PCI Express /'pi:si'ɛkspres/ noun C [18]	PCI Express /'pi:si'ɛkspres/ noun C [18]	PCI Express /'pi:si'ɛkspres/ noun C [18]	PCI Express /'pi:si'ɛkspres/ noun C [18]	PCI Express /'pi:si'ɛkspres/ noun C [18]
PCI Express /'pi:si'ɛkspres/ noun C [18]	PCI Express /'pi:si'ɛkspres/ noun C [18]	PCI Express /'pi:si'ɛkspres/ noun C [18]	PCI Express /'pi:si'ɛkspres/ noun C [18]	PCI Express /'pi:si'ɛkspres/ noun C [18]
PCI Express /'pi:si'ɛkspres/ noun C [18]	PCI Express /'pi:si'ɛkspres/ noun C [18]	PCI Express /'pi:si'ɛkspres/ noun C [18]	PCI Express /'pi:si'ɛkspres/ noun C [18]	PCI Express /'pi:si'ɛkspres/ noun C [18]
PCI Express /'pi:si'ɛkspres/ noun C [18]	PCI Express /'pi:si'ɛkspres/ noun C [18]	PCI Express /'pi:si'ɛkspres/ noun C [18]	PCI Express /'pi:si'ɛkspres/ noun C [18]	PCI Express /'pi:si'ɛkspres/ noun C [18]
PCI Express /'pi:si'ɛkspres/ noun C [18]	PCI Express /'pi:si'ɛkspres/ noun C [18]	PCI Express /'pi:si'ɛkspres/ noun C [18]	PCI Express /'pi:si'ɛkspres/ noun C [18]	PCI Express /'pi:si'ɛkspres/ noun C [18]
PCI Express /'pi:si'ɛkspres/ noun C [18]	PCI Express /'pi:si'ɛkspres/ noun C [18]	PCI Express /'pi:si'ɛkspres/ noun C [18]	PCI Express /'pi:si'ɛkspres/ noun C [18]	PCI Express /'pi:si'ɛkspres/ noun C [18]
PCI Express /'pi:si'ɛkspres/ noun C [18]	PCI Express /'pi:si'ɛkspres/ noun C [18]	PCI Express /'pi:si'ɛkspres/ noun C [18]	PCI Express /'pi:si'ɛkspres/ noun C [18]	PCI Express /'pi:si'ɛkspres/ noun C [18]
PCI Express /'pi:si'ɛkspres/ noun C [18]	PCI Express /'pi:si'ɛkspres/ noun C [18]	PCI Express /'pi:si'ɛkspres/ noun C [18]	PCI Express /'pi:si'ɛkspres/ noun C [18]	PCI Express /'pi:si'ɛkspres/ noun C [18]
PCI Express /'pi:si'ɛkspres/ noun C [18]	PCI Express /'pi:si'ɛkspres/ noun C [18]	PCI Express /'pi:si'ɛkspres/ noun C [18]	PCI Express /'pi:si'ɛkspres/ noun C [18]	PCI Express /'pi:si'ɛkspres/ noun C [18]
PCI Express /'pi:si'ɛkspres/ noun C [18]	PCI Express /'pi:si'ɛkspres/ noun C [18]	PCI Express /'pi:si'ɛkspres/ noun C [18]	PCI Express /'pi:si'ɛkspres/ noun C [18]	PCI Express /'pi:si'ɛkspres/ noun C [18]
PCI Express /'pi:si'ɛkspres/ noun C [18]	PCI Express /'pi:si'ɛkspres/ noun C [18]	PCI Express /'pi:si'ɛkspres/ noun C [18]	PCI Express /'pi:si'ɛkspres/ noun C [18]	PCI Express /'pi:si'ɛkspres/ noun C [18]
PCI Express /'pi:si'ɛkspres/ noun C [18]	PCI Express /'pi:si'ɛkspres/ noun C [18]	PCI Express /'pi:si'ɛkspres/ noun C [18]	PCI Express /'pi:si'ɛkspres/ noun C [18]	PCI Express /'pi:si'ɛkspres/ noun C [18]
PCI Express /'pi:si'ɛkspres/ noun C [18]	PCI Express /'pi:si'ɛkspres/ noun C [18]	PCI Express /'pi:si'ɛkspres/ noun C [18]	PCI Express /'pi:si'ɛkspres/ noun C [18]	PCI Express /'pi:si'ɛkspres/ noun C [18]
PCI Express /'pi:si'ɛkspres/ noun C [18]	PCI Express /'pi:si'ɛkspres/ noun C [18]	PCI Express /'pi:si'ɛkspres/ noun C [18]	PCI Express /'pi:si'ɛkspres/ noun C [18]	PCI Express /'pi:si'ɛkspres/ noun C [18]
PCI Express /'pi:si'ɛkspres/ noun C [18]	PCI Express /'pi:si'ɛkspres/ noun C [18]	PCI Express /'pi:si'ɛkspres/ noun C [18]	PCI Express /'pi:si'ɛkspres/ noun C [18]	PCI Express /'pi:si'ɛkspres/ noun C [18]
PCI Express /'pi:si'ɛkspres/ noun C [18]	PCI Express /'pi:si'ɛkspres/ noun C [18]	PCI Express /'pi:si'ɛkspres/ noun C [18]	PCI Express /'pi:si'ɛkspres/ noun C [18]	PCI Express /'pi:si'ɛkspres/ noun C [18]
PCI Express /'pi:si'ɛkspres/ noun C [18]	PCI Express /'pi:si'ɛkspres/ noun C [18]	PCI Express /'pi:si'ɛkspres/ noun C [18]	PCI Express /'pi:si'ɛkspres/ noun C [18]	PCI Express /'pi:si'ɛkspres/ noun C [18]
PCI Express /'pi:si'ɛkspres/ noun C [18]	PCI Express /'pi:si'ɛkspres/ noun C [18]	PCI Express /'pi:si'ɛkspres/ noun C [18]	PCI Express /'pi:si'ɛkspres/ noun C [18]	PCI Express /'pi:si'ɛkspres/ noun C [18]
PCI Express /'pi:si'ɛkspres/ noun C [18]	PCI Express /'pi:si'ɛkspres/ noun C [18]	PCI Express /'pi:si'ɛkspres/ noun C [18]	PCI Express /'pi:si'ɛkspres/ noun C [18]	PCI Express /'pi:si'ɛkspres/ noun C [18]
PCI Express /'pi:si'ɛkspres/ noun C [18]	PCI Express /'pi:si'ɛkspres/ noun C [18]	PCI Express /'pi:si'ɛkspres/ noun C [18]	PCI Express /'pi:si'ɛkspres/ noun C [18]	PCI Express /'pi:si'ɛkspres/ noun C [18]
PCI Express /'pi:si'ɛkspres/ noun C [18]	PCI Express /'pi:si'ɛkspres/ noun C [18]	PCI Express /'pi:si'ɛkspres/ noun C [18]	PCI Express /'pi:si'ɛkspres/ noun C [18]	PCI Express /'pi:si'ɛkspres/ noun C [18]
PCI Express /'pi:si'ɛkspres/ noun C [18]	PCI Express /'pi:si'ɛkspres/ noun C [18]	PCI Express /'pi:si'ɛkspres/ noun C [18]	PCI Express /'pi:si'ɛkspres/ noun C [18]	PCI Express /'pi:si'ɛkspres/ noun C [18]
PCI Express /'pi:si'ɛkspres/ noun C [18]	PCI Express /'pi:si'ɛkspres/ noun C [18]	PCI Express /'pi:si'ɛkspres/ noun C [18]	PCI Express /'pi:si'ɛkspres/ noun C [18]	PCI Express /'pi:si'ɛkspres/ noun C [18]
PCI Express /'pi:si'ɛkspres/ noun C [18]	PCI Express /'pi:si'ɛkspres/ noun C [18]	PCI Express /'pi:si'ɛkspres/ noun C [18]	PCI Express /'pi:si'ɛkspres/ noun C [18]	PCI Express /'pi:si'ɛkspres/ noun C [18]
PCI Express /'pi:si'ɛkspres/ noun C [18]	PCI Express /'pi:si'ɛkspres/ noun C [18]	PCI Express /'pi:si'ɛkspres/ noun C [18]	PCI Express /'pi:si'ɛkspres/ noun C [18]	PCI Express /'pi:si'ɛkspres/ noun C [18]
PCI Express /'pi:si'ɛkspres/ noun C [18]	PCI Express /'pi:si'ɛkspres/ noun C [18]	PCI Express /'pi:si'ɛkspres/ noun C [18]	PCI Express /'pi:si'ɛkspres/ noun C [18]	PCI Express /'pi:si'ɛkspres/ noun C [18]
PCI Express /'pi:si'ɛkspres/ noun C [18]	PCI Express /'pi:si'ɛkspres/ noun C [18]	PCI Express /'pi:si'ɛkspres/ noun C [18]	PCI Express /'pi:si'ɛkspres/ noun C [18]	PCI Express /'pi:si'ɛkspres/ noun C [18]
PCI Express /'pi:si'ɛkspres/ noun C [18]	PCI Express /'pi:si'ɛkspres/ noun C [18]	PCI Express /'pi:si'ɛkspres/ noun C [18]	PCI Express /'pi:si'ɛkspres/ noun C [18]	PCI Express /'pi:si'ɛkspres/ noun C [18]
PCI Express /'pi:si'ɛkspres/ noun C [18]	PCI Express /'pi:si'ɛkspres/ noun C [18]	PCI Express /'pi:si'ɛkspres/ noun C [18]	PCI Express /'pi:si'ɛkspres/ noun C [18]	PCI Express /'pi:si'ɛkspres/ noun C [18]
PCI Express /'pi:si'ɛkspres/ noun C [18]	PCI Express /'pi:si'ɛkspres/ noun C [18]	PCI Express /'pi:si'ɛkspres/ noun C [18]	PCI Express /'pi:si'ɛkspres/ noun C [18]	PCI Express /'pi:si'ɛkspres/ noun C [18]
PCI Express /'pi:si'ɛkspres/ noun C [18]	PCI Express /'pi:si'ɛkspres/ noun C [18]	PCI Express /'pi:si'ɛkspres/ noun C [18]	PCI Express /'pi:si'ɛkspres/ noun C [18]	PCI Express /'pi:si'ɛkspres/ noun C [18]
PCI Express /'pi:si'ɛkspres/ noun C [18]	PCI Express /'pi:si'ɛkspres/ noun C [18]	PCI Express /'pi:si'ɛkspres/ noun C [18]	PCI Express /'pi:si'ɛkspres/ noun C [18]	PCI Express /'pi:si'ɛkspres/ noun C [18]
PCI Express /'pi:si'ɛkspres/ noun C [18]	PCI Express /'pi:si'ɛkspres/ noun C [18]	PCI Express /'pi:si'ɛkspres/ noun C [18]	PCI Express /'pi:si'ɛkspres/ noun C [18]	PCI Express /'pi:si'ɛkspres/ noun C [18]
PCI Express /'pi:si'ɛkspres/ noun C [18]	PCI Express /'pi:si'ɛkspres/ noun C [18]	PCI Express /'pi:si'ɛkspres/ noun C [18]	PCI Express /'pi:si'ɛkspres/ noun C [18]	PCI Express /'pi:si'ɛkspres/ noun C [18]
PCI Express /'pi:si'ɛkspres/ noun C [18]	PCI Express /'pi:si'ɛkspres/ noun C [18]	PCI Express /'pi:si'ɛkspres/ noun C [18]	PCI Express /'pi:si'ɛkspres/ noun C [18]	PCI Express /'pi:si'ɛkspres/ noun C [18]
PCI Express /'pi:si'ɛkspres/ noun C [18]	PCI Express /'pi:si'ɛkspres/ noun C [18]	PCI Express /'pi:si'ɛkspres/ noun C [18]	PCI Express /'pi:si'ɛkspres/ noun C [18]	PCI Express /'pi:si'ɛkspres/ noun C [18]
PCI Express /'pi:si'ɛkspres/ noun C [18]	PCI Express /'pi:si'ɛkspres/ noun C [18]	PCI Express /'pi:si'ɛkspres/ noun C [18]	PCI Express /'pi:si'ɛkspres/ noun C [18]	PCI Express /'pi:si'ɛkspres/ noun C [18]
PCI Express /'pi:si'ɛkspres/ noun C [18]	PCI Express /'pi:si'ɛkspres/ noun C [18]	PCI Express /'pi:si'ɛkspres/ noun C [18]	PCI Express /'pi:si'ɛkspres/ noun C [18]	PCI Express /'pi:si'ɛkspres/ noun C [18]
PCI Express /'pi:si'ɛkspres/ noun C [18]	PCI Express /'pi:si'ɛkspres/ noun C [18]	PCI Express /'pi:si'ɛkspres/ noun C [18]	PCI Express /'pi:si'ɛkspres/ noun C [18]	PCI Express /'pi:si'ɛkspres/ noun C [18]
PCI Express /'pi:si'ɛkspres/ noun C [18]	PCI Express /'pi:si'ɛkspres/ noun C [18]	PCI Express /'pi:si'ɛkspres/ noun C [18]	PCI Express /'pi:si'ɛkspres/ noun C [18]	PCI Express /'pi:si'ɛkspres/ noun C [18]
PCI Express /'pi:si'ɛkspres/ noun C [18]	PCI Express /'pi:si'ɛkspres/ noun C [18]	PCI Express /'pi:si'ɛkspres/ noun C [18]	PCI Express /'pi:si'ɛkspres/ noun C [18]	PCI Express /'pi:si'ɛkspres/ noun C [18]
PCI Express /'pi:si'ɛkspres/ noun C [18]	PCI Express /'pi:si'ɛkspres/ noun C [18]	PCI Express /'pi:si'ɛkspres/ noun C [18]	PCI Express /'pi:si'ɛkspres/ noun C [18]	PCI Express /'pi:si'ɛkspres/ noun C [18]
PCI Express /'pi:si'ɛkspres/ noun C [18]	PCI Express /'pi:si'ɛkspres/ noun C [18]	PCI Express /'pi:si'ɛkspres/ noun C [18]	PCI Express /'pi:si'ɛkspres/ noun C [18]	PCI Express /'pi:si'ɛkspres/ noun C [18]
PCI				

portable computer to make it easier to connect peripheral devices

portable computer /pɔ:təbl/ noun C [2] a computer that is small and light enough to be carried from place to place. It can usually be powered by batteries.

post /paʊət/ verb [I2] to display a message in a computer newsgroup or bulletin board

post office protocol /,paʊət,ɒfɪts prə:təkɒl/ noun U [13] a message-retrieval protocol used by many mail clients to get messages from a server. It only allows you to download all messages in your mailbox at once and messages in 'pull' mode, i.e. the receiving PC initiating the connection.

postscripted frame /prɪ'skriptɪd freɪm/ noun C [9] a type of image frame used in MPEG compression. A predicted frame only stores the differences in the image compared to the previous frame or P frame.

presentation layer /prezən'teɪʃn lə:ər/ noun C [1] the part of a network communications system that ensures the message is transmitted in a language that the receiving computer can interpret

primary disk drive /'pri:məri, dɪsk d्रɪv/ noun C [1]

RAID level	/rēd' lēvəl/ noun C[17a]
	a particular arrangement of RAID arrays.
	Each RAID level is given a number with higher numbers indicating more elaborate methods of ensuring a computer can recover from hardware errors. The best known are RAID 0 to RAID 5.
RAM	/rām/ noun U[2,17] acronym for random access memory /rāndəm' akses' mēməri/ noun U[2] a type of memory that can be accessed in any order. RAM is the main electronic memory of a personal computer and used for storing the programs and data being used.
raw data	/rāv' dātə/ noun U[24] data that has not been processed
RDBMS	/rēb'ēməs/ noun C[17a] : di: bi: em: es: noun C[12a] abbreviation for relational database management system. A database system that links files together as required.
real-time	/rē'lī tam/ noun U[12,23,24] the immediate processing of computer data enabling interactive applications.
reboot	/rē'būt/ verb [i] to restart a computer operating system
record	/rēkōrd/ noun C[8,19,21a]

graphical information that can be shown on the screen. This partly depends on the number of dots that make up the image.

resolution protocol /rɪ'zɔ:lju:tju:lɒn/ [n]:
prə'tɒksəl/ noun U [12]: a set of standards for software used with internal look-up tables in a TCP/IP network for routing data through a gateway between networks

restore /ri'stɔ:l/ verb [17.1]: to put data back into its original location

reverse engineering /rɪ'vers ˌɪnjɪ'nɪəriŋ/ [n]:
endʒɪ'nɪəriŋ noun U [24]: to take an object apart to discover how it was originally designed and put together

RF /ɑ:rf/ noun U [23]: abbreviation for radio frequency

RFID /ɑ:rf ɪ'deɪf/ noun C [23]:
ə'freɪd/ abbreviation for radio frequency identification device. A label that stores information to identify an object and can be read using radio signals

right click /raɪt 'klik/ verb [7.21]: to press and release the right-hand button on a mouse

ring main /'rɪŋ meɪn/ noun C [23]: the main electrical supply circuit in a building

rip /rip/ verb [9]: to extract songs from

S	<p>s/w /'sifweər/ noun U [22] abbreviation for software</p> <p>salami shaving /'sæləmɪ 'ʃeɪvɪŋ/ noun U [18] a computer crime that involves manipulating programs or data so that small amounts of money are deducted from a large number of transactions on accounts and accumulated elsewhere</p> <p>SAN /seɪn/ noun C [91] acronym for storage area network. A high-speed interconnection of shared storage devices</p> <p>SAP /sæp/ noun U [8,22] a widely used enterprise resource planning tool program</p> <p>SATA /'seɪtə/ noun U [2] acronym for Serial ATA</p> <p>save /seɪv/ verb [1,10,15,18] to copy a program or data to a storage device</p> <p>scan /skæn/ verb [1,3,16,19] to copy text</p>
----------	--

related database fields	recorder [ri'kɔ:dər] /n/ noun C [9] a computer program that allows the user to create their own audio CDs with a writable CD-ROM drive
recycle Bin [ri'sa:kli bɪn] /noun U/ [7]	the folder in Microsoft Windows operating systems where deleted files are stored
redundant array of inexpensive disks	rdi [rɪ'da:nt] /,rɪ'deɪnt/ a. [re] av. [mɪk, spɛnsɪv] [dɪskz] /n/ noun U/ [7] a storage system consisting of a set of hard disks that can be combined in different arrangements to store data in such a way that the data can be recovered if one or more of the disks fail
reliable stream service /rɪ'læbl̩ strea:m s'ervɪs/ [337v]/s/ noun U/ [12] a data management service provided by the TCP protocol to ensure that data is transferred across a network correctly. It structures and buffers the data flow, looks for responses, and takes action to replace missing data blocks.	
resident /'reɪzɪdənt/ /adj/ [6,18] is kept in the computer's memory	
resistor /'ri:zɪstər/ /noun C/ [12] an electronic component that reduces the flow of current in a circuit	
resolution /rɪ'zɔ:lju:n/ /noun C/ [12,24] a measure of the quality of a display screen in terms of the amount of	

ripper /ri'pə(r)/ noun C [9] a program that extracts songs from a CD and turns them into MP3 files	rm /rɛm/ noun U [6] a Unix command for deleting a file	rmrdr /'rɛmrɛdə(r)/ noun U [6] a Unix and MS-DOS command for deleting a directory	robot /'rəʊbɒt/ noun C [16,21,23,24] a mechanical device controlled by a computer	robotics /rəʊ'bɒtɪks/ noun U [23] the study of robot systems	rocket science /'rɒkɪt,saɪəns/ noun L [24] something requiring great intelligence or technical ability	ROM /rəʊ'mə/ noun U [2] acronym for read-only memory	route /ru:t/ noun C [11,12] the path that is used to transfer data in a network	route /raʊt/ verb [9,11,12] to move data from node to node on a network	router /'rʊtaɪə(r)/ noun C [11,13,15,20] an electronic device that links different networks or parts of a network. It determines the path that a signal should take to reach its destination	rpm /'pi:em/ noun C [2] abbreviation for revolutions per minute	rule /ru:l/ noun C [3] the name given to patterns found in data when using neural networks
---	---	--	--	---	---	---	--	--	---	--	---

scanner /'skænə(r)/ noun C [2,3,19] an optical input device that uses the reflection of light from text or graphics into a computer	(monitor) display screen /'skrɪn/ noun C [1,2,7,11,16,17,18,21,24,25] a computer output device used for displaying text and graphical images	scroll /'skrəʊl/ verb [W 16,17] to move through displayed information smoothly on the screen either horizontally or vertically	scrollbar /'skrɔːlbə(r)/ noun C [14] the part of a graphical user interface window that allows the user to move through a document by clicking or dragging with the mouse	SCSI /'es si:/ cs: at noun U [19] acronym for small computer systems interface.
				A standard way of connecting peripheral devices to a personal computer system. It is often used to connect hard disks and CD-ROM drives in server computers.
				SDRAM /'es di:/ 'reɪm noun U [2]
				abbreviation for synchronous dynamic random access memory. A type of fast memory that uses a separate clock signal in addition to the normal control signals.

user. Search engines are usually accessed from special websites.

sector /'sektə(r)/ noun C[2,17] a formed section of a circular magnetic track used for storing data on a hard disk

seek time /sɪk taim/ noun C[17] the amount of time taken by a disk drive to find a particular track on a disk

segment /'segmənt/ noun C[11] a subdivision of data created by a network communications transport layer for which a checksum is generated

serial /'siəriəl/ adj [2,4] designed to transfer data sequentially, i.e. one data bit after another

serial ATA /'siəriəl ə'teɪə/ noun U[2]

(Serial Advanced Technology Attachment) a drive interface that feeds signals one after the other along the same connector, in contrast to the earlier, slower, parallel ATA standard that fed signals at the same time along a set of connectors

serial number /'siəriəl ˈnʌmbər/ noun C[17] a number that uniquely identifies a product

serial port /'siəriəl pɔ:t/ noun C[12] the small connector at the back of the computer that connects it to a printer or a monitor

that is used to connect a serial device such as a serial mouse or a modem.

Two serial ports labelled COM1 and COM2 are usually provided on a PC.

server /'sɜːvə(r)/ noun C [16.8, 11.12, 13, 15.17, 1.18, 2.21] a main computer that provides a service on a network

server farm /sɜːvə(r)fɔːm/ noun C [9.1] a large collection of networked server computers that work together by sharing the service workload

service tag number /'sɜːvɪs tæg nʌmbr/ noun C [1.17] a number used to identify a computer for maintenance agreements

service layer /'sɜːvɪs ,læə(r)/ noun C [11] the part of a network communications system that opens communications and has the job of keeping straight the communications among all nodes on the network. It sets boundaries for the beginning and end of a message and establishes whether the messages will be sent half-duplex or full duplex.

GML /'gɛməl/ os db: em: e/ noun C [14]

abbreviation for Standard Generalised Markup Language

shareware /'ʃeəwə(r)/ noun C [15.19]

software that is distributed freely and only paid for if the user decides to keep it

shell script /ʃel skrɪpt/ noun C [22] a text file that contains a sequence of commands for a UNIX-based operating system. In DOS operating systems a shell script is called a batch file.	the programs and data used in a computer
shift key /ʃift ki:/ noun C [7] the computer keyboard key that is held down to produce uppercase letters	software engineering /'softwɛər endʒɪnɪəriŋ/ noun U [21] the discipline of designing high quality software solutions
sign up /saɪn 'ʌp/ verb [12,14] to register with a service	software house /'softwɛər haʊs/ noun C [25] a company that designs and produces software
SimCity /sim sɪti/ noun U [18] a well-known computer simulation game in which the users control various aspects of running a virtual city	software piracy /'softwɛər paɪəri/ noun U [18] a computer crime that involves unauthorised copying of a program for sale or distributing to other users
soundcard /saʊndkɑ:d/ noun C [2,9] the electronic circuit expansion board in a computer that is used to process audio signals and connect to and control a microphone/loudspeaker or headphones	source code /'sɔ:s kɔ:d/ noun C [6] programming code that has to be processed by a compiler or translator to make object code for use in a computer
simulation /simjʊ'ljeɪʃn/ noun C [12] a programmed virtual environment that imitates a real or planned system	spam /spa:m/ noun U [12] unsolicited email sent to large numbers of people indiscriminately usually advertising or trying to sell a product
site /saɪt/ noun C [11,12,13,15,18] a common name for a website	speaker /'spɪkər/ noun C [9] common term for a loudspeaker. An output device for providing sound output.
site map /saɪt mæp/ noun C [14,15] a webpage that is used to show the overall layout of a website	spectrum analyser /'spektrəm'ænalɪzər/ noun C [9] an instrument that plots a graph of frequency parameters for a complete frequency band
skin /ski:n/ noun C [9] a computer program that is used to change the interface of another program, e.g. to change the screen display on an MP3 player program	split/ split pair /'splɪ:t/ noun U [61] the term used for telephone calls made using VoIP on the Internet
SM band /'es' em bænd/ noun U [23] common name for the Industrial Scientific and Medical frequency band	splitter-based service /'splɪ:tər'bɛ:səd sɜ:sɪv/ noun C [16] a DSL system that separates the data signal from the phone line as it enters a building and sends it to a DSL modem
smart card /smɑ:t kɑ:d/ noun C [1,3,19,20] a plastic card containing a processor and memory chip. It can be used to store large amounts of confidential data.	spread spectrum /'spred' spekrəm/ noun U [23] a radiowave system that switches rapidly between different frequencies in a frequency band allowing a number of devices to share the same frequency band without interfering with each other
smart card reader /'smɑ:t kɑ:d rɪ'dər/ noun C [19] a device used for reading smart cards	spreadsheet (program) /'spredʃ:t/ noun C [5,6,8,16,17] a type of application program with an array of cells that is used for calculating formulas
smartphone /'smɑ:t faʊn/ noun C [24] a telephone that contains an embedded processor and memory and can process data, e.g. translate English into German, Japanese and French in real time	SQL /'es kju:l/ noun U [22] abbreviation for Short Message Service. A method of sending text messages that are 160 characters in length or shorter over a mobile phone.
SMS /'es em 'es/ noun U [16]	SMTP /'es em 'tɪ:p/ noun U [12,13] abbreviation for simple message transfer protocol
software /'softwɛər/ noun U [1,2,5,6,14, 17,18,19,21,22,23,24,25]	software /'softwɛər/ noun U [25] a generalised markup language

T	
structured language /'strʌktʃəd læŋgwɪdʒ/ noun C [21] a computer programming language that requires the programmer to write programs made up of self-contained units or procedures	surf /sɜ:f/ verb [15,23] to browse webpages on the internet in an unplanned way
surge protector /'sɜ:gə pə'tek:tər/ noun C [19] an electronic device that protects equipment from damage due to sudden high voltage or current in the power supply	tab /tæb/ noun C [7] the computer keyboard key that is used to move the cursor to the next tabulation point in a wordprocessor program so that data can be spaced evenly on the screen
swipe card /swaɪp kɑ:d/ noun C [2] a plastic card with a magnetic strip running across it containing confidential data	tag /tæg/ noun C [9,14] a label used in a markup language such as HTML. It is attached to a piece of text to mark the start or the end of a particular block
swap /swa:p/ noun C [2] a function, tape /teɪp/ noun U [19] a magnetic storage medium commonly used for storing backup files	taskbar /'tɑ:skbɑ:tər/ noun C [7,10] a Microsoft Windows desktop component that indicates what programs are currently being used and allows the user to switch between them
switch bit /swɪtʃ bɪ:t/ noun C [11] a data bit that marks the beginning of a data block in a network transmission	TCP /tʃeɪpi:k/ noun U [12] abbreviation for Transfer Control Protocol. A part of the TCP/IP protocol used on the internet.
start menu /'stɑ:t menju:/ noun C [10] the list of choices that opens up on the display screen when the user clicks the Start button in a Microsoft Windows desktop	TCP/IP /tʃeɪpi:k 'i:p/ noun U [12,22] abbreviation for Transmission Control Protocol/Internet protocol. The official set of standards for determining the form of the signals used for transmitting data on the internet.
start-stop transmission /stɑ:t-, stop træns'mɪ:tʃn/ noun C [14] a webpage that gives further detailed information about part of the info in a main webpage	telecommunications engineer /telɪkə'mju:nɪtɪəz ˌen:dʒɪ'nɪər/ noun C [25] a person who works with systems concerned with communications over long distances
start menu /'stɑ:t menju:/ noun C [10] another name for asynchronous transmission where data is sent one byte (or character) at a time	telecommunications /telɪkə'mju:nɪtɪəz/ noun C [5,22] branch of technology concerned with communications over long distances
static earthling band /'steɪtɪk 'eərlɪŋ bænd/ noun C [12] a strip of material that is wound round the wrist of a repair technician and connected to earth to prevent the build up of static electricity which could destroy electronic components	telecomm /telɪkɒm/ noun U [24] common term for telecommunications
status bar /'steɪtʊs ba:r/ noun C [10] a narrow band displayed across the bottom of a window in a Microsoft Windows application to display useful information for the user, e.g. number of pages in a document	telecommunications engineer /telɪkə'mju:nɪtɪəz ˌen:dʒɪ'nɪər/ noun C [25] a person who works with systems concerned with communications over long distances
stealth virus /'steɪfθ 'vaɪrəs/ noun C [18]	telecommunications /telɪkə'mju:nɪtɪəz/ noun C [5,22] branch of technology concerned with communications over long distances
stealth virus /'steɪfθ 'vaɪrəs/ noun C [18]	telecommunications engineer /telɪkə'mju:nɪtɪəz ˌen:dʒɪ'nɪər/ noun C [25] a person who provides help to computer users by studying their requirements and designing systems to provide for their needs
stealth virus /'steɪfθ 'vaɪrəs/ noun C [18]	support engineer /'sɔ:p tɹɪ:n̩g̩ ˌɪn̩dʒɪ'nɪər/ noun C [22] a professional who provides help for computer users by designing, building, and maintaining computer systems
storage device /'stɔ:ridʒ di:vɪs/ noun C [2] piece of equipment used for reading from and writing to a storage medium	support line /'sɔ:p lɪn/ noun C [12] a telephone line that can be used to get help with hardware or software problems. See helpdesk/helpline.
storage device /'stɔ:ridʒ di:vɪs/ noun C [2]	support technician /'sɔ:p tek'nɪʃn/ noun C [22] a person who maintains and troubleshoots problems with computers
storage medium /'stɔ:ridʒ 'mi:dɪəm/ noun C [19] a material used for storing programs and data	stripping /'stri:pɪŋ/ noun U [17] a process where data is spread across all drives in a RAID array rather than filling up one disk with data before writing to the next disk in the array
streaming /'stri:mɪŋ/ noun U [13,16] a process of downloading and storing the next part of a data signal while the first part is being used. In this way, the data signal, e.g. an audio or video is fed to the slower destination device at a steady rate.	string /'striŋ/ noun C [6,11] a series of data characters which can be a mixture of letters or numbers
real time /'reəl taɪm/ noun U [16]	striped /'stri:pɪd/ noun U [17] a process for structured query language. A language used for searching databases.
standalone /'steɪndələʊn/ adj [5,9] not connected to a network	standard generalised markup language /'steɪndər:d ˌdʒenə'relɪzaɪzd ˌma:kju:p la:gue/

teller machine /'telə məʃɪn/ noun C [25] a machine used for taking payments in large stores and supermarkets

telnet /'telnet/ noun U [12] acronym for teletype network. An Internet service that allows a user to connect to a multi-user server using a computer as a terminal.

terabit /'terəbit/ noun C [23] a unit of storage capacity equal to 1 009 511 627 776 bits

terminal adapter /'tɜːmɪnəl ədæptə(r)/ noun C [16] a device for connecting an ISDN system to an existing telephone line

text editor /'tekst ədɪtə(r)/ noun C [6] a computer program for editing basic data or program text, i.e. like a basic word processor

TFT display /'tɛf tɪplɔːr/ noun C [2] abbreviation for thin film transistor display. A type of LCD screen display commonly used in portable computers. It uses a separate transistor to control each pixel on the display.

thin client /'θɪn klerənt/ noun C [11,15] a low-cost centrally-managed basic computer with a keyboard and display screen processor and memory but no CD-ROM drive, floppy disk drive or expansion slots, e.g. NetPC or a network computer (NC)

third-generation GSM /'θɜːd ædʒəneɪtɪv dʒesem/ noun U [23] the third generation of the Global System for Mobile communication standard. It is the standard for mobile users around the world.

throughput /'θruːpʊt/ noun U [17] the amount of data that passes through a system in a given period of time

toggle-box /'tɒglbɒks/ noun C [10] a screen icon in Windows Explorer that opens or closes a folder to show or hide its subfolders when the user clicks on it using a mouse

tooltip /'tuːtɪp/ noun C [17] a label that appears on the screen when the user holds the mouse pointer over an icon in a Microsoft Windows system

topology /'tɔːplɔːdʒɪ/ noun C [5,11] the physical layout of a network

tower chassis /'taʊər ʃeɪzɪs/ noun C [2] a personal computer case that stands on end and can be placed on the floor

unless the normal desktop case sits flat on a desk under the monitor

track /'træk/ noun C [2] a formatted circular magnetic storage area on a computer disk

traffic /'træfɪk/ noun U [11,16] the volume of signals or data that passes through a network system

transaction processing /'trænsər'ækʃn 'prəsesɪŋ/ noun U [21] the processing of computer transactions by updating the computer file as each transaction takes place rather than storing them until later to be processed as a batch

transceiver /'trænsɪsɪvə(r)/ noun C [23] short form of transmitter/receiver. A device that both sends and receives signals

transistor /'trænzɪstə(r)/ noun C [6] preparation for printing

transmission control protocol /'trænzɪmənʃn kɔːntroːl prətɔːkol/ noun U [12] a set of standards for the delivery of error-free data in communications between computers. It comes into operation once a data packet is delivered to the correct Internet address and application port. It manages the communication exchanges and provides reliable stream service by structuring and buffering the data flow looking for responses and taking action to replace missing data blocks.

transponder /'trænsɒndə(r)/ noun C [23] a device that responds to received coded radio signals by automatically transmitting a different coded signal

transmitting layer /'trænsپɔːtɪŋ leɪə(r)/ noun C [11] the part of a network communications system that projects the data being sent. It subdivides the data into segments and creates checksum tests. It can also make backup copies of the data.

trapdoor /'træp dɔː(r)/ noun C [18] a technique used in a computer crime that involves leaving within a completed program an illicit program that allows unauthorised – and unknown – entry

Trojan (horse) /'trɔːdʒən/ noun C [18,20] a technique used in a computer crime that involves adding concealed instructions to a computer program so that it will still work but will not perform prohibited duties. In other words it appears to do something useful but actually does something destructive in the background.

troubleshoot /'trʌbʌʃut/ verb [22] to find and fix faults in a system

troubleshooter /'trʌbʌʃutə(r)/ noun C [22] a person who finds and fixes faults in a system

TTS /t̬:s/ noun U [7] abbreviation for text-to-speech. A system where a computer reads text to the user using a speech synthesiser.

tuned /'tjuːnd/ adj [11] set to operate on the same frequency

TV (set) /'teɪvɪə(r) sɛt/ noun C [16,23,24] abbreviation for television. A television

set is the actual television device used for displaying the video signals.

twisted pair (cabling) /'twɪstɪd peɪə(r)/ noun U [11,16] a common type of network cable that uses two wires twisted together to reduce interference from external signals

typescripting /'taɪpsɛtɪŋ/ noun U [6]

U

UDP /'juːdɪp/ noun U [12,23,24] abbreviation for user datagram protocol

undo /'ʌnduː/ verb [10] to restore a file to the condition it was in before the last change was made

unencrypt /ʌnɛn'trɪpt/ verb [18] to remove the encryption from a file

uniform resource locator /'juːnɪfɔːrm rɪsɔːs ʌləktə(r)/ noun C [13] the unique address of a webpage

uninterruptible power supply /'ʌnɪntɪr'ɔːptɪbɪl ˈpaʊər sɔːpl/ noun C [19] a battery backup system that automatically provides power to a computer when the normal electricity source fails

universal mobile telecommunications system /juːnɪvɜːsl ˌmaɪbəl ˌtelɪkə'mjuːnikeɪʃnズ sɪstəm/ noun C [11] a mobile system that can perform useful common routine tasks or housekeeping operations, e.g. formatting disks or copying files

UTMS /juːt̬ ˈtiː em̬ ˈes/ noun U [16] Telecommunications System

V

V /'veɪt̬/ noun C [23] abbreviation for volt, the international unit of voltage

VB /'viːbiː/ noun U [22] abbreviation for Visual Basic

VCR /'viː siː/ 'siːrɪ(r)/ noun C [1] abbreviation for video cassette recorder

VDU /'viː diː/ 'juː diː/ noun C [2]

Another name for a computer monitor. abbreviation for visual display unit.

verify /'verɪfɪ/ verb [11] to check for accuracy

video /'viːdɪəʊ/ noun U [2,9,16,17]

signals containing picture information

video (cassette) recorder /'viːdɪəʊ rɪ'kɔːdə(r)/ noun C [16,23] a device for recording video signals onto magnetic tape cassettes

video memory /'viːdɪəʊ 'meməri/ noun U [2] the memory used to store graphics data on a graphics card

videoconferencing /'viːdɪəʊ 'kɔːnfərənਸɪŋ/ noun U [1,24] a form of communication over a network that

uses video cameras so that the people taking part can see and hear each other

virtual /'vɜːtʃuəl/ adj [12,23,24] computer-simulated enabling the user to experience something without needing its physical presence

virtual reality /'vɜːtʃuəl rɪ'ælitɪ/ noun U [12] a simulated three-dimensional environment that surrounds the user and is generated by a computer

virus /'vɜːrəs/ noun C [1,8,10,11,15,17, 18,19,20] a program written with the purpose of causing damage or causing a computer to behave in an unusual way

virus-check /'vɜːrəs ʃeɪk/ verb [10,15] to check for viruses

Visual Basic /'viːzʊəl 'beɪsɪk/ noun U [21,22] a general-purpose programming language with a graphical interface. It is particularly suitable for use by beginners learning how to program.

visualisation technology /'viːzjʊəlɪzaʃn ˌteknɒləgi/ noun C [1] an operating system used by DEC VAX minicomputers

voice clip /'voɪs klɪp/ noun C [21] a short sound recording of the human voice

voice recognition /'voɪs rekɔːdɪŋ nɪfɪn/ noun U [7,19] a system that can respond to words spoken by a human being

voice synthesis /'voɪs, sɪnθəzɪs/ noun U [24] the generation of a human-sounding voice using electronic circuits

voice synthesizer /'voɪs, sɪnθəzɪsə(r)/ noun C [24] an electronic device that generates sounds that represent the human voice

VoIP /'voɪp/ noun U [16] abbreviation for voice over internet protocol. A set of standards for enabling phone calls to be made across the Internet

VR /'viː ɔːr/ noun U [23] abbreviation for virtual reality

W

wallpaper /'wɔːlpeɪpə(r)/ noun C [9] the background graphics on a Microsoft Windows desktop

Wap /'wæp/ noun U [16] acronym for wireless application protocol. A set of standards for allowing users to send emails and access information including video transmissions from the Internet on a mobile phone.

Windows Explorer /'windəʊz ɛkspɔːrə(r)/ noun U [2,6,17,19,22,25] a graphical user interface operating system front-end to MS-DOS developed by the Microsoft Corporation. It has been gradually developed into a full operating system.

Windows /'windəʊz/ noun U [9] a Microsoft Windows program that allows the user to see the files and folders on all the disks attached to the computer. It can be used for general housekeeping such as moving or deleting files.

WAV /'weɪv/ noun U [9] an audio file format

- Windows Media Player** /'wɪndəʊz'medɪə plætə(r)/ noun U [9] a Microsoft Windows program for playing multimedia files including audio and video
- wipe (a disk)** /waɪp/ verb [T] [I] to delete all files stored on a disk using wirelessly /'waɪələsli/ adj. [23] using radio signals without the need for connecting wires or cables
- wireless network** /'waɪələs 'netwɜːk/ noun C [11] the interconnection of computers using signals carried through the air (usually radio waves) instead of through connecting cables
- WLAN** /'wɪəlbjuː/ noun C [11] abbreviation of 'wireless local area network'. A network that uses radio waves to connect computers in a small area
- WML** /'wɪəlbjuː em/ cl/ noun U [16] abbreviation for 'wireless markup language'. A language similar to HTML used for designing webpages suitable for mobile phones.
- (Microsoft) Word** /'wɜːd/ noun U [1,10,22] a widely-used wordprocessing program developed by the Microsoft Corporation. It is a component of the Microsoft Office package.
- wordprocessing** /'wɜːdpræsəsɪŋ/ noun U [5,6,25] the process of typing and editing text using a wordprocessor
- wordprocessor** /'wɜːdpræsəsə(r)/ noun U [16,18] a type of computer application program used for typing and editing text documents
- workstation** /'wɜːksstɪʃn/ noun C [2,6,22] a powerful desktop computer used by power users for work that requires a lot of processing, e.g. graphic design
- World Wide Web (the)** /'wɜːld wɪd 2b/ noun C [7,13,20,22] an information service on the Internet that allows document pages to be accessed using hyperlinks
- worm** /'wɜːm/ noun C [20] a program that performs unwanted actions and replicates itself across a network
- WRAP** /ræp/ noun U [23] acronym for Web-ready appliances protocol. A set of communications system standards that enable web-connected appliances to communicate.
- writable CD-ROM drive** /'rɪtabl si: di: trɒm drɔː/ noun C [9] a compact disk drive that allows the user to write data onto the CD
- write-back cache** /'raɪt bæk .kæʃ/ noun C [2] a buffer storage system where the processor writes changes only to the cache and not to main memory. Cache entries that have changed are flagged
- as 'dirty' telling the cache controller to write their contents back to main memory before using the space to cache new data.
- write-through cache** /'raɪt θru: .kæʃ/ noun C [2] a buffer storage system where the processor writes directly to both the cache and main memory at the same time
- WWW** /'dʌblju:/ noun /'dʌblju:/ noun U [12] abbreviation for 'World Wide Web'. The internet service used for connecting to multimedia webpages.
- WXGA** /'weɪkə/ noun U [2] abbreviation for 'wide extended graphics array'. A standard screen resolution of 1024 x 768 pixels that is particularly suitable for displaying video films.
- X**
- X (windowing) (system)** /eks/ noun U [6]
- a windowing system used with different versions of Unix
- X.25** /eks .'twentɪ 'haɪv/ noun U [12] the International Telegraphic Union packet-switching data communications standard for connecting computers and a public network
- XGA** /'eks .ɛkə/ noun U [2]
- abbreviation for 'extended graphics array'. An IBM display screen standard with a resolution of 1024x768 pixels and up to 536 colours.
- XML** /eks em cl/ noun U [7,14,16,20, 21,25] abbreviation for extensible markup language
- Y**
- Yahoo** /'jaːθu:/ noun U [15,20] the name of a popular Internet search engine website
- Y**
- as 'dirty' telling the cache controller to write their contents back to main memory before using the space to cache new data.
- If it furthers the University's objective of excellence in research, scholarship and education by publishing worldwide in
- Oxford New York
Auckland Cape Town Dar es Salaam Hong Kong Kanchanaburi Kuala Lumpur Madrid Melbourne Mexico City Nairobi New Delhi Shanghai Taipei Toronto
- With offices in Argentina Austria Brazil Chile Czech Republic France Greece Guatemala Hungary Italy Japan Poland Portugal Singapore South Korea Switzerland Thailand Turkey Ukraine Vietnam
- OXFORD and OXFORD ENGLISH are registered trade marks of Oxford University Press in the UK and in certain other countries
- © Oxford University Press 2006
- The moral rights of the authors have been asserted
- Database right Oxford University Press (maker)
- First published 2006
2009 2008 2007 2006
10 9 8 7 6 5 4 3 2 1
- No unauthorized photocopying**
- All rights reserved. No part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, without the prior permission in writing of Oxford University Press, or as expressly permitted by law, or under terms agreed with the appropriate reprographics rights organization. Enquiries concerning reproduction outside the scope of the above should be sent to the EIT Rights Department, Oxford University Press, at the address above. You must not circulate this book in any other binding or cover and you must impose this same condition on any acquirer
- Any websites referred to in this publication are in the public domain and their addresses are provided by Oxford University Press for information only. Oxford University Press disclaims any responsibility for the content
- ISBN-13: 978 0 19 457492 2
ISBN-10: 0 19 457492 X
Printed in China

OXFORD

UNIVERSITY PRESS

Great Clarendon Street, Oxford oxx 6dp

Oxford University Press is a department of the University of Oxford. It furthers the University's objective of excellence in research, scholarship and education by publishing worldwide in

Oxford New York

Auckland Cape Town Dar es Salaam Hong Kong Kanchanaburi Kuala Lumpur Madrid Melbourne Mexico City Nairobi New Delhi Shanghai Taipei Toronto

With offices in

Argentina Austria Brazil Chile Czech Republic France Greece Guatemala Hungary Italy Japan Poland Portugal Singapore South Korea Switzerland Thailand Turkey Ukraine Vietnam

© Oxford University Press in the UK and in certain other countries

© Oxford University Press 2006

The moral rights of the authors have been asserted

Database right Oxford University Press (maker)

First published 2006

2009 2008 2007 2006

10 9 8 7 6 5 4 3 2 1

No unauthorized photocopying

All rights reserved. No part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, without the prior permission in writing of Oxford University Press, or as expressly permitted by law, or under terms agreed with the appropriate reprographics rights organization. Enquiries concerning reproduction outside the scope of the above should be sent to the EIT Rights Department, Oxford University Press, at the address above. You must not circulate this book in any other binding or cover and you must impose this same condition on any acquirer

Any websites referred to in this publication are in the public domain and their addresses are provided by Oxford University Press for information only. Oxford University Press disclaims any responsibility for the content

ISBN-13: 978 0 19 457492 2

ISBN-10: 0 19 457492 X

Printed in China

ACKNOWLEDGEMENTS

Designed by: Shireen Nathoo Design, London

The authors and publisher are grateful to those who have given permission to reproduce the following extracts and adaptations of copyright material:

p.8 Extracts from 'Computing in the Information Age' (2nd Edition) by Nancy Stern & Robert A. Stern. © John Wiley and Sons Inc. Reproduced by permission. p.16 'Cache memory', 'PC Plus' February 1994 © Future Publishing Limited. 'PC Plus' is a trademark of Future Publishing Limited. A Future Network PLC group company used under licence. All rights reserved.

Reproduced by permission. p.17 'How a disk cache works', 'PC Magazine' September 1990. Reproduced by permission of VNU Business Publications. p.22 'Data mining for golden opportunities', 'Smart Computing Guide Series' Vol. 8, Issue 1 January 2000. Reproduced by permission of Copyright Clearance Centre. p.30 Ready for the billion-by-drive', 'By Thomas Claburn, 'PC Magazine' (American Edition) March 2000. Reproduced by permission of Ziff-Davis Media Inc. p.36 Figure from 'Understanding Computers: Today and Tomorrow', 1998 Edition by Charles S. Parker. © The Dryden Press. Reproduced by permission of the publisher. p.37 Extracts from 'Computers and Information Systems' by Capron, © Pearson Education Inc. Upper Saddle River, NJ. Reproduced by permission. p.42 'Smooth operator', by Charles Stross, 'Computer Shopper' November 1998. Reproduced by permission of Dennis Publishing. p.50 'User-interfaces', by John Morris, 'PC Magazine' June 1998. Reproduced by permission of VNU Business Publications. p.55 'New GPSS Conversion for GP3', © Crown. Copyright 1998. Crown copyright material is reproduced with the permission of the Controller of Her Majesty's Stationery Office. © 1998 ASP and you shall receive' by Maggie Williams, 'PC Direct' November 2000. Reproduced by permission of VNU Business Publications. p.62 'Jam on with MP3', by R.V. Schmidt, 'Smart Computing Guide Series' Vol. 8, Issue 1 January 2000. Reproduced by permission of Copyright Clearance Centre. p.66 'The tricks to MPG's success', 'Windows Magazine' March 1994. © CMP Media Inc 1994. Reproduced by permission. p.78 'Network communications', 'PC Magazine' (American Edition) February 1993. Reproduced by permission of Ziff-Davis Media Inc. p.84 Extracts from 'PC Explorer' March 2000 p.37. Reproduced by permission of Live Publishing International: p.86 'How TCP/IP links dissimilar machines', 'PC Magazine' September 1989. Reproduced by permission of VNU Business Publications; p.94 'Using web-based e-mail' by Jonathan Bennett, 'PC Magazine' November 1999. Reproduced by permission of VNU Business Number 1999. Reproduced by permission of Matt Micklewicz, 'Windows Magazine' July 1999. © CMP Media Inc 1999. Reproduced by permission. p.100 'XM takes on HTML', 'Smart Computing Guide Series' Vol. 8, Issue 1 January 2000. Reproduced by permission of Copyright Clearance Centre, p.111 'Guardian text message poems find their way' by Matt Micklewicz. Appeared in 'Guardian Online' The Guardian 3 May 2001. Reproduced by permission of The Guardian Newspapers Ltd. p.114 'Infrastructure for streaming video', 'PC Magazine' July 1999. Reproduced by permission of VNU Business Publications; p.122 'Raiding hard drives', 'PC Advisor' 4 January 1996. Reproduced by permission of PC Advisor magazine. p.125 'Overview: Virus protection', 'PC Plus' December 1991 © Future Publishing Limited. 'PC Plus' is a trademark of Future Publishing Limited. A Future Network PLC group company used under licence. All rights reserved. Reproduced by permission. p.130 'Power user tutor' by Jeff Downey, 'PC