

PLATFORM DEEP DIVE / Plugins / Custom Plugins / Notifications plugin



Contents

- PLATFORM DEEP DIVE / Plugins / Custom Plugins / Notifications plugin / Using the plugin / Managing notification templates
- PLATFORM DEEP DIVE / Plugins / Custom Plugins / Notifications plugin / Using the plugin / Sending a notification
 - Configuring the process
 - Define needed Kafka topics
 - Example: send a notification from a business flow
- PLATFORM DEEP DIVE / Plugins / Custom Plugins / Notifications plugin / Using the plugin / Sending an email with attachments
 - Defining process actions
 - Example: send an email notification with attached files from a business flow
- PLATFORM DEEP DIVE / Plugins / Custom Plugins / Notifications plugin / Using the plugin / Forward notifications to an external system
- PLATFORM DEEP DIVE / Plugins / Custom Plugins / Notifications plugin / Using the plugin / OTP flow / Generate OTP
 - Define needed Kafka topics
 - Request to generate an OTP
 - Response from generate OTP
 - Example: generate an OTP from a business flow
- PLATFORM DEEP DIVE / Plugins / Custom Plugins / Notifications plugin / Using the plugin / OTP flow / Validate OTP
 - Define needed Kafka topics
 - Request to validate an OTP
 - Reply from validate OTP
 - Example: validate an OTP from a business flow


© FLOWX.AI 2023-07-26 Page 1 / 41



PLATFORM DEEP DIVE / Plugins / Custom Plugins / Notifications plugin / Using the plugin / Managing notification templates

You can create and manage notification templates using

The fallback content to display on prerendering web app, by accessing the dedicated section.



Configuring a template

© FLOWX.AI 2023-07-26 Page 2 / 41




To configure a document template, first, you need to select some information stored in the **Body**:

- 1. **Type** could be either MAIL or SMS notifications
- 2. Forward on Kafka if this checkbox is ticked, the notification is not being sent directly by the plugin to the destination, but forwarded to another adapter (this is mandatory for SMS notifications templates, as they require an external adapter)
- 3. **Language** choose the language for your notification template
- 4. Subject enter a subject

© FLOWX.AI 2023-07-26 Page 3 / 41





Editing the content

You can edit the content of a notification template by using the WYSIWYG editor embedded in the body of the notification templates body.

Configuring the data model

Using the




The fallback content to display on prerendering , you can define key pair values (parameters) that will be displayed and reused in the editor. Multiple parameters can be added:

- STRING
- NUMBER
- BOOLEAN
- OBJECT
- ARRAY (which has an additional item field)


© FLOWX.AI 2023-07-26 Page 5 / 41





After you defined some parameters in the **Data Model** tab, you can type "#" in the editor to trigger a dropdown where you can choose which one you want to use/reuse.






» WYSIWYG Editor

Testing the template


You can use the test function to ensure that your template configuration is working as it should before publishing it.





In the example above, some keys (marked as mandatory) were not used in the template, letting you know that you've missed some important information. After you enter all the mandatory keys, the notification test will go through:






Other actions

When opening the contextual menu (accessible by clicking on the breadcrumbs button), you have multiple actions to work with the notifications templates:

- Publish template publish a template (it will be then displayed in the
 Published tab), you can also clone published templates
- Export template export a template (JSON format)
- Show history (version history and last edited)

© FLOWX.AI 2023-07-26 Page 9 / 41





Was this page helpful?

PLATFORM DEEP DIVE / Plugins / Custom Plugins / Notifications plugin

© FLOWX.AI 2023-07-26 Page 10 / 41



/ Using the plugin / Sending a notification

The plugin can be used for sending many kinds of notifications such as emails or SMS notifications. It can be easily integrated in one of your business processes.

Configuring the process

To configure a business process that sends notifications you must follow the next steps:

- use
 The fallback content to display on prerendering
 web app to create/edit a notification template
- use
 The fallback content to display on prerendering
 to add a Message send task and a Message received task
- configure the needed actions
- · configure the request body
- configure the needed Kafka topics

The following values are expected in the request body:

Key	Definition	
language	The language that should be used	Mandatory

© FLOWX.AI 2023-07-26 Page 11 / 41




Key	Definition	
templateName	The name of the notification template that is used	Mandatory
channel	Notification channel: SMS/MAIL	Mandatory
receivers	Notification receivers: email/phone number	Mandatory
senderEmail	Notification sender email	Optional
senderName	Notification sender name	Optional
attachments	Attachments that are sent with the notification template (only used for MAIL notifications)	Optional

(!) INFO

Check the detailed example below.





Define needed Kafka topics


Kafka topic names can be set by using environment variables:

- KAFKA_TOPIC_NOTIFICATION_INTERNAL_IN topic used to trigger the request to send a notification
- KAFKA_TOPIC_NOTIFICATION_INTERNAL_OUT topic used for sending replies after sending the notification

© FLOWX.AI 2023-07-26 Page 13 / 41



Example: send a notification from a business flow




Let's pick a simple use-case, say we need to send a new welcome letter when we onboard a new customer. The steps are the following:

1. Configure the template that you want to use for the welcome email, see the previous section, Managing notification templates for more information.

© FLOWX.AI 2023-07-26 Page 14 / 41





- 2. Use the FLOWX.AI Designer to add a Message send task and a Message received task.
- 3. On the **Message send task** add a proper configuration to the action, the Kafka topic and request body message to be sent:
- **Topics** KAFKA_TOPIC_NOTIFICATION_INTERNAL_IN flowx-notifications-qa


© FLOWX.AI 2023-07-26 Page 15 / 41



- Message (expected parameters):
 - templateName
 - channel
 - language
 - receivers
- Headers it is always {"processInstanceId": \${processInstanceId}}


© FLOWX.AI 2023-07-26 Page 16 / 41





4. On the **Message received task** add the needed topic to receive the kafka response - KAFKA_TOPIC_NOTIFICATION_INTERNAL_OUT - ai.flowx.updates.qa.notification.request.v1.






5. Run the process and look for the response (you can view it via the **Audit log**) or checking the responses on the Kafka topic defined at KAFKA_TOPIC_NOTIFICATION_INTERNAL_OUT variable.

© FLOWX.AI 2023-07-26 Page 18 / 41





Response example at KAFKA_TOPIC_NOTIFICATION_INTERNAL_OUT:

```
{
  "identifier": null,
  "templateName": "welcomeLetter",
  "language": "en",
  "error": null
}
```



Was this page helpful?

PLATFORM DEEP DIVE / Plugins / Custom Plugins / Notifications plugin / Using the plugin / Sending an email with attachments

To use the notification plugin for sending emails with attachments, you must define the same topic configuration as for sending regular notifications. A notification template must be created, and the corresponding Kafka topics must be defined.

» Send a notification


Defining process actions

Example: send an email notification with attached files from a business flow

Let's pick a simple use-case. Imagine we need to send a copy of a contract signed by a new customer. Before setting the action for the notification, another action must be defined, so the first one will save the new contract using the documents plugin.

© FLOWX.AI 2023-07-26 Page 20 / 41





The steps for sending the notification are the following:

Step 1: Configure the template that you want to use for the email, see the Managing notification templates section for more information.

Step 2: Check that the needed topics are defined correctly on the following environment variables:

KAFKA_TOPIC_NOTIFICATION_INTERNAL_IN

© FLOWX.AI 2023-07-26 Page 21 / 41



KAFKA_TOPIC_NOTIFICATION_INTERNAL_OUT

Step 3: Use the

The fallback content to display on prerendering to add a new Kafka send event action to the correct node in the process definition.

Step 4: Add the proper configuration to the action, the Kafka topic and message to be sent.

The message to be sent to Kafka will look something like:

```
"templateName" : "contractCopy",
"identifier" : "text",
"language": "en",
"receivers" : [ "someone@somewhere.com" ],
"contentParams" : {
    "clientId" : "clientId",
    "firstName" : "first",
    "lastName" : "last"
    },
    "attachments" : [ {
        "filename" : "contract",
        "path" : "MINIO_BUCKET_PATH/contract.pdf"
    } ]
}
```

Was this page helpful?

© FLOWX.AI 2023-07-26 Page 22 / 41



PLATFORM DEEP DIVE / Plugins / Custom Plugins / Notifications plugin / Using the plugin / Forward notifications to an external system

If the Notification service is not directly connected to an SMTP / SMS server and you want to use an external system for sending the notifications, you can use the notification plugin just to forward the notifications to your custom implementation.

Define needed Kafka topics

Kafka topic names can be set by using environment variables:

- KAFKA_TOPIC_NOTIFICATION_INTERNAL_IN topic used to trigger the request to send a notification
- KAFKA_TOPIC_NOTIFICATION_EXTERNAL_OUT the notification will be forwarded on this topic to be handled by an external system
- KAFKA_TOPIC_NOTIFICATION_INTERNAL_OUT topic used for sending replies after sending the notification

Example: send a notification from a business flow

Let's pick a simple use case. Imagine we need to send a new welcome letter when we onboard a new customer. You must follow the next steps:

 Configure the template that you want to use for the welcome email, use the WYSIWYG Editor

© FLOWX.AI 2023-07-26 Page 23 / 41




A CAUTION

Make sure that the Forward on Kafka checkbox is ticked, so the notification will be forwarded to an external adapter.


- 2. Configure the data model for the template.
- 3. To configure a document template, first, you need to define some information stored in the Body:
- Type MAIL (for email notifications)
- **! Forward on Kafka** if this box is checked, the notification is not being sent directly by the plugin to the destination, but forwarded to another adapter
- Language choose the language for your notification template
- Subject enter a subject

© FLOWX.AI 2023-07-26 Page 24 / 41










- 4. Use the FLOWX.AI Designer to create a process definition.
- 5. Add a **Kafka send event node** and a **Kafka receive event node** (one to send the request, one to receive the reply).
- 6. Check if the needed topic (defined at the following environment variable) is configured correctly: KAFKA_TOPIC_NOTIFICATION_INTERNAL_IN.
- 7. Add the proper configuration to the action, the Kafka topic, and the body message.

© FLOWX.AI 2023-07-26 Page 26 / 41






! INFO

Forward on Kafka option will forward the notification to an external adapter, make sure the needed Kafka topic for forwarding is defined/overwritten using the following environment variable: KAFKA_TOPIC_EXTERNAL_OUT.



7. Run the process and look for the response (you can view it via the **Audit log**) or by checking the responses on the Kafka topic



Response example at KAFKA_TOPIC_NOTIFICATION_INTERNAL_OUT:

```
{
  "templateName": "welcomeLetter",
  "receivers": [
```

© FLOWX.AI 2023-07-26 Page 28 / 41



```
"john.doe@mail.com"

],
   "channel": "MAIL",
   "language": "en"
}
```


Was this page helpful?

PLATFORM DEEP DIVE / Plugins / Custom Plugins / Notifications plugin / Using the plugin / OTP flow / Generate OTP

There are some cases when you will need to generate an OTP (One Time Password) from a business flow, for example when validating an email account.

The notifications plugin handles both the actual OTP code generation and sending the code to the user using a defined notification template.





Define needed Kafka topics

Kafka topic names can be set by using environment variables:

- KAFKA_TOPIC_OTP_GENERATE_IN
- KAFKA_TOPIC_OTP_GENERATE_OUT after the OTP is generated and sent to the user, this is the topic used to send the response back to the Engine.



The Engine is listening for messages on topics with names of a certain pattern, make sure to use an outgoing topic name that matches the pattern configured in the Engine.

© FLOWX.AI 2023-07-26 Page 30 / 41



Request to generate an OTP

Values expected in the request body:

- templateName: the name of the notification template that is used (created using the WYSIWYG editor)
- channel: notification channel: SMS / MAIL
- recipient: notification receiver: email / phone number
- notification template content parameters (for example, clientId): parameters that should be replaced in the notification template

© FLOWX.AI 2023-07-26 Page 31 / 41



Parameters



Topics

```
ro.flowx.qa.notification.otp.in.generate.v1
```

Message

Advanced configuration

```
Show Headers

1 {"processInstanceId": ${processInstanceId}}
```

Response from generate OTP

Values expected in the reply body:


- processInstanceId = process instance ID
- clientId = the client id (in this case the SSN number of the client)
- channel = notification channel used
- otpSent = confirmation if the notification was sent: true or false

© FLOWX.AI 2023-07-26 Page 32 / 41



• error = error description, if any

Example:



Example: generate an OTP from a business flow

© FLOWX.AI 2023-07-26 Page 33 / 41




It is important to identify what is the business identifier that you are going to use to validate that OTP, it can be, for example, a user identification number.

- 1. Configure the templates that you want to use (for example, an SMS template).
- 2. Check that the needed topics are configured correctly: the topic used to generate OTP (KAFKA_TOPIC_OTP_GENERATE_IN) and the topic used to receive the response (KAFKA_TOPIC_OTP_GENERATE_OUT).
- 3. Use the FLOWX.AI Designer to add a new Kafka send event to the correct node in the process definition.
- 4. Add the proper configuration to the action, the Kafka topic, and configure the body message.

© FLOWX.AI 2023-07-26 Page 34 / 41





- 5. Add a node to the process definition (for the Kafka receive event).
- 6. Configure on what key you want to receive the response on the process instance params.





Was this page helpful?

PLATFORM DEEP DIVE / Plugins / **Custom Plugins / Notifications plugin** / Using the plugin / OTP flow / Validate **OTP**

Define needed Kafka topics

Kafka topic names can be set by using environment variables:

- KAFKA_TOPIC_OTP_VALIDATE_IN the event sent on this topic (with an OTP and an identifier) will check if the OTP is valid
- KAFKA_TOPIC_OTP_VALIDATE OUT the response for this request will validate an OTP, the reply is sent back to the Engine on this topic



A CAUTION

The Engine is listening for messages on topics with names of a certain pattern, make sure to use an outgoing topic name that matches the pattern configured in the Engine.

Request to validate an OTP

Values expected in the request body:

processInstanceId = process instance ID

© FLOWX.AI 2023-07-26 Page 36 / 41



- client id = the user unique ID in the system
- channel = notification channel: SMS/MAIL
- otp = OTP code that you received, used to compare with the one that was sent from the system

Example:

```
{
    "processInstanceId": 12345,
    "clientId": "1871201460101",
    "channel": "MAIL",
    "otp": "1111"
}
```


Reply from validate OTP

Values expected in the reply body:

- client id = the user unique id in the system
- channel = notification channel used
- otpValid = confirmation if the provided OTP code was the same as the one sent from the system

Example:





Example: validate an OTP from a business flow

© FLOWX.AI 2023-07-26 Page 38 / 41



Similar to the generation of the OTP you can validate the OTP that was generated for an identifier.


1. Check that the needed topics are configured correctly:

```
(KAFKA_TOPIC_OTP_VALIDATE_IN and KAFKA_TOPIC_OTP_VALIDATE_OUT)
```

- 2. Add the actions for sending the request to validate the OTP on the node that contains the 'Generate OTP' actions
- 3. Add the proper configuration to the action, the Kafka topic and configure the body message.

© FLOWX.AI 2023-07-26 Page 39 / 41





- 4. Add a node to the process definition (for the Kafka receive event)
- 5. Configure on what key you want to receive the response on the process instance parameters



Node: register_contact_data (ID: 735010) Node Config Actions Custom From integration Topic Name Key Name ai.flowx.updates.qa.notification.otp.valida otpValid Task Management Update task management? Force Task Management Plugin to update information about this process after this node.

Was this page helpful?

© FLOWX.AI 2023-07-26 Page 41 / 41